

















































# 13. Duty Cycle Of Test Signal

#### 13.1 Standard Requirement

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle. All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

#### 13.2 Formula

Duty Cycle = Ton / (Ton+Toff)

# 13.3 Test Procedure

- 1.Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

## 13.4 Test Result

Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
b	2412	100	0	0
g	2412	100	0	0
n20	2412	100	0	0
n40	2422	100	0	0





	Du	I EST G	rapns JT b 2412MHz		
Agilent Spectrum Analyzer - Swep	ot SA				_ # <b>#</b>
RL RF 50Ω		SENSE:INT	ALIGN AUTO	12:54:16 AM Nov 16, 2024 TRACE 12 3 4 5 6	Frequency
enter freq 2.41200	PNO: Fast	Trig: Free Run			
	IFGain:Low	#Atten: 00 db		Mkr1 50 00 ms	Auto Tune
Ref Offset 2.5 0 dB/div Ref 22.59 0	59 dB d <b>Bm</b>			11.20 dBm	
og		1			
12.6					2 412000000 GH
7 41					2.412000000 GH
7.4					
27.4					2 412000000 GH
87.4					2
17.4					Stop Ero
57.4					2.412000000 GH
67.4					2
enter 2.412000000 G	Hz			Span 0 Hz	CF Ster
es BW 8 MHz	#VB\	N 8.0 MHz	Sweep 100	0.0 ms (10001 pts)	8.000000 MH
IKR MODE TRC SCL	X 50.00	Y FUN	ICTION FUNCTION WIDTH	FUNCTION VALUE	Mai
2	50.00 MS	11.20 dBm			Fred Offer
4					0 H
6					
8					
9					
1					
G		III	STATUS	*	
G G	Du	" Ity Cycle NVN	status JT o 2412MHz	•	
G Agilent Spectrum Analyzer - Swep	DU ot SA	" ity Cycle NVN	status JT g 2412MHz	• • • • • • • • • • • • • • • • • • •	
Agilent Spectrum Analyzer - Swep RL RF 50 Q		Ity Cycle NVN	STATUS STATUS IT g 2412MHz ALIGN AUTO Avg Type: Log-Pwr	12:53:23 AM Nov16, 2024	Frequency
SG Agilent Spectrum Analyzer - Swep RL RF 50 Ω enter Freq 2.41200	DU ac   10000 GHz. PNO: Fast -	"     "     "     "     "     "     ty Cycle NVN	STATUS NT g 2412MHz Align auto Avg Type: Log-Pwr	12:53:23 AM Nov 16, 2024	Frequency
RG Agilent Spectrum Analyzer - Swep RL RF 50 Ω enter Freq 2.41200	DU at SA AC DODOO GHz IFGain:Low	Trig: Free Run #Atten: 30 dB	STATUS IT g 2412MHz Align auto Avg Type: Log-Pwr	12:53:23 AM Nov 16, 2024 TRACE 12 3 4 5 6 TYPE WWWWWWW DET P NININ N MKr1 50 00 ms	Frequency Auto Tun
Agilent Spectrum Analyzer - Swep RL         RF         S0 Ω           enter Freq 2.41200         Ref Offset 2.5           DdB/div         Ref 22.59 g	DU at SA AC PNO: Fast ↔ IFGain:Low 39 dB	Trig: Free Run #Atten: 30 dB	STATUS JT g 2412MHz Align auto Avg Type: Log-Pwr	12:53:23 AM Nov 16, 2024 TRACE [] 2 3 4 5 6 TYPE WWWWWW DET P WWWW Mkr1 50.00 ms 9.74 dBm	Frequency Auto Tun
Agilent Spectrum Analyzer - Swep           RL         RF         50 Ω           enter Freq 2.41200           B         Gliv         Ref Offset 2.5           C         Gliv         Ref 22.59         G	DU ot SA AC PNO: Fast IFGain:Low 39 dB 3Bm	Trig: Free Run #Atten: 30 dB	STATUS JT g 2412MHz ALIGN AUTO Avg Type: Log-Pwr	12:53:23 AM Nov 16, 2024 TRACE 12:23 4:5 6 TYPE WWWWWW DET P.NNNN N Mkr1 50.00 ms 9.74 dBm	Frequency Auto Tun
Agilent Spectrum Analyzer - Swep           RL         RF         50 Ω           enter Freq 2.41200           Bildity         Ref Offset 2.5           0 dB/div         Ref 22.59 c           0 g         2.6 w. comments at the dual damage           0 dB/div         Ref 20.59 c	DU ot SA AC PNC: Fast IFGain:Low IB IB IB IB IB	Trig: Free Run #Atten: 30 dB	STATUS JT g 2412MHz Align Auto Avg Type: Log-Pwr	12:53:23 AM Nov 16, 2024 TRACE []] 23 4 5 6 TYPE WWWWWW DET PNNNN Mkr1 50.00 ms 9.74 dBm	Frequency Auto Tun Center Fre
Agilent Spectrum Analyzer - Swep RL RF 50 Ω enter Freq 2.41200 Ref Offset 2.6 o dB/div Ref 22.59 c 2.6 what restrict still and data what 4.1	DU at SA AC DOOOO GHZ PNO: Fast IFGain:Low S9 dB IBm	Trig: Free Run #Atten: 30 dB	STATUS	12:53:23 AM Nov 16, 2024 TRACE 11.2 3 4 5 6 TYPE WWWWWW DET WWWWWW DET WWWWWW Mkr1 50.00 ms 9.74 dBm	Frequency Auto Tun Center Free 2.41200000 GH
Agilent Spectrum Analyzer - Swep           RL         RF         50 Ω           enter Freq 2.41200           Ref Offset 2.6         0           0 dB/div         Ref 22.59 c           12 59         0           14 1         1           7.4         1	Du ac Du PNO: Fast IFGain:Low 39 dB 1Bm	Trig: Free Run #Atten: 30 dB	STATUS	12:53:23 AM Nov 16, 2024 TRACE 23 34 5 6 TYPE WWWWWW DET PINNINN Mkr1 50.00 ms 9.74 dBm	Frequency Auto Tun Center Fre 2.412000000 GH
Agilent Spectrum Analyzer - Swep           RL         RF         50 Ω           enter Freq 2.412000           Comparison         Ref Offset 2.5           O dB/div         Ref 22.59 c           12 6         Harrison           14 1         7.4	DU ac PN0: Fast IFGain:Low 39 dB 18m Provide Provide and the provide Provide Action (19) Provide Action (19)	Trig: Free Run #Atten: 30 dB	STATUS	12:53:23 AM Nov 16, 2024 TRACE [] 2 3 4 5 6 TYPE WWWWW DET WINNIN Mkr1 50.00 ms 9.74 dBm	Frequency Auto Tun Center Free 2.41200000 GH
G         Agilent Spectrum Analyzer - Swep           RL         RF         50 Ω           enter Freq 2.412000         Ref Offset 2.5           0 dB/div         Ref 22.59 C           259         Ref 22.59 C           7.4         7.4	DU at SA AC PNO: Fast IFGain:Low 39 dB 1Bm	Trig: Free Run #Atten: 30 dB	STATUS	12:53:23 AM Nov 16, 2024 TRACE [] 2 3 4 5 6 TYPE WWWWWW DET P NINN NN Mkr1 50.00 ms 9.74 dBm	Frequency Auto Tun Center Fre 2.41200000 GH Start Fre 2.41200000 GH
Agilent Spectrum Analyzer - Swer           RL         RF         S0 Ω           enter Freq 2.41200           Barrier Greg 2.41200           Comparison of the second	DU ot SA AC PNO: Fast IFGain:Low S9 dB IBm	Trig: Free Run #Atten: 30 dB	STATUS	12:53:23 AM Nov 16, 2024 TRACE [] 2 3 4 5 6 TYPE WWWWWW DET PINNIN N MKr1 50.00 ms 9.74 dBm	Frequency Auto Tun Center Fre 2.41200000 GH Start Fre 2.41200000 GH
G         Agilent Spectrum Analyzer - Swef           RL         RF         50 Ω           enter Freq 2.41200         Ref Offset 2.5           OdB/div         Ref 22.59 c           259         Ref 22.59 c           41         7           74         7           74         7           74         7	DU ot SA AC PNO: Fast IFGain:Low 39 dB 3Bm	Trig: Free Run #Atten: 30 dB	STATUS	12:53:23 AM Nov 16, 2024 TRACE 12: 23 4 5 6 TYPE WWWWWW DET NINN N N Mkr1 50.00 ms 9.74 dBm	Frequency           Auto Tun           Center Fre           2.412000000 GH           Start Fre           2.412000000 GH           Stop Fre           2.412000000 GH
Agilent Spectrum Analyzer - Sweg           RL         RF         50 Q           enter Freq 2.41200           Ref Offset 2.5         0           OdB/div         Ref 2.59 G           259         0           26         41 cm 4	DU ot SA AC PNO: Fast IFGain:Low BB BB IBM	Trig: Free Run #Atten: 30 dB	STATUS	12:53:23 AM Nov 16, 2024 TRACE 12:34 5 6 TVPE WWWWWWW DET PNNNNN Mkr1 50.00 ms 9.74 dBm	Frequency Auto Tun Center Free 2.41200000 GH Start Free 2.41200000 GH
G         Ref         Offset 2.6           Content Freq 2.41200         Ref Offset 2.6         Offset 2.5           Content Freq 2.41200         Ref Offset 2.6         Offset 2.6           Content Freq 2.41200         Ref 2.5         Offset 2.6           Content Freq 2.41200         Ref 2.5         Offset 2.6           Content Freq 2.41200         Ref 2.6         Offset 2.6           Content Freq 2.41200         Ref 2.6         Offset 2.6           Content Freq 2.41200         Ref 2.6         Offset 2.6           Content Freq 2.41200         Offset 2.6         Offset 2.6           Content Freq 2.41200         Offset 2.6         Offset 2.6           Content Freq 2.41200         Offset 2.6         Offset 2.6	DU at SA AC PNO: Fast IFGain:Low 39 dB 1Bm general/key to a fact of the to a fact of the tool of the second second second second second second second second se	Trig: Free Run #Atten: 30 dB	STATUS	12:53:23 AM Nov 16, 2024 TRACE [] 23 4 5 6 TVPE WWWWWWW DET PNNNNN Mkr1 50.00 ms 9.74 dBm	Frequency Auto Tun Center Free 2.41200000 GH Start Free 2.41200000 GH
G         Ref         Offset 2.5           Conter         Freq 2.41200         Ref         Offset 2.5           Conter         Freq 2.41200         Ref         Offset 2.5         Offset 2.5           Conter         Freq 2.41200         Ref         Offset 2.5	DU ac Du AC PNO: Fast M PNO: Fast M IBM IBM IBM IBM IBM IBM IBM IB	Trig: Free Run #Atten: 30 dB	Status	12:53:23 AM Nov 16, 2024 TRACE [] 2 3 4 5 6 TVPE [] 2 3 4 5 6 TVPE [] 2 4 5 6	Frequency Auto Turn Center Free 2.41200000 GH Start Free 2.41200000 GH Stop Free 2.41200000 GH
Seiner Spectrum Analyzer - Sweg           RL         RF         50 Ω           enter Freq 2.41200           Ref Offset 2.5 9           O dB/div         Ref 2.59 0           12 6         dc control of the data           7.4         2.59           7.4         2.59           7.4         2.59           7.4         2.59           6         4.27           7.4         2.41           enter 2.4120000000 G           enter 2.4120000000 G           enter 2.4120000000 G           enter 2.4120000000 G           BW 8 MHz           KR MODE TRC SCL           N	DU ac Du AC PNO: Fast - IFGain:Low S9 dB IBM Constant of control to S9 dB IBM Constant of control to Constant of control to Control to Constant of control to Con	Trig: Free Run #Atten: 30 dB	STATUS JT g 2412MHz ALIGN AUTO Avg Type: Log-Pwr	12:53:23 AM Nov 16, 2024 TRACE [] 2 3 4 5 6 TYPE [] 2 3 4 5 6 TYPE WWWWWW DET NNNNN MKr1 50.00 ms 9.74 dBm (Mill of the set of the set Span 0 Hz 0.0 ms (10001 pts) FUNCTION VALUE	Frequency Auto Turn Center Free 2.41200000 GH 2.41200000 GH 2.41200000 GH 2.41200000 GH CF Step 8.00000 MH Auto Mat
Ref Offset 2.6           Ref Offset 2.6           Ref Offset 2.6           O dB/div         Ref Offset 2.6           O dB/div         Ref Offset 2.6           0         dB/div         Ref 2.412000           12         6         da gene 1.000         da d	DU ac Du PNO: Fast	Trig: Free Run #Atten: 30 dB	Status JT g 2412MHz Align Auto Avg Type: Log-Pwr Avg Type: Log-Pwr Sweep 100 CTION FUNCTION WIDTH	12:53:23 AM Nov 16, 2024 TRACE [] 2 3 4 5 6 TYPE [] 2 3 4 5 6 TYPE [] 2 4 5 7	Frequency Auto Turn Center Freq 2.41200000 GH Start Freq 2.41200000 GH Stop Freq 2.41200000 GH CF Step 8.000000 MH Auto Mat
Agilent Spectrum Analyzer - Sweg         RL       RF       50 Ω         enter Freq 2.41200         O dB/div       Ref Offset 2.5         O dB/div       Ref 22.59 G         12.6       L. J. J. L.	Du ac Du PN0: Fast	Trig: Free Run #Atten: 30 dB	STATUS	12:53:23 AM Nov 16, 2024 TRACE [] 2 3 4 5 6 TYPE WWWWW DET P WWWWW DET P WWWW N MKr1 50.00 ms 9.74 dBm (0111 at the second of the second of the second of the second of the second of th	Frequency Auto Tum Center Freq 2.41200000 GH Start Freq 2.41200000 GH Stop Freq 2.41200000 GH CF Step 8.00000 MH Auto Ma Freq Offseq 0 H
Ref         Offset 2.5           0         Context Freq 2.41200           0         Context Freq 2.412000000           0         Context Freq 2.4120000000           0         Context Freq 2.41200000000	Du ac Du PN0: Fast H IFGain:Low 39 dB 18m ac Ductor and red of the tag 18m ac Ductor and red of tag 18m	Trig: Free Run #Atten: 30 dB	STATUS IT g 2412MHz Aug Type: Log-Pwr Avg Type: Log-Pwr Sweep 100	12:53:23 AM Nov 16, 2024 TRACE [] 2 3 4 5 G TYPE WWWWWW Der PINNIN N MKr1 50.00 ms 9.74 dBm (11) 10 2 deceded and M d Span 0 Hz 0.0 ms (10001 pts) FUNCTION VALUE	Frequency Auto Tune Center Free 2.41200000 GH Start Free 2.41200000 GH Stop Free 2.41200000 GH CF Stej 8.00000 MH Auto Mai
Right         RF         50 Ω           enter Freq 2.41200         Ref Offset 2.50 Ω           0 dB/div         Ref 22.59 C           25         Ref 22.59 C           7.4         Sector 1.50 Ω           7.4         Sector 2.4120000000 G           Sector 1.50 TRC  SCL         Sector 1.50 Ω           7.4         Sector 1.50 Ω           7.5         Sector 1.50 Ω           7.6         Sector 1.50 Ω	Du ot SA AC PN0: Fast IFGain:Low 39 dB 18m arcouldbare to decode SHz X 50.00 ms	Trig: Free Run #Atten: 30 dB	STATUS	12:53:23 AM Nov 16, 2024 TRACE [] 2 3 4 5 6 TYPE WWWWWW DET WWWWWWW DET WWWWWWW MKr1 50.00 ms 9.74 dBm 9.74 dBm	Frequency Auto Tun Center Free 2.41200000 GH Start Free 2.41200000 GH Stop Free 2.41200000 GH CF Step 8.00000 MH Auto Mai
Agilent Spectrum Analyzer - Swep           RL         RF         50 Ω           enter Freq 2.41200         Ref Offset 2.50 Ω           O dB/div         Ref 22.59 Ω           259         Ref 22.59 Ω           269         Ref 24.1200           269         Ref 24.1200           269         Ref 24.1200           269         Ref 24.1200           270         Ref 24.1200           74         Ref 24.12000000 G           74         Ref 25.11           74         Ref 24.120000000 G           8         Ref 25.11           7         Ref 24.120000000 G           8         Ref 25.11           7         Ref 25.20           7         Ref 24.120000000 G           8         Ref 25.20           7         Ref 25.20           7         Ref 25.20           7         Ref 25.20           8         Ref 25.20           7         Ref 25.20           8         Ref 25.20           8         Ref 25.20	Du ot SA AC PNO: Fast IFGain:Low 39 dB 1Bm Provide the deathed to 59 dB 1Bm Provide the deathed to 59 dB 1Bm Provide the deathed to 50 dB 1Bm Provide the deathed to 50 dB 50	Trig: Free Run #Atten: 30 dB	STATUS U STATUS U STATUS U SAVE Type: Log-Pwr U SWeep 100 U SWeep 100 U STION FUNCTION WIDTH	12:53:23 AM Nov 16, 2024 TRACE 12:23 4:5 G TYPE WWWWWWW DET PNNN N Mkr1 50.00 ms 9.74 dBm 9.74 dBm 9.7	Гесциенсу Frequency Auto Tune Center Free 2.412000000 GH Start Free 2.412000000 GH Stop Free 2.412000000 GH CF Step 8.000000 MH <u>Auto</u> Mai Freq Offsee 0 H
Se           RL         RF         S0 Q           enter Freq 2.41200           Colspan="2">Ref Offset 2.5           O dB/div         Ref Offset 2.5           O dB/div         Ref Offset 2.5           Colspan="2">Colspan="2"           Colspan="2">Colspan="2"           Colspan="2"	DU or SA AC PNO: Fast IFGain:Low S9 dB IBM Identification (Internet Internet	Trig: Free Run #Atten: 30 dB  Trig: Atten: 30 dB  Trig: Free Run #Atten: 30 dB  Trig: Free Run #Atten: 40 dB  Trig: Free Run	STATUS IT g 2412MHz ALIGN AUTO Avg Type: Log-Pwr	12:53:23 AM Nov 16, 2024 TRACE 12:23 4:5 6 TYPE WWWWWWW DET PINNINN Mkr1 50.00 ms 9.74 dBm 9.74 dBm 9.	Frequency Auto Tun Center Free 2.41200000 GH Start Free 2.41200000 GH Stop Free 2.41200000 GH CF Step 8.00000 MH Auto Ma



	Dut	y Cycle NVN		2		
Agilent Spectrum Analyzer - Swept	SA	CENCE-INT		12:51:16 AM Nov:16, 2024		
enter Freg 2.412000	0000 GHz	SENSE:INT	Avg Type: Log-Pwr	TRACE 1 2 3 4 5 6	Frequency	
	PNO: Fast ← IFGain:Low	#Atten: 30 dB		DET PNNNN		
D-605-4050				Mkr1 50.00 ms	Auto Tun	
0 dB/div Ref 22.59 dl	Bm			8.61 dBm		
og		1			0	
					2 412000000 GH	
					2.412000000 311	
7.4						
7.4					Start Fre	
7.4					2.412000000 GF	
7.4						
7.4					Stop Fre	
7.4					2.412000000 GH	
enter 2.412000000 GI	Hz			Span 0 Hz	CF Ste	
es BW 8 MHz	#VB\	W 8.0 MHz	Sweep 100	.0 ms (10001 pts)	8.000000 MH Auto Ma	
KR MODE TRC SCL	X	Y FU	NCTION FUNCTION WIDTH	FUNCTION VALUE	<u>naco</u> ma	
2	30.00 ms	0.01 (IB)111			Eron Offer	
4					Frequise	
5				E		
7						
9						
0						
-				•		
G			STATUS			
G	Dut	v Cvcle NVN	status T n40 2422MH	, , , , , , , , , , , , , , , , , , ,		
G Agilent Spectrum Analyzer - Swept	Dut	y Cycle NVN	status T n40 2422MH	Z		
G Agilent Spectrum Analyzer - Swept RL RF 50 Ω	Dut		STATUS T n40 2422MH	Z	Frequency	
G Agilent Spectrum Analyzer - Swept RL RF 50 Ω enter Freq 2.422000	Dut SA AC DOOO GHz PNO: Fast -		STATUS T n40 2422MH ALIGN AUTO Avg Type: Log-Pwr	Z 12:50:16 AM Nov 16, 2024 TRACE 12:34 5 6 TYPE W	Frequency	
g Agilent Spectrum Analyzer - Swept : RL RF 50 Ω enter Freq 2.422000	Dut AC DOOD GHZ PNO: Fast - IFGain:Low	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS T n40 2422MH ALIGN AUTO Avg Type: Log-Pwr	Z 12:50:16 AM Nov 16, 2024 TRACE 2 3 4 5 6 TYPE W	Frequency Auto Tun	
G Agilent Spectrum Analyzer - Swept : RL RF 50 Ω enter Freq 2.422000 Ref Offset 2.59	Dut sa ac PNO: Fast ← IFGain:Low Brea	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS T n40 2422MH Align auto Avg Type: Log-Pwr	Z 12:50:16 AM Nov 16, 2024 TRACE 12 3 4 5 6 TYPE WYNNINN DET PININNN Mkr1 50.000 ms 7.93 dBm	Frequency Auto Tun	
G RL RF 50Ω enter Freq 2.422000 Ref Offset 2.59 Ω dB/div Ref 20.00 dB 9	Dut AC PN0: Fast IFGain:Low BM	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS T n40 2422MH Align auto Avg Type: Log.Pwr	Z 12:50:16 AM Nov 16, 2024 TRACE 12 3 4 5 6 TYPE WINNIN DET PINININ Mkr1 50.00 ms 7.93 dBm	Frequency Auto Tun	
G RL RF 50 Ω enter Freq 2.422000 Ref Offset 2.59 0 dB/div Ref 20.00 dB 9 9 9 10 dat 4 sheet by a second s	Dut AC PN0: Fast IFGain:Low BM	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS T n40 2422MH Align auto Avg Type: Log.Pwr	Z 12:50:16 AM Nov 16, 2024 TRACE 12 3 4 5 6 TYPE WWWWWWW DET P NIN NIN Mkr1 50.00 ms 7.93 dBm	Frequency Auto Tun Center Fre	
Agilent Spectrum Analyzer - Swept           RL         RF         50 Ω           enter Freq 2.422000         Ref Offset 2.59           D dB/div         Ref 2000 dB           0 dB/div         Ref 2000 dB           R dB </td <td>Dut SA AC PN0: Fast IFGain:Low D dB Bm</td> <td>y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB</td> <td>STATUS T n40 2422MH Aug Type: Log-Pwr</td> <td>Z 12:50:16 AM Nov 16, 2024 TRACE 12 3 4 5 6 TYPE WYNNWN DET P NNNN Mkr1 50.00 ms 7.93 dBm</td> <td>Frequency Auto Tun Center Fre 2.42200000 GH</td>	Dut SA AC PN0: Fast IFGain:Low D dB Bm	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS T n40 2422MH Aug Type: Log-Pwr	Z 12:50:16 AM Nov 16, 2024 TRACE 12 3 4 5 6 TYPE WYNNWN DET P NNNN Mkr1 50.00 ms 7.93 dBm	Frequency Auto Tun Center Fre 2.42200000 GH	
Agilent Spectrum Analyzer - Swept RL RF 50 Ω enter Freq 2.422000 D dB/div Ref Offset 2.59 0 dB/div Ref 20.00 dB 0 g 0 g 0 g 0 g 0 g 0 g 0 g 0 g	Dut SA AC PN0: Fast ← IFGain:Low BB Bm	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS	Z 12:50:16 AM Nov 16, 2024 TRACE 12:3 4 5 6 TYPE WANNAW DET P NINN NN Mkr1 50.00 ms 7.93 dBm	Center Fre 2.42200000 GH	
Agilent Spectrum Analyzer - Swept           RL         RF         50 Ω           enter Freq 2.422000         Sector         Sector           0 dB/div         Ref Offset 2.59         Ref 20.00 dB           0 dB/div         Ref 20.00 dB         Ref 20.00 dB	Dut sa AC PNO: Fast — IFGain:Low D dB Bm	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS	Z 12:50:16 AM Nov 16, 2024 TRACE 12:3 4 5 6 TYPE WANNAW DET P NINN NN Mkr1 50.00 ms 7.93 dBm	Center Fre 2.42200000 G- Start Fre	
Agilent Spectrum Analyzer - Swept           RL         RF         50 Ω           enter Freq 2.422000         Sector         Sector           0 dB/div         Ref Offset 2.59         Ref 2000 dB           0 dB/div         Ref 2000 dB         Ref 2000 dB           0 dB/div         Ref 2000 dB         Ref 2000 dB           0 dB/div         Ref 20.00 dB         Ref 2000 dB           0 dB/div         Ref 2000 dB         Ref 2000 dB           0 dB         Ref 2000 dB         Ref 2000 dB           0 dB	Dut sa AC PNO: Fast → IFGain:Low D dB Bm	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS	Z 12:50:16 AM Nov 16, 2024 TRACE 12:34 5 6 TYPE WWWWWWW DET P NINN NN Mkr1 50.00 ms 7.93 dBm	Frequency Auto Tun Center Fre 2.42200000 GH Start Fre 2.42200000 GH	
Agilent Spectrum Analyzer - Swept           RL         RF         50 Ω           enter Freq 2.422000         Sector         Sector           0 dB/div         Ref Offset 2.59         Ref 20.00 dB           0 dB/div         Ref 20.00 dB         Ref 20.00 dB           0 g         0.0         Ref 20.00 dB           0.0         0.0         Ref 20.00 dB           0.0         0.0         Ref 20.00 dB	Dut SA AC PNO: Fast — PNO: Fast — D dB Bm Hills on the children	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS	Z 12:50:16 AM Nov 16, 2024 TRACE 12:34 5 6 TYPE WWWWWWW DET P NINN NN Mkr1 50.00 ms 7.93 dBm	Center Fre 2.42200000 GH	
Agilent Spectrum Analyzer - Swept           RL         RF         50 Ω           enter Freq 2.422000         Ref Offset 2.59           0 dB/div         Ref 20.00 dB           0 dB         Ref 20.00 dB	Dut SA AC PNO: Fast - PNO: Fast - D dB Bm	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS	Z 12:50:16 AM Nov 16, 2024 TRACE 12:34 5 6 TYPE WWWWWWW DET P NINN NN Mkr1 50.00 ms 7.93 dBm	Center Fre 2.42200000 GH	
Agilent Spectrum Analyzer - Swept           RL         RF         50 Ω           enter Freq 2.422000         Sector         Sector           0 dB/div         Ref Offset 2.59         Ref 20.00 dB           0 dB/div         Ref 20.00 dB         Ref 20.00 dB           0 d0         R	Dut sa AC DOUO GHz PNO: Fast - DOB Bm definition	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS	Z 12:50:16 AM Nov 16, 2024 TRACE 12:3 4 5 6 TYPE WWWWWWW DET P NINNN Mkr1 50.00 ms 7.93 dBm	Center Fre           2.422000000 GH           Start Fre           2.422000000 GH           Start Fre           2.422000000 GH	
Agilent Spectrum Analyzer - Swept           RL         RF         50 Ω           enter Freq 2.422000         Ref Offset 2.59           0 dB/div         Ref 2000 dB           0 dB         Ref 2000 dB           0 d0         Ref 2000 dB           0 dB         Ref 2000 dB           0 d0         Ref 2000 dB           R d0	Dut SA AC PNO: Fast - PNO: Fast - D dB Bm	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS	Z 12:50:16 AM Nov 16, 2024 TRACE 12 3 4 5 6 TYPE WANNAM DET P NINN N Mkr1 50.00 ms 7.93 dBm	Center Fre           2.422000000 GH           Start Fre           2.422000000 GH           Stop Fre           2.422000000 GH	
G Agilent Spectrum Analyzer - Swept RL RF 50 Ω enter Freq 2.422000 Ref Offset 2.59 000 AB/div Ref 20.00 AB 000 AB/div Ref 20.00 AB/div Ref 20.00 AB 000 AB/div Ref 20.00 AB	Dut SA AC PNO: Fast - PNO: Fast - D dB Bm Hz	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS	Z 12:50:16 AM Nov 16, 2024 TRACE 12 3 4 5 6 TYPE WYNWWW DET P NINNN MKr1 50.00 ms 7.93 dBm	Frequency           Auto Tun           Center Fre           2.422000000 GH           Start Fre           2.422000000 GH           Stop Fre           2.422000000 GH	
G Agilent Spectrum Analyzer - Swept RL RF 50 Ω enter Freq 2.422000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Dut	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS	Z 12:50:16 AM Nov 16, 2024 TRACE 12 3 4 5 6 TYPE WINNINN MKr1 50.00 ms 7.93 dBm Alexandrough and a second Span 0 Hz 0.0 ms (10001 pts)	CF Ste 8.000000 MH	
G Agilent Spectrum Analyzer - Swept RL RF 50 Ω enter Freq 2.422000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Dut sa AC PNO: Fast - PNO: Fast - PNO: Fast - PNO: Fast - PNO: Fast - PNO: Fast - PNO: Fast - HZ #VBN	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB	STATUS	Z 12:50:16 AM Nov 16, 2024 TRACE 12 3 4 5 6 TYPE WANNAN MKr1 50.00 ms 7.93 dBm Alexandrow (2000 ms 5 pan 0 Hz 0 ms (10001 pts) FUNCTION VALUE	Frequency           Auto Tun           Center Fre           2.422000000 GH           Start Fre           2.422000000 GH           Stop Fre           2.422000000 GH           CF Ste           8.000000 MH           Auto Ma	
G Agilent Spectrum Analyzer - Swept RL RF 50 Ω enter Freq 2.422000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Dut	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB Value User Avel(13) for W 8.0 MHz Y FU 7.93 dBm	STATUS	Z 12:50:16 AM NOV 16, 2024 TRACE 12 3 4 5 6 TYPE WANNAN DET P NINNIN MKr1 50.00 ms 7.93 dBm Alexandrow (2000 ms 5 pan 0 Hz 0 ms (10001 pts) FUNCTION VALUE	Center Fre           2.422000000 GH           Start Fre           2.422000000 GH           Start Fre           2.422000000 GH           Stop Fre           2.422000000 GH           CF Ste           8.000000 MH           Auto	
G         Agilent Spectrum Analyzer - Swept         RL       RF       50 Q         enter Freq 2.422000       Sector       Sector         0       B       B       B       Sector       Sector<	Dut	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB Value: Use: Avel(13) for W 8.0 MHz Y FU 7.93 dBm	STATUS	Z 12:50:16 AM NOV 16, 2024 TRACE 12 3 4 5 6 TYPE WANNAN DET PANNAN MKr1 50.00 ms 7.93 dBm Amount of the second sec	Frequency Auto Tun Center Fre 2.422000000 GH Start Fre 2.422000000 GH Stop Fre 2.422000000 GH CF Stej 8.000000 MH Auto Ma	
G         Agilent Spectrum Analyzer - Swept         RL       RF       50 Ω         enter Freq 2.422000       Sector       Sector         0       B       B       B       Sector       Sector<	Dut	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB Value User Avel(13) for W 8.0 MHz Y FU 7.93 dBm	STATUS	Z 12:50:16 AM NOV 16, 2024 TRACE 12:34 5 6 TYPE WANNAN DET PANNAN MKr1 50.00 ms 7.93 dBm Amount of the second seco	Center Fre           2.422000000 GH           Start Fre           2.422000000 GH           Start Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Freq Offse           8.00000 MH           Auto           Ma           Freq Offse           0 H	
G         Agilent Spectrum Analyzer - Swept         RL       RF       50 Q         Ref Offset 2.59         O dB/div       Ref 20.00 dB         Og       Colspan="2">Colspan="2"         Colspan="2"       Colspan="2"         Colspan="2"       Colspan="2"         Colspan="2"          Colspan="2"          Colspan="2"        Colspan="2"         Colspan="2"        Colspan="2"         Colspan="2"        Colspan="2"          Colspan="2"          Colspan="2" <th cols<="" td=""><td>Dut</td><td>y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB Value: Use: Average of the sense W 8.0 MHz Y FU 7.93 dBm</td><td>STATUS</td><td>Z 12:50:16 AM NOV 16, 2024 TRACE 12:34 5 6 TYPE WANNAN DET PANNAN MKr1 50.00 ms 7.93 dBm 4.00 ms (10001 pts) FUNCTION VALUE</td><td>Center Fre           2.422000000 GH           Start Fre           2.422000000 GH           Start Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Freq Offse           0 H</td></th>	<td>Dut</td> <td>y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB Value: Use: Average of the sense W 8.0 MHz Y FU 7.93 dBm</td> <td>STATUS</td> <td>Z 12:50:16 AM NOV 16, 2024 TRACE 12:34 5 6 TYPE WANNAN DET PANNAN MKr1 50.00 ms 7.93 dBm 4.00 ms (10001 pts) FUNCTION VALUE</td> <td>Center Fre           2.422000000 GH           Start Fre           2.422000000 GH           Start Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Freq Offse           0 H</td>	Dut	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB Value: Use: Average of the sense W 8.0 MHz Y FU 7.93 dBm	STATUS	Z 12:50:16 AM NOV 16, 2024 TRACE 12:34 5 6 TYPE WANNAN DET PANNAN MKr1 50.00 ms 7.93 dBm 4.00 ms (10001 pts) FUNCTION VALUE	Center Fre           2.422000000 GH           Start Fre           2.422000000 GH           Start Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Freq Offse           0 H
Agilent Spectrum Analyzer - Swept           RL         RF         50 Ω           enter Freq 2.422000         Sector         Sector           0         B	Dut	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB Water State Stat	STATUS	Z 12:50:16 AM NOV 16, 2024 TRACE 12:34 5 6 TYPE WANNAN MKr1 50:00 ms 7.93 dBm Amount of the second se	Center Fre           2.422000000 GH           Start Fre           2.422000000 GH           Start Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Freq Offse           0 H	
Agilent Spectrum Analyzer - Swept           RL         RF         50 Ω           enter Freq 2.422000         Ref Offset 2.55         Ref 2.65           OdB/div         Ref 2.62         Ref 2.65           OdB/div         Ref 2.65         Ref 2.65           OdB/div         Ref 2.62         Ref 2.65           OdB/div         Ref 2.62         Ref 2.65           OdB/div         Ref 2.65         Ref 2.65           OdB/div         Ref 2.65         Ref 2.65           OdB         Ref 2.65         Ref 2.65           Ref 2.65         Ref 2.65	Dut	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB W 8.0 MHz Y FU 7.93 dBm	STATUS	Z 12:50:16 AM NOV 16, 2024 TRACE 12:34 5 5 TYPE WANNAN MKr1 50.00 ms 7.93 dBm Amount of the second se	Center Fre           2.422000000 GH           Start Fre           2.422000000 GH           Start Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Freq Offse           0 H	
Agilent Spectrum Analyzer - Swept         RL       RF       50 Ω         enter Freq 2.422000       Ref Offset 2.55         OdB/div       Ref 20.00 dB         OdB/div       Ref 20.00 dB         Od	Dut	y Cycle NVN SENSE:INT Trig: Free Run #Atten: 30 dB Water 100 Control 100 Water 100 Control 100 Water 100 Control 100 Water 100 Control 100 Water 100 Control 100 FU 7.93 dBm	STATUS	Z 12:50:16 AM NOV 16, 2024 TRACE 12 3 4 50 TYPE WANNAN MKr1 50.00 ms 7.93 dBm 4000000000000000000000000000000000000	Frequency           Auto Tun           Center Fre           2.422000000 GH           Start Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Stop Fre           2.422000000 GH           Freq Offse           0 H	



# 14. Antenna Requirement

# 14.1 Limit

15.203 requirement: For intentional device, according to 15.203: an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

#### 14.2 Test Result

The EUT antenna is Internal antenna, fulfill the requirement of this section.



# **15. EUT Photographs**

# EUT Photo 1



#### EUT Photo 2



NOTE: Appendix-Photographs Of EUT Constructional Details.

No.: BCTC/RF-EMC-005



# 16. EUT Test Setup Photographs

## Conducted Emissions Photo



#### Radiated Measurement Photos







No.: BCTC/RF-EMC-005

Page: 75 of 76



# STATEMENT

1. The equipment lists are traceable to the national reference standards.

2. The test report can not be partially copied unless prior written approval is issued from our lab.

3. The test report is invalid without the "special seal for inspection and testing".

4. The test report is invalid without the signature of the approver.

5. The test process and test result is only related to the Unit Under Test.

6. Sample information is provided by the client and the laboratory is not responsible for its authenticity.

7. The quality system of our laboratory is in accordance with ISO/IEC17025.

8. If there is any objection to this test report, the client should inform issuing laboratory within 15 days from the date of receiving test report.

Address:

1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Zhancheng, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

TEL: 400-788-9558

P.C.: 518103

FAX: 0755-33229357

Website: http://www.chnbctc.com

Consultation E-mail: bctc@bctc-lab.com.cn

Complaint/Advice E-mail: advice@bctc-lab.com.cn

\*\*\*\*\* END \*\*\*\*\*

No.: BCTC/RF-EMC-005

Page: 76 of 76