



802.11ax-HE160 26dB Bandwidth


Channel 15 (6025MHz)



Channel 47 (6185MHz)




Channel 79 (6345MHz)



Channel 111 (6505MHz)




Channel 143 (6665MHz)



Channel 175 (6825MHz)




Channel 207 (6985MHz)




802.11be-EHT20 26dB Bandwidth

Channel 1 (5955MHz)



Channel 49 (6195MHz)



Channel 93 (6415MHz)




Channel 97 (6435MHz)



Channel 105 (6475MHz)



Channel 113 (6515MHz)



Channel 117 (6535MHz)




Channel 149 (6695MHz)



802.11be-EHT20 26dB Bandwidth


Channel 181 (6855MHz)




Channel 185 (6875MHz)




Channel 189 (6895MHz)



Channel 209 (6995MHz)




Channel 229 (7095MHz)




802.11be-EHT40 26dB Bandwidth


Channel 3 (5965MHz)




Channel 51 (6205MHz)




Channel 91 (6405MHz)



Channel 99 (6445MHz)




Channel 107 (6485MHz)




Channel 115 (6525MHz)



Channel 123 (6565MHz)




Channel 147 (6685MHz)




802.11be-EHT40 26dB Bandwidth


Channel 179 (6845MHz)




Channel 187 (6885MHz)




Channel 195 (6925MHz)



Channel 211 (7005MHz)



Channel 227 (7085MHz)




802.11be-EHT80 26dB Bandwidth


Channel 7 (5985MHz)




Channel 55 (6225MHz)




Channel 87 (6385MHz)




Channel 103 (6465MHz)




Channel 119 (6545MHz)




Channel 135 (6625MHz)



Channel 151 (6705MHz)




Channel 167 (6785MHz)




802.11be-EHT80 26dB Bandwidth


Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)



802.11be-EHT160 26dB Bandwidth


Channel 15 (6025MHz)




Channel 47 (6185MHz)




Channel 79 (6345MHz)



Channel 111 (6505MHz)




Channel 143 (6665MHz)



Channel 175 (6825MHz)




Channel 207 (6985MHz)




802.11be-EHT320-1 26dB Bandwidth


Channel 31 (6105MHz)



Channel 95 (6425MHz)




Channel 159 (6745MHz)




802.11be-EHT320-2 26dB Bandwidth


Channel 63 (6265MHz)



Channel 127 (6585MHz)



Channel 191 (6905MHz)



A.3 Output Power Test Result

Test Site	WZ-SR5	Test Engineer	Luis Yang
Test Date	2024-03-06	Test Mode	SISO Mode

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Limit (dBm)
802.11a	MCS0	1	5955	113.30	18.10	≤ 30.00
802.11a	MCS0	49	6195	113.00	17.80	≤ 30.00
802.11a	MCS0	93	6415	112.80	17.60	≤ 30.00
802.11a	MCS0	97	6435	113.00	17.80	≤ 30.00
802.11a	MCS0	105	6475	112.90	17.70	≤ 30.00
802.11a	MCS0	113	6515	112.80	17.60	≤ 30.00
802.11a	MCS0	117	6535	113.00	17.80	≤ 30.00
802.11a	MCS0	149	6695	113.00	17.80	≤ 30.00
802.11a	MCS0	181	6855	113.20	18.00	≤ 30.00
802.11a	MCS0	185	6875	112.90	17.70	≤ 30.00
802.11a	MCS0	189	6895	113.00	17.80	≤ 30.00
802.11a	MCS0	209	6995	112.80	17.60	≤ 30.00
802.11a	MCS0	229	7095	113.20	18.00	≤ 30.00

Note: EIRP (dBm) = EIRP (dBμV/m) + Correction Factor @ 3m, Correction Factor @ 3m = $20\log(D) - 104.7$;
where D is the measurement distance @3m = -95.2dB

Test Site	WZ-SR5	Test Engineer	Luis Yang
Test Date	2024-03-06~2024-03-08	Test Mode	CDD & STBC Mode

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Limit (dBm)
CDD Mode						
802.11a	MCS0	1	5955	108.40	13.20	≤ 30.00
802.11a	MCS0	49	6195	109.60	14.40	≤ 30.00
802.11a	MCS0	93	6415	109.60	14.40	≤ 30.00
802.11a	MCS0	97	6435	109.70	14.50	≤ 30.00
802.11a	MCS0	105	6475	109.80	14.60	≤ 30.00
802.11a	MCS0	113	6515	109.70	14.50	≤ 30.00
802.11a	MCS0	117	6535	110.10	14.90	≤ 30.00
802.11a	MCS0	149	6695	109.40	14.20	≤ 30.00
802.11a	MCS0	181	6855	108.40	13.20	≤ 30.00
802.11a	MCS0	185	6875	108.30	13.10	≤ 30.00
802.11a	MCS0	189	6895	108.10	12.90	≤ 30.00
802.11a	MCS0	209	6995	108.40	13.20	≤ 30.00
802.11a	MCS0	229	7095	108.60	13.40	≤ 30.00
STBC Mode						
802.11ax-HE20	MCS0	1	5955	113.20	18.00	≤ 30.00
802.11ax-HE20	MCS0	49	6195	114.10	18.90	≤ 30.00
802.11ax-HE20	MCS0	93	6415	113.70	18.50	≤ 30.00
802.11ax-HE20	MCS0	97	6435	113.90	18.70	≤ 30.00
802.11ax-HE20	MCS0	105	6475	113.80	18.60	≤ 30.00
802.11ax-HE20	MCS0	113	6515	113.70	18.50	≤ 30.00
802.11ax-HE20	MCS0	117	6535	113.50	18.30	≤ 30.00
802.11ax-HE20	MCS0	149	6695	113.60	18.40	≤ 30.00
802.11ax-HE20	MCS0	181	6855	113.00	17.80	≤ 30.00
802.11ax-HE20	MCS0	185	6875	113.30	18.10	≤ 30.00
802.11ax-HE20	MCS0	189	6895	113.40	18.20	≤ 30.00
802.11ax-HE20	MCS0	209	6995	112.90	17.70	≤ 30.00
802.11ax-HE20	MCS0	229	7095	113.70	18.50	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Limit (dBm)
STBC Mode						
802.11ax-HE40	MCS0	3	5965	115.90	20.70	≤ 30.00
802.11ax-HE40	MCS0	51	6205	116.30	21.10	≤ 30.00
802.11ax-HE40	MCS0	91	6405	116.70	21.50	≤ 30.00
802.11ax-HE40	MCS0	99	6445	116.60	21.40	≤ 30.00
802.11ax-HE40	MCS0	107	6485	116.70	21.50	≤ 30.00
802.11ax-HE40	MCS0	115	6525	116.80	21.60	≤ 30.00
802.11ax-HE40	MCS0	123	6565	116.80	21.60	≤ 30.00
802.11ax-HE40	MCS0	147	6685	116.70	21.50	≤ 30.00
802.11ax-HE40	MCS0	179	6845	116.20	21.00	≤ 30.00
802.11ax-HE40	MCS0	187	6885	116.70	21.50	≤ 30.00
802.11ax-HE40	MCS0	195	6925	116.10	20.90	≤ 30.00
802.11ax-HE40	MCS0	211	7005	116.60	21.40	≤ 30.00
802.11ax-HE40	MCS0	227	7085	116.50	21.30	≤ 30.00
802.11ax-HE80	MCS0	7	5985	119.40	24.20	≤ 30.00
802.11ax-HE80	MCS0	55	6225	119.60	24.40	≤ 30.00
802.11ax-HE80	MCS0	87	6385	119.60	24.40	≤ 30.00
802.11ax-HE80	MCS0	103	6465	119.90	24.70	≤ 30.00
802.11ax-HE80	MCS0	119	6545	120.10	24.90	≤ 30.00
802.11ax-HE80	MCS0	135	6625	119.70	24.50	≤ 30.00
802.11ax-HE80	MCS0	151	6705	119.80	24.60	≤ 30.00
802.11ax-HE80	MCS0	167	6785	119.60	24.40	≤ 30.00
802.11ax-HE80	MCS0	183	6865	119.60	24.40	≤ 30.00
802.11ax-HE80	MCS0	199	6945	119.50	24.30	≤ 30.00
802.11ax-HE80	MCS0	215	7025	119.50	24.30	≤ 30.00
802.11ax-HE160	MCS0	15	6025	122.50	27.30	≤ 30.00
802.11ax-HE160	MCS0	47	6185	122.60	27.40	≤ 30.00
802.11ax-HE160	MCS0	79	6345	122.50	27.30	≤ 30.00
802.11ax-HE160	MCS0	111	6505	122.80	27.60	≤ 30.00
802.11ax-HE160	MCS0	143	6665	122.80	27.60	≤ 30.00
802.11ax-HE160	MCS0	175	6825	122.50	27.30	≤ 30.00
802.11ax-HE160	MCS0	207	6985	121.80	26.60	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Limit (dBm)
STBC Mode						
802.11be-EHT20	MCS0	1	5955	113.10	17.90	≤ 30.00
802.11be-EHT20	MCS0	49	6195	113.20	18.00	≤ 30.00
802.11be-EHT20	MCS0	93	6415	113.60	18.40	≤ 30.00
802.11be-EHT20	MCS0	97	6435	113.10	17.90	≤ 30.00
802.11be-EHT20	MCS0	105	6475	113.50	18.30	≤ 30.00
802.11be-EHT20	MCS0	113	6515	113.80	18.60	≤ 30.00
802.11be-EHT20	MCS0	117	6535	113.70	18.50	≤ 30.00
802.11be-EHT20	MCS0	149	6695	113.60	18.40	≤ 30.00
802.11be-EHT20	MCS0	181	6855	113.30	18.10	≤ 30.00
802.11be-EHT20	MCS0	185	6875	113.20	18.00	≤ 30.00
802.11be-EHT20	MCS0	189	6895	113.00	17.80	≤ 30.00
802.11be-EHT20	MCS0	209	6995	113.30	18.10	≤ 30.00
802.11be-EHT20	MCS0	229	7095	113.00	17.80	≤ 30.00
802.11be-EHT40	MCS0	3	5965	116.00	20.80	≤ 30.00
802.11be-EHT40	MCS0	51	6205	116.80	21.60	≤ 30.00
802.11be-EHT40	MCS0	91	6405	116.30	21.10	≤ 30.00
802.11be-EHT40	MCS0	99	6445	116.20	21.00	≤ 30.00
802.11be-EHT40	MCS0	107	6485	116.20	21.00	≤ 30.00
802.11be-EHT40	MCS0	115	6525	116.10	20.90	≤ 30.00
802.11be-EHT40	MCS0	123	6565	116.30	21.10	≤ 30.00
802.11be-EHT40	MCS0	147	6685	116.50	21.30	≤ 30.00
802.11be-EHT40	MCS0	179	6845	116.40	21.20	≤ 30.00
802.11be-EHT40	MCS0	187	6885	116.80	21.60	≤ 30.00
802.11be-EHT40	MCS0	195	6925	116.00	20.80	≤ 30.00
802.11be-EHT40	MCS0	211	7005	116.00	20.80	≤ 30.00
802.11be-EHT40	MCS0	227	7085	116.40	21.20	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Limit (dBm)
STBC Mode						
802.11be-EHT80	MCS0	7	5985	119.10	23.90	≤ 30.00
802.11be-EHT80	MCS0	55	6225	119.50	24.30	≤ 30.00
802.11be-EHT80	MCS0	87	6385	119.30	24.10	≤ 30.00
802.11be-EHT80	MCS0	103	6465	119.80	24.60	≤ 30.00
802.11be-EHT80	MCS0	119	6545	119.70	24.50	≤ 30.00
802.11be-EHT80	MCS0	135	6625	119.60	24.40	≤ 30.00
802.11be-EHT80	MCS0	151	6705	119.90	24.70	≤ 30.00
802.11be-EHT80	MCS0	167	6785	119.70	24.50	≤ 30.00
802.11be-EHT80	MCS0	183	6865	119.30	24.10	≤ 30.00
802.11be-EHT80	MCS0	199	6945	119.70	24.50	≤ 30.00
802.11be-EHT80	MCS0	215	7025	119.40	24.20	≤ 30.00
802.11be-EHT160	MCS0	15	6025	122.40	27.20	≤ 30.00
802.11be-EHT160	MCS0	47	6185	122.30	27.10	≤ 30.00
802.11be-EHT160	MCS0	79	6345	122.30	27.10	≤ 30.00
802.11be-EHT160	MCS0	111	6505	122.60	27.40	≤ 30.00
802.11be-EHT160	MCS0	143	6665	122.60	27.40	≤ 30.00
802.11be-EHT160	MCS0	175	6825	122.40	27.20	≤ 30.00
802.11be-EHT160	MCS0	207	6985	121.60	26.40	≤ 30.00
802.11be-EHT320-1	MCS0	31	6105	125.00	29.80	≤ 30.00
802.11be-EHT320-1	MCS0	95	6425	124.90	29.70	≤ 30.00
802.11be-EHT320-1	MCS0	159	6745	124.50	29.30	≤ 30.00
802.11be-EHT320-2	MCS0	63	6265	124.90	29.70	≤ 30.00
802.11be-EHT320-2	MCS0	127	6585	125.00	29.80	≤ 30.00
802.11be-EHT320-2	MCS0	191	6905	124.40	29.20	≤ 30.00

Note: EIRP (dBm) = EIRP (dBμV/m) + Correction Factor @ 3m, Correction Factor @ 3m = 20log(D) - 104.7;
where D is the measurement distance @3m = -95.2dB

A.4 Power Spectral Density Test Result


Test Site	WZ-SR5	Test Engineer	Luis Yang
Test Date	2024-03-06	Test Mode	SISO Mode

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBμV/m/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
802.11a	MCS0	1	5955	100.083	4.88	≤ 5.00
802.11a	MCS0	49	6195	100.098	4.90	≤ 5.00
802.11a	MCS0	93	6415	99.760	4.56	≤ 5.00
802.11a	MCS0	97	6435	99.762	4.56	≤ 5.00
802.11a	MCS0	105	6475	99.683	4.48	≤ 5.00
802.11a	MCS0	113	6515	99.664	4.46	≤ 5.00
802.11a	MCS0	117	6535	99.771	4.57	≤ 5.00
802.11a	MCS0	149	6695	99.784	4.58	≤ 5.00
802.11a	MCS0	181	6855	99.985	4.79	≤ 5.00
802.11a	MCS0	185	6875	100.043	4.84	≤ 5.00
802.11a	MCS0	189	6895	99.727	4.53	≤ 5.00
802.11a	MCS0	209	6995	99.747	4.55	≤ 5.00
802.11a	MCS0	229	7095	100.079	4.88	≤ 5.00

Note: EIRP PSD (dBm/MHz) = EIRP PSD (dBμV/m/MHz) + Correction Factor @ 3m, Correction Factor @ 3m = $20\log(D) - 104.7$; where D is the measurement distance @3m = -95.2dB

802.11a Power Spectral Density


Channel 1 (5955MHz)



Channel 49 (6195MHz)




Channel 93 (6415MHz)



Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)



802.11a Power Spectral Density


Channel 117 (6535MHz)




Channel 149 (6695MHz)




Channel 181 (6855MHz)



Channel 185 (6875MHz)




Channel 189 (6895MHz)



Channel 209 (6995MHz)





Test Site	WZ-SR5	Test Engineer	Luis Yang
Test Date	2024-03-06~2024-03-08	Test Mode	CDD Mode

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBμV/m/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
CDD Mode						
802.11a	MCS0	1	5955	99.742	4.54	≤ 5.00
802.11a	MCS0	49	6195	99.761	4.56	≤ 5.00
802.11a	MCS0	93	6415	99.955	4.76	≤ 5.00
802.11a	MCS0	97	6435	99.633	4.43	≤ 5.00
802.11a	MCS0	105	6475	99.802	4.60	≤ 5.00
802.11a	MCS0	113	6515	99.911	4.71	≤ 5.00
802.11a	MCS0	117	6535	100.056	4.86	≤ 5.00
802.11a	MCS0	149	6695	99.846	4.65	≤ 5.00
802.11a	MCS0	181	6855	99.966	4.77	≤ 5.00
802.11a	MCS0	185	6875	99.871	4.67	≤ 5.00
802.11a	MCS0	189	6895	99.664	4.46	≤ 5.00
802.11a	MCS0	209	6995	99.933	4.73	≤ 5.00
802.11a	MCS0	229	7095	99.831	4.63	≤ 5.00
STBC Mode						
802.11ax-HE20	MCS0	1	5955	99.918	4.718	≤ 5.00
802.11ax-HE20	MCS0	49	6195	99.981	4.781	≤ 5.00
802.11ax-HE20	MCS0	93	6415	99.794	4.594	≤ 5.00
802.11ax-HE20	MCS0	97	6435	100.027	4.827	≤ 5.00
802.11ax-HE20	MCS0	105	6475	100.088	4.888	≤ 5.00
802.11ax-HE20	MCS0	113	6515	99.891	4.691	≤ 5.00
802.11ax-HE20	MCS0	117	6535	100.088	4.888	≤ 5.00
802.11ax-HE20	MCS0	149	6695	99.802	4.602	≤ 5.00
802.11ax-HE20	MCS0	181	6855	99.615	4.415	≤ 5.00
802.11ax-HE20	MCS0	185	6875	100.020	4.820	≤ 5.00
802.11ax-HE20	MCS0	189	6895	99.862	4.662	≤ 5.00
802.11ax-HE20	MCS0	209	6995	99.633	4.433	≤ 5.00
802.11ax-HE20	MCS0	229	7095	100.071	4.871	≤ 5.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBμV/m/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
STBC Mode						
802.11ax-HE40	MCS0	3	5965	99.587	4.387	≤ 5.00
802.11ax-HE40	MCS0	51	6205	100.039	4.839	≤ 5.00
802.11ax-HE40	MCS0	91	6405	100.052	4.852	≤ 5.00
802.11ax-HE40	MCS0	99	6445	99.772	4.572	≤ 5.00
802.11ax-HE40	MCS0	107	6485	99.923	4.723	≤ 5.00
802.11ax-HE40	MCS0	115	6525	100.089	4.889	≤ 5.00
802.11ax-HE40	MCS0	123	6565	100.054	4.854	≤ 5.00
802.11ax-HE40	MCS0	147	6685	99.914	4.714	≤ 5.00
802.11ax-HE40	MCS0	179	6845	99.752	4.552	≤ 5.00
802.11ax-HE40	MCS0	187	6885	99.980	4.780	≤ 5.00
802.11ax-HE40	MCS0	195	6925	99.780	4.580	≤ 5.00
802.11ax-HE40	MCS0	211	7005	100.068	4.868	≤ 5.00
802.11ax-HE40	MCS0	227	7085	100.046	4.846	≤ 5.00
802.11ax-HE80	MCS0	7	5985	99.703	4.503	≤ 5.00
802.11ax-HE80	MCS0	55	6225	99.733	4.533	≤ 5.00
802.11ax-HE80	MCS0	87	6385	99.904	4.704	≤ 5.00
802.11ax-HE80	MCS0	103	6465	99.821	4.621	≤ 5.00
802.11ax-HE80	MCS0	119	6545	99.971	4.771	≤ 5.00
802.11ax-HE80	MCS0	135	6625	99.875	4.675	≤ 5.00
802.11ax-HE80	MCS0	151	6705	99.866	4.666	≤ 5.00
802.11ax-HE80	MCS0	167	6785	99.699	4.499	≤ 5.00
802.11ax-HE80	MCS0	183	6865	100.083	4.883	≤ 5.00
802.11ax-HE80	MCS0	199	6945	99.867	4.667	≤ 5.00
802.11ax-HE80	MCS0	215	7025	99.751	4.551	≤ 5.00
802.11ax-HE160	MCS0	15	6025	100.075	4.875	≤ 5.00
802.11ax-HE160	MCS0	47	6185	99.914	4.714	≤ 5.00
802.11ax-HE160	MCS0	79	6345	99.875	4.675	≤ 5.00
802.11ax-HE160	MCS0	111	6505	99.861	4.661	≤ 5.00
802.11ax-HE160	MCS0	143	6665	100.072	4.872	≤ 5.00
802.11ax-HE160	MCS0	175	6825	100.019	4.819	≤ 5.00
802.11ax-HE160	MCS0	207	6985	100.073	4.873	≤ 5.00


Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBμV/m/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
STBC Mode						
802.11be-EHT20	MCS0	1	5955	99.783	4.583	≤ 5.00
802.11be-EHT20	MCS0	49	6195	99.643	4.443	≤ 5.00
802.11be-EHT20	MCS0	93	6415	99.723	4.523	≤ 5.00
802.11be-EHT20	MCS0	97	6435	99.681	4.481	≤ 5.00
802.11be-EHT20	MCS0	105	6475	99.846	4.646	≤ 5.00
802.11be-EHT20	MCS0	113	6515	99.980	4.780	≤ 5.00
802.11be-EHT20	MCS0	117	6535	99.995	4.795	≤ 5.00
802.11be-EHT20	MCS0	149	6695	100.049	4.849	≤ 5.00
802.11be-EHT20	MCS0	181	6855	99.835	4.635	≤ 5.00
802.11be-EHT20	MCS0	185	6875	99.980	4.780	≤ 5.00
802.11be-EHT20	MCS0	189	6895	99.729	4.529	≤ 5.00
802.11be-EHT20	MCS0	209	6995	99.843	4.643	≤ 5.00
802.11be-EHT20	MCS0	229	7095	99.538	4.338	≤ 5.00
802.11be-EHT40	MCS0	3	5965	99.726	4.526	≤ 5.00
802.11be-EHT40	MCS0	51	6205	100.008	4.808	≤ 5.00
802.11be-EHT40	MCS0	91	6405	99.702	4.502	≤ 5.00
802.11be-EHT40	MCS0	99	6445	99.686	4.486	≤ 5.00
802.11be-EHT40	MCS0	107	6485	99.722	4.522	≤ 5.00
802.11be-EHT40	MCS0	115	6525	99.743	4.543	≤ 5.00
802.11be-EHT40	MCS0	123	6565	99.655	4.455	≤ 5.00
802.11be-EHT40	MCS0	147	6685	100.047	4.847	≤ 5.00
802.11be-EHT40	MCS0	179	6845	99.678	4.478	≤ 5.00
802.11be-EHT40	MCS0	187	6885	100.081	4.881	≤ 5.00
802.11be-EHT40	MCS0	195	6925	99.647	4.447	≤ 5.00
802.11be-EHT40	MCS0	211	7005	99.654	4.454	≤ 5.00
802.11be-EHT40	MCS0	227	7085	100.033	4.833	≤ 5.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBμV/m/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
STBC Mode						
802.11be-EHT80	MCS0	7	5985	99.822	4.622	≤ 5.00
802.11be-EHT80	MCS0	55	6225	99.809	4.609	≤ 5.00
802.11be-EHT80	MCS0	87	6385	99.725	4.525	≤ 5.00
802.11be-EHT80	MCS0	103	6465	99.862	4.662	≤ 5.00
802.11be-EHT80	MCS0	119	6545	99.970	4.770	≤ 5.00
802.11be-EHT80	MCS0	135	6625	99.713	4.513	≤ 5.00
802.11be-EHT80	MCS0	151	6705	100.047	4.847	≤ 5.00
802.11be-EHT80	MCS0	167	6785	100.009	4.809	≤ 5.00
802.11be-EHT80	MCS0	183	6865	99.824	4.624	≤ 5.00
802.11be-EHT80	MCS0	199	6945	100.100	4.900	≤ 5.00
802.11be-EHT80	MCS0	215	7025	99.890	4.690	≤ 5.00
802.11be-EHT160	MCS0	15	6025	100.071	4.871	≤ 5.00
802.11be-EHT160	MCS0	47	6185	99.805	4.605	≤ 5.00
802.11be-EHT160	MCS0	79	6345	99.847	4.647	≤ 5.00
802.11be-EHT160	MCS0	111	6505	100.078	4.878	≤ 5.00
802.11be-EHT160	MCS0	143	6665	99.741	4.541	≤ 5.00
802.11be-EHT160	MCS0	175	6825	99.953	4.753	≤ 5.00
802.11be-EHT160	MCS0	207	6985	99.771	4.571	≤ 5.00
802.11be-EHT320-1	MCS0	31	6105	99.622	4.422	≤ 5.00
802.11be-EHT320-1	MCS0	95	6425	99.805	4.605	≤ 5.00
802.11be-EHT320-1	MCS0	159	6745	99.411	4.211	≤ 5.00
802.11be-EHT320-2	MCS0	63	6265	99.653	4.453	≤ 5.00
802.11be-EHT320-2	MCS0	127	6585	99.586	4.386	≤ 5.00
802.11be-EHT320-2	MCS0	191	6905	100.093	4.893	≤ 5.00

Note: EIRP PSD (dBm/MHz) = EIRP PSD (dBμV/m/MHz) + Correction Factor @ 3m, Correction Factor @ 3m = 20log(D) - 104.7; where D is the measurement distance @3m = -95.2dB

802.11a Power Spectral Density


Channel 1 (5955MHz)



Channel 49 (6195MHz)




Channel 93 (6415MHz)



Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)



802.11a Power Spectral Density

Channel 117 (6535MHz)



Channel 149 (6695MHz)




Channel 181 (6855MHz)



Channel 185 (6875MHz)



Channel 189 (6895MHz)



Channel 209 (6995MHz)

