

# CD radio, CD radio with Bluetooth®

Supplement





#### Symbols



#### **MARNING**

Warning notes make you aware of dangers which could pose a threat to your health or life, or to the health and life of others.

#### **Environmental note**

Environmental notes provide you with information on environmentally aware actions or disposal.

- Notes on material damage alert you to dangers that could lead to damage to your vehicle.
- 1 These symbols indicate useful instructions or further information that could be helpful to you.
- This symbol designates an instruction you must follow.
- Several consecutive symbols indicate an instruction with several steps.
- (▷ page) This symbol tells you where you can find further information on a topic.
- $\triangleright \triangleright$ This symbol indicates a warning or an instruction that is continued on the next page.
- Display This text indicates a message on the display.

#### Welcome to the world of Mercedes-Benz

First of all, familiarise yourself with your CD radio. Before you drive off, read this Supplement, especially the safety and warning notices. This will help you to obtain the maximum pleasure from your CD radio and avoid endangering yourself and others.

The functions and equipment of your CD radio may differ depending on:

- model
- order
- country specification

Mercedes-Benz is constantly updating its systems to the state of the art.

Mercedes-Benz therefore reserves the right to introduce changes in:

- design
- · equipment
- technical features

Therefore, the descriptions provided may occasionally differ from your device.

Please consult a Mercedes-Benz Service Centre if you have any questions.

The manual and all Supplements are integral parts of the vehicle. You should always keep them in the vehicle and pass them on to the new owner if you sell the vehicle.

The technical documentation team at Daimler AG wishes you safe and pleasant motoring.



Index 4	At a glance	9	
Introduction 7	Audio	15	
	Bluetooth®	25	
	Technical data	31	

A		Operating using the multifunction	
Adjusting the volume		steering wheel	20
Traffic announcements	17	Playing	19
		Random playback	19
Anti-theft protection	. 0	Repeating a track	19
Activating/deactivating the code	4.0	Requirements	32
prompt	13	Selecting	18
Entering the code	13	Selecting a track	19
Audio		Track and folder names	32
On-board computer	12	CD mode	
AUX jack		General information	32
Selecting	23	Safety notes	18
AUX mode		Copy protection (CD)	32
Notes	23	Copyright	
AUX socket		Correct use	
Playing back via the CD radio	23		-
Setting/activating	24	D	
В		Declaration of conformity	. 7
Balance		E	
Setting	14		
Basic functions	12	Electromagnetic compatibility	7
Bass		Entering the code	
Setting	14	Anti-theft protection	13
Bluetooth <sup>®</sup>		Equipment	7
Accepting a call	28		
Activating/deactivating	26	F	
Conditions	27	<b></b>	
Ending a call	28	File formats	
MP3 playback	29	Function overview	12
Notes	26		
Operating using the multifunction		M	
steering wheel	29	Mercedes-Benz Service Centre	
Pairing a mobile phone	27	see Qualified specialist workshop	
Rejecting a call	29		
Rejecting a can	۷,	Mobile phone	20
С		Displaying	28
8		External pairing	28
Call		Pairing	27
Accepting	28	MP3	~ ~
Ending	28	File formats	32
Rejecting	29	File structure	32
CD		Playback	19
Copy protection	32	Random playback	20
Ejecting	18	Repeating a track	20
File formats	32	Selecting a track	19
File structure	32	Switching folders	20
Inserting	18		

Multifunction steering wheel	Bass	14
Accepting a call	29 Treble	14
Ending a call	29 Volume	13
Operating CD/MP3	20 Sound settings	
Operating the radio	17 Reset	14
Operating USB	22 Specialist workshop	8
Overview	12 Station search	16
Rejecting a call	29 Stations	
Mute function	14 Saving	16
	Setting	16
0	Switching on/off	12
	Switching the volume off	14
Operating safety	. /	
Operating system	T	
Overview	10	
	TP (Traffic Programme)	17
P	Traffic message	
Pairing	27 Setting the volume	17
Phone book	Traffic messages	
Placing a call	Stopping	17
Pin assignment	I rattic Programme priority (1P)	
Playback time	Activating/deactivating	17
Display	70 Treble	
Display	Setting	14
Q		
	U	
Qualified specialist workshop		
Qualified specialist workshop	USB (audio)	21
	Q	21 32
Qualified specialist workshop	USB (audio) Changing folder	32
Qualified specialist workshopR	USB (audio) Changing folder	32
R Radio Calling up stored stations	USB (audio) Changing folder Devices File formats	32 33
R Radio Calling up stored stations Operation via the multifunction	Changing folder  Devices  File formats  16 File structure  Operating via the multifunction	32 33
R Radio Calling up stored stations Operation via the multifunction steering wheel	USB (audio) Changing folder Devices File formats 16 File structure Operating via the multifunction	32 33 33
R Radio Calling up stored stations Operation via the multifunction steering wheel RDS (Radio Data System)	USB (audio) Changing folder	32 33 33 22
R Radio Calling up stored stations Operation via the multifunction steering wheel RDS (Radio Data System) Searching for a station	USB (audio) Changing folder	32 33 33 22 21 22
R Radio Calling up stored stations Operation via the multifunction steering wheel RDS (Radio Data System) Searching for a station Selecting	USB (audio) Changing folder	32 33 33 22 21 22
R Radio Calling up stored stations Operation via the multifunction steering wheel RDS (Radio Data System) Searching for a station Selecting Setting a station	USB (audio) Changing folder	32 33 33 22 21 22 22 32
R Radio Calling up stored stations Operation via the multifunction steering wheel RDS (Radio Data System) Searching for a station Selecting Setting a station	USB (audio)  Changing folder	32 33 33 22 21 22 22 32
R Radio Calling up stored stations Operation via the multifunction steering wheel RDS (Radio Data System) Searching for a station Selecting Setting a station Setting stations manually	USB (audio)  Changing folder	32 33 33 22 21 22 22 32 21
Radio Calling up stored stations Operation via the multifunction steering wheel	USB (audio)  Changing folder	32 33 33 22 21 22 22 32 21 21
Radio Calling up stored stations Operation via the multifunction steering wheel	USB (audio)  Changing folder	32 33 33 22 21 22 22 32 21
Radio Calling up stored stations	USB (audio)  Changing folder Devices File formats  16 File structure Operating via the multifunction 17 steering wheel 17 Playing 16 Random playback 16 Repeating a track 16 Requirements 16 Selecting 16 Selecting a track 16 Using the telephone 16 Via Bluetooth®	32 33 33 22 21 22 22 32 21 21
Radio Calling up stored stations Operation via the multifunction steering wheel	USB (audio)  Changing folder	32 33 33 22 21 22 22 32 21 21
Radio Calling up stored stations	USB (audio)  Changing folder  Devices  File formats  16 File structure  Operating via the multifunction  17 steering wheel  18 Random playback  19 Repeating a track  10 Requirements  10 Selecting  11 Selecting  12 Using the telephone  13 V  Volume	32 33 33 22 21 22 22 32 21 21 28
R Radio Calling up stored stations Operation via the multifunction steering wheel RDS (Radio Data System) Searching for a station Selecting Setting a station Setting stations manually Storing stations automatically Storing stations manually Storing stations manually Storing stations manually Storing stations manually Switching wavebands RDS (Radio Data System)	USB (audio)  Changing folder	32 33 33 22 21 22 22 32 21 21
Radio Calling up stored stations	USB (audio)  Changing folder  Devices  File formats  16 File structure  Operating via the multifunction  17 steering wheel  18 Random playback  19 Repeating a track  10 Requirements  10 Selecting  11 Selecting  12 Using the telephone  13 V  Volume	32 33 33 22 21 22 22 32 21 21 28

### 6 Index

#### Waveband

Setting ...... 16

#### Operating safety

#### Important safety notes

#### **↑** WARNING

Operating the integrated information systems and communications equipment in the vehicle while driving will distract you from traffic conditions. You could then lose control of the vehicle. There is a risk of an accident.

Only operate these devices if road traffic conditions permit. If you are unsure about the surrounding conditions, pull over to a safe location and make entries only while the vehicle is stationary.

Observe the legal requirements for the country you are currently in.

Bear in mind that, at a speed of only 50 km/h, your vehicle is covering a distance of nearly 14 m per second.

When using the device please follow:

- the safety notes in these operating instructions
- · traffic laws and regulations
- laws pertaining to motor vehicles and safety standards
- Improper work on electronic components or other systems (such as the radio and disc slot) and their software may result in malfunction or failure. Even systems that have not been modified could be affected because the electronic systems are connected. Malfunctioning electronics can severely impair the operating safety of the vehicle.

Therefore, have all work on and modifications to electronic components carried out at a qualified specialist workshop.

#### Correct use

The CD radio can be used to receive radio stations as well as to play back audio compact discs and other data carriers. Addition-

ally, the Bluetooth® CD radio can make calls via the Bluetooth® function.

Observe the specified requirements for data carriers and permissible formats.

#### Equipment

This Supplement describes the CD radio with all standard and optional equipment available at the time of going to print. Country-specific deviations are possible. Bear in mind that the CD radio may not be equipped with all of the functions described. This also applies to safety-relevant systems and functions. The equipment level of your CD radio may therefore differ from that shown in some descriptions and illustrations. Contact a Mercedes-Benz Service Centre if you have any questions about equipment or operation.

This Supplement is an integral part of the vehicle. Keep it in the vehicle along with the Operating Instructions.

#### **Declaration of conformity**

### Vehicle components that receive and/or transmit radio waves

The following note refers to all components of the vehicle which receive and/or transmit radio waves and the integrated information systems and communications equipment in the vehicle:

1 The components of the vehicle that receive and/or transmit radio waves are compliant with the basic requirements and all other relevant regulations stipulated by Directive 1999/5/EC. You can obtain further information from any Mercedes-Benz Service Centre.

#### **Electromagnetic compatibility**

The electromagnetic compatibility of the vehicle components has been checked and certified according to the currently valid version of Directive ECE-R 10.

#### **Copyright information**

#### Registered trademarks



**Bluetooth**<sup>®</sup> technology is the standard for short-range wireless data transmission of up to approximately 10 metres.

Bluetooth® is a registered trademark of Bluetooth Special Interest Group (SIG) Inc.

#### Qualified specialist workshop

Therefore, have all work on and modifications to electronic components carried out at a qualified workshop. It has the necessary specialist knowledge and tools for the work required. In particular, work relevant to safety or on safety-related systems must be carried out at a qualified specialist workshop.

A Mercedes-Benz Service Centre is a qualified specialist workshop.


#### **Anti-theft protection**

In order to render the CD radio useless for thieves, it is protected by a four-digit code. The code for your CD radio comes with this Supplement. If the CD radio has been disconnected from the voltage supply, you will need to enter the code after switching the CD radio on.

10
12
12
12
1

### Operating system

#### CD radio overview



	Function	Page
1	Control knob Press:	
	Switches on/off Turn:	12
	Sets the volume Changes settings in menus	13
2	Switches folders	
	MP3 mode	20
	USB mode	21
3	Press briefly:	
	Accepts a call Press and hold:	28
	Activates Bluetooth®	26
	Starts Bluetooth® search	27
	Starts Bluetooth® pairing (pairing/external)	27
4	Microphone for telephoning via Bluetooth®	

	Function	Page
5	MENU Press briefly:	
	Selects menu:	
	Activates/deactivates the TP function	17
	Changes the track time display	20
	Activates/deactivates	
	XMUT	24
	Switches RDS on/off	17
	Sets the type of Bluetooth® pairing	27
	Press and hold:	
	Displays connected mobile phone	28
6	CD drive	
7	Display	
8	☐ ☐ Press briefly:	
	Mutes the audio source Press and hold:	14
	Ejects a CD	18

	Function	Page
9	Radio: Press briefly:	
	Station search	16
	Press and hold:  Manual station search	16
	CD and USB audio mode:	, ,
	Press briefly: Skips forwards <sup>1</sup>	19
	Press and hold:	19
	Fast forward AUX mode	19
	Switches over to a rear AUX	
	port	23
10	SRC Press briefly:	
	Selects an audio source:	
	Radio	16
	CD playback USB	18 21
	AUX function	23
	BT audio (MP3 playback)	29
	Exits the menu	17
	Press and hold: Ends the current traffic	
	report	17
(1)	BND	
	Press briefly: Switches wavebands	16
	Press and hold:	10
	Stores stations automati-	17
	cally	16

	Function	Page
12	Radio: Press briefly:	
	Station search	16
	Press and hold: Manual station search CD and USB audio mode:	16
	Press briefly: Skips back <sup>1</sup>	19
	Press and hold: Rewind AUX mode	19
	Switches over to a front AUX port	23
(13)	AUX socket	
14)	Mini USB port	
15	nadio: Press briefly: Selects stations from the	
	presets Press and hold:	16
	Stores stations manually CD and USB audio mode:  Activates/deacti-	16
	vates random track  Activates/deacti-	19
	vates track repeat	19
16	Bluetooth® logo	
17	Press briefly: Ends/rejects an incoming	
	call Press and hold:	28
	Deactivates Bluetooth®	26

<sup>&</sup>lt;sup>1</sup> Also possible in Bluetooth<sup>®</sup> audio mode.

	Function	Page
(18)		
	Switches folders	
	MP3 mode	20
	USB mode	21

	Function	Page
19	JP	
	Press briefly:	
	Calls up the sound menu	14
	Press and hold:	
	Resets the sound settings	14

#### **Function overview**

You can use the CD radio to operate the following functions:

- receive radio in FM and AM (SW, MW, LW) wavebands
- play CDs in WMA and MP3 formats
- play MP3 files from USB devices
- Making a call
- play an MP3 player connected via Bluetooth<sup>®</sup> (if supported by your device)
- play an external device over an AUX socket

#### **Multifunction steering wheel**

Information on how to operate the individual functions can be found in the descriptions in the radio and USB sections.

Button	Function
+	Increases the volume
_	Reduces the volume
	Selects the next main menu
	Selects the previous main menu
$\bigcirc$	Shifts down one line down in a menu
	Shifts up one line in a menu
•	Accepts a call
	Rejects/ends a call

#### On-board computer display

Under the following menus, some functions of the CD radio can be operated using the multifunction steering wheel:

Menu	Functions
Radio	Selecting a station
CD <sup>2</sup>	Selecting a track Switching folders
Telephone	Accepting/ending a call Rejecting a call Making calls via the telephone book menu Updating the telephone book list

#### **Basic functions**

#### Switching on/off

- Press the control knob. After being switched on, the CD radio calls up the last active function.
- 1 If you switch off the ignition, the CD radio switches off automatically.
- 1 If the battery charge status is low, the CD radio switches off automatically.
- 1 If the CD radio is in operation while the ignition is turned off, it will switch off automatically after approximately one hour.

<sup>&</sup>lt;sup>2</sup> In USB and Bluetooth<sup>®</sup> audio mode the on-board computer display shows the CD menu.

#### **Entering the code**

If the CD radio has been disconnected from the voltage supply, you will need to enter the code after switching the CD radio on.

After switching on, CODE will be shown in the display temporarily. This is followed by 0000 and you can then enter the code.



- ➤ To enter the first digit: press number button 1 repeatedly until the first character of the code corresponds to the correct digit (0 9).
- ➤ To enter the second digit: press number button 2 repeatedly until the second character of the code corresponds to the correct digit (0 9).
- ➤ To enter the third digit: press number button 3 repeatedly until the third character of the code corresponds to the correct digit (0 9).
- ▶ To enter the fourth digit: press number button 4 repeatedly until the fourth character of the code corresponds to the correct digit (0 9).

or

- ▶ Press respective number button 1 4.
- ► Turn the control knob until the desired number is shown in the display.
- ➤ To confirm the entered code: press and hold button 5 until RADIO is shown in the display.

The CD radio is now operational.



If you enter the code incorrectly three times in succession, BLOCKED is shown in

the display. The CD radio will remain blocked for one hour. You will not be able to re-enter the code during this period. The CD radio must not be switched off during this period. Otherwise, the block period will begin again.

# Deactivating/activating the code prompt

- ▶ Press the MENU button repeatedly until CODE is shown in the display. This is followed by 0000.
- ► Enter the code (▷ page 13).

  The current setting CODE ON (code prompt activated) or CODE OFF (code prompt deactivated) is shown in the display.



- ► To change the setting: turn the control knob clockwise or anti-clockwise.
- ► To save the setting and exit the menu: press the AM/FM/CD button.
- 1 If you enter the code incorrectly three times in succession, the CD radio will automatically exit the Code menu and switch to the next menu item.

#### Setting the volume

► Turn the control knob during playback.

or

▶ Press the + or - buttons on the multifunction steering wheel. The volume changes.

#### Switching the mute function on/off

- ▶ Briefly press the ဩ mute button. Sound from the active audio source is switched on or off.
- (1) When the sound is switched off, MUTE is shown in the display. If you adjust the volume using the control knob, the sound is automatically switched on.
- f) If the TP function is activated, you hear traffic reports even if the sound is switched off (⊳ page 17).

#### Sound settings

#### Adjusting the bass



- ▶ To open the sound menu: press the JP button repeatedly, until BASS is shown in the display.
  - The display shows the current bass settings.
- ➤ Turn the control knob until the desired level is selected.
- ▶ To leave the sound menu: press the button repeatedly until the display shows the active audio source or wait 3 seconds.

#### Adjusting the treble



- ▶ To open the sound menu: press the JP button repeatedly, until TREB is shown in the display.

  The display shows the current treble set-
- tings.
- ► Turn the control knob until the desired level is selected.
- ▶ To leave the sound menu: press the JP button repeatedly until the display shows the active audio source or wait 3 seconds.

#### Adjusting the balance



- ▶ To open the sound menu: press the JP button repeatedly, until BAL is shown in the display.
  - The display shows the current balance settings.
- ► Turn the control knob until the desired level is selected.
- ▶ To leave the sound menu: press the JP button repeatedly until the display shows the active audio source or wait 3 seconds.

#### Resetting the sound settings



- ▶ To open the sound menu: press the ☐P button repeatedly, until RESET N is shown in the display.
- ► Turn the control knob clockwise until RESET Y is shown in the display.

  The sound settings are reset after approximately 2 seconds.

or

▶ Press and hold the ⊌ button.

Radio mode	18 21

#### Radio mode

#### Selecting the radio



Press the SRC button repeatedly until Radio appears briefly in the display. You will hear the last station played.

#### Selecting a station

#### Station search

► Briefly press the Ida or IDA button.
You hear the next station found.

#### Selecting a station manually

- ▶ Press and hold the 🖂 or ▶ button until frequency scanning starts.
- ► Briefly press the 🖼 or 🕪 button again.

The frequency changes in increments.

#### Storing a station

#### Storing stations manually

It is possible to store the current station.

Press and hold a number key from 1 to 0 until you hear a confirmation tone.
 The station has been stored under the chosen preset.

#### Storing stations automatically

Stations can be automatically stored under the 6 presets on each of the chosen wavebands. The order is determined by the reception quality.

If A is shown in the display in front of the waveband, this indicates that the presets contain automatically stored stations.

- Stations previously stored on the chosen waveband are lost.
- for the AM wavebands SW, MW and LW there is only one Autostore space. This means that during the automatic storing procedure, stations stored on other AM wavebands are overwritten.
- ► Select the desired waveband using the **BND** button.
- ▶ Press and hold the BND button repeatedly until A-STORE appears in the display. The CD radio searches for the 6 stations with the best reception and stores them. When you hear the station stored under preset 1, station search has ended.

#### Calling up stored stations

- ► Press the **BND** repeatedly until the desired waveband appears in the display.
- ▶ Briefly press a number key from 1 to 6.

You will hear the station stored under the chosen preset if there is adequate reception.

#### Switching wavebands

The CD radio can receive 4 wavebands, i.e. FM, LW, MW and SW. For these there are the following memory levels, with 6 presets each:

- FM (VHF)
- AFM (FM, automatically stored)
- MW (medium wave)
- LW (long wave)
- SW (short wave)
- AMW/ALW/ASW (medium wave, long wave or short wave, automatically stored)
- ▶ Press the **BND** button repeatedly until the desired waveband appears in the display.

#### Operating the radio using the multifunction steering wheel

- ▶ Press the ☐ or ☐ button repeatedly until the audio menu is selected.
- ► Press the △ or ▽ button to select Station search or Memory.

If the station search function is active, the radio will find the next available station on the selected waveband.

If the memory function is active, the radio switches to the previous or next station preset.

#### Switching RDS on/off

RDS (Radio Data System) provides additional information on the FM waveband.

Possible additional information includes, for example, the station name or alternative frequencies at which the same station can be received.

- ► Press the MENU repeatedly until RDS is shown in the display.
- ► Turn the control knob clockwise/anticlockwise.

The RDS function is switched on/off.

- ➤ To exit the menu: press the SRC button or wait 10 seconds.
- 1 When the RDS function is switched on, RDS is shown in the display.

#### Traffic Programme priority TP

#### TP function

If you have set a radio station that broadcasts traffic announcements and are listening to another audio source, the radio may switch to a station that broadcasts traffic announcements for the length of a traffic report. The TP function can also be used when the mute function is active.

#### Activating/deactivating the TP function

- ► Press the MENU button repeatedly until TP ON or TP OFF is shown in the display.
- ► Turn the control knob clockwise/anticlockwise.

The TP function is activated/deactivated.



- ➤ To exit the menu: press the SRC button or wait 10 seconds.
- **1** When the TP function is active, TP is shown in the display.
- 1 Traffic Programme priority is only possible when FM selected.
- for Traffic Programme priority to work, RDS must be active (▷ page 17).
- (1) A call conducted on a phone connected via Bluetooth®, is not interrupted despite the TP function being active. It is also not possible to use Traffic Programme priority if an external audio source has muted the CD radio (▷ page 23).

#### Setting traffic message volume

Turn the control knob clockwise/anticlockwise when receiving a traffic message.

Traffic messages are then played back at increased or decreased volume.

#### **Ending Traffic Programme priority**

- ▶ Press the **SRC** button when receiving a traffic message.
- 1 The CD radio gives the next traffic message priority again.
- 1 You can also end Traffic Programme priority using the **BND** waveband button, the

ু mute button or the া to ি programme buttons.

#### Audio CD and MP3 mode

#### Important safety notes

#### **↑** WARNING

Handling discs while driving will distract you from traffic conditions. You could then lose control of the vehicle. There is a risk of an accident.

Handle discs only when the vehicle is stationary.

#### **↑** WARNING

The CD drive is a Class 1 laser product. If you remove the housing of the CD drive, invisible laser radiation may be emitted. These laser beams may damage your retina. There is a risk of injury.

Do not open the housing. Always have maintenance work and repairs carried out at a qualified specialist workshop.

i The CD drive does not have an emergency eject function. Do not insert any pointed objects into the "MIC" port. This can damage the microphone of the hands-free system. If a CD cannot be ejected, consult a qualified specialist workshop.

#### Selecting the CD function

Press the SRC button repeatedly until CD appears in the display.

or

► Insert a CD (> page 18). CD playback begins.



During CD playback you see the track number and the elapsed/remaining playing time of the current track in the display.

- 1 When there is a CD in the drive, the symbol appears in the display.
- 1 At excessively high temperatures, the CD radio interrupts CD playback and automatically switches to radio mode. TEMP ERR appears briefly in the display.

#### Inserting/ejecting a CD

#### Inserting a CD

Bear the following in mind:

- do not affix any stickers or labels to the CD.
- CDs may not be thicker than 1.3 mm.
- CDs must have a diameter of 12 cm and be round. Do not use an adapter.
- ► Slide the CD with the lettering face up into the CD drive until you notice resistance. The CD radio automatically draws in the CD. The display shows CD LOAD briefly and subsequently the symbol. CD playback begins.
- 1 Release the CD as soon as it is drawn in.
- 1 Do not impede or speed up the CD when it is being drawn in.

#### **Ejecting a CD**

- ▶ Press and hold the <u>△</u> eject button. The CD radio ejects the CD.
- ▶ Remove the CD.
- 1 If you do not remove the CD it is drawn back into the CD drive after 10 seconds have elapsed.

#### Playing a CD

#### Selecting a track

- ▶ Briefly press the 🖼 or 🕪 button.

  The CD radio plays the previous or next track.
- ▶ Press and hold the Ida or IDA button. The current track is rewound or fast forwarded.
- When skipping back:
  - if the elapsed track time is less than 10 seconds, playback skips to the beginning of the previous track.
  - if the elapsed track time is more than 10 seconds, playback skips to the beginning of the current track.
  - if you have selected random playback, a random selection follows as the next track.

#### Playing tracks in random order

To play all tracks on a CD in random order:

► Press the button repeatedly, until the display briefly shows RND ALL.

RND appears in the display.



To cancel random playback:

Press the button repeatedly, until the display briefly shows RND OFF.
 RND in the display goes out.



#### Repeating a track

To repeat the current track:

Press the button repeatedly, until the display briefly shows RPT TRK.
RPT appears in the display.



To cancel the repeat function:

Press the button repeatedly, until the display briefly shows RPT OFF.
 RPT in the display goes out.



#### Playing back MP3 formats

#### Selecting a track

- ▶ Briefly press the 🖼 or 🕪 button. The CD radio plays the previous or next track.
- ▶ Press and hold the ◄ or ▶ button. The current track is rewound or fast forwarded.
- 1 When skipping back:
  - if the elapsed track time is less than 10 seconds, playback skips to the beginning of the previous track.
  - if the elapsed track time is more than 10 seconds, playback skips to the beginning of the current track.
  - if you have selected random playback, a random selection follows as the next track.

#### **Switching folders**



The CD radio jumps to the previous/next folder, the folder name is briefly shown in the display.

- 1 Notes on the MP3 function:
  - any folders that contain files other than MP3s or WMAs are automatically skipped.

#### Playing tracks in random order

To play all the tracks in the current folder in a random order:

► Press the button repeatedly until the display briefly shows RND DIR. RND appears in the display.



To cancel random playback:

Press the button repeatedly, until the display briefly shows RND OFF.
RND in the display goes out.



#### Repeating a track

To repeat all the tracks in the current folder:

Press the button repeatedly, until the display briefly shows RPT TRK.
RPT appears in the display.



To cancel the repeat function:

Press the button repeatedly, until the display briefly shows RPT OFF.
RPT in the display goes out.



#### Operating CD/MP3 using the multifunction steering wheel

- ▶ Press the ☐ or ☐ button repeatedly until the audio menu is selected.
- ► Press the △ or ▽ button to select the desired track.

#### Changing the track time display

You can choose whether the elapsed time or remaining time of the current track is shown.

To select elapsed time:

- ► Press the MENU button repeatedly until ELAPSED or REMAIN appears in the display.
- ▶ When REMAIN is shown in the display, turn the control knob clockwise. ELAPSED is shown in the display.



To select remaining time:

- ▶ Press the MENU button repeatedly until ELAPSED or REMAIN appears in the display.
- ▶ When ELAPSED appears in the display, turn the control knob anti-clockwise. REMAIN appears in the display.



▶ To exit the menu: press the SRC button or wait 10 seconds.

#### **USB** audio mode

#### Important safety note



#### **↑** WARNING

Handling discs while driving will distract you from traffic conditions. You could then lose control of the vehicle. There is a risk of an accident.

Handle discs only when the vehicle is stationary.

#### Selecting the USB function

- ► Connect the USB device to the USB port in the correct position.
- In order to connect standard USB devices, you need a USB adapter from the Mercedes-Benz accessories range.
- ▶ Press the **SRC** button repeatedly, until the display shows USB. While the files are being read, the display shows READING. Playback then begins automatically.



During USB playback, the display shows the current track number and the time elapsed/ remaining.

- Information about the USB function:
  - if the CD radio does not recognise the USB device, the display shows NO USB.
  - if the CD radio finds no music files, the display shows DEV ERR.
  - in extreme cases, starting up individual functions can take up to several minutes. This depends on the USB device and the media content on it.

#### Playing USB files

#### Selecting a track

- ▶ Press the 🖂 or 🕪 button. The CD radio plays the previous or next track.
- When skipping back:
  - if the elapsed track time is less than 10 seconds, playback skips to the beginning of the previous track.
  - if the elapsed track time is more than 10 seconds, playback skips to the beginning of the current track.
  - if you have selected random playback, a random selection follows as the next track.

#### Switching folders

- ▶ Press the 🕝 or 🔽 button during music playback.
  - The CD radio moves to the previous or next folder and the display briefly shows the folder name.
- All folders and subfolders are handled as if they are in succession on the same level.

#### Playing tracks in random order

To play all the tracks in the current folder in a random order:

Press the button repeatedly until the display briefly shows RND DIR.
RND appears in the display.



To play all the tracks on the data carrier in a random order:

Press the button repeatedly, until the display briefly shows RND ALL.
RND appears in the display.



To cancel random playback:

Press the button repeatedly, until the display briefly shows RND OFF.
RND in the display goes out.



#### Repeating a track

To repeat the current track:

Press the button repeatedly, until the display briefly shows RPT TRK.
RPT appears in the display.



To repeat all the tracks in the current folder:

▶ Press the 4 button repeatedly, until the display briefly shows RPT DIR.
 RPT appears in the display.



To cancel the repeat function:

 Press the SRC button repeatedly until CD appears in the display.
 RPT in the display goes out.



## Operating USB using the multifunction steering wheel

- ▶ Press the ☐ or ☐ button repeatedly until the audio menu is selected.
- ▶ Press the △ or ▽ button to select the desired track.
- In USB audio mode, the possible displays are limited in the on-board computer display.

#### **Audio AUX mode**

#### Important safety note



Handling discs while driving will distract you from traffic conditions. You could then lose

control of the vehicle. There is a risk of an accident.

Handle discs only when the vehicle is stationary.

#### Notes on AUX mode

There are two methods of connecting external devices via AUX sockets to the CD radio:

- on the front of the device
- · at the rear of the device
- 1 Do not operate external devices using a power source that is connected to the vehicle's own 12 V power supply. This may affect the playback quality.
- Optional equipment fitted at the factory may already occupy the AUX socket at the rear.

#### **Selecting the AUX function**



- ► Connect the external device to the desired AUX socket.
- For the rear AUX socket you will need an adapter cable from Mercedes-Benz accessories.
- Press the SRC button repeatedly until AUX FRONT or AUX REAR-MAN appears in the display.
- ► Press the Ida or ▷N button to select the front (AUX FRONT) or rear (AUX REAR-MAN) AUX socket.
- 1 If an external device is connected to the front AUX socket the display flashes.

### Playing back the external device through the CD radio's loudspeakers

External devices that are connected via the front or rear AUX socket to the CD radio can be played back through the loudspeakers of the CD radio.

Connect external devices via the stereo line out to the CD radio so that the volume level is correct. If a device is connected to the headphone socket, the volume balance is upset. The volume at the headphone socket has to be increased by a far greater amount to be played back correctly through the CD radio.

1 When traffic messages are played back, the volume may be significantly higher due to the differing volume levels of the external devices. In some circumstances it may be advisable to deactivate the TP function or to manually adjust the traffic message volume to suit (▷ page 17).

To increase the volume at the headphone socket, do the following:

- ► Set the volume of the CD radio to a pleasant, moderate value.
- Select the desired AUX function.
   AUX FRONT or AUX REAR-MAN appears in the display.
- ► Connect the external device and switch it
- Increase the volume on the external device as much as possible without causing distortion.
- ▶ Set the desired volume on the CD radio.

#### **AUX socket**

### Connection options and operating mode

### Risk of damage to the CD radio and external equipment

The CD radio could be damaged if it is not removed correctly and cables may be damaged if incorrectly connected. Always have

the CD radio removed and the connection of external audio sources to the rear AUX sockets performed at a qualified specialist workshop.

- Operating mode 1: manual selection of the external device using the SRC button, playback through the loudspeakers of the CD radio
- Operating mode 2: earth signal on the mute input switches the CD radio to the external device, playback through the loudspeakers of the CD radio
- Operating mode 3: earth signal on the mute input mutes the CD radio (XMUT), playback through the device's own loudspeakers

### Setting the operating mode and activating the AUX socket

#### Operating mode 1

No adjustments are required for this operating mode.

► To select an AUX socket: press the SRC button repeatedly until AUX FRONT or AUX REAR-MAN appears in the display.

#### Operating mode 2

- The external device must be connected to the rear AUX socket correctly via the mute input and transmit the required signal strength.
- 1 You can only adjust the volume and sound settings on the CD radio.
- ► Press the MENU button repeatedly until XMUT appears in the display.
- ► Turn the control knob anti-clockwise. XMUT OFF is shown in the display.
- ➤ To exit the menu: press the SRC button or wait 10 seconds.
- ► To select an AUX socket: switch on the external device.

  During playback EXTERN appears in the display.

#### Operating mode 3

- The external device must be connected to the rear AUX socket correctly via the mute input.
- 1 You cannot operate the CD radio while the external device is switched on.
- ► Press the MENU button repeatedly until XMUT appears in the display.
- ► Turn the control knob clockwise. XMUTE ON appears in the display.
- ➤ To exit the menu: press the SRC button or wait 10 seconds.
- ► To select an AUX socket: switch on the external device.

  During playback EXT MUTE appears in the display.

Bluetooth® operation ...... 26

#### Bluetooth® operation

#### Notes on Bluetooth® function

#### Introduction

To make use of the Bluetooth® function, you need a Bluetooth®-capable mobile phone.

1 Information on the Bluetooth®-capable mobile phones recommended by Mercedes-Benz is available from a qualified specialist workshop or on the Internet at: www.mercedes-benz.com/connectivity

#### Important safety notes

#### **↑** WARNING

Operating communications equipment integrated into the vehicle while driving will distract you from traffic conditions. You could then lose control of the vehicle. There is a risk of an accident.

Only operate these devices if road traffic conditions permit. If you are unsure about the surrounding conditions, pull over to a safe location and make entries only while the vehicle is stationary.

Also observe the legal requirements for the country you are currently in.

Excessive electromagnetic radiation may constitute a health hazard to yourself and others.

The possible health risk posed by electromagnetic fields is the subject of scientific discussion. You can reduce this risk by using an exterior aerial.

Therefore, connect your mobile communications equipment to the vehicle's exterior aerial wherever possible.

## Activating/deactivating the Bluetooth® function

#### Activating the Bluetooth® function



1 The Bluetooth® function will remain active until you deactivate it again. When you switch off the CD radio, the Bluetooth® connection is interrupted. When the CD radio is switched on it re-establishes the connection automatically.

#### Deactivating the Bluetooth® function

▶ Press and hold the button. BT OFF appears in the display briefly. The connection to the mobile phone has been interrupted.



#### Pairing a mobile phone

#### Requirements

The following requirements must be met for the CD radio to detect the mobile phone:

- the mobile phone must be in the vicinity of the CD radio.
- the Bluetooth® function of the CD radio must be activated.
- the mobile phone must be ready for pairing.
- 1 The CD radio stores pairing information for up to 5 mobile phones in order to recognise and connect them automatically. If paired with another mobile phone, the CD radio overwrites the pairing data for the mobile phone that has not been connected to it for the longest period of time.
- The CD radio automatically downloads the phone book stored on the mobile phone (maximum 600 entries) and the list of recently dialled phone numbers.
- Notes on pairing mobile phones:
  - Bluetooth® pairing: the search for the mobile phone is initiated by the CD radio.
  - Bluetooth® external: the search for the CD radio is initiated by the mobile phone.

#### Pairing the mobile phone via Bluetooth®

- ► Press the MENU button repeatedly until BT PAIR or BT EXT appears in the display.
- ► Turn the control knob anti-clockwise. BT PAIR appears in the display.



- ➤ To exit the menu: press the SRC button or wait 10 seconds.
- ► To start a search for mobile phones:

Press and hold the **p** button.

The \$\\$ Bluetooth<sup>®</sup> symbol flashes in the display and the CD radio searches for a certain period for mobile phones that are in range. When the search has been completed, a tone sounds.

If at least one mobile phone is detected, BT LIST appears briefly in the display and then the device name of the mobile phone.



- 1 If the CD radio cannot find a mobile phone, BT LIST EMPTY appears briefly in the display.
- ▶ Press the ⋈ or ⋈ button to select the desired mobile phone.
- ▶ Press and hold the button.



- ▶ Press the 1 to 6 number buttons to enter a number with 1 to 6 digits that can be easily memorised, e.g. 1111.
- 1 The number sequence begins at 0. The digits 0 to 9 appear by repeatedly pressing the number button.
- 1 The number of digits to be entered depends on the respective mobile phone.
- Press and hold the button. The CD radio is ready for pairing with a mobile phone.
- ► On the mobile phone, select the Bluetooth® device name MB-Bluetooth.
- ► Enter the previously dialled number on the mobile phone.

The CD radio establishes a connection to the mobile phone. When the connection

- has been established, PAIR OK appears briefly in the display.
- ► Confirm any prompts via the mobile phone. Telephone data is transferred from the mobile phone to the CD radio. When the transfer has been completed, the current audio source and the \$\mathbb{B}\$ Bluetooth® symbol are shown permanently in the display.

### Pairing a mobile phone externally via Bluetooth®

- ► Press the MENU button repeatedly until BT PAIR or BT EXT appears in the display.
- ► Turn the control knob clockwise. BT EXT appears in the display.



- ➤ To exit the menu: press the SRC button or wait 10 seconds.
- ► To prepare the CD radio for a search:

  Press and hold the button.

  Symbol ⑤ in the display goes out.



- ▶ Press the 1 to 6 number buttons to enter a number with 1 to 6 digits that can be easily memorised, e.g. 1111.
- 1 The number of digits to be entered depends on the respective mobile phone.
- Press and hold the button until a tone sounds.
   The CD radio is ready for pairing with a
  - The CD radio is ready for pairing with a mobile phone.
- ► On the mobile phone, start the search for Bluetooth<sup>®</sup> devices. See the manufacturer's operating instructions.

- On the mobile phone, select the Bluetooth® device name MB-Bluetooth.
- ► Enter the previously dialled number on the mobile phone.
  - The CD radio establishes a connection to the mobile phone. When the connection has been established, PAIR OK appears briefly in the display.
- ➤ Confirm any prompts via the mobile phone. Telephone data is transferred from the mobile phone to the CD radio. When the transfer has been completed, the current audio source and the 

  Bluetooth® symbol are shown permanently in the display.

### Displaying the currently connected mobile phone

► Press and hold the MENU button.

The display shows the name of the mobile phone which is currently connected.

#### Making a call

#### Accepting/ending a call

An incoming call is signalled by a ringtone from the CD radio's loudspeakers. PHONE is shown briefly in the display and then the phone number of the caller if it was transmitted.



► To accept a call: press the button. The conversation is played through the loudspeakers of the CD radio.



- ► Change the call volume as desired, using the control knob.
- ► To end a call: press the button.

  The CD radio plays the current audio source again.

#### Rejecting a call



▶ Press the button. CALL END appears briefly in the display and the CD radio plays back the current audio source.

#### Playing back MP3s

- Press the SRC button repeatedly until BT AUDIO is shown in the display. The CD radio is ready to play MP3 files from the mobile phone.
- ► Start MP3 playback on the mobile phone. The MP3 file is played through the loudspeakers of the CD radio.
- ► To select a track: briefly press the 🖂 or ▷Ы button.

# Operating Bluetooth® functions using the multifunction steering wheel

#### Accepting/ending a call

- ► To accept a call: press the button on the multifunction steering wheel.
- ► Change the call volume as desired, using the control knob.
- ► To end a call: press the button.

  The CD radio plays the previously playing audio source again.

#### Rejecting a call

► Press the button. CALL END appears briefly in the display and the CD radio plays back the previously playing audio source.

#### Placing a call using phone book

- ► Press the ☐, ☐ or ⚠ button to select the telephone menu.
- ▶ Press the △ or ▽ button to call up the phone book.
- ▶ Press the △ or ▽ button to select the desired name.
- ► Press the button. The number is dialled.

### Making a call by entering the first letters

- ▶ Press the ♠ or ♠ button to select the telephone menu.
- ► Hold the △ button until the desired first letter appears.

The display will bring you to the first entry beginning with the letter chosen. If there is no entry beginning with this letter, the display brings you to the next available entry.

- ▶ Press the △ or ♡ button to select the desired name.
- ► Press the button. The number is dialled.

#### Playing back MP3 files

- ▶ Press the ☐ or ☐ button repeatedly until the audio menu is selected.
- ▶ Press the △ or ▽ button to select the desired track.
- Not all mobile phones support this function.
- 1 In Bluetooth® audio mode, the possible displays are limited in the on-board computer display.

CD mode requirements	
USB mode requirements	32
Pin assignment	33

#### **CD** mode requirements

#### Requirements for the CD

Your CD radio supports playback from CD-R and CD-RW.

- Bear the following in mind:
  - do not affix any stickers or labels to the CD.
  - CDs may not be thicker than 1.3 mm.
  - CDs must have a diameter of 12 cm and be round. Do not use an adapter.
- 1 The CD radio is capable of playing CDs written with the ISO9660/Joliet file system.
- 1 There is a large variety of disc-writing software, writers and CDs available. Therefore, the CD radio may be restricted in its playback of copied CDs, or unable to play them at all.
- 1 You may be unable to play CDs with copy protection.
- Playback problems may occur with CDs that have a storage capacity above 700 MB.

#### Supported file formats

The CD radio supports the following file formats:

	MP3	WMA	
Bit rate	32 kbit/s – 320 kbit/s CBR and VBR	8 kbit/s - 384 kbit/s CBR only	
Sam- pling rate	8 kHz – 48 kHz	8 kHz - 48 kHz	

1 Unsupported file formats are not displayed.

The CD radio does not support the following types of WMA file:

- DRM (Digital Rights Management) encrypted files
- WMA Pro
- 5.1 Surround

File structure of the CD		
Max. number of folders per CD	255	
Max. number of tracks per CD	500	
Max. number of sub- folders per CD	255	
Max. number of tracks per folder	500	
Max. number of directory levels	8	

#### Track and file names

You should observe the following when assigning track names:

- track names must have at least one character
- umlauts, ß and special characters cannot be used when naming tracks
- track names must have the extension "mp3" or "wma"
- there must be a full stop between the track name and the extension

Example of a valid track name:

"Track 1.mp3"

1 If MP3 or WMA files are stored in the root directory itself, the root directory will also be treated as a folder. The CD radio then shows "Root" as the folder name.

#### **USB** mode requirements

#### **USB** devices

The following USB devices are supported:

- · USB memory sticks
- · USB hard drives
- · certain MP3 players

USB hard drive requirements:

Size	2.54 cm (1 in) 4.57 cm (1.8 in) 6.35 cm (2.5 in)
Max. permanent current (using separate power supply, if necessary)	500 mA

- To shorten the initialisation period, if possible, only load music files onto the USB device.
- 1 USB devices are available in many different sizes. Therefore, it cannot be guaranteed that playback is possible with every USB device.

You can connect USB devices via the mini USB socket. For standard USB connectors, you require an adapter for the mini USB from the Mercedes-Benz accessories range.

- Do not use USB extension cables.
- 1 Do not use a spiral cable for the USB port.

#### Supported file formats

The CD radio supports the following file formats:

	MP3	WMA
Bit rate	up to 320 kbit/s CBR and VBR	320 kbit/s CBR and VBR

 Unsupported file formats are not displayed. The CD radio does not support any DRM (Digital Rights Management) coded files.


### File structure of the USB player

Max. number of directory levels	8
Number of titles per directory	1000

#### Pin assignment

# Risk of damage to the CD radio and external equipment

The CD radio could be damaged if it is not removed correctly and cables may be damaged if incorrectly connected. Always have the CD radio removed and the connection of external audio sources to the rear AUX sockets performed at a qualified specialist workshop.



Socket	Pin	Function
А	1	Not used
	2	Not used
	3	Mute <sup>3</sup>
	4	Battery (24 V, terminal 30)

<sup>3</sup> The mute function is activated via an earth signal.

Socket	Pin	Function
	5	Switched 12 V output (max. 150 mA)
	6	Nightlight (24 V)
	7	Ignition (24 V, terminal 15R)
	8	Earth (terminal 31)
В	1	AUX rear L
	2	AUX rear L, earth
	3	Loudspeaker front R+
	4	Loudspeaker front R-
	5	Loudspeaker front L+
	6	Loudspeaker front L-
	7	AUX rear R
	8	AUX rear R, earth
С	1	CAN-High
	2	CAN-Low
	3 - 10	Not used
D1	1 – 6	Not used
D2	7 - 12	Not used
D3	13 - 20	Reserved

#### **Publication details**

#### Internet

Further information about Mercedes-Benz vehicles and about Daimler AG can be found on the following websites:

http://www.mercedes-benz.com http://www.daimler.com

#### **Editorial office**

You are welcome to forward any queries or suggestions you may have regarding these Operating Instructions to:

Daimler AG, HPC: CAC, Customer Service, 70546 Stuttgart, Germany

<sup>©</sup> Daimler AG: not to be reprinted, translated or otherwise reproduced, in whole or in part, without written permission of Daimler AG.

#### Vehicle manufacturer

Daimler AG Mercedesstraße 137 70327 Stuttgart Germany

#### Caution:

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

#### **FCC Information**

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference,
- and (2) this device must accept any interference received, including interference that may cause undesired operation. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses,

and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

FCC Radiation Exposure Statement: The equipment complies with FCC Radiation exposure limits set forth for uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- —Reorient or relocate the receiving antenna.
- —Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- —Consult the dealer or an experienced radio/TV technician for help.



Order no. 6462 2840 02 Part no. 001 584 89 82 Edition 09-14