



<802.11ax Partial RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant3	5180	26Tone	RU0	4.57	≤11.00	PASS
			52Tone	RU37	4.83	≤11.00	PASS
			106Tone	RU53	4.66	≤11.00	PASS
	Ant4	5180	26Tone	RU0	-1.07	≤11.00	PASS
			52Tone	RU37	-0.38	≤11.00	PASS
			106Tone	RU53	-0.43	≤11.00	PASS
	total	5180	26Tone	RU0	5.62	≤11.00	PASS
			52Tone	RU37	5.97	≤11.00	PASS
			106Tone	RU53	5.83	≤11.00	PASS
	Ant3	5220	26Tone	RU0	5.45	≤11.00	PASS
			52Tone	RU37	5.17	≤11.00	PASS
			106Tone	RU53	5.17	≤11.00	PASS
	Ant4	5220	26Tone	RU0	-0.83	≤11.00	PASS
			52Tone	RU37	-0.34	≤11.00	PASS
			106Tone	RU53	-0.47	≤11.00	PASS
	total	5220	26Tone	RU0	6.37	≤11.00	PASS
			52Tone	RU37	6.25	≤11.00	PASS
			106Tone	RU53	6.22	≤11.00	PASS
	Ant3	5240	26Tone	RU8	4.8	≤11.00	PASS
			52Tone	RU40	4.65	≤11.00	PASS
			106Tone	RU54	4.68	≤11.00	PASS
	Ant4	5240	26Tone	RU8	-1.56	≤11.00	PASS
			52Tone	RU40	-1.01	≤11.00	PASS
			106Tone	RU54	-1.17	≤11.00	PASS
	total	5240	26Tone	RU8	5.70	≤11.00	PASS
			52Tone	RU40	5.69	≤11.00	PASS
			106Tone	RU54	5.68	≤11.00	PASS
	Ant3	5260	26Tone	RU0	4.61	≤11.00	PASS
			52Tone	RU37	4.47	≤11.00	PASS
			106Tone	RU53	4.62	≤11.00	PASS
	Ant4	5260	26Tone	RU0	-1.81	≤11.00	PASS
			52Tone	RU37	-1.65	≤11.00	PASS
			106Tone	RU53	-1.44	≤11.00	PASS
	total	5260	26Tone	RU0	5.50	≤11.00	PASS
			52Tone	RU37	5.42	≤11.00	PASS
			106Tone	RU53	5.58	≤11.00	PASS
	Ant3	5300	26Tone	RU0	4.52	≤11.00	PASS
			52Tone	RU37	5.04	≤11.00	PASS
			106Tone	RU53	5.06	≤11.00	PASS
	Ant4	5300	26Tone	RU0	-2.03	≤11.00	PASS
			52Tone	RU37	-1.18	≤11.00	PASS



	total	5300	106Tone	RU53	-1.36	≤11.00	PASS
			26Tone	RU0	5.39	≤11.00	PASS
			52Tone	RU37	5.97	≤11.00	PASS
			106Tone	RU53	5.95	≤11.00	PASS
Ant3	5320		26Tone	RU8	5.06	≤11.00	PASS
			52Tone	RU40	5.08	≤11.00	PASS
			106Tone	RU54	4.89	≤11.00	PASS
Ant4	5320		26Tone	RU8	-0.27	≤11.00	PASS
			52Tone	RU40	-0.44	≤11.00	PASS
			106Tone	RU54	-0.29	≤11.00	PASS
total	5320		26Tone	RU8	6.18	≤11.00	PASS
			52Tone	RU40	6.15	≤11.00	PASS
			106Tone	RU54	6.04	≤11.00	PASS
Ant3	5500		26Tone	RU0	4.18	≤11.00	PASS
			52Tone	RU37	4.76	≤11.00	PASS
			106Tone	RU53	4.59	≤11.00	PASS
Ant4	5500		26Tone	RU0	-1.96	≤11.00	PASS
			52Tone	RU37	-1.18	≤11.00	PASS
			106Tone	RU53	-1.23	≤11.00	PASS
total	5500		26Tone	RU0	5.13	≤11.00	PASS
			52Tone	RU37	5.75	≤11.00	PASS
			106Tone	RU53	5.60	≤11.00	PASS
Ant3	5580		26Tone	RU0	4.1	≤11.00	PASS
			52Tone	RU37	4.91	≤11.00	PASS
			106Tone	RU53	4.73	≤11.00	PASS
Ant4	5580		26Tone	RU0	-2.06	≤11.00	PASS
			52Tone	RU37	-1.09	≤11.00	PASS
			106Tone	RU53	-0.78	≤11.00	PASS
total	5580		26Tone	RU0	5.04	≤11.00	PASS
			52Tone	RU37	5.88	≤11.00	PASS
			106Tone	RU53	5.81	≤11.00	PASS
Ant3	5700		26Tone	RU8	3.61	≤11.00	PASS
			52Tone	RU40	4.32	≤11.00	PASS
			106Tone	RU54	4.46	≤11.00	PASS
Ant4	5700		26Tone	RU8	0.08	≤11.00	PASS
			52Tone	RU40	-0.09	≤11.00	PASS
			106Tone	RU54	-0.65	≤11.00	PASS
total	5700		26Tone	RU8	5.20	≤11.00	PASS
			52Tone	RU40	5.66	≤11.00	PASS
			106Tone	RU54	5.63	≤11.00	PASS
Ant3	5720		26Tone	RU8	3.82	≤11.00	PASS
			52Tone	RU40	4.01	≤11.00	PASS
			106Tone	RU54	4.14	≤11.00	PASS
Ant4	5720		26Tone	RU8	-0.19	≤11.00	PASS
			52Tone	RU40	-0.88	≤11.00	PASS
			106Tone	RU54	-1.38	≤11.00	PASS
total	5720		26Tone	RU8	5.27	≤11.00	PASS
			52Tone	RU40	5.23	≤11.00	PASS
			106Tone	RU54	5.21	≤11.00	PASS
Ant3	5745		26Tone	RU0	1.54	≤30.00	PASS




	Ant4	5745	52Tone	RU37	1.32	≤30.00	PASS
			106Tone	RU53	1.17	≤30.00	PASS
			26Tone	RU0	-3.55	≤30.00	PASS
			52Tone	RU37	-4.39	≤30.00	PASS
			106Tone	RU53	-4.28	≤30.00	PASS
			26Tone	RU0	2.71	≤30.00	PASS
	total	5745	52Tone	RU37	2.35	≤30.00	PASS
			106Tone	RU53	2.26	≤30.00	PASS
			26Tone	RU0	1.3	≤30.00	PASS
	Ant3	5785	52Tone	RU37	1.16	≤30.00	PASS
			106Tone	RU53	1.03	≤30.00	PASS
			26Tone	RU0	-3.55	≤30.00	PASS
	Ant4	5785	52Tone	RU37	-4.26	≤30.00	PASS
			106Tone	RU53	-4.08	≤30.00	PASS
			26Tone	RU0	2.53	≤30.00	PASS
	total	5785	52Tone	RU37	2.26	≤30.00	PASS
			106Tone	RU53	2.20	≤30.00	PASS
			26Tone	RU8	0.82	≤30.00	PASS
	Ant3	5825	52Tone	RU40	0.89	≤30.00	PASS
			106Tone	RU54	1.02	≤30.00	PASS
			26Tone	RU8	-3.51	≤30.00	PASS
	Ant4	5825	52Tone	RU40	-4.25	≤30.00	PASS
			106Tone	RU54	-4.03	≤30.00	PASS
			26Tone	RU8	2.18	≤30.00	PASS
	total	5825	52Tone	RU40	2.05	≤30.00	PASS
			106Tone	RU54	2.20	≤30.00	PASS
			26Tone	RU8	2.18	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11AX20MIMO_Ant3_5180_106Tone_RU53



Date: 19 DEC 2023 23:29:14


11AX20MIMO_Ant4_5180_26Tone_RU0




Date: 19 DEC 2023 23:27:37



11AX20MIMO_Ant4_5180_52Tone_RU37




11AX20MIMO_Ant4_5180_106Tone_RU53






11AX20MIMO_Ant3_5220_26Tone_RU0




11AX20MIMO_Ant3_5220_52Tone_RU37






11AX20MIMO_Ant3_5220_106Tone_RU53




11AX20MIMO_Ant4_5220_26Tone_RU0






11AX20MIMO_Ant4_5220_52Tone_RU37




11AX20MIMO_Ant4_5220_106Tone_RU53






11AX20MIMO_Ant3_5240_26Tone_RU8




11AX20MIMO_Ant3_5240_52Tone_RU40






11AX20MIMO_Ant3_5240_106Tone_RU54




11AX20MIMO_Ant4_5240_26Tone_RU8






11AX20MIMO_Ant4_5240_52Tone_RU40




11AX20MIMO_Ant4_5240_106Tone_RU54






11AX20MIMO_Ant3_5260_26Tone_RU0




11AX20MIMO_Ant3_5260_52Tone_RU37






11AX20MIMO_Ant3_5260_106Tone_RU53




11AX20MIMO_Ant4_5260_26Tone_RU0






11AX20MIMO_Ant4_5260_52Tone_RU37



Date: 10.DEC.2023 16:34:13


11AX20MIMO_Ant4_5260_106Tone_RU53




Date: 10.DEC.2023 17:11:30



11AX20MIMO_Ant3_5300_26Tone_RU0




11AX20MIMO_Ant3_5300_52Tone_RU37






11AX20MIMO_Ant3_5300_106Tone_RU53




11AX20MIMO_Ant4_5300_26Tone_RU0






11AX20MIMO_Ant4_5300_52Tone_RU37




11AX20MIMO_Ant4_5300_106Tone_RU53






11AX20MIMO_Ant3_5320_26Tone_RU8



Date: 10.DEC.2023 17:16:40


11AX20MIMO_Ant3_5320_52Tone_RU40



Date: 10.DEC.2023 17:18:23




11AX20MIMO_Ant3_5320_106Tone_RU54



Date: 10.DEC.2023 17:21:15


11AX20MIMO_Ant4_5320_26Tone_RU8




Date: 10.DEC.2023 17:16:52



11AX20MIMO_Ant4_5320_52Tone_RU40




11AX20MIMO_Ant4_5320_106Tone_RU54






11AX20MIMO_Ant3_5500_26Tone_RU0




11AX20MIMO_Ant3_5500_52Tone_RU37






11AX20MIMO_Ant3_5500_106Tone_RU53




11AX20MIMO_Ant4_5500_26Tone_RU0






11AX20MIMO_Ant4_5500_52Tone_RU37



Date: 10.DEC.2023 17:28:19


11AX20MIMO_Ant4_5500_106Tone_RU53




Date: 10.DEC.2023 17:30:30



11AX20MIMO_Ant3_5580_26Tone_RU0




11AX20MIMO_Ant3_5580_52Tone_RU37






11AX20MIMO_Ant3_5580_106Tone_RU53




11AX20MIMO_Ant4_5580_26Tone_RU0






11AX20MIMO_Ant4_5580_52Tone_RU37




11AX20MIMO_Ant4_5580_106Tone_RU53






11AX20MIMO_Ant3_5700_26Tone_RU8



Date: 10.DEC.2023 17:42:32


11AX20MIMO_Ant3_5700_52Tone_RU40




Date: 10.DEC.2023 17:43:26



11AX20MIMO_Ant3_5700_106Tone_RU54




11AX20MIMO_Ant4_5700_26Tone_RU8






11AX20MIMO_Ant4_5700_52Tone_RU40




11AX20MIMO_Ant4_5700_106Tone_RU54






11AX20MIMO_Ant3_5720_26Tone_RU8




11AX20MIMO_Ant3_5720_52Tone_RU40






11AX20MIMO_Ant3_5720_106Tone_RU54




11AX20MIMO_Ant4_5720_26Tone_RU8






11AX20MIMO_Ant4_5720_52Tone_RU40




11AX20MIMO_Ant4_5720_106Tone_RU54






11AX20MIMO_Ant3_5745_26Tone_RU0




11AX20MIMO_Ant3_5745_52Tone_RU37






11AX20MIMO_Ant3_5745_106Tone_RU53



Date: 10.DEC.2023 18:36:53


11AX20MIMO_Ant4_5745_26Tone_RU0



Date: 10.DEC.2023 18:28:01




11AX20MIMO_Ant4_5745_52Tone_RU37



Date: 10.DEC.2023 18:35:13


11AX20MIMO_Ant4_5745_106Tone_RU53




Date: 10.DEC.2023 18:37:03



11AX20MIMO_Ant3_5785_26Tone_RU0




11AX20MIMO_Ant3_5785_52Tone_RU37






11AX20MIMO_Ant3_5785_106Tone_RU53



Date: 10.DEC.2023 18:41:21


11AX20MIMO_Ant4_5785_26Tone_RU0



Date: 10.DEC.2023 18:38:23




11AX20MIMO_Ant4_5785_52Tone_RU37



Date: 10.DEC.2023 18:40:13


11AX20MIMO_Ant4_5785_106Tone_RU53




Date: 10.DEC.2023 18:41:31



11AX20MIMO_Ant3_5825_26Tone_RU8




11AX20MIMO_Ant3_5825_52Tone_RU40






11AX20MIMO_Ant3_5825_106Tone_RU54




11AX20MIMO_Ant4_5825_26Tone_RU8






11AX20MIMO_Ant4_5825_52Tone_RU40




11AX20MIMO_Ant4_5825_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.604	42.21	-13.79	56.00	32.08	-0.05	10.18	QP
2	0.604	29.71	-16.29	46.00	19.58	-0.05	10.18	Average
3 *	0.634	45.29	-10.71	56.00	35.19	-0.06	10.16	QP
4	0.634	35.29	-10.71	46.00	25.19	-0.06	10.16	Average
5	0.697	41.17	-14.83	56.00	31.10	-0.07	10.14	QP
6	0.697	31.97	-14.03	46.00	21.90	-0.07	10.14	Average
7	0.974	36.50	-19.50	56.00	26.51	-0.10	10.09	QP
8	0.974	25.10	-20.90	46.00	15.11	-0.10	10.09	Average
9	1.065	40.89	-15.11	56.00	30.90	-0.10	10.09	QP
10	1.065	34.19	-11.81	46.00	24.20	-0.10	10.09	Average
11	1.495	37.37	-18.63	56.00	27.41	-0.12	10.08	QP
12	1.495	25.77	-20.23	46.00	15.81	-0.12	10.08	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.476	38.27	-18.14	56.41	28.11	-0.07	10.23	QP
2	0.476	27.77	-18.64	46.41	17.61	-0.07	10.23	Average
3	0.592	40.21	-15.79	56.00	30.10	-0.07	10.18	QP
4	0.592	29.91	-16.09	46.00	19.80	-0.07	10.18	Average
5	0.672	41.28	-14.72	56.00	31.20	-0.07	10.15	QP
6 *	0.672	31.88	-14.12	46.00	21.80	-0.07	10.15	Average
7	1.184	37.28	-18.72	56.00	27.29	-0.10	10.09	QP
8	1.184	26.48	-19.52	46.00	16.49	-0.10	10.09	Average
9	1.449	36.77	-19.23	56.00	26.80	-0.11	10.08	QP
10	1.449	26.27	-19.73	46.00	16.30	-0.11	10.08	Average
11	3.509	32.74	-23.26	56.00	22.80	-0.13	10.07	QP
12	3.509	25.14	-20.86	46.00	15.20	-0.13	10.07	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Chris Chen	Relative Humidity :	22 ~ 23 °C
		Temperature :	41 ~ 42 %

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 3+4	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 3+4	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 3+4	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 3+4	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 3+4	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 3+4	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 3+4	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 3+4	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 3+4	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 11	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 12	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 13	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE20	52	5260	MCS0	Full RU	-
Mode 14	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 15	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE20	64	5320	MCS0	Full RU	-
Mode 16	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 17	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 18	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 19	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE20	36	5180	MCS0	RU 26/0	-
Mode 20	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE20	64	5320	MCS0	RU 26/8	-
Mode 21	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	100	5500	MCS0	RU 26/0	-
Mode 22	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	140	5700	MCS0	RU 26/8	-
Mode 23	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE20	36	5180	MCS0	RU 52/37	-
Mode 24	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE20	64	5320	MCS0	RU 52/40	-
Mode 25	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	100	5500	MCS0	RU 52/37	-
Mode 26	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	140	5700	MCS0	RU 52/40	-
Mode 27	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE20	36	5180	MCS0	RU 106/53	-
Mode 28	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE20	64	5320	MCS0	RU 106/54	-
Mode 29	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	100	5500	MCS0	RU 106/53	-
Mode 30	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	140	5700	MCS0	RU 106/54	-
Mode 31	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 32	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 33	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE40	54	5270	MCS0	Full RU	-
Mode 34	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE40	62	5310	MCS0	Full RU	-
Mode 35	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE40	102	5510	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 36	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE40	110	5550	MCS0	Full RU	-
Mode 37	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE40	134	5670	MCS0	Full RU	-
Mode 38	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE80	42	5210	MCS0	Full RU	-
Mode 39	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE80	58	5290	MCS0	Full RU	-
Mode 39	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE80	58	5290	MCS0	Full RU	LF
Mode 40	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE80	106	5530	MCS0	Full RU	-
Mode 41	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE160	50	5250	MCS0	Full RU	-
Mode 42	U-NII-3	5.725-5.85	CDD 3+4	802.11a	149	5745	6Mbps	-	-
Mode 43	U-NII-3	5.725-5.85	CDD 3+4	802.11a	157	5785	6Mbps	-	-
Mode 44	U-NII-3	5.725-5.85	CDD 3+4	802.11a	165	5825	6Mbps	-	-
Mode 45	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 46	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 47	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 48	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 49	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 49	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE40	159	5795	MCS0	Full RU	LF
Mode 50	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 51	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	149	5745	MCS0	RU 26/0	-
Mode 52	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	165	5825	MCS0	RU 26/8	-
Mode 53	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 54	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 55	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 56	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	165	5825	MCS0	RU 06/54	-
Mode 57	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE80	122	5610	MCS0	Full RU	-
Mode 58	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE160	114	5570	MCS0	Full RU	-
Mode 59	U-NII-2C	5.47-5.725	CDD 3+4	802.11a	144	5720	6Mbps	-	-
Mode 60	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	144	5720	MCS0	Full RU	-
Mode 61	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE40	142	5710	MCS0	Full RU	-
Mode 62	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE80	138	5690	MCS0	Full RU	-
Mode 63	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE80	58	5290	MCS0	Full RU	Sample 2
Mode 64	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE80	58	5290	MCS0	Full RU	-
	U-NII-2A	2.4-2.4835	2	Bluetooth-LE_GSKF	00	2402	2Mbps	-	-
	LTE Band 48 Link (BW=20M)							-	-
Mode 65	U-NII-2A	5.25-5.35	3	802.11ax HE80	58	5290	MCS0	-	-
	U-NII-2A	2.4-2.4835	2	Bluetooth-LE_GSKF	00	2402	2Mbps	-	-
	U-NII-2A	2.4-2.4835	4	802.11ax HE40	09	2452	MCS0	-	-
	LTE Band 48 Link (BW=20M)							-	-
Mode 66	U-NII-2A	5.25-5.35	3	802.11ax HE80	58	5290	MCS0	-	-
	U-NII-2A	2.4-2.4835	2	802.11ax HE40	09	2452	MCS0	-	-
	LTE Band 48 Link (BW=20M)							-	-
Mode 67	U-NII-2A	5.25-5.35	4	802.11ax HE80	58	5290	MCS0	-	-
	U-NII-2A	2.4-2.4835	2	802.11ax HE40	09	2452	MCS0	-	-
	LTE Band 48 Link (BW=20M)							-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.92	49.11	54.00	-4.89	V	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	46.99	68.20	-21.21	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	46.61	68.20	-21.59	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	46.87	68.20	-21.33	V	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	47.14	68.20	-21.06	H	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	46.74	68.20	-21.46	H	PEAK	Pass	Harmonic
6	802.11a	64	5350.10	47.23	54.00	-6.77	V	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	45.91	74.00	-28.09	V	PEAK	Pass	Harmonic
7	802.11a	100	5468.95	57.91	68.20	-10.29	V	PEAK	Pass	Band Edge
7	802.11a	100	11000.00	46.63	74.00	-27.37	V	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	46.97	74.00	-27.03	H	PEAK	Pass	Harmonic
9	802.11a	140	5727.24	61.89	68.20	-6.31	V	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	37.73	54.00	-16.27	V	AVERAGE	Pass	Harmonic
10	802.11ax HE20	36	5149.92	46.64	54.00	-7.36	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	10360.00	46.40	68.20	-21.80	H	PEAK	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	10440.00	47.29	68.20	-20.91	V	PEAK	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	10480.00	48.36	68.20	-19.84	V	PEAK	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	10520.00	47.50	68.20	-20.70	H	PEAK	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	10600.00	46.43	68.20	-21.77	V	PEAK	Pass	Harmonic
15	802.11ax HE20	64	5350.24	46.47	54.00	-7.53	V	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	10640.00	45.86	74.00	-28.14	H	PEAK	Pass	Harmonic
16	802.11ax HE20	100	5468.80	58.24	68.20	-9.96	V	PEAK	Pass	Band Edge
16	802.11ax HE20	100	11000.00	37.83	54.00	-16.17	V	AVERAGE	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	11160.00	38.35	54.00	-15.65	V	AVERAGE	Pass	Harmonic
18	802.11ax HE20	140	5725.42	62.63	68.20	-5.57	V	PEAK	Pass	Band Edge
18	802.11ax HE20	140	11400.00	35.91	54.00	-18.09	V	AVERAGE	Pass	Harmonic
19	802.11ax HE20	36	5100.00	42.62	54.00	-11.38	V	AVERAGE	Pass	Band Edge
19	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	64	5439.70	41.82	54.00	-12.18	V	AVERAGE	Pass	Band Edge
20	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	100	5455.90	42.01	54.00	-11.99	V	AVERAGE	Pass	Band Edge
21	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	140	5755.90	55.38	68.20	-12.82	V	PEAK	Pass	Band Edge
22	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	36	5100.00	42.34	54.00	-11.66	V	AVERAGE	Pass	Band Edge
23	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
24	802.11ax HE20	64	5350.10	41.95	54.00	-12.05	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	100	5455.00	42.22	54.00	-11.78	V	AVERAGE	Pass	Band Edge
25	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	140	5758.70	56.16	68.20	-12.04	V	PEAK	Pass	Band Edge
26	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	36	5107.68	42.99	54.00	-11.01	V	AVERAGE	Pass	Band Edge
27	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5354.72	43.07	54.00	-10.93	V	AVERAGE	Pass	Band Edge
28	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5451.70	42.23	54.00	-11.77	V	AVERAGE	Pass	Band Edge
29	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5750.18	54.83	68.20	-13.37	V	PEAK	Pass	Band Edge
30	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5149.50	70.35	74.00	-3.65	H	PEAK	Pass	Band Edge
31	802.11ax HE40	38	10380.00	45.67	68.20	-22.53	V	PEAK	Pass	Harmonic
32	802.11ax HE40	46	5149.50	48.04	54.00	-5.96	H	AVERAGE	Pass	Band Edge
32	802.11ax HE40	46	10460.00	45.51	68.20	-22.69	H	PEAK	Pass	Harmonic
33	802.11ax HE40	54	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	54	10540.00	45.05	68.20	-23.15	H	PEAK	Pass	Harmonic
34	802.11ax HE40	62	5350.05	48.77	54.00	-5.23	V	AVERAGE	Pass	Band Edge
34	802.11ax HE40	62	10620.00	46.12	74.00	-27.88	V	PEAK	Pass	Harmonic
35	802.11ax HE40	102	5467.28	61.61	68.20	-6.59	V	PEAK	Pass	Band Edge
35	802.11ax HE40	102	11020.00	43.14	74.00	-30.86	V	PEAK	Pass	Harmonic
36	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	110	11100.00	45.26	74.00	-28.74	V	PEAK	Pass	Harmonic
37	802.11ax HE40	134	5729.19	58.63	68.20	-9.57	V	PEAK	Pass	Band Edge
37	802.11ax HE40	134	11340.00	44.02	74.00	-29.98	H	PEAK	Pass	Harmonic
38	802.11ax HE80	42	5143.01	50.31	54.00	-3.69	H	AVERAGE	Pass	Band Edge
38	802.11ax HE80	42	10420.00	45.68	68.20	-22.52	H	PEAK	Pass	Harmonic
39	802.11ax HE80	58	5350.01	50.78	54.00	-3.10	V	AVERAGE	Pass	Band Edge
39	802.11ax HE80	58	10580.00	44.73	68.20	-23.47	V	PEAK	Pass	Harmonic
39	802.11ax HE80	58	57.16	29.66	40.00	-10.34	V	PEAK	Pass	LF
40	802.11ax HE80	106	5450.44	48.56	54.00	-5.44	V	AVERAGE	Pass	Band Edge
40	802.11ax HE80	106	11060.00	45.39	74.00	-28.61	V	PEAK	Pass	Harmonic
41	802.11ax HE160	50	5369.91	50.70	54.00	-3.30	V	AVERAGE	Pass	Band Edge
41	802.11ax HE160	50	10500.00	45.72	68.20	-22.48	H	PEAK	Pass	Harmonic
42	802.11a	149	5638.57	58.34	68.20	-9.86	V	PEAK	Pass	Band Edge
42	802.11a	149	11490.00	46.52	74.00	-27.48	H	PEAK	Pass	Harmonic
43	802.11a	157	-	-	-	-	-	-	-	Band Edge
43	802.11a	157	11570.00	47.17	74.00	-26.83	V	PEAK	Pass	Harmonic
44	802.11a	165	5946.75	58.33	68.20	-9.87	H	PEAK	Pass	Band Edge
44	802.11a	165	7770.00	51.53	68.20	-16.67	H	PEAK	Pass	Harmonic
45	802.11ax HE20	149	5620.16	58.09	68.20	-10.11	H	PEAK	Pass	Band Edge
45	802.11ax HE20	149	11490.00	46.30	74.00	-27.70	V	PEAK	Pass	Harmonic
46	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE20	157	11570.00	47.20	74.00	-26.80	V	PEAK	Pass	Harmonic
47	802.11ax HE20	165	5937.25	58.86	68.20	-9.34	V	PEAK	Pass	Band Edge
47	802.11ax HE20	165	7770.00	51.50	68.20	-16.70	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
48	802.11ax HE40	151	5931.67	57.99	68.20	-10.21	V	PEAK	Pass	Band Edge
48	802.11ax HE40	151	11510.00	47.06	74.00	-26.94	H	PEAK	Pass	Harmonic
49	802.11ax HE40	159	5938.22	59.38	68.20	-8.82	V	PEAK	Pass	Band Edge
49	802.11ax HE40	159	11590.00	46.29	74.00	-27.71	H	PEAK	Pass	Harmonic
49	802.11ax HE40	159	57.16	29.89	40.00	-10.11	V	PEAK	Pass	LF
50	802.11ax HE80	155	5949.83	58.89	68.20	-9.31	V	PEAK	Pass	Band Edge
50	802.11ax HE80	155	11550.00	46.31	74.00	-27.69	V	PEAK	Pass	Harmonic
51	802.11ax HE20	149	5633.79	54.37	68.20	-13.83	V	PEAK	Pass	Band Edge
51	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE20	165	5941.25	56.03	68.20	-12.17	H	PEAK	Pass	Band Edge
52	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
53	802.11ax HE20	149	5636.54	54.39	68.20	-13.81	H	PEAK	Pass	Band Edge
53	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	165	5939.13	55.15	68.20	-13.05	V	PEAK	Pass	Band Edge
54	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	149	5637.27	53.92	68.20	-14.28	V	PEAK	Pass	Band Edge
55	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	165	5944.75	54.53	68.20	-13.67	H	PEAK	Pass	Band Edge
56	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE80	122	5464.66	59.81	68.20	-8.39	V	PEAK	Pass	Band Edge
57	802.11ax HE80	122	11220.00	46.01	74.00	-27.99	V	PEAK	Pass	Harmonic
58	802.11ax HE160	114	5430.08	50.66	54.00	-3.34	V	AVERAGE	Pass	Band Edge
58	802.11ax HE160	114	11140.00	45.98	74.00	-28.02	H	PEAK	Pass	Harmonic
59	802.11a	144	-	-	-	-	-	-	-	Band Edge
59	802.11a	144	11440.00	47.13	74.00	-26.87	V	PEAK	Pass	Harmonic
60	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE20	144	11440.00	47.04	74.00	-26.96	V	PEAK	Pass	Harmonic
61	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
61	802.11ax HE40	142	11420.00	46.14	74.00	-27.86	H	PEAK	Pass	Harmonic
62	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE80	138	11380.00	46.56	74.00	-27.44	V	PEAK	Pass	Harmonic
63	802.11ax HE80	58	5359.02	50.72	54.00	-3.28	V	AVERAGE	Pass	Band Edge
63	802.11ax HE80	58	10580.00	46.72	68.20	-21.48	H	PEAK	Pass	Harmonic







<Co-location>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
64	802.11ax HE80	58	5358.85	50.89	54.00	-3.11	V	AVERAGE	Pass	Band Edge
	802.11ax HE80	58	7055.00	49.10	68.20	-19.10	H	PEAK	Pass	Harmonic
	Bluetooth-LE_GSKF	00	2388.78	44.57	54.00	-9.43	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	00	4804.00	41.31	74.00	-32.69	H	PEAK	Pass	Harmonic
65	802.11ax HE80	58	5350.01	50.58	54.00	-3.42	V	AVERAGE	Pass	Band Edge
	802.11ax HE80	58	7055.00	49.11	68.20	-19.09	H	PEAK	Pass	Harmonic
	Bluetooth-LE_GSKF	00	2385.14	45.04	54.00	-8.96	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	00	4804.00	39.56	74.00	-34.44	H	Peak	Pass	Harmonic
66	802.11ax HE40	09	2483.58	44.64	54.00	-9.36	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	44.99	74.00	-29.01	H	PEAK	Pass	Harmonic
	802.11ax HE40	09	2483.54	48.75	54.00	-5.25	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	44.53	74.00	-29.47	V	PEAK	Pass	Harmonic
67	802.11ax HE80	58	5350.52	50.29	54.00	-3.71	V	AVERAGE	Pass	Band Edge
	802.11ax HE80	58	10580.00	45.88	68.20	-22.32	H	PEAK	Pass	Harmonic
	802.11ax HE40	09	2483.54	48.94	54.00	-5.06	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	45.09	74.00	-28.91	H	PEAK	Pass	Harmonic





Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	CDD 3+4																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5148.48</td><td>61.94</td><td>74.00</td><td>-12.06</td><td>49.75</td><td>34.20</td><td>9.79</td><td>31.00</td><td>0.00</td><td>100</td><td>343 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5148.48	61.94	74.00	-12.06	49.75	34.20	9.79	31.00	0.00	100	343 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5148.48	61.94	74.00	-12.06	49.75	34.20	9.79	31.00	0.00	100	343 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.92</td><td>48.20</td><td>54.00</td><td>-5.80</td><td>36.01</td><td>34.20</td><td>9.79</td><td>31.00</td><td>0.00</td><td>100</td><td>343 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5149.92	48.20	54.00	-5.80	36.01	34.20	9.79	31.00	0.00	100	343 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5149.92	48.20	54.00	-5.80	36.01	34.20	9.79	31.00	0.00	100	343 AVERAGE																																													
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>107.03</td><td>-----</td><td>-----</td><td>94.74</td><td>34.30</td><td>9.81</td><td>31.82</td><td>0.00</td><td>100</td><td>343 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	107.03	-----	-----	94.74	34.30	9.81	31.82	0.00	100	343 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5180.00	107.03	-----	-----	94.74	34.30	9.81	31.82	0.00	100	343 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>98.98</td><td>-----</td><td>-----</td><td>86.69</td><td>34.30</td><td>9.81</td><td>31.82</td><td>0.00</td><td>100</td><td>343 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	98.98	-----	-----	86.69	34.30	9.81	31.82	0.00	100	343 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5180.00	98.98	-----	-----	86.69	34.30	9.81	31.82	0.00	100	343 AVERAGE																																													





Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	CDD 3+4																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.12</td><td>64.54</td><td>74.00</td><td>-9.46</td><td>52.35</td><td>34.20</td><td>9.79</td><td>31.00</td><td>0.00</td><td>321</td><td>292</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.12	64.54	74.00	-9.46	52.35	34.20	9.79	31.00	0.00	321	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.12	64.54	74.00	-9.46	52.35	34.20	9.79	31.00	0.00	321	292	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>49.11</td><td>54.00</td><td>-4.89</td><td>36.92</td><td>34.20</td><td>9.79</td><td>31.00</td><td>0.00</td><td>321</td><td>292</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	49.11	54.00	-4.89	36.92	34.20	9.79	31.00	0.00	321	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.92	49.11	54.00	-4.89	36.92	34.20	9.79	31.00	0.00	321	292	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.60</td><td>-----</td><td>-----</td><td>96.28</td><td>34.33</td><td>9.81</td><td>31.82</td><td>0.00</td><td>321</td><td>292</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.60	-----	-----	96.28	34.33	9.81	31.82	0.00	321	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	108.60	-----	-----	96.28	34.33	9.81	31.82	0.00	321	292	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.90</td><td>-----</td><td>-----</td><td>88.61</td><td>34.30</td><td>9.81</td><td>31.82</td><td>0.00</td><td>321</td><td>292</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.90	-----	-----	88.61	34.30	9.81	31.82	0.00	321	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	100.90	-----	-----	88.61	34.30	9.81	31.82	0.00	321	292	AVERAGE																																											





Mode	1																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																					
ANT	CDD 3+4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.99</td><td>68.20</td><td>-21.21</td><td>56.30</td><td>37.46</td><td>14.13</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	46.99	68.20	-21.21	56.30	37.46	14.13	60.90	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.44</td><td>68.20</td><td>-21.76</td><td>55.75</td><td>37.46</td><td>14.13</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	46.44	68.20	-21.76	55.75	37.46	14.13	60.90	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10360.00	46.99	68.20	-21.21	56.30	37.46	14.13	60.90	0.00	---	---	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10360.00	46.44	68.20	-21.76	55.75	37.46	14.13	60.90	0.00	---	---	PEAK																																																																																										





Mode	2																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>46.32</td><td>68.20</td><td>-21.88</td><td>55.46</td><td>37.58</td><td>14.18</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	46.32	68.20	-21.88	55.46	37.58	14.18	60.90	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>46.61</td><td>68.20</td><td>-21.59</td><td>55.75</td><td>37.58</td><td>14.18</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	46.61	68.20	-21.59	55.75	37.58	14.18	60.90	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10440.00	46.32	68.20	-21.88	55.46	37.58	14.18	60.90	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10440.00	46.61	68.20	-21.59	55.75	37.58	14.18	60.90	0.00	---	---	PEAK																																																																																								





Mode	3																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																						
ANT	CDD 3+4																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>46.35</td><td>68.20</td><td>-21.85</td><td>55.37</td><td>37.66</td><td>14.21</td><td>60.89</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10480.00	46.35	68.20	-21.85	55.37	37.66	14.21	60.89						0.00		---	---									PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>46.87</td><td>68.20</td><td>-21.33</td><td>55.89</td><td>37.66</td><td>14.21</td><td>60.89</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10480.00	46.87	68.20	-21.33	55.89	37.66	14.21	60.89						0.00		---	---								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																															
1	10480.00	46.35	68.20	-21.85	55.37	37.66	14.21	60.89																																																																																																															
					0.00		---	---																																																																																																															
								PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																															
1	10480.00	46.87	68.20	-21.33	55.89	37.66	14.21	60.89																																																																																																															
					0.00		---	---																																																																																																															
								PEAK																																																																																																															







Mode	4																																																																																			
	Harmonic																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																			
ANT	CDD 3+4																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10520.00</td><td>47.14</td><td>68.20</td><td>-21.06</td><td>56.05</td><td>37.74</td><td>14.24</td><td>60.89</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	47.14	68.20	-21.06	56.05	37.74	14.24	60.89	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10520.00</td><td>46.37</td><td>68.20</td><td>-21.83</td><td>55.28</td><td>37.74</td><td>14.24</td><td>60.89</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	46.37	68.20	-21.83	55.28	37.74	14.24	60.89
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	10520.00	47.14	68.20	-21.06	56.05	37.74	14.24	60.89																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	10520.00	46.37	68.20	-21.83	55.28	37.74	14.24	60.89																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10520.00</td><td>47.14</td><td>68.20</td><td>-21.06</td><td>56.05</td><td>37.74</td><td>14.24</td><td>60.89</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	47.14	68.20	-21.06	56.05	37.74	14.24	60.89	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10520.00</td><td>46.37</td><td>68.20</td><td>-21.83</td><td>55.28</td><td>37.74</td><td>14.24</td><td>60.89</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	46.37	68.20	-21.83	55.28	37.74	14.24	60.89	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	10520.00	47.14	68.20	-21.06	56.05	37.74	14.24	60.89																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	10520.00	46.37	68.20	-21.83	55.28	37.74	14.24	60.89																																																																												







Mode	5																																																																																																				
	Harmonic																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																				
ANT	CDD 3+4																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>46.74</td><td>68.20</td><td>-21.46</td><td>55.44</td><td>37.90</td><td>14.29</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	46.74	68.20	-21.46	55.44	37.90	14.29	60.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>46.25</td><td>68.20</td><td>-21.95</td><td>54.95</td><td>37.90</td><td>14.29</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	46.25	68.20	-21.95	54.95	37.90	14.29	60.89	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	10600.00	46.74	68.20	-21.46	55.44	37.90	14.29	60.89	0.00	---	---	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	10600.00	46.25	68.20	-21.95	54.95	37.90	14.29	60.89	0.00	---	---	PEAK																																																																																									





Mode	6																																																																																																													
	Band Edge																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																													
ANT	CDD 3+4																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5354.02</td><td>58.81</td><td>74.00</td><td>-15.19</td><td>46.31</td><td>34.52</td><td>9.91</td><td>31.93</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>216</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5354.02	58.81	74.00	-15.19	46.31	34.52	9.91	31.93								0.00	216									0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>106.28</td><td>-----</td><td>-----</td><td>93.72</td><td>34.57</td><td>9.89</td><td>31.90</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>216</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	106.28	-----	-----	93.72	34.57	9.89	31.90								0.00	216									0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5354.02	58.81	74.00	-15.19	46.31	34.52	9.91	31.93																																																																																																						
							0.00	216																																																																																																						
								0 PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5320.00	106.28	-----	-----	93.72	34.57	9.89	31.90																																																																																																						
							0.00	216																																																																																																						
								0 PEAK																																																																																																						
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5350.94</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>32.08</td><td>34.50</td><td>9.91</td><td>31.92</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>216</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.94	44.57	54.00	-9.43	32.08	34.50	9.91	31.92								0.00	216									0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>98.68</td><td>-----</td><td>-----</td><td>86.12</td><td>34.57</td><td>9.89</td><td>31.90</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>216</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	98.68	-----	-----	86.12	34.57	9.89	31.90								0.00	216									0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5350.94	44.57	54.00	-9.43	32.08	34.50	9.91	31.92																																																																																																						
							0.00	216																																																																																																						
								0 AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5320.00	98.68	-----	-----	86.12	34.57	9.89	31.90																																																																																																						
							0.00	216																																																																																																						
								0 AVERAGE																																																																																																						







Mode	6																																																																																																													
	Band Edge																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																													
ANT	CDD 3+4																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5353.32</td><td>58.84</td><td>74.00</td><td>-15.16</td><td>46.35</td><td>34.51</td><td>9.91</td><td>31.93</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>320</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>298 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5353.32	58.84	74.00	-15.16	46.35	34.51	9.91	31.93								0.00	320									298 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5320.00</td><td>111.32</td><td>-----</td><td>-----</td><td>98.78</td><td>34.55</td><td>9.90</td><td>31.91</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>320</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>298 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	111.32	-----	-----	98.78	34.55	9.90	31.91								0.00	320									298 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5353.32	58.84	74.00	-15.16	46.35	34.51	9.91	31.93																																																																																																						
							0.00	320																																																																																																						
								298 PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5320.00	111.32	-----	-----	98.78	34.55	9.90	31.91																																																																																																						
							0.00	320																																																																																																						
								298 PEAK																																																																																																						
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5350.10</td><td>47.23</td><td>54.00</td><td>-6.77</td><td>34.74</td><td>34.50</td><td>9.91</td><td>31.92</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>320</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>298 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.10	47.23	54.00	-6.77	34.74	34.50	9.91	31.92								0.00	320									298 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5320.00</td><td>102.89</td><td>-----</td><td>-----</td><td>98.35</td><td>34.55</td><td>9.90</td><td>31.91</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>320</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>298 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	102.89	-----	-----	98.35	34.55	9.90	31.91								0.00	320									298 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5350.10	47.23	54.00	-6.77	34.74	34.50	9.91	31.92																																																																																																						
							0.00	320																																																																																																						
								298 AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5320.00	102.89	-----	-----	98.35	34.55	9.90	31.91																																																																																																						
							0.00	320																																																																																																						
								298 AVERAGE																																																																																																						







		6																																																																																	
Mode		Harmonic																																																																																	
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																	
ANT		CDD 3+4																																																																																	
Pol.		Horizontal					Vertical																																																																												
Peak Avg																																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>45.50</td><td>74.00</td><td>-28.50</td><td>54.17</td><td>37.90</td><td>14.32</td><td>60.89</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10640.00	45.50	74.00	-28.50	54.17	37.90	14.32	60.89						0.00											cm	deg								---	---									PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	10640.00	45.50	74.00	-28.50	54.17	37.90	14.32	60.89																																																																											
					0.00																																																																														
							cm	deg																																																																											
							---	---																																																																											
								PEAK																																																																											
																																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>54.58</td><td>37.90</td><td>14.32</td><td>60.89</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10640.00	45.91	74.00	-28.09	54.58	37.90	14.32	60.89						0.00											cm	deg								---	---									PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	10640.00	45.91	74.00	-28.09	54.58	37.90	14.32	60.89																																																																											
					0.00																																																																														
							cm	deg																																																																											
							---	---																																																																											
								PEAK																																																																											



Mode	7																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																															
ANT	CDD 3+4																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.20</td><td>52.80</td><td>74.00</td><td>-21.20</td><td>40.07</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>305</td><td>77</td><td>PEAK</td></tr><tr><td>2</td><td>5461.00</td><td>53.40</td><td>68.20</td><td>-14.80</td><td>40.66</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>305</td><td>77</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.20	52.80	74.00	-21.20	40.07	34.70	10.02	31.99	0.00	305	77	PEAK	2	5461.00	53.40	68.20	-14.80	40.66	34.70	10.03	31.99	0.00	305	77	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>105.97</td><td>-----</td><td>-----</td><td>93.20</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>305</td><td>77</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.97	-----	-----	93.20	34.70	10.08	32.01	0.00	305	77
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.20	52.80	74.00	-21.20	40.07	34.70	10.02	31.99	0.00	305	77	PEAK																																																																																																				
2	5461.00	53.40	68.20	-14.80	40.66	34.70	10.03	31.99	0.00	305	77	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	105.97	-----	-----	93.20	34.70	10.08	32.01	0.00	305	77	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.95</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>29.40</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>305</td><td>77</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.95	42.13	54.00	-11.87	29.40	34.70	10.02	31.99	0.00	305	77	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>97.13</td><td>-----</td><td>-----</td><td>84.36</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>305</td><td>77</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.13	-----	-----	84.36	34.70	10.08	32.01	0.00	305	77	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.95	42.13	54.00	-11.87	29.40	34.70	10.02	31.99	0.00	305	77	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	97.13	-----	-----	84.36	34.70	10.08	32.01	0.00	305	77	AVERAGE																																																																																																				





		7																																																																																																														
Mode	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																															
ANT	CDD 3+4																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.90</td><td>54.26</td><td>74.00</td><td>-19.74</td><td>41.53</td><td>34.70</td><td>10.01</td><td>31.98</td><td>0.00</td><td>307</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5468.95</td><td>57.91</td><td>68.20</td><td>-10.29</td><td>45.17</td><td>34.70</td><td>10.04</td><td>32.00</td><td>0.00</td><td>307</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.90	54.26	74.00	-19.74	41.53	34.70	10.01	31.98	0.00	307	303	PEAK	2	5468.95	57.91	68.20	-10.29	45.17	34.70	10.04	32.00	0.00	307	303	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>111.20</td><td>-----</td><td>-----</td><td>98.43</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>307</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.20	-----	-----	98.43	34.70	10.08	32.01	0.00	307	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5449.90	54.26	74.00	-19.74	41.53	34.70	10.01	31.98	0.00	307	303	PEAK																																																																																																				
2	5468.95	57.91	68.20	-10.29	45.17	34.70	10.04	32.00	0.00	307	303	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	111.20	-----	-----	98.43	34.70	10.08	32.01	0.00	307	303	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.95</td><td>43.36</td><td>54.00</td><td>-10.64</td><td>30.62</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>307</td><td>303</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.95	43.36	54.00	-10.64	30.62	34.70	10.03	31.99	0.00	307	303	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.91</td><td>-----</td><td>-----</td><td>90.14</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>307</td><td>303</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.91	-----	-----	90.14	34.70	10.08	32.01	0.00	307	303	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.95	43.36	54.00	-10.64	30.62	34.70	10.03	31.99	0.00	307	303	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	102.91	-----	-----	90.14	34.70	10.08	32.01	0.00	307	303	AVERAGE																																																																																																				






Mode	7																																																																																																												
	Harmonic																																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																												
ANT	CDD 3+4																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11000.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>54.86</td><td>38.00</td><td>14.56</td><td>60.88</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11000.00	46.54	74.00	-27.46	54.86	38.00	14.56	60.88						0.00		---	---									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11000.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>54.95</td><td>38.00</td><td>14.56</td><td>60.88</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11000.00	46.63	74.00	-27.37	54.95	38.00	14.56	60.88						0.00		---	---								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	11000.00	46.54	74.00	-27.46	54.86	38.00	14.56	60.88																																																																																																					
					0.00		---	---																																																																																																					
								PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	11000.00	46.63	74.00	-27.37	54.95	38.00	14.56	60.88																																																																																																					
					0.00		---	---																																																																																																					
								PEAK																																																																																																					






Mode	8																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																				
ANT	CDD 3+4																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>55.10</td><td>38.06</td><td>14.68</td><td>60.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	46.97	74.00	-27.03	55.10	38.06	14.68	60.87	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>46.76</td><td>74.00</td><td>-27.24</td><td>54.89</td><td>38.06</td><td>14.68</td><td>60.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	46.76	74.00	-27.24	54.89	38.06	14.68	60.87	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11160.00	46.97	74.00	-27.03	55.10	38.06	14.68	60.87	0.00	---	---	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11160.00	46.76	74.00	-27.24	54.89	38.06	14.68	60.87	0.00	---	---	PEAK																																																																																									



Mode	9																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																													
ANT	CDD 3+4																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.22</td><td>55.86</td><td>68.20</td><td>-12.34</td><td>42.90</td><td>34.65</td><td>10.34</td><td>32.03</td><td>0.00</td><td>288</td><td>89</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.22	55.86	68.20	-12.34	42.90	34.65	10.34	32.03	0.00	288	89	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.48</td><td>-----</td><td>-----</td><td>91.51</td><td>34.70</td><td>10.32</td><td>32.05</td><td>0.00</td><td>288</td><td>89</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.48	-----	-----	91.51	34.70	10.32	32.05	0.00	288	89
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5725.22	55.86	68.20	-12.34	42.90	34.65	10.34	32.03	0.00	288	89	PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5700.00	104.48	-----	-----	91.51	34.70	10.32	32.05	0.00	288	89	PEAK																																																																																		
Avg	Blank																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.06</td><td>-----</td><td>-----</td><td>83.09</td><td>34.70</td><td>10.32</td><td>32.05</td><td>0.00</td><td>288</td><td>89</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	96.06	-----	-----	83.09	34.70	10.32	32.05	0.00	288	89	AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5700.00	96.06	-----	-----	83.09	34.70	10.32	32.05	0.00	288	89	AVERAGE																																																																																		







Mode	9																																																										
	Band Edge																																																										
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																										
ANT	CDD 3+4																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5727.24</td><td>61.89</td><td>68.20</td><td>-6.31</td><td>48.92</td><td>34.65</td><td>10.35</td><td>32.03</td><td>0.00</td><td>303</td><td>302 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5727.24	61.89	68.20	-6.31	48.92	34.65	10.35	32.03	0.00	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5727.24	61.89	68.20	-6.31	48.92	34.65	10.35	32.03	0.00	303	302 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>112.28</td><td>-----</td><td>-----</td><td>99.31</td><td>34.70</td><td>10.32</td><td>32.05</td><td>0.00</td><td>303</td><td>302 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	112.28	-----	-----	99.31	34.70	10.32	32.05	0.00	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5700.00	112.28	-----	-----	99.31	34.70	10.32	32.05	0.00	303	302 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>103.43</td><td>-----</td><td>-----</td><td>90.46</td><td>34.70</td><td>10.32</td><td>32.05</td><td>0.00</td><td>303</td><td>302 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	103.43	-----	-----	90.46	34.70	10.32	32.05	0.00	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5700.00	103.43	-----	-----	90.46	34.70	10.32	32.05	0.00	303	302 AVERAGE																																																







		9																																																																				
Mode		Harmonic																																																																				
		U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																				
ANT		CDD 3+4																																																																				
Pol.		Horizontal						Vertical																																																														
Peak Avg																																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>54.01</td><td>38.20</td><td>14.85</td><td>60.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.20	74.00	-27.80	54.01	38.20	14.85	60.86	0.00	---	---	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11400.00	46.20	74.00	-27.80	54.01	38.20	14.85	60.86	0.00	---	---	PEAK																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>47.74</td><td>74.00</td><td>-26.26</td><td>55.55</td><td>38.20</td><td>14.85</td><td>60.86</td><td>0.00</td><td>239</td><td>192</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>37.73</td><td>54.00</td><td>-16.27</td><td>45.54</td><td>38.20</td><td>14.85</td><td>60.86</td><td>0.00</td><td>239</td><td>192</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	47.74	74.00	-26.26	55.55	38.20	14.85	60.86	0.00	239	192	PEAK	2	11400.00	37.73	54.00	-16.27	45.54	38.20	14.85	60.86	0.00	239	192	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11400.00	47.74	74.00	-26.26	55.55	38.20	14.85	60.86	0.00	239	192	PEAK																																																										
2	11400.00	37.73	54.00	-16.27	45.54	38.20	14.85	60.86	0.00	239	192	AVERAGE																																																										





Mode	10																																																																																																												
	Band Edge																																																																																																												
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																												
ANT	CDD 3+4																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.28</td><td>64.14</td><td>74.00</td><td>-9.86</td><td>51.95</td><td>34.20</td><td>9.79</td><td>31.00</td><td>0.00</td><td>106</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.28	64.14	74.00	-9.86	51.95	34.20	9.79	31.00	0.00	106	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.90</td><td>-----</td><td>-----</td><td>94.58</td><td>34.33</td><td>9.81</td><td>31.82</td><td>0.00</td><td>106</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.90	-----	-----	94.58	34.33	9.81	31.82	0.00	106	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5149.28	64.14	74.00	-9.86	51.95	34.20	9.79	31.00	0.00	106	0	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	106.90	-----	-----	94.58	34.33	9.81	31.82	0.00	106	0	PEAK																																																																																																	
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>34.45</td><td>34.20</td><td>9.79</td><td>31.00</td><td>0.00</td><td>106</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	46.64	54.00	-7.36	34.45	34.20	9.79	31.00	0.00	106	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.15</td><td>-----</td><td>-----</td><td>84.83</td><td>34.33</td><td>9.81</td><td>31.82</td><td>0.00</td><td>106</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.15	-----	-----	84.83	34.33	9.81	31.82	0.00	106	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5149.92	46.64	54.00	-7.36	34.45	34.20	9.79	31.00	0.00	106	0	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	97.15	-----	-----	84.83	34.33	9.81	31.82	0.00	106	0	AVERAGE																																																																																																	





Mode	10																																																																																																													
	Band Edge																																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																													
ANT	CDD 3+4																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5149.76</td><td>63.59</td><td>74.00</td><td>-10.41</td><td>51.40</td><td>34.20</td><td>9.79</td><td>31.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>291 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.76	63.59	74.00	-10.41	51.40	34.20	9.79	31.00								0.00	300									291 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>109.64</td><td>-----</td><td>-----</td><td>97.35</td><td>34.30</td><td>9.81</td><td>31.82</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>291 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	109.64	-----	-----	97.35	34.30	9.81	31.82								0.00	300									291 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5149.76	63.59	74.00	-10.41	51.40	34.20	9.79	31.00																																																																																																						
							0.00	300																																																																																																						
								291 PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5180.00	109.64	-----	-----	97.35	34.30	9.81	31.82																																																																																																						
							0.00	300																																																																																																						
								291 PEAK																																																																																																						
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5148.00</td><td>46.33</td><td>54.00</td><td>-7.67</td><td>34.14</td><td>34.20</td><td>9.79</td><td>31.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>291 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5148.00	46.33	54.00	-7.67	34.14	34.20	9.79	31.00								0.00	300									291 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>99.97</td><td>-----</td><td>-----</td><td>87.68</td><td>34.30</td><td>9.81</td><td>31.82</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>291 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	99.97	-----	-----	87.68	34.30	9.81	31.82								0.00	300									291 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5148.00	46.33	54.00	-7.67	34.14	34.20	9.79	31.00																																																																																																						
							0.00	300																																																																																																						
								291 AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5180.00	99.97	-----	-----	87.68	34.30	9.81	31.82																																																																																																						
							0.00	300																																																																																																						
								291 AVERAGE																																																																																																						



Mode	10																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.40</td><td>68.20</td><td>-21.80</td><td>55.71</td><td>37.46</td><td>14.13</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	46.40	68.20	-21.80	55.71	37.46	14.13	60.90	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.59</td><td>68.20</td><td>-22.61</td><td>54.90</td><td>37.46</td><td>14.13</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.59	68.20	-22.61	54.90	37.46	14.13	60.90	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10360.00	46.40	68.20	-21.80	55.71	37.46	14.13	60.90	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10360.00	45.59	68.20	-22.61	54.90	37.46	14.13	60.90	0.00	---	---	PEAK																																																																																								





		11																																																						
Mode		Harmonic																																																						
		U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																						
ANT		CDD 3+4																																																						
Pol.		Horizontal						Vertical																																																
Peak Avg																																																								
																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>46.54</td><td>68.20</td><td>-21.66</td><td>55.68</td><td>37.58</td><td>14.18</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	10440.00	46.54	68.20	-21.66	55.68	37.58	14.18	60.90	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																															
1	10440.00	46.54	68.20	-21.66	55.68	37.58	14.18	60.90	0.00	---	---	PEAK																																												
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>47.29</td><td>68.20</td><td>-20.91</td><td>56.43</td><td>37.58</td><td>14.18</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	10440.00	47.29	68.20	-20.91	56.43	37.58	14.18	60.90	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																															
1	10440.00	47.29	68.20	-20.91	56.43	37.58	14.18	60.90	0.00	---	---	PEAK																																												





Mode	12																																																																																																												
	Harmonic																																																																																																												
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																																																																												
ANT	CDD 3+4																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10480.00</td><td>47.14</td><td>68.20</td><td>-21.06</td><td>56.16</td><td>37.66</td><td>14.21</td><td>60.89</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10480.00	47.14	68.20	-21.06	56.16	37.66	14.21	60.89						0.00		---	---									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10480.00</td><td>48.36</td><td>68.20</td><td>-19.84</td><td>57.38</td><td>37.66</td><td>14.21</td><td>60.89</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10480.00	48.36	68.20	-19.84	57.38	37.66	14.21	60.89						0.00		---	---								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	10480.00	47.14	68.20	-21.06	56.16	37.66	14.21	60.89																																																																																																					
					0.00		---	---																																																																																																					
								PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	10480.00	48.36	68.20	-19.84	57.38	37.66	14.21	60.89																																																																																																					
					0.00		---	---																																																																																																					
								PEAK																																																																																																					







Mode	13																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																																																																					
ANT	CDD 3+4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>47.50</td><td>68.20</td><td>-20.70</td><td>56.41</td><td>37.74</td><td>14.24</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	47.50	68.20	-20.70	56.41	37.74	14.24	60.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>46.22</td><td>68.20</td><td>-21.98</td><td>55.13</td><td>37.74</td><td>14.24</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	46.22	68.20	-21.98	55.13	37.74	14.24	60.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10520.00	47.50	68.20	-20.70	56.41	37.74	14.24	60.89	0.00	---	---	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10520.00	46.22	68.20	-21.98	55.13	37.74	14.24	60.89	0.00	---	---	PEAK																																																																																										







Mode	14																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>46.33</td><td>68.20</td><td>-21.87</td><td>55.03</td><td>37.90</td><td>14.29</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	46.33	68.20	-21.87	55.03	37.90	14.29	60.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>46.43</td><td>68.20</td><td>-21.77</td><td>55.13</td><td>37.90</td><td>14.29</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	46.43	68.20	-21.77	55.13	37.90	14.29	60.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10600.00	46.33	68.20	-21.87	55.03	37.90	14.29	60.89	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10600.00	46.43	68.20	-21.77	55.13	37.90	14.29	60.89	0.00	---	---	PEAK																																																																																								





Mode	15																																																																																																													
	Band Edge																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																													
ANT	CDD 3+4																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5351.36</td><td>57.35</td><td>74.00</td><td>-16.65</td><td>44.85</td><td>34.51</td><td>9.91</td><td>31.92</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>218</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.36	57.35	74.00	-16.65	44.85	34.51	9.91	31.92								0.00	218									0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>107.22</td><td>-----</td><td>-----</td><td>94.66</td><td>34.57</td><td>9.89</td><td>31.90</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>218</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	107.22	-----	-----	94.66	34.57	9.89	31.90								0.00	218									0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5351.36	57.35	74.00	-16.65	44.85	34.51	9.91	31.92																																																																																																						
							0.00	218																																																																																																						
								0 PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5320.00	107.22	-----	-----	94.66	34.57	9.89	31.90																																																																																																						
							0.00	218																																																																																																						
								0 PEAK																																																																																																						
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5351.78</td><td>43.04</td><td>54.00</td><td>-10.96</td><td>30.55</td><td>34.51</td><td>9.91</td><td>31.93</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>218</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.78	43.04	54.00	-10.96	30.55	34.51	9.91	31.93								0.00	218									0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>97.23</td><td>-----</td><td>-----</td><td>84.68</td><td>34.56</td><td>9.90</td><td>31.91</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>218</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	97.23	-----	-----	84.68	34.56	9.90	31.91								0.00	218									0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5351.78	43.04	54.00	-10.96	30.55	34.51	9.91	31.93																																																																																																						
							0.00	218																																																																																																						
								0 AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5320.00	97.23	-----	-----	84.68	34.56	9.90	31.91																																																																																																						
							0.00	218																																																																																																						
								0 AVERAGE																																																																																																						







Mode	15																																																																																																																																						
	Band Edge																																																																																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																																																						
ANT	CDD 3+4																																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																																	
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5361.58</td><td>62.79</td><td>74.00</td><td>-11.21</td><td>50.25</td><td>34.55</td><td>9.92</td><td>31.93</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>318</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>298</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5361.58	62.79	74.00	-11.21	50.25	34.55	9.92	31.93								0.00	318									298									PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>113.21</td><td>-----</td><td>-----</td><td>100.66</td><td>34.56</td><td>9.90</td><td>31.91</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>318</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>298</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	113.21	-----	-----	100.66	34.56	9.90	31.91								0.00	318									298								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																															
1	5361.58	62.79	74.00	-11.21	50.25	34.55	9.92	31.93																																																																																																																															
							0.00	318																																																																																																																															
								298																																																																																																																															
								PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																															
1	5320.00	113.21	-----	-----	100.66	34.56	9.90	31.91																																																																																																																															
							0.00	318																																																																																																																															
								298																																																																																																																															
								PEAK																																																																																																																															
Avg																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5350.24</td><td>46.47</td><td>54.00</td><td>-7.53</td><td>33.98</td><td>34.50</td><td>9.91</td><td>31.92</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>318</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>298</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.24	46.47	54.00	-7.53	33.98	34.50	9.91	31.92								0.00	318									298									AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>101.00</td><td>-----</td><td>-----</td><td>89.25</td><td>34.56</td><td>9.90</td><td>31.91</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>318</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>298</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	101.00	-----	-----	89.25	34.56	9.90	31.91								0.00	318									298								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																															
1	5350.24	46.47	54.00	-7.53	33.98	34.50	9.91	31.92																																																																																																																															
							0.00	318																																																																																																																															
								298																																																																																																																															
								AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																															
1	5320.00	101.00	-----	-----	89.25	34.56	9.90	31.91																																																																																																																															
							0.00	318																																																																																																																															
								298																																																																																																																															
								AVERAGE																																																																																																																															







Mode	15																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>54.53</td><td>37.90</td><td>14.32</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	45.86	74.00	-28.14	54.53	37.90	14.32	60.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>54.33</td><td>37.90</td><td>14.32</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	45.66	74.00	-28.34	54.33	37.90	14.32	60.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10640.00	45.86	74.00	-28.14	54.53	37.90	14.32	60.89	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10640.00	45.66	74.00	-28.34	54.33	37.90	14.32	60.89	0.00	---	---	PEAK																																																																																								





Mode	16																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																															
ANT	CDD 3+4																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.90</td><td>53.57</td><td>74.00</td><td>-20.43</td><td>40.84</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>318</td><td>90</td><td>PEAK</td></tr><tr><td>2</td><td>5460.55</td><td>53.50</td><td>68.20</td><td>-14.70</td><td>40.76</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>318</td><td>90</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.90	53.57	74.00	-20.43	40.84	34.70	10.02	31.99	0.00	318	90	PEAK	2	5460.55	53.50	68.20	-14.70	40.76	34.70	10.03	31.99	0.00	318	90	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.27</td><td>-----</td><td>-----</td><td>94.50</td><td>34.70</td><td>10.08</td><td>32.01</td><td>0.00</td><td>318</td><td>90</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.27	-----	-----	94.50	34.70	10.08	32.01	0.00	318	90
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.90	53.57	74.00	-20.43	40.84	34.70	10.02	31.99	0.00	318	90	PEAK																																																																																																				
2	5460.55	53.50	68.20	-14.70	40.76	34.70	10.03	31.99	0.00	318	90	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	107.27	-----	-----	94.50	34.70	10.08	32.01	0.00	318	90	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.20</td><td>42.20</td><td>54.00</td><td>-11.80</td><td>29.46</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>318</td><td>90</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.20	42.20	54.00	-11.80	29.46	34.70	10.03	31.99	0.00	318	90	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>96.19</td><td>-----</td><td>-----</td><td>83.41</td><td>34.70</td><td>10.09</td><td>32.01</td><td>0.00</td><td>318</td><td>90</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.19	-----	-----	83.41	34.70	10.09	32.01	0.00	318	90	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.20	42.20	54.00	-11.80	29.46	34.70	10.03	31.99	0.00	318	90	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	96.19	-----	-----	83.41	34.70	10.09	32.01	0.00	318	90	AVERAGE																																																																																																				





Mode	16																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																												
ANT	CDD 3+4																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5436.55</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>41.34</td><td>34.70</td><td>9.99</td><td>31.98</td><td>0.00</td><td>307</td><td>302</td><td>PEAK</td></tr><tr><td>2</td><td>5468.80</td><td>58.24</td><td>68.20</td><td>-9.96</td><td>45.50</td><td>34.70</td><td>10.04</td><td>32.00</td><td>0.00</td><td>307</td><td>302</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.55	54.05	74.00	-19.95	41.34	34.70	9.99	31.98	0.00	307	302	PEAK	2	5468.80	58.24	68.20	-9.96	45.50	34.70	10.04	32.00	0.00	307	302	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.98</td><td>-----</td><td>-----</td><td>98.20</td><td>34.70</td><td>10.09</td><td>32.01</td><td>0.00</td><td>307</td><td>302</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.98	-----	-----	98.20	34.70	10.09	32.01	0.00	307	302	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5436.55	54.05	74.00	-19.95	41.34	34.70	9.99	31.98	0.00	307	302	PEAK																																																																																																																	
2	5468.80	58.24	68.20	-9.96	45.50	34.70	10.04	32.00	0.00	307	302	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5500.00	110.98	-----	-----	98.20	34.70	10.09	32.01	0.00	307	302	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.95</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>30.65</td><td>34.70</td><td>10.03</td><td>31.99</td><td>0.00</td><td>307</td><td>302</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.95	43.39	54.00	-10.61	30.65	34.70	10.03	31.99	0.00	307	302	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.82</td><td>-----</td><td>-----</td><td>89.04</td><td>34.70</td><td>10.09</td><td>32.01</td><td>0.00</td><td>307</td><td>302</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.82	-----	-----	89.04	34.70	10.09	32.01	0.00	307	302	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5459.95	43.39	54.00	-10.61	30.65	34.70	10.03	31.99	0.00	307	302	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5500.00	101.82	-----	-----	89.04	34.70	10.09	32.01	0.00	307	302	AVERAGE																																																																																																																	






Mode	16																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																															
ANT	CDD 3+4																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>54.89</td><td>38.00</td><td>14.56</td><td>60.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.57	74.00	-27.43	54.89	38.00	14.56	60.88	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>57.28</td><td>38.00</td><td>14.56</td><td>60.88</td><td>0.00</td><td>182</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>37.83</td><td>54.00</td><td>-16.17</td><td>46.15</td><td>38.00</td><td>14.56</td><td>60.88</td><td>0.00</td><td>182</td><td>258</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	48.96	74.00	-25.04	57.28	38.00	14.56	60.88	0.00	182	258	PEAK	2	11000.00	37.83	54.00	-16.17	46.15	38.00	14.56	60.88	0.00	182	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11000.00	46.57	74.00	-27.43	54.89	38.00	14.56	60.88	0.00	---	---	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11000.00	48.96	74.00	-25.04	57.28	38.00	14.56	60.88	0.00	182	258	PEAK																																																																																																				
2	11000.00	37.83	54.00	-16.17	46.15	38.00	14.56	60.88	0.00	182	258	AVERAGE																																																																																																				






		17																																																																																																																									
Mode		Harmonic																																																																																																																									
		U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																									
ANT		CDD 3+4																																																																																																																									
Pol.		Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>46.93</td><td>74.00</td><td>-27.07</td><td>55.06</td><td>38.06</td><td>14.68</td><td>60.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	46.93	74.00	-27.07	55.06	38.06	14.68	60.87	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>56.02</td><td>38.06</td><td>14.68</td><td>60.87</td><td>0.00</td><td>262</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>38.35</td><td>54.00</td><td>-15.65</td><td>46.48</td><td>38.06</td><td>14.68</td><td>60.87</td><td>0.00</td><td>262</td><td>194</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	47.89	74.00	-26.11	56.02	38.06	14.68	60.87	0.00	262	194	PEAK	2	11160.00	38.35	54.00	-15.65	46.48	38.06	14.68	60.87	0.00	262	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	11160.00	46.93	74.00	-27.07	55.06	38.06	14.68	60.87	0.00	---	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	11160.00	47.89	74.00	-26.11	56.02	38.06	14.68	60.87	0.00	262	194	PEAK																																																																																																															
2	11160.00	38.35	54.00	-15.65	46.48	38.06	14.68	60.87	0.00	262	194	AVERAGE																																																																																																															





Mode	18																																																																																																													
	Band Edge																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																													
ANT	CDD 3+4																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the measured signal, a red line for the limit, and a blue vertical line at 5726 MHz. The limit is labeled 'U-NII-1-U-NII-2A-U-NII-2C'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5728.21</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>43.02</td><td>34.64</td><td>10.35</td><td>32.03</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>114</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>24 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5728.21	55.98	68.20	-12.22	43.02	34.64	10.35	32.03								0.00	114									24 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the measured signal, a red line for the limit, and a blue vertical line at 5800 MHz. The limit is labeled 'U-NII-1-U-NII-2A-U-NII-2C'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5700.00</td><td>106.16</td><td>-----</td><td>-----</td><td>93.19</td><td>34.70</td><td>10.32</td><td>32.05</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>114</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>24 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	106.16	-----	-----	93.19	34.70	10.32	32.05								0.00	114									24 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5728.21	55.98	68.20	-12.22	43.02	34.64	10.35	32.03																																																																																																						
							0.00	114																																																																																																						
								24 PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5700.00	106.16	-----	-----	93.19	34.70	10.32	32.05																																																																																																						
							0.00	114																																																																																																						
								24 PEAK																																																																																																						
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the measured signal, a red line for the limit, and a blue vertical line at 5800 MHz. The limit is labeled 'U-NII-1-U-NII-2A-U-NII-2C(AVG)'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5700.00</td><td>95.75</td><td>-----</td><td>-----</td><td>82.78</td><td>34.70</td><td>10.32</td><td>32.05</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>114</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>24 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	95.75	-----	-----	82.78	34.70	10.32	32.05								0.00	114									24 AVERAGE																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5700.00	95.75	-----	-----	82.78	34.70	10.32	32.05																																																																																																						
							0.00	114																																																																																																						
								24 AVERAGE																																																																																																						







Mode	18																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																																								
ANT	CDD 3+4																																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																																							
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5725.42</td><td>62.63</td><td>-5.57</td><td>49.67</td><td>34.65</td><td>10.34</td><td>32.03</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>296</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.42	62.63	-5.57	49.67	34.65	10.34	32.03	0.00									296									299									PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>112.47</td><td>-----</td><td>-----</td><td>99.50</td><td>34.69</td><td>10.33</td><td>32.05</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>296</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	112.47	-----	-----	99.50	34.69	10.33	32.05									0.00									296									299									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																	
1	5725.42	62.63	-5.57	49.67	34.65	10.34	32.03	0.00																																																																																																																																	
								296																																																																																																																																	
								299																																																																																																																																	
								PEAK																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																	
1	5700.00	112.47	-----	-----	99.50	34.69	10.33	32.05																																																																																																																																	
								0.00																																																																																																																																	
								296																																																																																																																																	
								299																																																																																																																																	
								PEAK																																																																																																																																	
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.04</td><td>-----</td><td>-----</td><td>88.87</td><td>34.69</td><td>10.33</td><td>32.05</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>296</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	101.04	-----	-----	88.87	34.69	10.33	32.05									0.00									296									299									AVERAGE																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																	
1	5700.00	101.04	-----	-----	88.87	34.69	10.33	32.05																																																																																																																																	
								0.00																																																																																																																																	
								296																																																																																																																																	
								299																																																																																																																																	
								AVERAGE																																																																																																																																	







Mode	18																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																															
ANT	CDD 3+4																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>54.10</td><td>38.20</td><td>14.85</td><td>60.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.29	74.00	-27.71	54.10	38.20	14.85	60.86	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>54.84</td><td>38.20</td><td>14.85</td><td>60.86</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>35.91</td><td>54.00</td><td>-18.09</td><td>43.72</td><td>38.20</td><td>14.85</td><td>60.86</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	47.03	74.00	-26.97	54.84	38.20	14.85	60.86	0.00	100	360	PEAK	2	11400.00	35.91	54.00	-18.09	43.72	38.20	14.85	60.86	0.00	100	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11400.00	46.29	74.00	-27.71	54.10	38.20	14.85	60.86	0.00	---	---	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11400.00	47.03	74.00	-26.97	54.84	38.20	14.85	60.86	0.00	100	360	PEAK																																																																																																				
2	11400.00	35.91	54.00	-18.09	43.72	38.20	14.85	60.86	0.00	100	360	AVERAGE																																																																																																				







Mode	19																																																										
	Band Edge																																																										
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU 26/0_5180MHz																																																										
ANT	CDD 3+4																																																										
Pol.	Horizontal						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5136.16</td><td>54.59</td><td>74.00</td><td>-19.41</td><td>42.41</td><td>34.20</td><td>9.77</td><td>31.79</td><td>0.00</td><td>107</td><td>360 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5136.16	54.59	74.00	-19.41	42.41	34.20	9.77	31.79	0.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5136.16	54.59	74.00	-19.41	42.41	34.20	9.77	31.79	0.00	107	360 PEAK																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>101.64</td><td>-----</td><td>-----</td><td>89.38</td><td>34.28</td><td>9.80</td><td>31.82</td><td>0.00</td><td>107</td><td>360 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5180.00	101.64	-----	-----	89.38	34.28	9.80	31.82	0.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5180.00	101.64	-----	-----	89.38	34.28	9.80	31.82	0.00	107	360 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5101.28</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>30.30</td><td>34.20</td><td>9.74</td><td>31.77</td><td>0.00</td><td>107</td><td>360 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5101.28	42.47	54.00	-11.53	30.30	34.20	9.74	31.77	0.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5101.28	42.47	54.00	-11.53	30.30	34.20	9.74	31.77	0.00	107	360 AVERAGE																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>96.19</td><td>-----</td><td>-----</td><td>83.93</td><td>34.28</td><td>9.80</td><td>31.82</td><td>0.00</td><td>107</td><td>360 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5180.00	96.19	-----	-----	83.93	34.28	9.80	31.82	0.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5180.00	96.19	-----	-----	83.93	34.28	9.80	31.82	0.00	107	360 AVERAGE																																																







Mode	19																																																																																																													
	Band Edge																																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU 26/0_5180MHz																																																																																																													
ANT	CDD 3+4																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5185.60</td><td>55.30</td><td>74.00</td><td>-18.70</td><td>43.13</td><td>34.20</td><td>9.75</td><td>31.78</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>156</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 DEG</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5185.60	55.30	74.00	-18.70	43.13	34.20	9.75	31.78								0.00	156									0 DEG	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>103.10</td><td>-----</td><td>-----</td><td>90.84</td><td>34.28</td><td>9.80</td><td>31.82</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>156</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 DEG</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	103.10	-----	-----	90.84	34.28	9.80	31.82								0.00	156									0 DEG
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5185.60	55.30	74.00	-18.70	43.13	34.20	9.75	31.78																																																																																																						
							0.00	156																																																																																																						
								0 DEG																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5180.00	103.10	-----	-----	90.84	34.28	9.80	31.82																																																																																																						
							0.00	156																																																																																																						
								0 DEG																																																																																																						
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>42.62</td><td>54.00</td><td>-11.38</td><td>30.45</td><td>34.20</td><td>9.74</td><td>31.77</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>156</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	42.62	54.00	-11.38	30.45	34.20	9.74	31.77								0.00	156									0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>96.50</td><td>-----</td><td>-----</td><td>84.24</td><td>34.28</td><td>9.80</td><td>31.82</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>156</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	96.50	-----	-----	84.24	34.28	9.80	31.82								0.00	156									0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5180.00	42.62	54.00	-11.38	30.45	34.20	9.74	31.77																																																																																																						
							0.00	156																																																																																																						
								0 AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5180.00	96.50	-----	-----	84.24	34.28	9.80	31.82																																																																																																						
							0.00	156																																																																																																						
								0 AVERAGE																																																																																																						



Mode	20																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU 26/8_5320MHz																																																																																																		
ANT	CDD 3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5418.28</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>40.45</td><td>34.70</td><td>9.96</td><td>31.97</td><td>0.00</td><td>285</td><td>33</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5418.28	53.14	74.00	-20.86	40.45	34.70	9.96	31.97	0.00	285	33	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.85</td><td>-----</td><td>-----</td><td>92.31</td><td>34.55</td><td>9.90</td><td>31.91</td><td>0.00</td><td>285</td><td>33</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.85	-----	-----	92.31	34.55	9.90	31.91	0.00	285	33
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5418.28	53.14	74.00	-20.86	40.45	34.70	9.96	31.97	0.00	285	33	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	104.85	-----	-----	92.31	34.55	9.90	31.91	0.00	285	33	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.82</td><td>41.75</td><td>54.00</td><td>-12.25</td><td>29.02</td><td>34.70</td><td>10.02</td><td>31.99</td><td>0.00</td><td>285</td><td>33</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.82	41.75	54.00	-12.25	29.02	34.70	10.02	31.99	0.00	285	33	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.11</td><td>-----</td><td>-----</td><td>84.57</td><td>34.55</td><td>9.90</td><td>31.91</td><td>0.00</td><td>285</td><td>33</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.11	-----	-----	84.57	34.55	9.90	31.91	0.00	285	33
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5454.82	41.75	54.00	-12.25	29.02	34.70	10.02	31.99	0.00	285	33	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	97.11	-----	-----	84.57	34.55	9.90	31.91	0.00	285	33	AVERAGE																																																																																							



Mode	20																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU 26/8_5320MHz																																																						
ANT	CDD 3+4																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5426.40</td><td>53.95</td><td>74.00</td><td>-20.05</td><td>41.24</td><td>34.70</td><td>9.98</td><td>31.97</td><td>0.00</td><td>303</td><td>300</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.40	53.95	74.00	-20.05	41.24	34.70	9.98	31.97	0.00	303	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5426.40	53.95	74.00	-20.05	41.24	34.70	9.98	31.97	0.00	303	300	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>112.70</td><td>-----</td><td>-----</td><td>100.16</td><td>34.55</td><td>9.90</td><td>31.91</td><td>0.00</td><td>303</td><td>300</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.70	-----	-----	100.16	34.55	9.90	31.91	0.00	303	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	112.70	-----	-----	100.16	34.55	9.90	31.91	0.00	303	300	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.70</td><td>41.82</td><td>54.00</td><td>-12.18</td><td>29.10</td><td>34.70</td><td>10.00</td><td>31.98</td><td>0.00</td><td>303</td><td>300</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.70	41.82	54.00	-12.18	29.10	34.70	10.00	31.98	0.00	303	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5439.70	41.82	54.00	-12.18	29.10	34.70	10.00	31.98	0.00	303	300	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.34</td><td>-----</td><td>-----</td><td>90.80</td><td>34.55</td><td>9.90</td><td>31.91</td><td>0.00</td><td>303</td><td>300</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.34	-----	-----	90.80	34.55	9.90	31.91	0.00	303	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	103.34	-----	-----	90.80	34.55	9.90	31.91	0.00	303	300	AVERAGE																																											