Wrong Operation of Printer



Do not tilt the printing paper



Do not let the printing paper involve into the gap of inside cabin



Do not pull priviling paper too long, and then into the paper bin




Do not put loose paper into the paper cabin




Please pay attention for the direction of pinting paper

Troubleshooting Operation for Paper Jam



Open the cutter cover outward first Turn the rotary knob of cutter up



Turn the rotary knob of cutter is umil the paper jam is removed.

Technical Specifications

OS	Android 7.1			
CPU	4-Core, 4 x A17, 1.6GHz			
Main LCD Display	15.6* resolution : FHD 1920 x 1080, 10 point multitouch screen 10.1* resolution : HD 800 x 1280, 10 point multitouch screen			
Vice LCD Display	Options: 10.1" HD 800 x 1280 or 15.6" FHD 1920 x 1080			
Memory/ Storage	2GB RAM (aptional 4GB) + 16GB ROM (aptional 32GB/64GB/128GB)			
WI-FI	B02.11 b/g/n (2.4Ghz)			
Sluetooth	Bluetooth 4.2			
Camera (optional)	10/20/30			
Printer	80mm wide printer, diameter 80mm, with automatic cutter			
Speaker	1×1.5W			
External Interface	5 x U5B Type-A, 1 x RJ11, 1 x RJ12 (24V), 1 x RJ45, 1 x Earphone, 1 x DC-In, 1 x Micro-U5B			
External SD Card	MicroSD (TF) up to 128GB			
Power Adapter	Output power 60W, Input: AC100-240V/2.5A, Output: DC24V/2.5A			
Operating Temperature	-10°C-+40°C			
Storage Temperature	+10°C→50°C			
Humidity	Relative humidity < 85%, no condensation phenomenon			
Altitude Limit	Below 5000 metres			

Name and Content of Toxic and Harmful Substances in This Product

Part Name	Toxic or Harmful Substances and Elements					
	Plumbum (Pb)	Mercury (Hg)	Cadmium (Cd)	Chromium VIII (Cr(VIII))	Polybrominated biphenyl (Cr(VII))	Polybrominated diphenyl ethers (PBDE)
Circuit Board	×	0	0	0	0	0
Head of Printer	×	0	0	0	0	0

- Or Means that the content of the toxic and harmful substances in all homogeneous materials of the component is below the limit specified in SI/T113383-2006.
- X: Means that the content of the toxic and hazardous substances at least in a homogenous material of the component exceeds the limit specified in 5J/7113363-2006. However, the components marked with "X" in the above table are out of proportion because there is no muture alternative technology in the industry at present.

Products that have reached or exceeded the environmental protection service life should be recycled and reused in accordance with the electronic information products control and management measures or local environmental laws and guidelines. They should not be discarded at will or with bousehold waste.

Product Warranty Card						
Model No.: 120DGS Serial No.: Purchase Date: Warranty Period: The warranty period commences on the date of purchase. We offer 365 days warranty service. User Phone: User Address:	Prin does not warrant against the following: Disassembled or repaired product by unauthorised service provider without our consent. Damaged product horcode, fragile sticker and altered or defective warranty card. Damage caused by non-compliance with instructions in this user manual. Disasses caused by exposure to sources of liquid, dripping or splashing, normal wear and tear, accident or abuse. Ealure or damage as a result of any Force Majoure Event. Expired warranty period.					

Packing Content

聞Device x 1, Power Adapter x 1, Power Cable x 1 型User Manual x 1 (including warranty card, product qualification certificate) Qualification Certificate Passed Inspection

Safety Information

Safety and Handling

- Please plug-in power adapter to ordy its corresponding AC socket.
- Do not use in explosive gas atmosphere.
- Do not disassemble the equipment. It should be serviced or recycled only by IMin or an authorised service provider.
- This is a Grade B product. The product may cause radio interference and interfere with medical devices. The user may be required to take practical measures to reduce the possibility of causing interference to radios, televisions and other electronic devices.
- About the battery replacement:
- Do not attempt to replace the battery yourself you may damage the battery, which could cause overheating, fire and injury.
- The replaced/ used battery should be disposed according to local environmental laws and guidelines. Do not dispose in fire. It should be serviced or recycled by IMIn or an authorised service provider, and must be recycled or disposed of separately from household waste.

Company Statement

- Our company is not responsible for the following actions:
- Damage caused by missue, tack of care in maintaining the equipment, or placing the device under conditions that may cause undesired operation and risk as specified in this instruction manual.
- We will not be responsible for any damage or problem caused by third party parts or components (other than the original products or approved products provided by us).
 Without our consent, you have no right to modify or after the products.
- The operating system of this product is supported by official regular O5 update. If the user breached the third party's 8OM system or change the system file by hocking, it may cause unstable, undesired system operation and bring security risk.

Artylees

- Do not expose the device to moisture, dampness, or wet weather, such as rain, snow or fog.
- Do not use the device in extreme cold or hot environments eg, near a fee or lit cigarette.
- Do not topple, throw, or bend.
- Use in optimally clean and dust-free environment to avoid tiny particles clogging and seeping through gaps in the device.
- Do not attempt to use the device near medical equipment.

Important Safety Information

- Do not install or use during thunder storms and lightning conditions, otherwise, there will be risk of electric shock, injury or doubt in the event of thunder or lightning hit.
- If you find unusual adour, overheating or smake, please cut off the power immediately.
- Do not expose the device to moisture, dampness, or wet weather, such as sain, snow or fag. Do not use in explosive gas atmosphere.

Disclaimer

Due to regular updates and enhancements made to the product, some details of this document may be inconsistent with the physical product. Please take the product you received as current standard. The right to interpret this slocument belongs to our company. We reserve the right to amend this specification without prior ordice.






D4 Model: I20D01

User Manual, Safety, Warranty and Info Guide

Designant by P4in Singapore: Address 21 Blahan Street 21 #00-05 Singapore \$73943 TEL +45 67413019 FAX: +45 47413099 UBL www.trian.gc Period dis user mental before using the Street & discounters safety into golds, womenly and qualification confliction. Ratio Nece discounteration for Safety Information.

The device comes in 5 options below (camera optional)



Easy Set Up

Turn on the device in just a few steps.

• Press the power button and wait for the screen to light up showing the first boot up interface, then follow the prompts.

You may choose the following 2 internet access modes on this device.

- Connecting to WI-FI or WLAN
 - Click on [Settings], turn on WIFI to enter the WLAN search interface, and search available WLAN hotspots.
 Enting automatically.
 - Select the WLAN you wish to connect. If you chose an encrypted network, you need to enter the access
 password to connect successfully.

How to Download/ Use Apps

Launch Application Store under online mode to browse, download and complete installation for relevant Apps.

List of Pre-Installed Apps and System Programs

- · Dual-screen Service · Dual-screen Setup · Public Wi-Fi Starter Kit · OTA
- Calculator Settings Music Download

To learn more: Choose "Setup" -> "Application" and select the the application you wish to enquire about

To unload/ uninstall a specific application: Choose "Setup" -> "Application" -> "Management Application" -= "Unloading" to uninstall application. Alternatively, long press on application icon and drag it to the trash can to uninstall.

Launch the "Help" app on the device to learn more or refer to these steps again.

Brief Introduction

Take the 15.6' LCD + 15.6' LCD as an example



Main LCD Display

Provide touch screen for operator.

Power Button

Start up: Short press on button when machine is in power-off mode.

Power off/ restart: Long press on button 2-3 seconds to choose either option when machine is in power-onmode.

Power off (alternative): Press button for 11 seconds when machine is in power-on mode.

Paper Outlet of Printer

Printing receipt when power on.

Secondary LCD Display (Customer-Facing)

Use this front-facing screen (optional, configuration specs varies) to display ads to customers.

Printer Open Button


Open the cover of printer and replace printing paper.

Conceal Cover

Pull open to reveal connectors and cabling.

USB Port

For connecting printer or peripherals with USB Type-A interface.



DC-In Jack

For connecting power adapter,

R112 Port

For connecting external cash box (electrical pulse 1.20ms output instead of sustained power supply)

RJ45 Port

For connecting to internet or LAN,

USB Port

For connecting printer or peripherals with USB Type-A Interface.

TF Stot

For inserting external TF card.

Micro USB Diagnostic/ Debugging Port

For connecting diagnostic or debugging equipment.

Terminal Installation



Open The Paper Cover

Press the open button and the paper cover will pop up automatically.

1 Install Printing Paper

Put in 80mm thermal paper and pull out a section outside of the printing paper outlet, then close the cover again.

Connect Power Cable

Connect the power adapter to the DC in jack at the bottom of the host, plug the adapter into the AC socket. W27_imin用户指南

料号: 3-06-10-960

材质: 128g哑粉纸

展开尺寸: 800*160mm

折叠尺寸: 160*160mm

页数: 10P

印刷颜色: 2个专色

Safety Information

Safety And Handling

- Flesse plug-in power adapter to only its corresponding AC socket.
- Do not use in explosive gas simmphere.
- Do not disassemble the equipment. It should be serviced or recycled only by IMIn or an authorized service provides.
- This is a Grade B product. The positivit may cause radio nearthernos and interfere with medical devices. The user may be required to take practical resource to reduce the positivity of causing interference to radios, televisions and other electronic devices.
- About the bettery replacement
- Do not attempt to replace the battery yourself you may camage the battery, which could cause overheating the and trians.
- The replace(i) used bottory should be too out a to local environmental laws and guideting to perdispuse in fire. It should be serviced or reached by this or an authorized service provider, an authorized personal of or disposed of separately from household wate.

Company Statement

Our company to not responsible for the following actions:

- Damage causest by missive, both of care in maintaining the sequipment, or placing the device under conditions that may savier underlined operation and risk as specified in this instruction manual.
- We will not be responsible for any damage or problem caused by third party parts or components (other than the original products or assessed products provided by us). Without our opment, you have no right to modify or after the products.
- The operating system of this product is supported by sifficial regular OS update. If the cour breached the third party's ROM system or charge the system file by hacking, it may cause soutable, undesired system operation and bring security risk.

Advice

- Do not expose the device to moisture, dampness, or with weather, such as rain, snow or fog.
- Disruit use the device in extreme sold or hot environments eg, mar a fire or fit cigarette.
- Div not topale, throw, or bend-
- Use in optimally clean and dust-free environment to avoid the particles (logging and samping through gaps in the dealer.
- Dis not attempt to one the device near medical egolpment.

Important Safety Information

Do not justall or use during thunder storms and lightning.
 there will be risk of electric shock;

nary or death, and a west of thursday or lightening hit.
If yes first annual adout, overflexing or smoke, please
set of our many procedurely.

On list expans the abvicu to moluture, dampness, or wet way her, auchier role, mow or trig! Do not ose in explosive

Disclaime

Our to regular updates and enhancements made to the product, some details of this document may be inconsistent with the physical product. Please take the product you received as current standard. The right to interpret this document belongs to our company. We meeter the right to among this specification without prior reside.







Designed by Mile Segapore, Address 11 Bahas himst 21 603-05 Segapore 1735-03. TIL, +65 67413019. FAR: +65 67413889. URL, www.inin.sg. Science Mile Service Ser

FCC Warning

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interferenceto radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- •Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.