









Mode	27																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5131.84</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>42.27</td><td>34.20</td><td>10.59</td><td>37.08</td><td>0.00</td><td>337</td><td>104</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5131.84	49.98	74.00	-24.02	42.27	34.20	10.59	37.08	0.00	337	104	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>99.01</td><td>68.30</td><td>30.71</td><td>90.62</td><td>34.44</td><td>10.72</td><td>36.77</td><td>0.00</td><td>337</td><td>104</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.01	68.30	30.71	90.62	34.44	10.72	36.77	0.00	337	104
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5131.84	49.98	74.00	-24.02	42.27	34.20	10.59	37.08	0.00	337	104	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	99.01	68.30	30.71	90.62	34.44	10.72	36.77	0.00	337	104	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.36</td><td>39.05</td><td>54.00</td><td>-14.95</td><td>31.37</td><td>34.19</td><td>10.58</td><td>37.09</td><td>0.00</td><td>337</td><td>104</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.36	39.05	54.00	-14.95	31.37	34.19	10.58	37.09	0.00	337	104	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.32</td><td>68.30</td><td>22.02</td><td>81.93</td><td>34.44</td><td>10.72</td><td>36.77</td><td>0.00</td><td>337</td><td>104</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.32	68.30	22.02	81.93	34.44	10.72	36.77	0.00	337	104
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5127.36	39.05	54.00	-14.95	31.37	34.19	10.58	37.09	0.00	337	104	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	90.32	68.30	22.02	81.93	34.44	10.72	36.77	0.00	337	104	AVERAGE																																																																																							





Mode	27																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.00</td><td>59.10</td><td>74.00</td><td>-14.90</td><td>50.48</td><td>34.53</td><td>10.75</td><td>36.66</td><td>0.00</td><td>337</td><td>104</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.00	59.10	74.00	-14.90	50.48	34.53	10.75	36.66	0.00	337	104	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5358.00	59.10	74.00	-14.90	50.48	34.53	10.75	36.66	0.00	337	104	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.30</td><td>44.37</td><td>54.00</td><td>-9.63</td><td>35.77</td><td>34.52</td><td>10.75</td><td>36.67</td><td>0.00</td><td>337</td><td>104</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.30	44.37	54.00	-9.63	35.77	34.52	10.75	36.67	0.00	337	104	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5358.30	44.37	54.00	-9.63	35.77	34.52	10.75	36.67	0.00	337	104	AVERAGE																																		



Mode	27																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																																																																																																																																								
ANT	1																																																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>10580.00</td><td>43.52</td><td>68.30</td><td>-24.78</td><td>57.32</td><td>37.61</td><td>15.65</td><td>67.06</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10580.00	43.52	68.30	-24.78	57.32	37.61	15.65	67.06	0.00										deg										---										---										PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>10580.00</td><td>43.56</td><td>68.30</td><td>-24.74</td><td>57.36</td><td>37.61</td><td>15.65</td><td>67.06</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10580.00	43.56	68.30	-24.74	57.36	37.61	15.65	67.06	0.00										deg										---										---									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																
1	10580.00	43.52	68.30	-24.78	57.32	37.61	15.65	67.06	0.00																																																																																																																																																																
									deg																																																																																																																																																																





									PEAK																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																
1	10580.00	43.56	68.30	-24.74	57.36	37.61	15.65	67.06	0.00																																																																																																																																																																
									deg																																																																																																																																																																

									PEAK																																																																																																																																																																
Peak Avg																																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>10580.00</td><td>43.52</td><td>68.30</td><td>-24.78</td><td>57.32</td><td>37.61</td><td>15.65</td><td>67.06</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10580.00	43.52	68.30	-24.78	57.32	37.61	15.65	67.06	0.00										deg										---										---										PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>10580.00</td><td>43.56</td><td>68.30</td><td>-24.74</td><td>57.36</td><td>37.61</td><td>15.65</td><td>67.06</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10580.00	43.56	68.30	-24.74	57.36	37.61	15.65	67.06	0.00										deg										---										---									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																
1	10580.00	43.52	68.30	-24.78	57.32	37.61	15.65	67.06	0.00																																																																																																																																																																
									deg																																																																																																																																																																

									PEAK																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																
1	10580.00	43.56	68.30	-24.74	57.36	37.61	15.65	67.06	0.00																																																																																																																																																																
									deg																																																																																																																																																																

									PEAK																																																																																																																																																																







Mode	28																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full RU_5530MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.12</td><td>49.07</td><td>74.00</td><td>-24.93</td><td>40.30</td><td>34.59</td><td>10.77</td><td>36.59</td><td>0.00</td><td>322</td><td>320 PEAK</td></tr><tr><td>2</td><td>5465.36</td><td>49.82</td><td>68.30</td><td>-18.48</td><td>40.84</td><td>34.58</td><td>10.85</td><td>36.45</td><td>0.00</td><td>322</td><td>320 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5395.12	49.07	74.00	-24.93	40.30	34.59	10.77	36.59	0.00	322	320 PEAK	2	5465.36	49.82	68.30	-18.48	40.84	34.58	10.85	36.45	0.00	322	320 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>91.47</td><td>68.30</td><td>23.17</td><td>82.31</td><td>34.55</td><td>10.93</td><td>36.32</td><td>0.00</td><td>322</td><td>320 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	91.47	68.30	23.17	82.31	34.55	10.93	36.32	0.00	322	320 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5395.12	49.07	74.00	-24.93	40.30	34.59	10.77	36.59	0.00	322	320 PEAK																																																																																																			
2	5465.36	49.82	68.30	-18.48	40.84	34.58	10.85	36.45	0.00	322	320 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5530.00	91.47	68.30	23.17	82.31	34.55	10.93	36.32	0.00	322	320 PEAK																																																																																																			
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.52</td><td>38.05</td><td>54.00</td><td>-15.95</td><td>29.10</td><td>34.58</td><td>10.84</td><td>36.47</td><td>0.00</td><td>322</td><td>320 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.52	38.05	54.00	-15.95	29.10	34.58	10.84	36.47	0.00	322	320 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>82.35</td><td>68.30</td><td>14.05</td><td>73.19</td><td>34.55</td><td>10.93</td><td>36.32</td><td>0.00</td><td>322</td><td>320 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	82.35	68.30	14.05	73.19	34.55	10.93	36.32	0.00	322	320 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5457.52	38.05	54.00	-15.95	29.10	34.58	10.84	36.47	0.00	322	320 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5530.00	82.35	68.30	14.05	73.19	34.55	10.93	36.32	0.00	322	320 AVERAGE																																																																																																			



Mode	28	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full RU_5530MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) <	





Mode	28																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full RU_5530MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.52</td><td>52.06</td><td>74.00</td><td>-21.94</td><td>43.11</td><td>34.58</td><td>10.84</td><td>36.47</td><td>0.00</td><td>285</td><td>0 PEAK</td></tr><tr><td>2</td><td>5468.40</td><td>54.66</td><td>68.30</td><td>-13.64</td><td>45.69</td><td>34.57</td><td>10.85</td><td>36.45</td><td>0.00</td><td>285</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	52.06	74.00	-21.94	43.11	34.58	10.84	36.47	0.00	285	0 PEAK	2	5468.40	54.66	68.30	-13.64	45.69	34.57	10.85	36.45	0.00	285	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>100.11</td><td>68.30</td><td>31.81</td><td>90.95</td><td>34.55</td><td>10.93</td><td>36.32</td><td>0.00</td><td>285</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.11	68.30	31.81	90.95	34.55	10.93	36.32	0.00	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5457.52	52.06	74.00	-21.94	43.11	34.58	10.84	36.47	0.00	285	0 PEAK																																																																																																	
2	5468.40	54.66	68.30	-13.64	45.69	34.57	10.85	36.45	0.00	285	0 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5530.00	100.11	68.30	31.81	90.95	34.55	10.93	36.32	0.00	285	0 PEAK																																																																																																	
Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.48</td><td>40.50</td><td>54.00</td><td>-13.50</td><td>31.55</td><td>34.58</td><td>10.84</td><td>36.47</td><td>0.00</td><td>285</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.48	40.50	54.00	-13.50	31.55	34.58	10.84	36.47	0.00	285	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>90.94</td><td>68.30</td><td>22.64</td><td>81.78</td><td>34.55</td><td>10.93</td><td>36.32</td><td>0.00</td><td>285</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.94	68.30	22.64	81.78	34.55	10.93	36.32	0.00	285	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5458.48	40.50	54.00	-13.50	31.55	34.58	10.84	36.47	0.00	285	0 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5530.00	90.94	68.30	22.64	81.78	34.55	10.93	36.32	0.00	285	0 AVERAGE																																																																																																	







Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full RU_5530MHz																																																							
ANT	1																																																							
Pol.	Vertical	Fundamental																																																						
Peak	Level (dBuV/m) Frequency (MHz) 56 BAND 1---3 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5760.52</td><td>50.71</td><td>68.30</td><td>-17.59</td><td>42.96</td><td>34.77</td><td>11.23</td><td>38.25</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>285</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5760.52	50.71	68.30	-17.59	42.96	34.77	11.23	38.25								0.00	285									0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5760.52	50.71	68.30	-17.59	42.96	34.77	11.23	38.25																																																
							0.00	285																																																
								0 PEAK																																																



Mode	28																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full RU_5530MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>57.17</td><td>37.95</td><td>16.08</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.31	74.00	-29.69	57.17	37.95	16.08	66.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.67</td><td>74.00</td><td>-30.33</td><td>56.53</td><td>37.95</td><td>16.08</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	43.67	74.00	-30.33	56.53	37.95	16.08	66.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	44.31	74.00	-29.69	57.17	37.95	16.08	66.89	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	43.67	74.00	-30.33	56.53	37.95	16.08	66.89	0.00	---	---	PEAK																																																																																								







Mode	29																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5412.88</td><td>47.94</td><td>74.00</td><td>-26.06</td><td>39.10</td><td>34.60</td><td>10.79</td><td>36.55</td><td>0.00</td><td>297</td><td>331</td><td>PEAK</td></tr><tr><td>2</td><td>5465.36</td><td>47.60</td><td>68.30</td><td>-20.70</td><td>38.62</td><td>34.58</td><td>10.85</td><td>36.45</td><td>0.00</td><td>297</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5412.88	47.94	74.00	-26.06	39.10	34.60	10.79	36.55	0.00	297	331	PEAK	2	5465.36	47.60	68.30	-20.70	38.62	34.58	10.85	36.45	0.00	297	331	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>92.38</td><td>68.30</td><td>24.00</td><td>83.03</td><td>34.52</td><td>11.01</td><td>36.18</td><td>0.00</td><td>297</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	92.38	68.30	24.00	83.03	34.52	11.01	36.18	0.00	297	331	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5412.88	47.94	74.00	-26.06	39.10	34.60	10.79	36.55	0.00	297	331	PEAK																																																																																																					
2	5465.36	47.60	68.30	-20.70	38.62	34.58	10.85	36.45	0.00	297	331	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	92.38	68.30	24.00	83.03	34.52	11.01	36.18	0.00	297	331	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.04</td><td>37.66</td><td>54.00</td><td>-16.34</td><td>28.75</td><td>34.58</td><td>10.82</td><td>36.49</td><td>0.00</td><td>297</td><td>331</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.04	37.66	54.00	-16.34	28.75	34.58	10.82	36.49	0.00	297	331	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>83.23</td><td>68.30</td><td>14.93</td><td>73.86</td><td>34.52</td><td>11.02</td><td>36.17</td><td>0.00</td><td>297</td><td>331</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	83.23	68.30	14.93	73.86	34.52	11.02	36.17	0.00	297	331	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5445.04	37.66	54.00	-16.34	28.75	34.58	10.82	36.49	0.00	297	331	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	83.23	68.30	14.93	73.86	34.52	11.02	36.17	0.00	297	331	AVERAGE																																																																																																					




Mode	29	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) </	





Mode	29																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5421.04</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>39.57</td><td>34.59</td><td>10.80</td><td>36.54</td><td>0.00</td><td>294</td><td>0 PEAK</td></tr><tr><td>2</td><td>5463.60</td><td>47.74</td><td>68.30</td><td>-20.56</td><td>38.78</td><td>34.58</td><td>10.84</td><td>36.46</td><td>0.00</td><td>294</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5421.04	48.42	74.00	-25.58	39.57	34.59	10.80	36.54	0.00	294	0 PEAK	2	5463.60	47.74	68.30	-20.56	38.78	34.58	10.84	36.46	0.00	294	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>101.38</td><td>68.30</td><td>33.08</td><td>91.98</td><td>34.51</td><td>11.04</td><td>36.15</td><td>0.00</td><td>294</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.38	68.30	33.08	91.98	34.51	11.04	36.15	0.00	294	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5421.04	48.42	74.00	-25.58	39.57	34.59	10.80	36.54	0.00	294	0 PEAK																																																																																																		
2	5463.60	47.74	68.30	-20.56	38.78	34.58	10.84	36.46	0.00	294	0 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5610.00	101.38	68.30	33.08	91.98	34.51	11.04	36.15	0.00	294	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.72</td><td>38.44</td><td>54.00</td><td>-15.56</td><td>29.51</td><td>34.58</td><td>10.83</td><td>36.48</td><td>0.00</td><td>294</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.72	38.44	54.00	-15.56	29.51	34.58	10.83	36.48	0.00	294	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>92.74</td><td>68.30</td><td>24.44</td><td>83.37</td><td>34.52</td><td>11.02</td><td>36.17</td><td>0.00</td><td>294</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	92.74	68.30	24.44	83.37	34.52	11.02	36.17	0.00	294	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5452.72	38.44	54.00	-15.56	29.51	34.58	10.83	36.48	0.00	294	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5610.00	92.74	68.30	24.44	83.37	34.52	11.02	36.17	0.00	294	0 AVERAGE																																																																																																		





Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.52</td><td>52.24</td><td>68.30</td><td>-16.06</td><td>44.21</td><td>34.72</td><td>11.20</td><td>37.89</td><td>0.00</td><td>294</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.52	52.24	68.30	-16.06	44.21	34.72	11.20	37.89	0.00	294	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5740.52	52.24	68.30	-16.06	44.21	34.72	11.20	37.89	0.00	294	0	PEAK																																												





Mode	29																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>58.13</td><td>38.08</td><td>16.18</td><td>66.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	45.56	74.00	-28.44	58.13	38.08	16.18	66.83	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>57.24</td><td>38.08</td><td>16.18</td><td>66.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	44.67	74.00	-29.33	57.24	38.08	16.18	66.83	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11220.00	45.56	74.00	-28.44	58.13	38.08	16.18	66.83	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11220.00	44.67	74.00	-29.33	57.24	38.08	16.18	66.83	0.00	---	---	PEAK																																																																																								





Mode	39																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>56.67</td><td>38.25</td><td>16.32</td><td>66.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.49	74.00	-29.51	56.67	38.25	16.32	66.75	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>57.07</td><td>38.25</td><td>16.32</td><td>66.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.89	74.00	-29.11	57.07	38.25	16.32	66.75	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	44.49	74.00	-29.51	56.67	38.25	16.32	66.75	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	44.89	74.00	-29.11	57.07	38.25	16.32	66.75	0.00	---	---	PEAK																																																																																								





Mode	40																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.85_802.11ac VHT20_CH144_Full RU_5720MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>56.97</td><td>38.25</td><td>16.32</td><td>66.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.79	74.00	-29.21	56.97	38.25	16.32	66.75	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>43.59</td><td>74.00</td><td>-30.41</td><td>55.77</td><td>38.25</td><td>16.32</td><td>66.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	43.59	74.00	-30.41	55.77	38.25	16.32	66.75	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	44.79	74.00	-29.21	56.97	38.25	16.32	66.75	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	43.59	74.00	-30.41	55.77	38.25	16.32	66.75	0.00	---	---	PEAK																																																																																								





Mode	41																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.85_802.11ac VHT40_CH142_Full RU_5710MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>56.09</td><td>38.24</td><td>16.31</td><td>66.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	43.88	74.00	-30.12	56.09	38.24	16.31	66.76	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>43.68</td><td>74.00</td><td>-30.32</td><td>55.89</td><td>38.24</td><td>16.31</td><td>66.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	43.68	74.00	-30.32	55.89	38.24	16.31	66.76	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11420.00	43.88	74.00	-30.12	56.09	38.24	16.31	66.76	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11420.00	43.68	74.00	-30.32	55.89	38.24	16.31	66.76	0.00	---	---	PEAK																																																																																							



Mode	42																																																							
	Harmonic																																																							
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_Full RU_5690MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>43.47</td><td>74.00</td><td>-30.53</td><td>55.74</td><td>38.21</td><td>16.29</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	43.47	74.00	-30.53	55.74	38.21	16.29	66.77	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11380.00	43.47	74.00	-30.53	55.74	38.21	16.29	66.77	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>56.14</td><td>38.21</td><td>16.29</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	43.87	74.00	-30.13	56.14	38.21	16.29	66.77	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11380.00	43.87	74.00	-30.13	56.14	38.21	16.29	66.77	0.00	---	---	PEAK																																												



Mode	43																																																																																																																																																																																																										
	LF																																																																																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																																																																																																																																																																										
ANT	1																																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																																				
QPI/ Peak																																																																																																																																																																																																											
	Site : 03CH05-KS Condition : 5G BAND 1-----3 3m CBL6111D SN23188 HORIZONTAL FEW:100.000KHz YEW:300.000KHz SWT:Auto Project : 202302 mode : 43 IMEI : #3 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>109.54</td><td>17.85</td><td>-25.65</td><td>43.50</td><td>32.19</td><td>16.94</td><td>1.58</td><td>32.86</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>2</td><td>144.46</td><td>23.20</td><td>-20.30</td><td>43.50</td><td>37.72</td><td>16.49</td><td>1.82</td><td>32.83</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>3</td><td>191.02</td><td>22.54</td><td>-20.96</td><td>43.50</td><td>37.69</td><td>15.59</td><td>2.10</td><td>32.84</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>4</td><td>260.86</td><td>22.51</td><td>-23.49</td><td>46.00</td><td>34.21</td><td>18.61</td><td>2.47</td><td>32.78</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>5</td><td>364.65</td><td>20.59</td><td>-25.41</td><td>46.00</td><td>29.79</td><td>20.79</td><td>2.91</td><td>32.90</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>6</td><td>493.66</td><td>23.99</td><td>-22.01</td><td>46.00</td><td>30.07</td><td>23.46</td><td>3.40</td><td>32.94</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	109.54	17.85	-25.65	43.50	32.19	16.94	1.58	32.86	---	---	Peak HORIZONTAL	2	144.46	23.20	-20.30	43.50	37.72	16.49	1.82	32.83	---	---	Peak HORIZONTAL	3	191.02	22.54	-20.96	43.50	37.69	15.59	2.10	32.84	---	---	Peak HORIZONTAL	4	260.86	22.51	-23.49	46.00	34.21	18.61	2.47	32.78	---	---	Peak HORIZONTAL	5	364.65	20.59	-25.41	46.00	29.79	20.79	2.91	32.90	---	---	Peak HORIZONTAL	6	493.66	23.99	-22.01	46.00	30.07	23.46	3.40	32.94	---	---	Peak HORIZONTAL	Site : 03CH05-KS Condition : 5G BAND 1-----3 3m CBL6111D SN23188 VERTICAL FEW:100.000KHz YEW:300.000KHz SWT:Auto Project : 202302 mode : 43 IMEI : #3 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>48.43</td><td>30.20</td><td>-9.80</td><td>40.00</td><td>47.04</td><td>15.04</td><td>1.05</td><td>32.93</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>2</td><td>78.74</td><td>22.82</td><td>-17.18</td><td>40.00</td><td>42.00</td><td>12.35</td><td>1.27</td><td>32.80</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>3</td><td>145.43</td><td>23.96</td><td>-19.54</td><td>43.50</td><td>38.47</td><td>16.48</td><td>1.83</td><td>32.82</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>4</td><td>191.02</td><td>20.90</td><td>-22.60</td><td>43.50</td><td>36.05</td><td>15.59</td><td>2.10</td><td>32.84</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>5</td><td>607.15</td><td>26.98</td><td>-19.02</td><td>46.00</td><td>31.30</td><td>24.98</td><td>3.76</td><td>33.06</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>6</td><td>828.31</td><td>29.99</td><td>-16.01</td><td>46.00</td><td>31.69</td><td>26.45</td><td>4.39</td><td>32.54</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	48.43	30.20	-9.80	40.00	47.04	15.04	1.05	32.93	---	---	Peak VERTICAL	2	78.74	22.82	-17.18	40.00	42.00	12.35	1.27	32.80	---	---	Peak VERTICAL	3	145.43	23.96	-19.54	43.50	38.47	16.48	1.83	32.82	---	---	Peak VERTICAL	4	191.02	20.90	-22.60	43.50	36.05	15.59	2.10	32.84	---	---	Peak VERTICAL	5	607.15	26.98	-19.02	46.00	31.30	24.98	3.76	33.06	---	---	Peak VERTICAL	6	828.31	29.99	-16.01	46.00	31.69	26.45	4.39	32.54	---	---
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	109.54	17.85	-25.65	43.50	32.19	16.94	1.58	32.86	---	---	Peak HORIZONTAL																																																																																																																																																																																																
2	144.46	23.20	-20.30	43.50	37.72	16.49	1.82	32.83	---	---	Peak HORIZONTAL																																																																																																																																																																																																
3	191.02	22.54	-20.96	43.50	37.69	15.59	2.10	32.84	---	---	Peak HORIZONTAL																																																																																																																																																																																																
4	260.86	22.51	-23.49	46.00	34.21	18.61	2.47	32.78	---	---	Peak HORIZONTAL																																																																																																																																																																																																
5	364.65	20.59	-25.41	46.00	29.79	20.79	2.91	32.90	---	---	Peak HORIZONTAL																																																																																																																																																																																																
6	493.66	23.99	-22.01	46.00	30.07	23.46	3.40	32.94	---	---	Peak HORIZONTAL																																																																																																																																																																																																
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	48.43	30.20	-9.80	40.00	47.04	15.04	1.05	32.93	---	---	Peak VERTICAL																																																																																																																																																																																																
2	78.74	22.82	-17.18	40.00	42.00	12.35	1.27	32.80	---	---	Peak VERTICAL																																																																																																																																																																																																
3	145.43	23.96	-19.54	43.50	38.47	16.48	1.83	32.82	---	---	Peak VERTICAL																																																																																																																																																																																																
4	191.02	20.90	-22.60	43.50	36.05	15.59	2.10	32.84	---	---	Peak VERTICAL																																																																																																																																																																																																
5	607.15	26.98	-19.02	46.00	31.30	24.98	3.76	33.06	---	---	Peak VERTICAL																																																																																																																																																																																																
6	828.31	29.99	-16.01	46.00	31.69	26.45	4.39	32.54	---	---	Peak VERTICAL																																																																																																																																																																																																



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 30	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	1	802.11ac VHT20	149	5745	MCS0	-	-
Mode 34	U-NII-3	5.725-5.85	1	802.11ac VHT20	157	5785	MCS0	-	-
Mode 35	U-NII-3	5.725-5.85	1	802.11ac VHT20	165	5825	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	1	802.11ac VHT40	151	5755	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	1	802.11ac VHT40	159	5795	MCS0	-	-
Mode 38	U-NII-3	5.725-5.85	1	802.11ac VHT80	155	5775	MCS0	-	-
Mode44	U-NII-3	5.725-5.85	1	802.11ac VHT20	149	5745	MCS0	-	LF



Summary of each worse mode




Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
30	802.11a	149	5648-	50.43-	68.30	-17.88-	H	PEAK	Pass	Band Edge
	802.11a	149	11490.00	44.63	74.00	-29.37	H	PEAK	Pass	Harmonic
31	802.11a	157	-	-	-	-	-	-	-	Band Edge
	802.11a	157	11570.00	44.46	74.00	-29.54	V	PEAK	Pass	Harmonic
32	802.11a	165	5999.60	48.73	68.30	-19.57	V	PEAK	Pass	Band Edge
	802.11a	165	11650.00	45.06	74.00	-28.94	H	PEAK	Pass	Harmonic
33	802.11ac VHT20	149	5635.20	50.62	68.30	-17.68	V	PEAK	Pass	Band Edge
	802.11ac VHT20	149	11490.00	44.14	74.00	-29.86	H	PEAK	Pass	Harmonic
34	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
34	802.11ac VHT20	157	11570.00	44.82	74.00	-29.18	V	PEAK	Pass	Harmonic
35	802.11ac VHT20	165	5970.80	48.51	68.30	-19.79	V	PEAK	Pass	Band Edge






Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
35	802.11ac VHT20	165	11650.00	45.84	74.00	-28.16	H	PEAK	Pass	Harmonic
36	802.11ac VHT40	151	5650.84	50.87	68.92	-18.05	V	PEAK	Pass	Band Edge
	802.11ac VHT40	151	11510.00	45.02	74.00	-28.98	H	PEAK	Pass	Harmonic
37	802.11ac VHT40	159	5650.12	49.89	68.39	-18.50	V	PEAK	Pass	Band Edge
	802.11ac VHT40	159	11590.00	43.77	74.00	-30.23	H	PEAK	Pass	Harmonic
38	802.11ac VHT80	155	5642.40	49.78	68.30	-18.52	V	PEAK	Pass	Band Edge
	802.11ac VHT80	155	11550.00	43.57	74.00	-30.43	V	PEAK	Pass	Harmonic
44	802.11ac VHT20	149	47.46	29.11	40	-10.89	V	PEAK	Pass	LF





Mode	30																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5648.00</td><td>50.42</td><td>68.30</td><td>-17.88</td><td>41.09</td><td>34.50</td><td>11.07</td><td>36.24</td><td>0.00</td><td>359</td><td>313</td><td>PEAK</td></tr><tr><td>2 5683.20</td><td>48.95</td><td>92.90</td><td>-43.95</td><td>40.13</td><td>34.57</td><td>11.12</td><td>36.87</td><td>0.00</td><td>359</td><td>313</td><td>PEAK</td></tr><tr><td>3 5716.00</td><td>50.04</td><td>110.01</td><td>-59.97</td><td>41.69</td><td>34.66</td><td>11.16</td><td>37.47</td><td>0.00</td><td>359</td><td>313</td><td>PEAK</td></tr><tr><td>4 5722.00</td><td>47.83</td><td>117.28</td><td>-69.45</td><td>39.56</td><td>34.67</td><td>11.17</td><td>37.57</td><td>0.00</td><td>359</td><td>313</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5648.00	50.42	68.30	-17.88	41.09	34.50	11.07	36.24	0.00	359	313	PEAK	2 5683.20	48.95	92.90	-43.95	40.13	34.57	11.12	36.87	0.00	359	313	PEAK	3 5716.00	50.04	110.01	-59.97	41.69	34.66	11.16	37.47	0.00	359	313	PEAK	4 5722.00	47.83	117.28	-69.45	39.56	34.67	11.17	37.57	0.00	359	313	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>101.48</td><td>122.30</td><td>-20.82</td><td>93.52</td><td>34.73</td><td>11.20</td><td>37.97</td><td>0.00</td><td>359</td><td>313</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.48	122.30	-20.82	93.52	34.73	11.20	37.97	0.00	359	313
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5648.00	50.42	68.30	-17.88	41.09	34.50	11.07	36.24	0.00	359	313	PEAK																																																																																																																									
2 5683.20	48.95	92.90	-43.95	40.13	34.57	11.12	36.87	0.00	359	313	PEAK																																																																																																																									
3 5716.00	50.04	110.01	-59.97	41.69	34.66	11.16	37.47	0.00	359	313	PEAK																																																																																																																									
4 5722.00	47.83	117.28	-69.45	39.56	34.67	11.17	37.57	0.00	359	313	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	101.48	122.30	-20.82	93.52	34.73	11.20	37.97	0.00	359	313	PEAK																																																																																																																									
Avg																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>91.59</td><td>122.30</td><td>-30.71</td><td>83.63</td><td>34.73</td><td>11.20</td><td>37.97</td><td>0.00</td><td>359</td><td>313</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	91.59	122.30	-30.71	83.63	34.73	11.20	37.97	0.00	359	313	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>91.59</td><td>122.30</td><td>-30.71</td><td>83.63</td><td>34.73</td><td>11.20</td><td>37.97</td><td>0.00</td><td>359</td><td>313</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	91.59	122.30	-30.71	83.63	34.73	11.20	37.97	0.00	359	313	AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	91.59	122.30	-30.71	83.63	34.73	11.20	37.97	0.00	359	313	AVERAGE																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	91.59	122.30	-30.71	83.63	34.73	11.20	37.97	0.00	359	313	AVERAGE																																																																																																																									





Mode	30																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Vertical						Fundamental																																																																																																																										
Peak																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5643.20</td><td>49.55</td><td>68.30</td><td>-18.75</td><td>40.14</td><td>34.51</td><td>11.06</td><td>36.16</td><td>0.00</td><td>278</td><td>0 PEAK</td></tr><tr><td>2 5697.60</td><td>52.00</td><td>103.53</td><td>-51.45</td><td>43.46</td><td>34.61</td><td>11.14</td><td>37.13</td><td>0.00</td><td>278</td><td>0 PEAK</td></tr><tr><td>3 5713.20</td><td>58.39</td><td>109.00</td><td>-50.61</td><td>49.98</td><td>34.65</td><td>11.16</td><td>37.40</td><td>0.00</td><td>278</td><td>0 PEAK</td></tr><tr><td>4 5724.80</td><td>56.43</td><td>121.84</td><td>-65.41</td><td>48.18</td><td>34.68</td><td>11.18</td><td>37.61</td><td>0.00</td><td>278</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5643.20	49.55	68.30	-18.75	40.14	34.51	11.06	36.16	0.00	278	0 PEAK	2 5697.60	52.00	103.53	-51.45	43.46	34.61	11.14	37.13	0.00	278	0 PEAK	3 5713.20	58.39	109.00	-50.61	49.98	34.65	11.16	37.40	0.00	278	0 PEAK	4 5724.80	56.43	121.84	-65.41	48.18	34.68	11.18	37.61	0.00	278	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>108.16</td><td>122.30</td><td>-14.14</td><td>100.20</td><td>34.73</td><td>11.20</td><td>37.97</td><td>0.00</td><td>278</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	108.16	122.30	-14.14	100.20	34.73	11.20	37.97	0.00	278
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1 5643.20	49.55	68.30	-18.75	40.14	34.51	11.06	36.16	0.00	278	0 PEAK																																																																																																																							
2 5697.60	52.00	103.53	-51.45	43.46	34.61	11.14	37.13	0.00	278	0 PEAK																																																																																																																							
3 5713.20	58.39	109.00	-50.61	49.98	34.65	11.16	37.40	0.00	278	0 PEAK																																																																																																																							
4 5724.80	56.43	121.84	-65.41	48.18	34.68	11.18	37.61	0.00	278	0 PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1 5745.00	108.16	122.30	-14.14	100.20	34.73	11.20	37.97	0.00	278	0 PEAK																																																																																																																							
Avg																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>99.02</td><td>122.30</td><td>-23.28</td><td>91.06</td><td>34.73</td><td>11.20</td><td>37.97</td><td>0.00</td><td>278</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	99.02	122.30	-23.28	91.06	34.73	11.20	37.97	0.00	278	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>99.02</td><td>122.30</td><td>-23.28</td><td>91.06</td><td>34.73</td><td>11.20</td><td>37.97</td><td>0.00</td><td>278</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	99.02	122.30	-23.28	91.06	34.73	11.20	37.97	0.00	278	0 AVERAGE																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1 5745.00	99.02	122.30	-23.28	91.06	34.73	11.20	37.97	0.00	278	0 AVERAGE																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1 5745.00	99.02	122.30	-23.28	91.06	34.73	11.20	37.97	0.00	278	0 AVERAGE																																																																																																																							






Mode	30																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>56.72</td><td>38.29</td><td>16.36</td><td>66.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.63	74.00	-29.37	56.72	38.29	16.36	66.74	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>56.44</td><td>38.29</td><td>16.36</td><td>66.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.35	74.00	-29.65	56.44	38.29	16.36	66.74	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	44.63	74.00	-29.37	56.72	38.29	16.36	66.74	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	44.35	74.00	-29.65	56.44	38.29	16.36	66.74	0.00	---	---	PEAK																																																																																								






Mode	31																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.34</td><td>74.00</td><td>-29.66</td><td>56.22</td><td>38.36</td><td>16.41</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	44.34	74.00	-29.66	56.22	38.36	16.41	66.65	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>56.34</td><td>38.36</td><td>16.41</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	44.46	74.00	-29.54	56.34	38.36	16.41	66.65	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	44.34	74.00	-29.66	56.22	38.36	16.41	66.65	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	44.46	74.00	-29.54	56.34	38.36	16.41	66.65	0.00	---	---	PEAK																																																																																								





Mode	32																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line for 5G BAND 4 and a blue measured signal with peaks at 5854.00, 5873.60, 5924.40, and 5945.20 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>47.21</td><td>111.36</td><td>-64.15</td><td>40.77</td><td>35.02</td><td>11.34</td><td>39.92</td><td>0.00</td><td>305 316 PEAK</td></tr><tr><td>2 5873.60</td><td>47.34</td><td>105.69</td><td>-58.35</td><td>40.96</td><td>35.05</td><td>11.35</td><td>40.02</td><td>0.00</td><td>305 316 PEAK</td></tr><tr><td>3 5924.40</td><td>47.57</td><td>68.74</td><td>-21.17</td><td>40.93</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>305 316 PEAK</td></tr><tr><td>4 5945.20</td><td>47.71</td><td>68.30</td><td>-20.59</td><td>40.96</td><td>35.17</td><td>11.42</td><td>39.84</td><td>0.00</td><td>305 316 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	47.21	111.36	-64.15	40.77	35.02	11.34	39.92	0.00	305 316 PEAK	2 5873.60	47.34	105.69	-58.35	40.96	35.05	11.35	40.02	0.00	305 316 PEAK	3 5924.40	47.57	68.74	-21.17	40.93	35.13	11.40	39.89	0.00	305 316 PEAK	4 5945.20	47.71	68.30	-20.59	40.96	35.17	11.42	39.84	0.00	305 316 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line for 5G BAND 4 and a blue measured signal with a peak at 5825.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.92</td><td>122.30</td><td>-21.38</td><td>94.04</td><td>34.94</td><td>11.31</td><td>39.37</td><td>0.00</td><td>305 316 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	100.92	122.30	-21.38	94.04	34.94	11.31	39.37	0.00	305 316 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5854.00	47.21	111.36	-64.15	40.77	35.02	11.34	39.92	0.00	305 316 PEAK																																																																																																															
2 5873.60	47.34	105.69	-58.35	40.96	35.05	11.35	40.02	0.00	305 316 PEAK																																																																																																															
3 5924.40	47.57	68.74	-21.17	40.93	35.13	11.40	39.89	0.00	305 316 PEAK																																																																																																															
4 5945.20	47.71	68.30	-20.59	40.96	35.17	11.42	39.84	0.00	305 316 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	100.92	122.30	-21.38	94.04	34.94	11.31	39.37	0.00	305 316 PEAK																																																																																																															
Avg	Blank					 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line for 5G BAND 4(AVG) and a blue averaged signal with a peak at 5825.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>92.07</td><td>122.30</td><td>-30.23</td><td>85.19</td><td>34.94</td><td>11.31</td><td>39.37</td><td>0.00</td><td>305 316 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	92.07	122.30	-30.23	85.19	34.94	11.31	39.37	0.00	305 316 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	92.07	122.30	-30.23	85.19	34.94	11.31	39.37	0.00	305 316 AVERAGE																																																																																																															






Mode	32																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) 5G BAND 4 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>50.64</td><td>112.27</td><td>-61.63</td><td>44.20</td><td>35.02</td><td>11.33</td><td>39.91</td><td>0.00</td><td>252</td><td>0</td><td>PEAK</td></tr><tr><td>2 5874.40</td><td>51.19</td><td>105.47</td><td>-54.28</td><td>44.81</td><td>35.05</td><td>11.35</td><td>40.02</td><td>0.00</td><td>252</td><td>0</td><td>PEAK</td></tr><tr><td>3 5924.00</td><td>46.65</td><td>69.04</td><td>-22.39</td><td>40.01</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>252</td><td>0</td><td>PEAK</td></tr><tr><td>4 5999.60</td><td>48.73</td><td>68.30</td><td>-19.57</td><td>41.70</td><td>35.26</td><td>11.47</td><td>39.70</td><td>0.00</td><td>252</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	50.64	112.27	-61.63	44.20	35.02	11.33	39.91	0.00	252	0	PEAK	2 5874.40	51.19	105.47	-54.28	44.81	35.05	11.35	40.02	0.00	252	0	PEAK	3 5924.00	46.65	69.04	-22.39	40.01	35.13	11.40	39.89	0.00	252	0	PEAK	4 5999.60	48.73	68.30	-19.57	41.70	35.26	11.47	39.70	0.00	252	0	PEAK	 Level (dBuV/m) Frequency (MHz) 5G BAND 4 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>106.60</td><td>-----</td><td>-----</td><td>99.80</td><td>34.94</td><td>11.31</td><td>39.37</td><td>0.00</td><td>252</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	106.60	-----	-----	99.80	34.94	11.31	39.37	0.00	252	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5854.40	50.64	112.27	-61.63	44.20	35.02	11.33	39.91	0.00	252	0	PEAK																																																																																																																										
2 5874.40	51.19	105.47	-54.28	44.81	35.05	11.35	40.02	0.00	252	0	PEAK																																																																																																																										
3 5924.00	46.65	69.04	-22.39	40.01	35.13	11.40	39.89	0.00	252	0	PEAK																																																																																																																										
4 5999.60	48.73	68.30	-19.57	41.70	35.26	11.47	39.70	0.00	252	0	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	106.60	-----	-----	99.80	34.94	11.31	39.37	0.00	252	0	PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) 5G BAND 4(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.34</td><td>122.30</td><td>-24.96</td><td>90.46</td><td>34.94</td><td>11.31</td><td>39.37</td><td>0.00</td><td>252</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.34	122.30	-24.96	90.46	34.94	11.31	39.37	0.00	252	0	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	97.34	122.30	-24.96	90.46	34.94	11.31	39.37	0.00	252	0	AVERAGE																																																																																																																										






Mode	32																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.06</td><td>74.00</td><td>-28.94</td><td>56.74</td><td>38.42</td><td>16.46</td><td>66.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.06	74.00	-28.94	56.74	38.42	16.46	66.56	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>56.24</td><td>38.42</td><td>16.46</td><td>66.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	44.56	74.00	-29.44	56.24	38.42	16.46	66.56	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	45.06	74.00	-28.94	56.74	38.42	16.46	66.56	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	44.56	74.00	-29.44	56.24	38.42	16.46	66.56	0.00	---	---	PEAK																																																																																								





Mode	33																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full RU_5745MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5600.40</td><td>48.47</td><td>68.30</td><td>-19.83</td><td>39.15</td><td>34.52</td><td>11.00</td><td>36.20</td><td>0.00</td><td>308</td><td>317</td><td>PEAK</td></tr><tr><td>2 5652.00</td><td>48.04</td><td>70.38</td><td>-22.34</td><td>38.79</td><td>34.50</td><td>11.00</td><td>36.33</td><td>0.00</td><td>308</td><td>317</td><td>PEAK</td></tr><tr><td>3 5700.80</td><td>47.10</td><td>105.52</td><td>-58.42</td><td>38.53</td><td>34.61</td><td>11.14</td><td>37.18</td><td>0.00</td><td>308</td><td>317</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>45.62</td><td>110.90</td><td>-65.28</td><td>37.30</td><td>34.67</td><td>11.17</td><td>37.52</td><td>0.00</td><td>308</td><td>317</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5600.40	48.47	68.30	-19.83	39.15	34.52	11.00	36.20	0.00	308	317	PEAK	2 5652.00	48.04	70.38	-22.34	38.79	34.50	11.00	36.33	0.00	308	317	PEAK	3 5700.80	47.10	105.52	-58.42	38.53	34.61	11.14	37.18	0.00	308	317	PEAK	4 5720.00	45.62	110.90	-65.28	37.30	34.67	11.17	37.52	0.00	308	317	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>98.15</td><td>122.30</td><td>-24.15</td><td>90.19</td><td>34.74</td><td>11.21</td><td>37.99</td><td>0.00</td><td>308</td><td>317</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	98.15	122.30	-24.15	90.19	34.74	11.21	37.99	0.00	308	317	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5600.40	48.47	68.30	-19.83	39.15	34.52	11.00	36.20	0.00	308	317	PEAK																																																																																																																										
2 5652.00	48.04	70.38	-22.34	38.79	34.50	11.00	36.33	0.00	308	317	PEAK																																																																																																																										
3 5700.80	47.10	105.52	-58.42	38.53	34.61	11.14	37.18	0.00	308	317	PEAK																																																																																																																										
4 5720.00	45.62	110.90	-65.28	37.30	34.67	11.17	37.52	0.00	308	317	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5745.00	98.15	122.30	-24.15	90.19	34.74	11.21	37.99	0.00	308	317	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>89.21</td><td>122.30</td><td>-33.09</td><td>81.25</td><td>34.74</td><td>11.21</td><td>37.99</td><td>0.00</td><td>308</td><td>317</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	89.21	122.30	-33.09	81.25	34.74	11.21	37.99	0.00	308	317	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5745.00	89.21	122.30	-33.09	81.25	34.74	11.21	37.99	0.00	308	317	AVERAGE																																																																																																																										





Mode	33																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full RU_5745MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot includes a red limit line for 5G BAND 4 and a blue measured signal line. Three peaks are identified and numbered 1, 2, and 3. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5635.20</td><td>50.62</td><td>68.30</td><td>-17.68</td><td>41.19</td><td>34.51</td><td>11.05</td><td>36.13</td><td>0.00</td><td>272</td><td>0 PEAK</td></tr><tr><td>2 5650.40</td><td>48.81</td><td>68.60</td><td>-19.79</td><td>39.53</td><td>34.50</td><td>11.07</td><td>36.29</td><td>0.00</td><td>272</td><td>0 PEAK</td></tr><tr><td>3 5704.00</td><td>52.93</td><td>106.42</td><td>-53.49</td><td>44.40</td><td>34.62</td><td>11.15</td><td>37.24</td><td>0.00</td><td>272</td><td>0 PEAK</td></tr><tr><td>4 5720.00</td><td>48.96</td><td>110.90</td><td>-61.94</td><td>40.64</td><td>34.67</td><td>11.17</td><td>37.52</td><td>0.00</td><td>272</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5635.20	50.62	68.30	-17.68	41.19	34.51	11.05	36.13	0.00	272	0 PEAK	2 5650.40	48.81	68.60	-19.79	39.53	34.50	11.07	36.29	0.00	272	0 PEAK	3 5704.00	52.93	106.42	-53.49	44.40	34.62	11.15	37.24	0.00	272	0 PEAK	4 5720.00	48.96	110.90	-61.94	40.64	34.67	11.17	37.52	0.00	272	0 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line for 5G BAND 4 and a blue measured signal line. A single peak is identified and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>105.88</td><td>122.30</td><td>-16.42</td><td>97.92</td><td>34.74</td><td>11.21</td><td>37.99</td><td>0.00</td><td>272</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	105.88	122.30	-16.42	97.92	34.74	11.21	37.99	0.00	272	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5635.20	50.62	68.30	-17.68	41.19	34.51	11.05	36.13	0.00	272	0 PEAK																																																																																																																										
2 5650.40	48.81	68.60	-19.79	39.53	34.50	11.07	36.29	0.00	272	0 PEAK																																																																																																																										
3 5704.00	52.93	106.42	-53.49	44.40	34.62	11.15	37.24	0.00	272	0 PEAK																																																																																																																										
4 5720.00	48.96	110.90	-61.94	40.64	34.67	11.17	37.52	0.00	272	0 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	105.88	122.30	-16.42	97.92	34.74	11.21	37.99	0.00	272	0 PEAK																																																																																																																										
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line for 5G BAND 4(AVG) and a blue measured signal line. A single peak is identified and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>96.20</td><td>122.30</td><td>-26.10</td><td>88.24</td><td>34.74</td><td>11.21</td><td>37.99</td><td>0.00</td><td>272</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	96.20	122.30	-26.10	88.24	34.74	11.21	37.99	0.00	272	0 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	96.20	122.30	-26.10	88.24	34.74	11.21	37.99	0.00	272	0 AVERAGE																																																																																																																										



Mode	33																																																							
	Harmonic																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full RU_5745MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.14</td><td>74.00</td><td>-29.86</td><td>56.23</td><td>38.29</td><td>16.36</td><td>66.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.14	74.00	-29.86	56.23	38.29	16.36	66.74	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11490.00	44.14	74.00	-29.86	56.23	38.29	16.36	66.74	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>56.05</td><td>38.29</td><td>16.36</td><td>66.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	43.96	74.00	-30.04	56.05	38.29	16.36	66.74	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11490.00	43.96	74.00	-30.04	56.05	38.29	16.36	66.74	0.00	---	---	PEAK																																												






Mode	34																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_Full RU_5785MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>44.45</td><td>74.00</td><td>-29.55</td><td>56.33</td><td>38.36</td><td>16.41</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	44.45	74.00	-29.55	56.33	38.36	16.41	66.65	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>56.70</td><td>38.36</td><td>16.41</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	44.82	74.00	-29.18	56.70	38.36	16.41	66.65	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	44.45	74.00	-29.55	56.33	38.36	16.41	66.65	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	44.82	74.00	-29.18	56.70	38.36	16.41	66.65	0.00	---	---	PEAK																																																																																								





Mode	35																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_Full RU_5825MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>47.43</td><td>111.36</td><td>-63.93</td><td>40.99</td><td>35.02</td><td>11.34</td><td>39.92</td><td>0.00</td><td>305</td><td>317</td><td>PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>47.16</td><td>106.14</td><td>-58.98</td><td>40.78</td><td>35.05</td><td>11.35</td><td>40.02</td><td>0.00</td><td>305</td><td>317</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>45.90</td><td>68.74</td><td>-22.84</td><td>39.26</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>305</td><td>317</td><td>PEAK</td></tr><tr><td>4</td><td>5942.00</td><td>47.30</td><td>68.30</td><td>-21.00</td><td>40.56</td><td>35.16</td><td>11.42</td><td>39.84</td><td>0.00</td><td>305</td><td>317</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	47.43	111.36	-63.93	40.99	35.02	11.34	39.92	0.00	305	317	PEAK	2	5872.00	47.16	106.14	-58.98	40.78	35.05	11.35	40.02	0.00	305	317	PEAK	3	5924.40	45.90	68.74	-22.84	39.26	35.13	11.40	39.89	0.00	305	317	PEAK	4	5942.00	47.30	68.30	-21.00	40.56	35.16	11.42	39.84	0.00	305	317	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.26</td><td>122.30</td><td>-25.04</td><td>90.38</td><td>34.94</td><td>11.31</td><td>39.37</td><td>0.00</td><td>305</td><td>317</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.26	122.30	-25.04	90.38	34.94	11.31	39.37	0.00	305	317
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.00	47.43	111.36	-63.93	40.99	35.02	11.34	39.92	0.00	305	317	PEAK																																																																																																																														
2	5872.00	47.16	106.14	-58.98	40.78	35.05	11.35	40.02	0.00	305	317	PEAK																																																																																																																														
3	5924.40	45.90	68.74	-22.84	39.26	35.13	11.40	39.89	0.00	305	317	PEAK																																																																																																																														
4	5942.00	47.30	68.30	-21.00	40.56	35.16	11.42	39.84	0.00	305	317	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	97.26	122.30	-25.04	90.38	34.94	11.31	39.37	0.00	305	317	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>88.87</td><td>122.30</td><td>-33.43</td><td>81.99</td><td>34.94</td><td>11.31</td><td>39.37</td><td>0.00</td><td>305</td><td>317</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	88.87	122.30	-33.43	81.99	34.94	11.31	39.37	0.00	305	317	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	88.87	122.30	-33.43	81.99	34.94	11.31	39.37	0.00	305	317	AVERAGE																																																																																																																														






Mode	35																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_Full RU_5825MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>48.53</td><td>111.36</td><td>-62.83</td><td>42.09</td><td>35.02</td><td>11.34</td><td>39.92</td><td>0.00</td><td>253</td><td>0 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>48.76</td><td>105.80</td><td>-57.04</td><td>42.38</td><td>35.05</td><td>11.35</td><td>40.02</td><td>0.00</td><td>253</td><td>0 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>48.38</td><td>69.33</td><td>-20.95</td><td>41.74</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>253</td><td>0 PEAK</td></tr><tr><td>4</td><td>5970.00</td><td>48.51</td><td>68.30</td><td>-19.79</td><td>41.62</td><td>35.21</td><td>11.45</td><td>39.77</td><td>0.00</td><td>253</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	48.53	111.36	-62.83	42.09	35.02	11.34	39.92	0.00	253	0 PEAK	2	5873.20	48.76	105.80	-57.04	42.38	35.05	11.35	40.02	0.00	253	0 PEAK	3	5923.60	48.38	69.33	-20.95	41.74	35.13	11.40	39.89	0.00	253	0 PEAK	4	5970.00	48.51	68.30	-19.79	41.62	35.21	11.45	39.77	0.00	253	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.52</td><td>122.30</td><td>-17.78</td><td>97.64</td><td>34.94</td><td>11.31</td><td>39.37</td><td>0.00</td><td>253</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.52	122.30	-17.78	97.64	34.94	11.31	39.37	0.00	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.00	48.53	111.36	-62.83	42.09	35.02	11.34	39.92	0.00	253	0 PEAK																																																																																																																														
2	5873.20	48.76	105.80	-57.04	42.38	35.05	11.35	40.02	0.00	253	0 PEAK																																																																																																																														
3	5923.60	48.38	69.33	-20.95	41.74	35.13	11.40	39.89	0.00	253	0 PEAK																																																																																																																														
4	5970.00	48.51	68.30	-19.79	41.62	35.21	11.45	39.77	0.00	253	0 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	104.52	122.30	-17.78	97.64	34.94	11.31	39.37	0.00	253	0 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.42</td><td>122.30</td><td>-26.88</td><td>88.54</td><td>34.94</td><td>11.31</td><td>39.37</td><td>0.00</td><td>253</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.42	122.30	-26.88	88.54	34.94	11.31	39.37	0.00	253	0 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	95.42	122.30	-26.88	88.54	34.94	11.31	39.37	0.00	253	0 AVERAGE																																																																																																																														




Mode	35																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_Full RU_5825MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>57.52</td><td>38.42</td><td>16.46</td><td>66.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.84	74.00	-28.16	57.52	38.42	16.46	66.56	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>57.01</td><td>38.42</td><td>16.46</td><td>66.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.33	74.00	-28.67	57.01	38.42	16.46	66.56	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	45.84	74.00	-28.16	57.52	38.42	16.46	66.56	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	45.33	74.00	-28.67	57.01	38.42	16.46	66.56	0.00	---	---	PEAK																																																																																								






Mode	36																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full RU_5755MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5619.07</td><td>49.61</td><td>68.30</td><td>-18.69</td><td>40.22</td><td>34.52</td><td>11.03</td><td>36.16</td><td>0.00</td><td>307</td><td>316 PEAK</td></tr><tr><td>2 5650.69</td><td>48.26</td><td>68.81</td><td>-20.55</td><td>38.98</td><td>34.50</td><td>11.07</td><td>36.29</td><td>0.00</td><td>307</td><td>316 PEAK</td></tr><tr><td>3 5703.23</td><td>49.05</td><td>106.21</td><td>-57.16</td><td>40.51</td><td>34.62</td><td>11.15</td><td>37.23</td><td>0.00</td><td>307</td><td>316 PEAK</td></tr><tr><td>4 5720.28</td><td>48.09</td><td>111.54</td><td>-63.45</td><td>39.78</td><td>34.67</td><td>11.17</td><td>37.53</td><td>0.00</td><td>307</td><td>316 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5619.07	49.61	68.30	-18.69	40.22	34.52	11.03	36.16	0.00	307	316 PEAK	2 5650.69	48.26	68.81	-20.55	38.98	34.50	11.07	36.29	0.00	307	316 PEAK	3 5703.23	49.05	106.21	-57.16	40.51	34.62	11.15	37.23	0.00	307	316 PEAK	4 5720.28	48.09	111.54	-63.45	39.78	34.67	11.17	37.53	0.00	307	316 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>95.98</td><td>122.30</td><td>-26.32</td><td>88.02</td><td>34.74</td><td>11.21</td><td>37.99</td><td>0.00</td><td>307</td><td>316 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	95.98	122.30	-26.32	88.02	34.74	11.21	37.99	0.00	307	316 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5619.07	49.61	68.30	-18.69	40.22	34.52	11.03	36.16	0.00	307	316 PEAK																																																																																																																						
2 5650.69	48.26	68.81	-20.55	38.98	34.50	11.07	36.29	0.00	307	316 PEAK																																																																																																																						
3 5703.23	49.05	106.21	-57.16	40.51	34.62	11.15	37.23	0.00	307	316 PEAK																																																																																																																						
4 5720.28	48.09	111.54	-63.45	39.78	34.67	11.17	37.53	0.00	307	316 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5755.00	95.98	122.30	-26.32	88.02	34.74	11.21	37.99	0.00	307	316 PEAK																																																																																																																						
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>86.29</td><td>122.30</td><td>-36.01</td><td>78.42</td><td>34.75</td><td>11.21</td><td>38.09</td><td>0.00</td><td>307</td><td>316 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	86.29	122.30	-36.01	78.42	34.75	11.21	38.09	0.00	307	316 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5755.00	86.29	122.30	-36.01	78.42	34.75	11.21	38.09	0.00	307	316 AVERAGE																																																																																																																						




Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full RU_5755MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>47.11</td><td>111.71</td><td>-64.60</td><td>40.67</td><td>35.02</td><td>11.34</td><td>39.92</td><td>0.00</td><td>307</td><td>316</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>46.55</td><td>105.32</td><td>-58.77</td><td>40.17</td><td>35.05</td><td>11.35</td><td>40.02</td><td>0.00</td><td>307</td><td>316</td><td>PEAK</td></tr><tr><td>3</td><td>5922.90</td><td>48.48</td><td>69.85</td><td>-21.37</td><td>41.84</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>307</td><td>316</td><td>PEAK</td></tr><tr><td>4</td><td>5925.43</td><td>46.89</td><td>68.30</td><td>-21.41</td><td>40.24</td><td>35.14</td><td>11.40</td><td>39.89</td><td>0.00</td><td>307</td><td>316</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	47.11	111.71	-64.60	40.67	35.02	11.34	39.92	0.00	307	316	PEAK	2	5874.93	46.55	105.32	-58.77	40.17	35.05	11.35	40.02	0.00	307	316	PEAK	3	5922.90	48.48	69.85	-21.37	41.84	35.13	11.40	39.89	0.00	307	316	PEAK	4	5925.43	46.89	68.30	-21.41	40.24	35.14	11.40	39.89	0.00	307	316	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.65	47.11	111.71	-64.60	40.67	35.02	11.34	39.92	0.00	307	316	PEAK																																																																									
2	5874.93	46.55	105.32	-58.77	40.17	35.05	11.35	40.02	0.00	307	316	PEAK																																																																									
3	5922.90	48.48	69.85	-21.37	41.84	35.13	11.40	39.89	0.00	307	316	PEAK																																																																									
4	5925.43	46.89	68.30	-21.41	40.24	35.14	11.40	39.89	0.00	307	316	PEAK																																																																									





Mode	36																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full RU_5755MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) 5G BAND 4 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5635.50</td><td>50.10</td><td>68.30</td><td>-18.20</td><td>40.67</td><td>34.51</td><td>11.05</td><td>36.13</td><td>0.00</td><td>280</td><td>0 PEAK</td></tr><tr><td>2 5650.84</td><td>50.87</td><td>68.92</td><td>-18.05</td><td>41.59</td><td>34.50</td><td>11.07</td><td>36.29</td><td>0.00</td><td>280</td><td>0 PEAK</td></tr><tr><td>3 5703.39</td><td>53.27</td><td>106.25</td><td>-52.98</td><td>44.73</td><td>34.62</td><td>11.15</td><td>37.23</td><td>0.00</td><td>280</td><td>0 PEAK</td></tr><tr><td>4 5720.28</td><td>53.86</td><td>111.54</td><td>-57.68</td><td>45.55</td><td>34.67</td><td>11.17</td><td>37.53</td><td>0.00</td><td>280</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5635.50	50.10	68.30	-18.20	40.67	34.51	11.05	36.13	0.00	280	0 PEAK	2 5650.84	50.87	68.92	-18.05	41.59	34.50	11.07	36.29	0.00	280	0 PEAK	3 5703.39	53.27	106.25	-52.98	44.73	34.62	11.15	37.23	0.00	280	0 PEAK	4 5720.28	53.86	111.54	-57.68	45.55	34.67	11.17	37.53	0.00	280	0 PEAK	 Level (dBuV/m) Frequency (MHz) 5G BAND 4 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>103.19</td><td>122.30</td><td>-19.11</td><td>95.32</td><td>34.75</td><td>11.21</td><td>38.09</td><td>0.00</td><td>280</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	103.19	122.30	-19.11	95.32	34.75	11.21	38.09	0.00	280	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5635.50	50.10	68.30	-18.20	40.67	34.51	11.05	36.13	0.00	280	0 PEAK																																																																																																																										
2 5650.84	50.87	68.92	-18.05	41.59	34.50	11.07	36.29	0.00	280	0 PEAK																																																																																																																										
3 5703.39	53.27	106.25	-52.98	44.73	34.62	11.15	37.23	0.00	280	0 PEAK																																																																																																																										
4 5720.28	53.86	111.54	-57.68	45.55	34.67	11.17	37.53	0.00	280	0 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	103.19	122.30	-19.11	95.32	34.75	11.21	38.09	0.00	280	0 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) 5G BAND 4(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>93.94</td><td>122.30</td><td>-28.36</td><td>86.15</td><td>34.77</td><td>11.22</td><td>38.20</td><td>0.00</td><td>280</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	93.94	122.30	-28.36	86.15	34.77	11.22	38.20	0.00	280	0 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	93.94	122.30	-28.36	86.15	34.77	11.22	38.20	0.00	280	0 AVERAGE																																																																																																																										






Mode	36																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full RU_5755MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>49.50</td><td>112.60</td><td>-63.10</td><td>43.06</td><td>35.02</td><td>11.33</td><td>39.91</td><td>0.00</td><td>280</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5870.64</td><td>48.22</td><td>106.52</td><td>-58.30</td><td>41.86</td><td>35.04</td><td>11.35</td><td>40.03</td><td>0.00</td><td>280</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>45.71</td><td>68.56</td><td>-22.85</td><td>39.07</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>280</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5929.92</td><td>49.13</td><td>68.30</td><td>-19.17</td><td>42.46</td><td>35.14</td><td>11.41</td><td>39.88</td><td>0.00</td><td>280</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	49.50	112.60	-63.10	43.06	35.02	11.33	39.91	0.00	280	0	PEAK	2	5870.64	48.22	106.52	-58.30	41.86	35.04	11.35	40.03	0.00	280	0	PEAK	3	5924.65	45.71	68.56	-22.85	39.07	35.13	11.40	39.89	0.00	280	0	PEAK	4	5929.92	49.13	68.30	-19.17	42.46	35.14	11.41	39.88	0.00	280	0	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.26	49.50	112.60	-63.10	43.06	35.02	11.33	39.91	0.00	280	0	PEAK																																																																																		
2	5870.64	48.22	106.52	-58.30	41.86	35.04	11.35	40.03	0.00	280	0	PEAK																																																																																		
3	5924.65	45.71	68.56	-22.85	39.07	35.13	11.40	39.89	0.00	280	0	PEAK																																																																																		
4	5929.92	49.13	68.30	-19.17	42.46	35.14	11.41	39.88	0.00	280	0	PEAK																																																																																		




		36																																																																																																																		
Mode		Harmonic																																																																																																																		
		U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full RU_5755MHz																																																																																																																		
ANT		1																																																																																																																		
Pol.		Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.02</td><td>74.00</td><td>-28.98</td><td>57.07</td><td>38.31</td><td>16.37</td><td>66.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.02	74.00	-28.98	57.07	38.31	16.37	66.73	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>56.07</td><td>38.31</td><td>16.37</td><td>66.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	44.02	74.00	-29.98	56.07	38.31	16.37	66.73	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	11510.00	45.02	74.00	-28.98	57.07	38.31	16.37	66.73	0.00	---	---	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	11510.00	44.02	74.00	-29.98	56.07	38.31	16.37	66.73	0.00	---	---	PEAK																																																																																																								






Mode	37																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full RU_5795MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) 5G BAND 4 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.56</td><td>49.24</td><td>68.30</td><td>-19.06</td><td>39.79</td><td>34.51</td><td>11.06</td><td>36.12</td><td>0.00</td><td>337</td><td>317</td><td>PEAK</td></tr><tr><td>2 5651.09</td><td>48.30</td><td>69.11</td><td>-20.81</td><td>39.03</td><td>34.50</td><td>11.07</td><td>36.30</td><td>0.00</td><td>337</td><td>317</td><td>PEAK</td></tr><tr><td>3 5700.04</td><td>46.75</td><td>105.31</td><td>-58.56</td><td>38.17</td><td>34.61</td><td>11.14</td><td>37.17</td><td>0.00</td><td>337</td><td>317</td><td>PEAK</td></tr><tr><td>4 5720.12</td><td>48.33</td><td>111.17</td><td>-62.84</td><td>40.02</td><td>34.67</td><td>11.17</td><td>37.53</td><td>0.00</td><td>337</td><td>317</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5640.56	49.24	68.30	-19.06	39.79	34.51	11.06	36.12	0.00	337	317	PEAK	2 5651.09	48.30	69.11	-20.81	39.03	34.50	11.07	36.30	0.00	337	317	PEAK	3 5700.04	46.75	105.31	-58.56	38.17	34.61	11.14	37.17	0.00	337	317	PEAK	4 5720.12	48.33	111.17	-62.84	40.02	34.67	11.17	37.53	0.00	337	317	PEAK	 Level (dBuV/m) Frequency (MHz) 5G BAND 4 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>96.46</td><td>122.30</td><td>-25.84</td><td>89.25</td><td>34.88</td><td>11.28</td><td>38.95</td><td>0.00</td><td>337</td><td>317</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	96.46	122.30	-25.84	89.25	34.88	11.28	38.95	0.00	337	317	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5640.56	49.24	68.30	-19.06	39.79	34.51	11.06	36.12	0.00	337	317	PEAK																																																																																																																										
2 5651.09	48.30	69.11	-20.81	39.03	34.50	11.07	36.30	0.00	337	317	PEAK																																																																																																																										
3 5700.04	46.75	105.31	-58.56	38.17	34.61	11.14	37.17	0.00	337	317	PEAK																																																																																																																										
4 5720.12	48.33	111.17	-62.84	40.02	34.67	11.17	37.53	0.00	337	317	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5795.00	96.46	122.30	-25.84	89.25	34.88	11.28	38.95	0.00	337	317	PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) 5G BAND 4(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>87.21</td><td>122.30</td><td>-35.09</td><td>79.92</td><td>34.86</td><td>11.27</td><td>38.84</td><td>0.00</td><td>337</td><td>317</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	87.21	122.30	-35.09	79.92	34.86	11.27	38.84	0.00	337	317	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5795.00	87.21	122.30	-35.09	79.92	34.86	11.27	38.84	0.00	337	317	AVERAGE																																																																																																																										




Mode	37																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full RU_5795MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>46.89</td><td>111.29</td><td>-64.40</td><td>40.45</td><td>35.02</td><td>11.34</td><td>39.92</td><td>0.00</td><td>337</td><td>317</td><td>PEAK</td></tr><tr><td>2</td><td>5874.21</td><td>47.18</td><td>105.52</td><td>-58.34</td><td>40.80</td><td>35.05</td><td>11.35</td><td>40.02</td><td>0.00</td><td>337</td><td>317</td><td>PEAK</td></tr><tr><td>3</td><td>5923.65</td><td>46.18</td><td>69.29</td><td>-23.11</td><td>39.54</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>337</td><td>317</td><td>PEAK</td></tr><tr><td>4</td><td>5943.80</td><td>47.50</td><td>68.30</td><td>-20.80</td><td>40.75</td><td>35.17</td><td>11.42</td><td>39.84</td><td>0.00</td><td>337</td><td>317</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.83	46.89	111.29	-64.40	40.45	35.02	11.34	39.92	0.00	337	317	PEAK	2	5874.21	47.18	105.52	-58.34	40.80	35.05	11.35	40.02	0.00	337	317	PEAK	3	5923.65	46.18	69.29	-23.11	39.54	35.13	11.40	39.89	0.00	337	317	PEAK	4	5943.80	47.50	68.30	-20.80	40.75	35.17	11.42	39.84	0.00	337	317	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.83	46.89	111.29	-64.40	40.45	35.02	11.34	39.92	0.00	337	317	PEAK																																																																																			
2	5874.21	47.18	105.52	-58.34	40.80	35.05	11.35	40.02	0.00	337	317	PEAK																																																																																			
3	5923.65	46.18	69.29	-23.11	39.54	35.13	11.40	39.89	0.00	337	317	PEAK																																																																																			
4	5943.80	47.50	68.30	-20.80	40.75	35.17	11.42	39.84	0.00	337	317	PEAK																																																																																			





Mode	37																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full RU_5795MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.25</td><td>48.96</td><td>68.30</td><td>-19.34</td><td>39.53</td><td>34.51</td><td>11.05</td><td>36.13</td><td>0.00</td><td>279</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>49.89</td><td>68.39</td><td>-18.50</td><td>40.60</td><td>34.50</td><td>11.07</td><td>36.28</td><td>0.00</td><td>279</td><td>0 PEAK</td></tr><tr><td>3</td><td>5700.43</td><td>49.36</td><td>105.42</td><td>-56.06</td><td>40.79</td><td>34.61</td><td>11.14</td><td>37.18</td><td>0.00</td><td>279</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>49.21</td><td>111.17</td><td>-61.96</td><td>40.90</td><td>34.67</td><td>11.17</td><td>37.53</td><td>0.00</td><td>279</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.25	48.96	68.30	-19.34	39.53	34.51	11.05	36.13	0.00	279	0 PEAK	2	5650.12	49.89	68.39	-18.50	40.60	34.50	11.07	36.28	0.00	279	0 PEAK	3	5700.43	49.36	105.42	-56.06	40.79	34.61	11.14	37.18	0.00	279	0 PEAK	4	5720.12	49.21	111.17	-61.96	40.90	34.67	11.17	37.53	0.00	279	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>103.54</td><td>122.30</td><td>-18.76</td><td>96.33</td><td>34.88</td><td>11.28</td><td>38.95</td><td>0.00</td><td>279</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	103.54	122.30	-18.76	96.33	34.88	11.28	38.95	0.00	279	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5637.25	48.96	68.30	-19.34	39.53	34.51	11.05	36.13	0.00	279	0 PEAK																																																																																																																										
2	5650.12	49.89	68.39	-18.50	40.60	34.50	11.07	36.28	0.00	279	0 PEAK																																																																																																																										
3	5700.43	49.36	105.42	-56.06	40.79	34.61	11.14	37.18	0.00	279	0 PEAK																																																																																																																										
4	5720.12	49.21	111.17	-61.96	40.90	34.67	11.17	37.53	0.00	279	0 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5795.00	103.54	122.30	-18.76	96.33	34.88	11.28	38.95	0.00	279	0 PEAK																																																																																																																										
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>93.65</td><td>122.30</td><td>-28.65</td><td>86.36</td><td>34.86</td><td>11.27</td><td>38.84</td><td>0.00</td><td>279</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	93.65	122.30	-28.65	86.36	34.86	11.27	38.84	0.00	279	0 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5795.00	93.65	122.30	-28.65	86.36	34.86	11.27	38.84	0.00	279	0 AVERAGE																																																																																																																										






Mode	37																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full RU_5795MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5854.68</td><td>49.80</td><td>111.64</td><td>-61.84</td><td>43.36</td><td>35.02</td><td>11.34</td><td>39.92</td><td>0.00</td><td>279</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5860.57</td><td>54.61</td><td>109.34</td><td>-54.73</td><td>48.26</td><td>35.03</td><td>11.34</td><td>40.02</td><td>0.00</td><td>279</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5923.65</td><td>48.40</td><td>69.29</td><td>-20.89</td><td>41.76</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>279</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5935.74</td><td>47.87</td><td>68.30</td><td>-20.43</td><td>41.17</td><td>35.15</td><td>11.41</td><td>39.86</td><td>0.00</td><td>279</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5854.68	49.80	111.64	-61.84	43.36	35.02	11.34	39.92	0.00	279	0	PEAK	2	5860.57	54.61	109.34	-54.73	48.26	35.03	11.34	40.02	0.00	279	0	PEAK	3	5923.65	48.40	69.29	-20.89	41.76	35.13	11.40	39.89	0.00	279	0	PEAK	4	5935.74	47.87	68.30	-20.43	41.17	35.15	11.41	39.86	0.00	279	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																					
1	5854.68	49.80	111.64	-61.84	43.36	35.02	11.34	39.92	0.00	279	0	PEAK																																																																																		
2	5860.57	54.61	109.34	-54.73	48.26	35.03	11.34	40.02	0.00	279	0	PEAK																																																																																		
3	5923.65	48.40	69.29	-20.89	41.76	35.13	11.40	39.89	0.00	279	0	PEAK																																																																																		
4	5935.74	47.87	68.30	-20.43	41.17	35.15	11.41	39.86	0.00	279	0	PEAK																																																																																		




Mode	37																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full RU_5795MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>55.61</td><td>38.37</td><td>16.42</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	43.77	74.00	-30.23	55.61	38.37	16.42	66.63	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>43.75</td><td>74.00</td><td>-30.25</td><td>55.59</td><td>38.37</td><td>16.42</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	43.75	74.00	-30.25	55.59	38.37	16.42	66.63	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11590.00	43.77	74.00	-30.23	55.61	38.37	16.42	66.63	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11590.00	43.75	74.00	-30.25	55.59	38.37	16.42	66.63	0.00	---	---	PEAK																																																																																							






Mode	38																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.40</td><td>48.95</td><td>68.30</td><td>-19.35</td><td>39.56</td><td>34.51</td><td>11.06</td><td>36.18</td><td>0.00</td><td>295</td><td>317</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>48.05</td><td>68.60</td><td>-20.55</td><td>38.77</td><td>34.50</td><td>11.07</td><td>36.29</td><td>0.00</td><td>295</td><td>317</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>48.43</td><td>105.41</td><td>-56.98</td><td>39.86</td><td>34.61</td><td>11.14</td><td>37.18</td><td>0.00</td><td>295</td><td>317</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>52.52</td><td>114.55</td><td>-62.03</td><td>44.23</td><td>34.67</td><td>11.17</td><td>37.55</td><td>0.00</td><td>295</td><td>317</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.40	48.95	68.30	-19.35	39.56	34.51	11.06	36.18	0.00	295	317	PEAK	2	5650.40	48.05	68.60	-20.55	38.77	34.50	11.07	36.29	0.00	295	317	PEAK	3	5700.40	48.43	105.41	-56.98	39.86	34.61	11.14	37.18	0.00	295	317	PEAK	4	5721.60	52.52	114.55	-62.03	44.23	34.67	11.17	37.55	0.00	295	317	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.22</td><td>122.30</td><td>-29.08</td><td>85.76</td><td>34.83</td><td>11.26</td><td>38.63</td><td>0.00</td><td>295</td><td>317</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	93.22	122.30	-29.08	85.76	34.83	11.26	38.63	0.00	295	317	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5644.40	48.95	68.30	-19.35	39.56	34.51	11.06	36.18	0.00	295	317	PEAK																																																																																																																															
2	5650.40	48.05	68.60	-20.55	38.77	34.50	11.07	36.29	0.00	295	317	PEAK																																																																																																																															
3	5700.40	48.43	105.41	-56.98	39.86	34.61	11.14	37.18	0.00	295	317	PEAK																																																																																																																															
4	5721.60	52.52	114.55	-62.03	44.23	34.67	11.17	37.55	0.00	295	317	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	93.22	122.30	-29.08	85.76	34.83	11.26	38.63	0.00	295	317	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>83.59</td><td>122.30</td><td>-38.71</td><td>76.13</td><td>34.83</td><td>11.26</td><td>38.63</td><td>0.00</td><td>295</td><td>317</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	83.59	122.30	-38.71	76.13	34.83	11.26	38.63	0.00	295	317	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	83.59	122.30	-38.71	76.13	34.83	11.26	38.63	0.00	295	317	AVERAGE																																																																																																																															




Mode	38																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>45.59</td><td>111.36</td><td>-65.77</td><td>39.15</td><td>35.02</td><td>11.34</td><td>39.92</td><td>0.00</td><td>295</td><td>317</td><td>PEAK</td></tr><tr><td>2</td><td>5870.80</td><td>48.80</td><td>106.47</td><td>-57.67</td><td>42.44</td><td>35.04</td><td>11.35</td><td>40.03</td><td>0.00</td><td>295</td><td>317</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>45.36</td><td>69.04</td><td>-23.68</td><td>38.72</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>295</td><td>317</td><td>PEAK</td></tr><tr><td>4</td><td>5938.40</td><td>47.64</td><td>68.30</td><td>-20.66</td><td>40.92</td><td>35.16</td><td>11.41</td><td>39.85</td><td>0.00</td><td>295</td><td>317</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	45.59	111.36	-65.77	39.15	35.02	11.34	39.92	0.00	295	317	PEAK	2	5870.80	48.80	106.47	-57.67	42.44	35.04	11.35	40.03	0.00	295	317	PEAK	3	5924.00	45.36	69.04	-23.68	38.72	35.13	11.40	39.89	0.00	295	317	PEAK	4	5938.40	47.64	68.30	-20.66	40.92	35.16	11.41	39.85	0.00	295	317	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.80	45.59	111.36	-65.77	39.15	35.02	11.34	39.92	0.00	295	317	PEAK																																																																																			
2	5870.80	48.80	106.47	-57.67	42.44	35.04	11.35	40.03	0.00	295	317	PEAK																																																																																			
3	5924.00	45.36	69.04	-23.68	38.72	35.13	11.40	39.89	0.00	295	317	PEAK																																																																																			
4	5938.40	47.64	68.30	-20.66	40.92	35.16	11.41	39.85	0.00	295	317	PEAK																																																																																			






		38																																																																																																																																		
Mode	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Vertical					Fundamental																																																																																																																														
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.40</td><td>49.78</td><td>68.30</td><td>-18.52</td><td>40.35</td><td>34.51</td><td>11.06</td><td>36.14</td><td>0.00</td><td>293</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.94</td><td>68.30</td><td>-19.36</td><td>39.65</td><td>34.50</td><td>11.07</td><td>36.28</td><td>0.00</td><td>293</td><td>0 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>60.38</td><td>110.79</td><td>-50.41</td><td>52.07</td><td>34.66</td><td>11.17</td><td>37.52</td><td>0.00</td><td>293</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.05</td><td>110.90</td><td>-55.85</td><td>46.73</td><td>34.67</td><td>11.17</td><td>37.52</td><td>0.00</td><td>293</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5642.40	49.78	68.30	-18.52	40.35	34.51	11.06	36.14	0.00	293	0 PEAK	2	5650.00	48.94	68.30	-19.36	39.65	34.50	11.07	36.28	0.00	293	0 PEAK	3	5719.60	60.38	110.79	-50.41	52.07	34.66	11.17	37.52	0.00	293	0 PEAK	4	5720.00	55.05	110.90	-55.85	46.73	34.67	11.17	37.52	0.00	293	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>99.61</td><td>122.30</td><td>-22.69</td><td>92.15</td><td>34.83</td><td>11.26</td><td>38.63</td><td>0.00</td><td>293</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	99.61	122.30	-22.69	92.15	34.83	11.26	38.63	0.00	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5642.40	49.78	68.30	-18.52	40.35	34.51	11.06	36.14	0.00	293	0 PEAK																																																																																																																									
2	5650.00	48.94	68.30	-19.36	39.65	34.50	11.07	36.28	0.00	293	0 PEAK																																																																																																																									
3	5719.60	60.38	110.79	-50.41	52.07	34.66	11.17	37.52	0.00	293	0 PEAK																																																																																																																									
4	5720.00	55.05	110.90	-55.85	46.73	34.67	11.17	37.52	0.00	293	0 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5775.00	99.61	122.30	-22.69	92.15	34.83	11.26	38.63	0.00	293	0 PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>90.76</td><td>122.30</td><td>-31.54</td><td>83.30</td><td>34.83</td><td>11.26</td><td>38.63</td><td>0.00</td><td>293</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	90.76	122.30	-31.54	83.30	34.83	11.26	38.63	0.00	293	0 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5775.00	90.76	122.30	-31.54	83.30	34.83	11.26	38.63	0.00	293	0 AVERAGE																																																																																																																									





Mode	38																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																							
ANT	1																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5854.00</td><td>54.25</td><td>113.18</td><td>-58.93</td><td>47.81</td><td>35.02</td><td>11.33</td><td>39.91</td><td>0.00</td><td>293 0 PEAK</td></tr><tr><td>2 5873.60</td><td>50.56</td><td>105.69</td><td>-55.13</td><td>44.18</td><td>35.05</td><td>11.35</td><td>40.02</td><td>0.00</td><td>293 0 PEAK</td></tr><tr><td>3 5924.40</td><td>46.58</td><td>68.74</td><td>-22.16</td><td>39.94</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>293 0 PEAK</td></tr><tr><td>4 5934.40</td><td>47.04</td><td>68.30</td><td>-21.26</td><td>40.34</td><td>35.15</td><td>11.41</td><td>39.86</td><td>0.00</td><td>293 0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.00	54.25	113.18	-58.93	47.81	35.02	11.33	39.91	0.00	293 0 PEAK	2 5873.60	50.56	105.69	-55.13	44.18	35.05	11.35	40.02	0.00	293 0 PEAK	3 5924.40	46.58	68.74	-22.16	39.94	35.13	11.40	39.89	0.00	293 0 PEAK	4 5934.40	47.04	68.30	-21.26	40.34	35.15	11.41	39.86	0.00	293 0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.00	54.25	113.18	-58.93	47.81	35.02	11.33	39.91	0.00	293 0 PEAK																																																															
2 5873.60	50.56	105.69	-55.13	44.18	35.05	11.35	40.02	0.00	293 0 PEAK																																																															
3 5924.40	46.58	68.74	-22.16	39.94	35.13	11.40	39.89	0.00	293 0 PEAK																																																															
4 5934.40	47.04	68.30	-21.26	40.34	35.15	11.41	39.86	0.00	293 0 PEAK																																																															



Mode	38																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>43.51</td><td>74.00</td><td>-30.49</td><td>55.46</td><td>38.34</td><td>16.39</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	43.51	74.00	-30.49	55.46	38.34	16.39	66.68	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>43.57</td><td>74.00</td><td>-30.43</td><td>55.52</td><td>38.34</td><td>16.39</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	43.57	74.00	-30.43	55.52	38.34	16.39	66.68	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11550.00	43.51	74.00	-30.49	55.46	38.34	16.39	66.68	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11550.00	43.57	74.00	-30.43	55.52	38.34	16.39	66.68	0.00	---	---	PEAK																																																																																								





Mode	44																																																																																																																																																																																																										
	LF																																																																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full RU_5745MHz																																																																																																																																																																																																										
ANT	1																																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																																				
QPI Peak	Data: 10 						Data: 9 																																																																																																																																																																																																				
	Site : 03CH02-KS Condition : 5G BAND4 3m CBL6111D SN23188 HORIZONTAL Project : RBW:100.000KHz VBW:300.000KHz SWT:Auto mode : 5 IMEI : #5 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>109.54</td><td>18.41</td><td>-25.09</td><td>43.50</td><td>32.75</td><td>16.94</td><td>1.58</td><td>32.86</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>2</td><td>139.61</td><td>23.05</td><td>-20.45</td><td>43.50</td><td>37.52</td><td>16.56</td><td>1.80</td><td>32.83</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>3</td><td>191.99</td><td>22.15</td><td>-21.35</td><td>43.50</td><td>37.31</td><td>15.57</td><td>2.11</td><td>32.84</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>4</td><td>259.89</td><td>23.05</td><td>-22.95</td><td>46.00</td><td>34.77</td><td>18.60</td><td>2.46</td><td>32.78</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>5</td><td>349.13</td><td>21.31</td><td>-24.69</td><td>46.00</td><td>30.96</td><td>20.41</td><td>2.85</td><td>32.93</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>6</td><td>661.47</td><td>27.33</td><td>-18.67</td><td>46.00</td><td>31.15</td><td>25.22</td><td>3.93</td><td>32.97</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	109.54	18.41	-25.09	43.50	32.75	16.94	1.58	32.86	---	---	Peak HORIZONTAL	2	139.61	23.05	-20.45	43.50	37.52	16.56	1.80	32.83	---	---	Peak HORIZONTAL	3	191.99	22.15	-21.35	43.50	37.31	15.57	2.11	32.84	---	---	Peak HORIZONTAL	4	259.89	23.05	-22.95	46.00	34.77	18.60	2.46	32.78	---	---	Peak HORIZONTAL	5	349.13	21.31	-24.69	46.00	30.96	20.41	2.85	32.93	---	---	Peak HORIZONTAL	6	661.47	27.33	-18.67	46.00	31.15	25.22	3.93	32.97	---	---	Peak HORIZONTAL	Site : 03CH02-KS Condition : 5G BAND4 3m CBL6111D SN23188 VERTICAL Project : RBW:100.000KHz VBW:300.000KHz SWT:Auto mode : 5 IMEI : #5 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>47.46</td><td>29.11</td><td>-10.89</td><td>40.00</td><td>45.61</td><td>15.40</td><td>1.04</td><td>32.94</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>2</td><td>145.43</td><td>24.93</td><td>-18.57</td><td>43.50</td><td>39.44</td><td>16.48</td><td>1.83</td><td>32.82</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>3</td><td>191.99</td><td>21.26</td><td>-22.24</td><td>43.50</td><td>36.42</td><td>15.57</td><td>2.11</td><td>32.84</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>4</td><td>263.77</td><td>20.95</td><td>-25.05</td><td>46.00</td><td>32.58</td><td>18.67</td><td>2.48</td><td>32.78</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>5</td><td>470.38</td><td>23.08</td><td>-22.92</td><td>46.00</td><td>29.80</td><td>22.97</td><td>3.31</td><td>33.00</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>6</td><td>607.15</td><td>27.25</td><td>-18.75</td><td>46.00</td><td>31.57</td><td>24.98</td><td>3.76</td><td>33.06</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	47.46	29.11	-10.89	40.00	45.61	15.40	1.04	32.94	---	---	Peak VERTICAL	2	145.43	24.93	-18.57	43.50	39.44	16.48	1.83	32.82	---	---	Peak VERTICAL	3	191.99	21.26	-22.24	43.50	36.42	15.57	2.11	32.84	---	---	Peak VERTICAL	4	263.77	20.95	-25.05	46.00	32.58	18.67	2.48	32.78	---	---	Peak VERTICAL	5	470.38	23.08	-22.92	46.00	29.80	22.97	3.31	33.00	---	---	Peak VERTICAL	6	607.15	27.25	-18.75	46.00	31.57	24.98	3.76	33.06	---	---
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	109.54	18.41	-25.09	43.50	32.75	16.94	1.58	32.86	---	---	Peak HORIZONTAL																																																																																																																																																																																																
2	139.61	23.05	-20.45	43.50	37.52	16.56	1.80	32.83	---	---	Peak HORIZONTAL																																																																																																																																																																																																
3	191.99	22.15	-21.35	43.50	37.31	15.57	2.11	32.84	---	---	Peak HORIZONTAL																																																																																																																																																																																																
4	259.89	23.05	-22.95	46.00	34.77	18.60	2.46	32.78	---	---	Peak HORIZONTAL																																																																																																																																																																																																
5	349.13	21.31	-24.69	46.00	30.96	20.41	2.85	32.93	---	---	Peak HORIZONTAL																																																																																																																																																																																																
6	661.47	27.33	-18.67	46.00	31.15	25.22	3.93	32.97	---	---	Peak HORIZONTAL																																																																																																																																																																																																
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	47.46	29.11	-10.89	40.00	45.61	15.40	1.04	32.94	---	---	Peak VERTICAL																																																																																																																																																																																																
2	145.43	24.93	-18.57	43.50	39.44	16.48	1.83	32.82	---	---	Peak VERTICAL																																																																																																																																																																																																
3	191.99	21.26	-22.24	43.50	36.42	15.57	2.11	32.84	---	---	Peak VERTICAL																																																																																																																																																																																																
4	263.77	20.95	-25.05	46.00	32.58	18.67	2.48	32.78	---	---	Peak VERTICAL																																																																																																																																																																																																
5	470.38	23.08	-22.92	46.00	29.80	22.97	3.31	33.00	---	---	Peak VERTICAL																																																																																																																																																																																																
6	607.15	27.25	-18.75	46.00	31.57	24.98	3.76	33.06	---	---	Peak VERTICAL																																																																																																																																																																																																



<Simultaneous transmission>

Radiated Spurious Emission Test Modes





Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 45	U-NII-2A	5.25-5.35	1	802.11ac VHT80	58	5290	MCS0	-	-
Mode 45	LTE Band 14- BW 5M								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
45	802.11ac VHT80	58	5350.40	48.72	54.00	-5.28	V	AVERAGE	Pass	Band Edge
	802.11ac VHT80	58	7052.80	48.98	68.30	-19.32	V	Peak	Pass	Harmonic







Mode	45																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5133.28</td><td>49.92</td><td>74.00</td><td>-24.08</td><td>42.21</td><td>34.20</td><td>10.59</td><td>37.08</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.28	49.92	74.00	-24.08	42.21	34.20	10.59	37.08	0.00	100	43	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>87.06</td><td>68.30</td><td>18.76</td><td>78.81</td><td>34.39</td><td>10.70</td><td>36.84</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	87.06	68.30	18.76	78.81	34.39	10.70	36.84	0.00	100	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5133.28	49.92	74.00	-24.08	42.21	34.20	10.59	37.08	0.00	100	43	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	87.06	68.30	18.76	78.81	34.39	10.70	36.84	0.00	100	43	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5115.04</td><td>38.85</td><td>54.00</td><td>-15.15</td><td>31.22</td><td>34.18</td><td>10.57</td><td>37.12</td><td>0.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5115.04	38.85	54.00	-15.15	31.22	34.18	10.57	37.12	0.00	100	43	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>77.96</td><td>68.30</td><td>9.66</td><td>69.60</td><td>34.43</td><td>10.71</td><td>36.78</td><td>0.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	77.96	68.30	9.66	69.60	34.43	10.71	36.78	0.00	100	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5115.04	38.85	54.00	-15.15	31.22	34.18	10.57	37.12	0.00	100	43	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	77.96	68.30	9.66	69.60	34.43	10.71	36.78	0.00	100	43	AVERAGE																																																																																							





Mode	45																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5370.70</td><td>49.88</td><td>74.00</td><td>-24.12</td><td>41.20</td><td>34.55</td><td>10.76</td><td>36.63</td><td>0.00</td><td>100</td><td>43 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5370.70	49.88	74.00	-24.12	41.20	34.55	10.76	36.63	0.00	100	43 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5370.70	49.88	74.00	-24.12	41.20	34.55	10.76	36.63	0.00	100	43 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.20</td><td>39.76</td><td>54.00</td><td>-14.24</td><td>31.12</td><td>34.54</td><td>10.75</td><td>36.65</td><td>0.00</td><td>100</td><td>43 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.20	39.76	54.00	-14.24	31.12	34.54	10.75	36.65	0.00	100	43 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5360.20	39.76	54.00	-14.24	31.12	34.54	10.75	36.65	0.00	100	43 AVERAGE																																											





Mode	45																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5111.84</td><td>49.34</td><td>74.00</td><td>-24.66</td><td>41.72</td><td>34.17</td><td>10.57</td><td>37.12</td><td>0.00</td><td>323</td><td>109</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5111.84	49.34	74.00	-24.66	41.72	34.17	10.57	37.12	0.00	323	109	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>100.18</td><td>68.30</td><td>31.88</td><td>91.82</td><td>34.43</td><td>10.71</td><td>36.78</td><td>0.00</td><td>323</td><td>109</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	100.18	68.30	31.88	91.82	34.43	10.71	36.78	0.00	323	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5111.84	49.34	74.00	-24.66	41.72	34.17	10.57	37.12	0.00	323	109	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	100.18	68.30	31.88	91.82	34.43	10.71	36.78	0.00	323	109	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.72</td><td>39.30</td><td>54.00</td><td>-14.70</td><td>31.60</td><td>34.20</td><td>10.59</td><td>37.09</td><td>0.00</td><td>323</td><td>109</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.72	39.30	54.00	-14.70	31.60	34.20	10.59	37.09	0.00	323	109	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.75</td><td>68.30</td><td>22.45</td><td>82.36</td><td>34.44</td><td>10.72</td><td>36.77</td><td>0.00</td><td>323</td><td>109</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.75	68.30	22.45	82.36	34.44	10.72	36.77	0.00	323	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5130.72	39.30	54.00	-14.70	31.60	34.20	10.59	37.09	0.00	323	109	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	90.75	68.30	22.45	82.36	34.44	10.72	36.77	0.00	323	109	AVERAGE																																																																																							



Mode	45																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.10</td><td>57.84</td><td>74.00</td><td>-16.16</td><td>49.24</td><td>34.52</td><td>10.75</td><td>36.67</td><td>0.00</td><td>323</td><td>109</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.10	57.84	74.00	-16.16	49.24	34.52	10.75	36.67	0.00	323	109	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.10	57.84	74.00	-16.16	49.24	34.52	10.75	36.67	0.00	323	109	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.40</td><td>48.72</td><td>54.00</td><td>-5.28</td><td>40.12</td><td>34.52</td><td>10.75</td><td>36.67</td><td>0.00</td><td>323</td><td>109</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.40	48.72	54.00	-5.28	40.12	34.52	10.75	36.67	0.00	323	109	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.40	48.72	54.00	-5.28	40.12	34.52	10.75	36.67	0.00	323	109	AVERAGE																																												




		45																																																																				
Mode		Harmonic																																																																				
		U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																																				
ANT		1																																																																				
Pol.		Horizontal						Vertical																																																														
Peak Avg																																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>44.29</td><td>68.30</td><td>-24.01</td><td>58.09</td><td>37.61</td><td>15.65</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.29	68.30	-24.01	58.09	37.61	15.65	67.06	0.00	---	---	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	10580.00	44.29	68.30	-24.01	58.09	37.61	15.65	67.06	0.00	---	---	PEAK																																																										
																																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7052.00</td><td>48.98</td><td>68.30</td><td>-19.32</td><td>66.57</td><td>35.71</td><td>12.52</td><td>65.82</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>43.26</td><td>68.30</td><td>-25.04</td><td>57.06</td><td>37.61</td><td>15.65</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7052.00	48.98	68.30	-19.32	66.57	35.71	12.52	65.82	0.00	---	---	Peak	2	10580.00	43.26	68.30	-25.04	57.06	37.61	15.65	67.06	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	7052.00	48.98	68.30	-19.32	66.57	35.71	12.52	65.82	0.00	---	---	Peak																																																										
2	10580.00	43.26	68.30	-25.04	57.06	37.61	15.65	67.06	0.00	---	---	PEAK																																																										

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	0.96	4.137	0.242	0.27KHz
802.11ac VHT20	0.94	3.874	0.258	0.27KHz
802.11ac VHT40	0.91	1.902	0.526	0.56KHz
802.11ac VHT80	0.85	0.927	1.079	1.1KHz

802.11a






802.11ac VHT20



802.11ac VHT40



802.11ac VHT80

