



Model/(Type): 10800472/(10800010)

Serial Number: xxxxx

Volume: 47L (50qt)

Nominal Voltage: DC 12/24V 
AC 120V~ 60Hz

Fuse:  4.0A

Nominal Current: 1.3A at AC120V
7.0A at DC12V
3.0A at DC24V

Refrigerant: R134a/47g

Max. Pressure: ND 11 bar/HD 25 bar







Insulation Blowing Gas: C₅H₁₀

Climatic Class: N or T

Made In China

App. No. A/12948EA


ARB Corporation Ltd.
www.arb.com.au









Model/(Type): 10800352/(10800020)

Serial Number: xxxxx

Volume: 35L (37qt)

Nominal Voltage: DC 12/24V 
AC 120V ~ 60Hz

Fuse:  4.0A

Nominal Current: 0.75A at AC120V
5.0A at DC12V
2.5A at DC24V

Refrigerant: R134a/42g

Max. Pressure: ND 11 bar/HD 25 bar







Insulation Blowing Gas: C₅H₁₀

Climatic Class: N or T

Made In China

App. No. A/12948EA


ARB Corporation Ltd.
www.arb.com.au









Model/(Type): 10800602/(10800030)

Serial Number: xxxxx

Volume: 60L (63qt)

Nominal Voltage: DC 12/24V 
AC 120V~ 60Hz

Fuse:  4.0A

Nominal Current: 1.0A at AC120V
5.3A at DC12V
3.0A at DC24V

Refrigerant: R134a/56g

Max. Pressure: ND 11 bar/HD 25 bar







Insulation Blowing Gas: C₅H₁₀

Climatic Class: N or T

Made In China

App. No. A/12948EA


ARB Corporation Ltd.
www.arb.com.au









Model/(Type): 10800782/(10800040)

Serial Number: xxxxx

Volume: 78L (82 qt)

Nominal Voltage: DC 12/24V 
AC 120V ~ 60Hz

Fuse:  4.0A

Nominal Current: 1.1A at AC120V
7.3A at DC12V
3.5A at DC24V

Refrigerant: R134a/63g

Max. Pressure: ND 11 bar/HD 25 bar

Insulation Blowing Gas: C₅H₁₀

Climatic Class: N or T

Made In China

App. No. A/12948EA

ARB Corporation Ltd.
www.arb.com.au

NOTE: THIS DRAWING WAS PRODUCED BY COMPUTER, DO NOT UPDATE MANUALLY.

PICTURE	A4
SCALE	

FCC ID:2AA2H-ARB-MONITOR
IC:11414A-ARBMONITOR

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

2:1

30


FCC ID:2AA2H-ARB-MONITOR
IC:11414A-ARBMONITOR

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



ΔΔ					PART NO.	51-325-SNW40B			
ΔΔ					TRIGONOMETRY		TITLE LABEL		
ΔΔ					DRN F.cheng	14Apr.14	MODEL NO. 325	DWG. NO.325SN02	
ΔΔ					CHK		SCALE FULL	MAT'L SILVER+PP	
ΔΔ					APPV		UNIT MM	SHEET 1/1	
NOTE	DATE	CONTENT	ECO NO.	NAME	MOBICOOL INTERNATIONAL LTD. ^{REV} 00				

1、Cooler Rating Label Location:



2、Wireless Transmitter label Location:

