




EUT Mode


802.11ax HE80 484RU65

Plot on Channel 5985 MHz




Date: 15.JUL.2024 11:48:42

Plot on Channel 6225 MHz




Date: 15.JUL.2024 11:49:48

Plot on Channel 6465 MHz



Date: 15.JUL.2024 14:08:35


Plot on Channel 6625 MHz




Date: 15.JUL.2024 11:50:42



Plot on Channel 6705 MHz



Plot on Channel 6945 MHz






EUT Mode


802.11ax HE80 484RU66

Plot on Channel 6385 MHz




Date: 15.JUL.2024 11:54:19

Plot on Channel 6865 MHz



Date: 15.JUL.2024 11:55:37

Plot on Channel 7025 MHz



Date: 15.JUL.2024 11:56:32




MIMO <Ant. 1+2(1)>

EUT Mode


802.11ax HE160 Full RU

Plot on Channel 6025 MHz




Date: 15.JUL.2024 10:18:44

Plot on Channel 6185 MHz




Date: 15.JUL.2024 10:37:40

Plot on Channel 6345 MHz



Date: 15.JUL.2024 10:38:39


Plot on Channel 6505 MHz



Date: 15.JUL.2024 10:40:09




Plot on Channel 6665 MHz




Date: 15.JUL.2024 10:41:06

Plot on Channel 6825 MHz



Date: 15.JUL.2024 10:41:57

Plot on Channel 6985 MHz




Date: 15.JUL.2024 10:42:46



EUT Mode


802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 15.JUL.2024 10:03:04

Plot on Channel 6185 MHz




Date: 15.JUL.2024 10:04:17

Plot on Channel 6505 MHz



Date: 15.JUL.2024 10:05:43


Plot on Channel 6665 MHz



Date: 15.JUL.2024 10:06:42




Plot on Channel 6825 MHz



Date: 15.JUL.2024 10:08:18

Plot on Channel 6985 MHz




Date: 15.JUL.2024 10:09:21



EUT Mode


802.11ax HE160 996RUS67

Plot on Channel 6345 MHz




Date: 15.JUL.2024 10:11:07

Plot on Channel 6505 MHz




Date: 15.JUL.2024 10:12:27

Plot on Channel 6825 MHz



Date: 15.JUL.2024 10:13:39

Plot on Channel 6985 MHz



Date: 15.JUL.2024 10:14:40




MIMO <Ant. 1+2(2)>

EUT Mode


802.11ax HE160 Full RU

Plot on Channel 6025 MHz




Date: 15.JUL.2024 11:26:11

Plot on Channel 6185 MHz




Date: 15.JUL.2024 11:27:07

Plot on Channel 6345 MHz



Date: 15.JUL.2024 11:28:03


Plot on Channel 6505 MHz



Date: 15.JUL.2024 11:29:37




Plot on Channel 6665 MHz




Date: 15.JUL.2024 11:30:33

Plot on Channel 6825 MHz



Date: 15.JUL.2024 11:31:33

Plot on Channel 6985 MHz




Date: 15.JUL.2024 11:32:27



EUT Mode


802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 15.JUL.2024 11:37:21

Plot on Channel 6185 MHz




Date: 15.JUL.2024 11:38:12

Plot on Channel 6505 MHz



Date: 15.JUL.2024 11:39:45


Plot on Channel 6665 MHz



Date: 15.JUL.2024 11:40:47




Plot on Channel 6825 MHz



Date: 15.JUL.2024 11:41:44

Plot on Channel 6985 MHz




Date: 15.JUL.2024 11:43:28



EUT Mode


802.11ax HE160 996RUS67

Plot on Channel 6345 MHz




Date: 15.JUL.2024 11:47:27

Plot on Channel 6505 MHz




Date: 15.JUL.2024 11:46:32

Plot on Channel 6825 MHz



Date: 15.JUL.2024 11:45:34

Plot on Channel 6985 MHz



Date: 15.JUL.2024 11:44:37




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	24.3~26.6℃
		Relative Humidity :	43.5~52.9%

EUT Information

Report NO : 450111
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.157740	---	21.29	55.58	34.29	L1	OFF	19.9
0.157740	41.67	---	65.58	23.91	L1	OFF	19.9
0.354750	---	22.95	48.85	25.90	L1	OFF	19.9
0.354750	31.17	---	58.85	27.68	L1	OFF	19.9
0.422250	---	24.41	47.40	22.99	L1	OFF	19.9
0.422250	30.37	---	57.40	27.03	L1	OFF	19.9
11.845050	---	29.40	50.00	20.60	L1	OFF	20.1
11.845050	34.28	---	60.00	25.72	L1	OFF	20.1
12.483420	---	27.78	50.00	22.22	L1	OFF	20.1
12.483420	36.45	---	60.00	23.55	L1	OFF	20.1
12.959520	---	40.50	50.00	9.50	L1	OFF	20.1
12.959520	46.44	---	60.00	13.56	L1	OFF	20.1
13.559820	---	40.00	50.00	10.00	L1	OFF	20.1
13.559820	44.20	---	60.00	15.80	L1	OFF	20.1
14.653860	---	35.13	50.00	14.87	L1	OFF	20.1
14.653860	41.62	---	60.00	18.38	L1	OFF	20.1
16.015740	---	30.13	50.00	19.87	L1	OFF	20.1
16.015740	37.23	---	60.00	22.77	L1	OFF	20.1

EUT Information

Report NO : 450111
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.168000	---	19.48	55.06	35.58	N	OFF	19.9
0.168000	40.63	---	65.06	24.43	N	OFF	19.9
0.228750	---	15.86	52.50	36.64	N	OFF	19.9
0.228750	34.10	---	62.50	28.40	N	OFF	19.9
0.271500	---	15.90	51.07	35.17	N	OFF	19.9
0.271500	30.66	---	61.07	30.41	N	OFF	19.9
0.350250	---	22.77	48.96	26.19	N	OFF	19.9
0.350250	28.31	---	58.96	30.65	N	OFF	19.9
0.422250	---	20.78	47.40	26.62	N	OFF	19.9
0.422250	27.64	---	57.40	29.76	N	OFF	19.9
11.653440	---	27.21	50.00	22.79	N	OFF	20.1
11.653440	32.15	---	60.00	27.85	N	OFF	20.1
12.449130	---	29.31	50.00	20.69	N	OFF	20.1
12.449130	39.68	---	60.00	20.32	N	OFF	20.1
12.954750	---	37.53	50.00	12.47	N	OFF	20.1
12.954750	45.08	---	60.00	14.92	N	OFF	20.1
13.558470	---	38.66	50.00	11.34	N	OFF	20.1
13.558470	43.19	---	60.00	16.81	N	OFF	20.1
14.655480	---	34.51	50.00	15.49	N	OFF	20.1

14.655480	40.90	---	60.00	19.10	N	OFF	20.1
16.941750	---	27.26	50.00	22.74	N	OFF	20.2
16.941750	34.94	---	60.00	25.06	N	OFF	20.2



Appendix C. Radiated Spurious Emission

Test Engineer :	John Chuang, David Dai and Sam Chou	Temperature :	19.7~23.5°C
		Relative Humidity :	64.9~70.8%

Band 5 - 5925~6425MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 01 5955MHz		5923.7	59.48	-28.72	88.2	49.15	34.3	13.96	37.93	111	61	P	H
		5923.14	46.32	-21.88	68.2	35.99	34.3	13.96	37.93	111	61	A	H
	*	5955	113.42	-	-	103.05	34.28	14.01	37.92	111	61	P	H
	*	5955	106.59	-	-	96.22	34.28	14.01	37.92	111	61	A	H
													H
													H
		5917.96	57.68	-30.52	88.2	47.36	34.3	13.95	37.93	108	359	P	V
		5921.46	45.44	-22.76	68.2	35.12	34.3	13.95	37.93	108	359	A	V
	*	5955	113.38	-	-	103.01	34.28	14.01	37.92	108	359	P	V
	*	5955	106.15	-	-	95.78	34.28	14.01	37.92	108	359	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**Band 5 5925~6425MHz****WIFI 802.11a (Harmonic @ 3m)**

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 01 5955MHz		11910	51.68	-22.32	74	35.87	38.92	19.9	43.01	200	214	P	H
		11910	40.64	-13.36	54	24.83	38.92	19.9	43.01	200	214	A	H
		17865	56.27	-17.73	74	35.68	41.48	24.54	45.43	200	304	P	H
		17865	45.31	-8.69	54	24.72	41.48	24.54	45.43	200	304	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		11910	50.92	-23.08	74	35.11	38.92	19.9	43.01	100	307	P	V
		11910	40.64	-13.36	54	24.83	38.92	19.9	43.01	100	307	A	V
		17865	57.04	-16.96	74	36.45	41.48	24.54	45.43	400	178	P	V
		17865	45.3	-8.7	54	24.71	41.48	24.54	45.43	400	178	A	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 49 6195MHz		12390	51.54	-22.46	74	35.33	39.01	20.33	43.13	200	9	P	H
		12390	41.01	-12.99	54	24.8	39.01	20.33	43.13	200	9	A	H
		18585	42.25	-31.75	74	52.32	38.27	15.44	63.78	150	30	P	H
		18585	31.93	-22.07	54	42	38.27	15.44	63.78	150	30	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		12390	51.58	-22.42	74	35.37	39.01	20.33	43.13	300	226	P	V
		12390	41.02	-12.98	54	24.81	39.01	20.33	43.13	300	226	A	V
		18585	40.45	-33.55	74	50.52	38.27	15.44	63.78	150	33	P	V
		18585	29.97	-24.03	54	40.04	38.27	15.44	63.78	150	33	A	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 93 6415MHz		12830	51.79	-36.41	88.2	34.29	39.76	20.75	43.01	-	-	P	H
		19245	41.15	-32.85	74	50.71	38	15.9	63.46	150	48	P	H
		19245	30.64	-23.36	54	40.2	38	15.9	63.46	150	48	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12830	51.23	-36.97	88.2	33.73	39.76	20.75	43.01	-	-	P	V
		19245	39.09	-34.91	74	48.65	38	15.9	63.46	150	57	P	V
		19245	29.47	-24.53	54	39.03	38	15.9	63.46	150	57	A	V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 5955MHz		5924.68	66.65	-21.55	88.2	56.32	34.3	13.96	37.93	113	61	P	H
		5924.96	47.63	-20.57	68.2	37.3	34.3	13.96	37.93	113	61	A	H
	*	5955	113.74	-	-	103.37	34.28	14.01	37.92	113	61	P	H
	*	5955	106.2	-	-	95.83	34.28	14.01	37.92	113	61	A	H
													H
													H
		5921.46	62.88	-25.32	88.2	52.56	34.3	13.95	37.93	100	359	P	V
		5924.96	47.16	-21.04	68.2	36.83	34.3	13.96	37.93	100	359	A	V
	*	5955	113.06	-	-	102.69	34.28	14.01	37.92	100	359	P	V
	*	5955	105.75	-	-	95.38	34.28	14.01	37.92	100	359	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 5955MHz		11910	50.63	-23.37	74	34.82	38.92	19.9	43.01	400	255	P	H
		11910	40.45	-13.55	54	24.64	38.92	19.9	43.01	400	255	A	H
		17865	55.47	-18.53	74	34.88	41.48	24.54	45.43	100	345	P	H
		17865	45.38	-8.62	54	24.79	41.48	24.54	45.43	100	345	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		11910	49.99	-24.01	74	34.18	38.92	19.9	43.01	300	60	P	V
		11910	40.39	-13.61	54	24.58	38.92	19.9	43.01	300	60	A	V
		17865	56.24	-17.76	74	35.65	41.48	24.54	45.43	200	248	P	V
		17865	45.46	-8.54	54	24.87	41.48	24.54	45.43	200	248	A	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 49 6195MHz		12390	51.38	-22.62	74	35.17	39.01	20.33	43.13	200	10	P	H
		12390	40.98	-13.02	54	24.77	39.01	20.33	43.13	200	10	A	H
		18585	45.89	-28.11	74	55.96	38.27	15.44	63.78	150	118	P	H
		18585	33.25	-20.75	54	43.32	38.27	15.44	63.78	150	118	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		12390	51.45	-22.55	74	35.24	39.01	20.33	43.13	400	20	P	V
		12390	40.99	-13.01	54	24.78	39.01	20.33	43.13	400	20	A	V
		18585	38.61	-35.39	74	48.68	38.27	15.44	63.78	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 93 6415MHz		12830	52.28	-35.92	88.2	34.78	39.76	20.75	43.01	-	-	P	H
		19245	44.62	-29.38	74	54.18	38	15.9	63.46	150	107	P	H
		19245	34.36	-19.64	54	43.92	38	15.9	63.46	150	107	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12830	51.72	-36.48	88.2	34.22	39.76	20.75	43.01	-	-	P	V
		19245	37.66	-36.34	74	47.22	38	15.9	63.46	-	-	P	V
													V
													V
													V
													V
													V
													V
												V	
												V	
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/53 CH 01 5955MHz		5924.96	86.23	-1.97	88.2	75.9	34.3	13.96	37.93	196	358	P	H
		5924.68	61.27	-6.93	68.2	50.94	34.3	13.96	37.93	196	358	A	H
	*	5955	115.61	-	-	105.24	34.28	14.01	37.92	196	358	P	H
	*	5955	109.05	-	-	98.68	34.28	14.01	37.92	196	358	A	H
													H
													H
		5924.68	85.11	-3.09	88.2	74.78	34.3	13.96	37.93	100	359	P	V
		5924.96	61.28	-6.92	68.2	50.95	34.3	13.96	37.93	100	359	A	V
	*	5955	115.72	-	-	105.35	34.28	14.01	37.92	100	359	P	V
	*	5955	108.96	-	-	98.59	34.28	14.01	37.92	100	359	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 5965MHz		5921.46	61.89	-26.31	88.2	51.57	34.3	13.95	37.93	109	61	P	H
		5921.28	49.7	-18.5	68.2	39.38	34.3	13.95	37.93	109	61	A	H
	*	5965	111.75	-	-	101.41	34.24	14.02	37.92	109	61	P	H
	*	5965	102.89	-	-	92.55	34.24	14.02	37.92	109	61	A	H
													H
													H
		5919.3	58.55	-29.65	88.2	48.23	34.3	13.95	37.93	117	359	P	V
		5925	49.4	-18.8	68.2	39.07	34.3	13.96	37.93	117	359	A	V
	*	5965	109.7	-	-	99.36	34.24	14.02	37.92	117	359	P	V
	*	5965	102.47	-	-	92.13	34.24	14.02	37.92	117	359	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 5965MHz		11930	49.9	-24.1	74	34.05	38.96	19.92	43.03	321	112	P	H
		11930	40.79	-13.21	54	24.94	38.96	19.92	43.03	321	112	A	H
		17895	55.13	-18.87	74	34.2	41.84	24.56	45.47	102	182	P	H
		17895	46	-8	54	25.07	41.84	24.56	45.47	102	182	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		11930	50.5	-23.5	74	34.65	38.96	19.92	43.03	398	101	P	V
		11930	40.81	-13.19	54	24.96	38.96	19.92	43.03	398	101	A	V
		17895	54.24	-19.76	74	33.31	41.84	24.56	45.47	105	242	P	V
		17895	46.19	-7.81	54	25.26	41.84	24.56	45.47	105	242	A	V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 51 6205MHz		12410	51.52	-22.48	74	35.29	39.01	20.35	43.13	400	31	P	H
		12410	41.08	-12.92	54	24.85	39.01	20.35	43.13	400	31	A	H
		18615	37.48	-36.52	74	47.56	38.24	15.46	63.78	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12410	51.41	-22.59	74	35.18	39.01	20.35	43.13	100	18	P	V
		12410	41.09	-12.91	54	24.86	39.01	20.35	43.13	100	18	A	V
		18615	37.89	-36.11	74	47.97	38.24	15.46	63.78	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial 242/61 CH 03 5965MHz		5910.3	81.93	-6.27	88.2	71.62	34.3	13.94	37.93	100	359	P	H
		5910.12	60.5	-7.7	68.2	50.19	34.3	13.94	37.93	100	359	P	H
	*	5965	112.61	-	-	102.27	34.24	14.02	37.92	100	359	P	H
	*	5965	105.74	-	-	95.4	34.24	14.02	37.92	100	359	A	H
													H
													H
		5907.6	81.89	-6.31	88.2	71.59	34.3	13.93	37.93	110	360	P	V
		5916.78	60.46	-7.74	68.2	50.14	34.3	13.95	37.93	110	360	A	V
	*	5965	112.33	-	-	101.99	34.24	14.02	37.92	110	360	P	V
	*	5965	105.24	-	-	94.9	34.24	14.02	37.92	110	360	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 07 5985MHz		5918.6	64.49	-23.71	88.2	54.17	34.3	13.95	37.93	139	357	P	H
		5922.28	54.55	-13.65	68.2	44.22	34.3	13.96	37.93	139	357	A	H
	*	5985	107.42	-	-	97.11	34.16	14.06	37.91	139	357	P	H
	*	5985	100.01	-	-	89.7	34.16	14.06	37.91	139	357	A	H
													H
													H
		5917.16	62.7	-25.5	88.2	52.38	34.3	13.95	37.93	100	359	P	V
		5917	52.81	-15.39	68.2	42.49	34.3	13.95	37.93	100	359	A	V
	*	5985	108.32	-	-	98.01	34.16	14.06	37.91	100	359	P	V
	*	5985	99.3	-	-	88.99	34.16	14.06	37.91	100	359	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 07 5985MHz		11970	49.81	-24.19	74	33.88	39.04	19.95	43.06	195	240	P	H
		11970	41.14	-12.86	54	25.21	39.04	19.95	43.06	195	240	A	H
		17955	54.8	-19.2	74	33.52	42.23	24.59	45.54	202	115	P	H
		17955	46.74	-7.26	54	25.46	42.23	24.59	45.54	202	115	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		11970	50.13	-23.87	74	34.2	39.04	19.95	43.06	387	58	P	V
		11970	41.26	-12.74	54	25.33	39.04	19.95	43.06	387	58	A	V
		17955	55.23	-18.77	74	33.95	42.23	24.59	45.54	311	354	P	V
		17955	46.78	-7.22	54	25.5	42.23	24.59	45.54	311	354	A	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 55 6225MHz		12450	51.12	-22.88	74	34.81	39.05	20.39	43.13	152	258	P	H
		12450	41.54	-12.46	54	25.23	39.05	20.39	43.13	152	258	A	H
		18675	39.05	-34.95	74	49.36	37.95	15.5	63.76	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12450	50.78	-23.22	74	34.47	39.05	20.39	43.13	222	25	P	V
		12450	41.41	-12.59	54	25.1	39.05	20.39	43.13	222	25	A	V
		18675	37.35	-36.65	74	47.66	37.95	15.5	63.76	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Partial 484/65 CH 07 5985MHz		5924.68	77.86	-10.34	88.2	67.53	34.3	13.96	37.93	158	360	P	H
		5923.24	57.41	-10.79	68.2	47.08	34.3	13.96	37.93	158	360	A	H
	*	5985	109.14	-	-	98.83	34.16	14.06	37.91	158	360	P	H
	*	5985	101.7	-	-	91.39	34.16	14.06	37.91	158	360	A	H
													H
													H
		5922.44	77.87	-10.33	88.2	67.54	34.3	13.96	37.93	125	359	P	V
		5921.96	56.78	-11.42	68.2	46.45	34.3	13.96	37.93	125	359	A	V
	*	5985	110.89	-	-	100.58	34.16	14.06	37.91	125	359	P	V
	*	5985	102.49	-	-	92.18	34.16	14.06	37.91	125	359	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 15 6025MHz		5897	64.12	-24.08	88.2	53.83	34.3	13.92	37.93	100	61	P	H
		5908.84	53.24	-14.96	68.2	42.94	34.3	13.93	37.93	100	61	A	H
	*	6025	106.02	-	-	95.63	34.2	14.1	37.91	100	61	P	H
	*	6025	96.84	-	-	86.45	34.2	14.1	37.91	100	61	P	H
													H
													H
		5901.8	62.08	-26.12	88.2	51.79	34.3	13.92	37.93	120	1	P	V
		5906.28	53.58	-14.62	68.2	43.28	34.3	13.93	37.93	120	1	A	V
	*	6025	103.87	-	-	93.48	34.2	14.1	37.91	120	1	P	V
	*	6025	95.7	-	-	85.31	34.2	14.1	37.91	120	1	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 5 5925~6425MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

[illegible]

[illegible]

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Partial 996/67 CH 15 6025MHz		5903.08	80.4	-7.8	88.2	70.11	34.3	13.92	37.93	146	358	P	H
		5892.52	65.27	-2.93	68.2	55	34.3	13.91	37.94	146	358	A	H
	*	6025	108.48	-	-	98.09	34.2	14.1	37.91	146	358	P	H
	*	6025	100.35	-	-	89.96	34.2	14.1	37.91	146	358	P	H
													H
													H
		5900.84	78	-10.2	88.2	67.71	34.3	13.92	37.93	106	360	P	V
		5900.52	64.68	-3.52	68.2	54.39	34.3	13.92	37.93	106	360	A	V
	*	6025	107.11	-	-	96.72	34.2	14.1	37.91	106	360	P	V
	*	6025	99.1	-	-	88.71	34.2	14.1	37.91	106	360	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 6 - 6425~6525MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 97 6435MHz		12870	50.89	-37.31	88.2	33.26	39.84	20.78	42.99	-	-	P	H
		19305	39.71	-34.29	74	49.01	38.16	15.94	63.4	150	48	P	H
		19305	30.7	-23.3	54	40	38.16	15.94	63.4	150	48	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12870	51.86	-36.34	88.2	34.23	39.84	20.78	42.99	-	-	P	V
		19305	39.22	-34.78	74	48.52	38.16	15.94	63.4	150	11	P	V
		19305	29.75	-24.25	54	39.05	38.16	15.94	63.4	150	11	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 105 6475MHz		12950	51.74	-36.46	88.2	34	39.85	20.85	42.96	-	-	P	H
		19425	41.09	-32.91	74	50.25	38.1	16.02	63.28	150	42	P	H
		19425	30.6	-23.4	54	39.76	38.1	16.02	63.28	150	42	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12950	51.39	-36.81	88.2	33.65	39.85	20.85	42.96	-	-	P	V
		19425	40.6	-33.4	74	49.76	38.1	16.02	63.28	150	71	P	V
		19425	30.08	-23.92	54	39.24	38.1	16.02	63.28	150	71	A	V
													V
													V
													V
													V
													V
													V
													V

[illegible]

Band 6 6425~6525MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 105 6475MHz		12950	51.81	-36.39	88.2	34.07	39.85	20.85	42.96	-	-	P	H
		19425	48.2	-25.8	74	57.36	38.1	16.02	63.28	150	106	P	H
		19425	34.22	-19.78	54	43.38	38.1	16.02	63.28	150	106	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12950	51.4	-36.8	88.2	33.66	39.85	20.85	42.96	-	-	P	V
		19425	37.21	-36.79	74	46.37	38.1	16.02	63.28	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]

Band 6 6425~6525MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

[illegible]

[illegible]

[illegible]

Band 6 6425~6525MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

[illegible]

Band 6 6425~6525MHz

WIFI 802.11ax HE160 Full (Harmonic @ 3m)

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 117 6535MHz		13070	50.93	-37.27	88.2	33.21	39.73	20.96	42.97	-	-	P	H
		19605	42.06	-31.94	74	50.75	38.27	16.14	63.1	150	39	P	H
		19605	31.95	-22.05	54	40.64	38.27	16.14	63.1	150	39	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13070	51.42	-36.78	88.2	33.7	39.73	20.96	42.97	-	-	P	V
		19605	40.4	-33.6	74	49.09	38.27	16.14	63.1	150	31	P	V
		19605	29.65	-24.35	54	38.34	38.27	16.14	63.1	150	31	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 6695MHz		13390	54.96	-19.04	74	36.7	40.16	21.23	43.13	100	21	P	H
		13390	44.01	-9.99	54	25.75	40.16	21.23	43.13	100	21	A	H
		20085	41.88	-32.12	74	49.96	38.03	16.47	62.58	150	65	P	H
		20085	31.94	-22.06	54	40.02	38.03	16.47	62.58	150	65	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13390	52.89	-21.11	74	34.63	40.16	21.23	43.13	200	57	P	V
		13390	43.35	-10.65	54	25.09	40.16	21.23	43.13	200	57	A	V
		20085	40.42	-33.58	74	48.5	38.03	16.47	62.58	150	29	P	V
		20085	30.25	-23.75	54	38.33	38.03	16.47	62.58	150	29	A	V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]

Band 7 - 6525~6875MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 149 6695MHz		13390	54.11	-19.89	74	35.85	40.16	21.23	43.13	117	19	P	H
		13390	44.07	-9.93	54	25.81	40.16	21.23	43.13	117	19	A	H
		20085	43.71	-30.29	74	51.79	38.03	16.47	62.58	150	111	P	H
		20085	32.07	-21.93	54	40.15	38.03	16.47	62.58	150	111	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13390	52.56	-21.44	74	34.3	40.16	21.23	43.13	200	56	P	V
		13390	42.76	-11.24	54	24.5	40.16	21.23	43.13	200	56	A	V
		20085	39.37	-34.63	74	47.45	38.03	16.47	62.58	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 123 6565MHz		13130	50.94	-37.26	88.2	33.17	39.76	21.01	43	-	-	P	H
		19695	41.63	-32.37	74	50.26	38.18	16.2	63.01	150	122	P	H
		19695	32.67	-21.33	54	41.3	38.18	16.2	63.01	150	122	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13130	51.14	-37.06	88.2	33.37	39.76	21.01	43	-	-	P	V
		19695	38.98	-35.02	74	47.61	38.18	16.2	63.01	-	-	P	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 147 6685MHz		13370	51.56	-22.44	74	33.38	40.08	21.22	43.12	200	5	P	H
		13370	42.83	-11.17	54	24.65	40.08	21.22	43.12	200	5	A	H
		20055	37.29	-36.71	74	45.37	38.09	16.45	62.62	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13370	51.89	-22.11	74	33.71	40.08	21.22	43.12	250	49	P	V
		13370	42.42	-11.58	54	24.24	40.08	21.22	43.12	250	49	A	V
		20055	37.85	-36.15	74	45.93	38.09	16.45	62.62	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]

Band 7 - 6525~6875MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

[illegible]

[illegible]

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 143 6665MHz		13330	51.4	-22.6	74	33.4	39.92	21.18	43.1	231	5	P	H
		13330	43.12	-10.88	54	25.12	39.92	21.18	43.1	231	5	A	H
		19995	38.49	-35.51	74	46.98	37.81	16.41	62.71	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13330	51.32	-22.68	74	33.32	39.92	21.18	43.1	323	144	P	V
		13330	42.8	-11.2	54	24.8	39.92	21.18	43.1	323	144	A	V
		19995	36.58	-37.42	74	45.07	37.81	16.41	62.71	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 233 7115MHz	*	7115	109.07	-	-	95.72	36.55	15.24	38.44	242	35	P	H
	*	7115	101.62	-	-	88.27	36.55	15.24	38.44	242	35	A	H
		7125.02	74.04	-14.16	88.2	60.59	36.65	15.25	38.45	242	35	P	H
		7125.02	66.75	-1.45	68.2	53.3	36.65	15.25	38.45	242	35	A	H
													H
													H
	*	7115	101.67	-	-	88.32	36.55	15.24	38.44	300	318	P	V
	*	7115	94.76	-	-	81.41	36.55	15.24	38.44	300	318	A	V
		7125.02	67.25	-20.95	88.2	53.8	36.65	15.25	38.45	300	318	P	V
		7125.02	59.91	-8.29	68.2	46.46	36.65	15.25	38.45	300	318	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 189 6895MHz		13790	60.12	-28.08	88.2	42.44	39.71	21.57	43.6	296	48	P	H
		13790	49.73	-18.47	68.2	32.05	39.71	21.57	43.6	296	48	A	H
		20685	42.79	-31.21	74	49.8	37.97	16.91	61.89	150	70	P	H
		20685	32.13	-21.87	54	39.14	37.97	16.91	61.89	150	70	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13790	54.66	-33.54	88.2	36.98	39.71	21.57	43.6	295	358	P	V
		13790	45.45	-22.75	68.2	27.77	39.71	21.57	43.6	295	358	A	V
		20685	39.75	-34.25	74	46.76	37.97	16.91	61.89	150	44	P	V
		20685	29.54	-24.46	54	36.55	37.97	16.91	61.89	150	44	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 209 6995MHz		13990	55.67	-32.53	88.2	37.83	39.98	21.74	43.88	296	50	P	H
		13990	46.67	-21.53	68.2	28.83	39.98	21.74	43.88	296	50	A	H
		20985	40.91	-33.09	74	47.72	37.77	17.13	61.71	150	49	P	H
		20985	30.74	-23.26	54	37.55	37.77	17.13	61.71	150	49	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13990	53.9	-34.3	88.2	36.06	39.98	21.74	43.88	400	357	P	V
		13990	44.61	-23.59	68.2	26.77	39.98	21.74	43.88	400	357	A	V
		20985	39.65	-34.35	74	46.46	37.77	17.13	61.71	150	29	P	V
		20985	29.17	-24.83	54	35.98	37.77	17.13	61.71	150	29	A	V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 233 7115MHz	*	7115	105.77	-	-	92.42	36.55	15.24	38.44	237	23	P	H
	*	7115	98.28	-	-	84.93	36.55	15.24	38.44	237	23	A	H
		7125.02	77.34	-10.86	88.2	63.89	36.65	15.25	38.45	237	23	P	H
		7125.02	66.6	-1.6	68.2	53.15	36.65	15.25	38.45	237	23	A	H
													H
													H
	*	7115	100.25	-	-	86.9	36.55	15.24	38.44	377	61	P	V
	*	7115	93.19	-	-	79.84	36.55	15.24	38.44	377	61	A	V
		7125.3	72.2	-16	88.2	58.75	36.65	15.25	38.45	377	61	P	V
		7125.02	61.99	-6.21	68.2	48.54	36.65	15.25	38.45	377	61	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz
WIFI 802.11ax HE20 (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 189 6895MHz		13790	57.76	-30.44	88.2	40.08	39.71	21.57	43.6	294	51	P	H
		13790	48.9	-19.3	68.2	31.22	39.71	21.57	43.6	294	51	A	H
		20685	46.05	-27.95	74	53.06	37.97	16.91	61.89	150	107	P	H
		20685	33.5	-20.5	54	40.51	37.97	16.91	61.89	150	107	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13790	55.58	-32.62	88.2	37.9	39.71	21.57	43.6	394	360	P	V
		13790	45.09	-23.11	68.2	27.41	39.71	21.57	43.6	394	360	A	V
		20685	37.31	-36.69	74	44.32	37.97	16.91	61.89	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 209 6995MHz		13990	55.82	-32.38	88.2	37.98	39.98	21.74	43.88	291	49	P	H
		13990	46.4	-21.8	68.2	28.56	39.98	21.74	43.88	291	49	A	H
		20985	45.86	-28.14	74	52.67	37.77	17.13	61.71	150	115	P	H
		20985	34.96	-19.04	54	41.77	37.77	17.13	61.71	150	115	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13990	53.76	-34.44	88.2	35.92	39.98	21.74	43.88	396	357	P	V
		13990	44.11	-24.09	68.2	26.27	39.98	21.74	43.88	396	357	A	V
		20985	37.24	-36.76	74	44.05	37.77	17.13	61.71	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 233 7115MHz		14230	51.49	-36.71	88.2	33.46	40.24	21.92	44.13	400	111	P	H
		14230	43.68	-24.52	68.2	25.65	40.24	21.92	44.13	400	111	A	H
		21345	37.31	-36.69	74	43.01	38.11	17.34	61.15	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		14230	51.7	-36.5	88.2	33.67	40.24	21.92	44.13	200	288	P	V
		14230	43.4	-24.8	68.2	25.37	40.24	21.92	44.13	200	288	A	V
		21345	36.69	-37.31	74	42.39	38.11	17.34	61.15	-	-	P	V
													V
													V
													V
													V
													V
													V
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/54 CH 233 7115MHz	*	7115	103.47	-	-	90.12	36.55	15.24	38.44	276	36	P	H
	*	7115	95.95	-	-	82.6	36.55	15.24	38.44	276	36	A	H
		7125.02	78.52	-9.68	88.2	65.07	36.65	15.25	38.45	276	36	P	H
		7125.02	66.64	-1.56	68.2	53.19	36.65	15.25	38.45	276	36	A	H
													H
													H
	*	7115	97.57	-	-	84.22	36.55	15.24	38.44	400	2	P	V
	*	7115	90.21	-	-	76.86	36.55	15.24	38.44	400	2	A	V
		7125.02	73.01	-15.19	88.2	59.56	36.65	15.25	38.45	400	2	P	V
		7125.02	61.14	-7.06	68.2	47.69	36.65	15.25	38.45	400	2	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 227 7085MHz	*	7085	112.67	-	-	99.54	36.34	15.21	38.42	238	54	P	H
	*	7085	104.73	-	-	91.6	36.34	15.21	38.42	238	54	A	H
		7131.78	61.24	-26.96	88.2	47.72	36.72	15.26	38.46	238	54	P	H
		7128.72	50.24	-17.96	68.2	36.75	36.69	15.26	38.46	238	54	A	H
													H
													H
	*	7085	106.83	-	-	93.7	36.34	15.21	38.42	105	145	P	V
	*	7085	97.6	-	-	84.47	36.34	15.21	38.42	105	145	A	V
		7141.86	54.34	-33.86	88.2	40.72	36.82	15.27	38.47	105	145	P	V
		7130.34	43.92	-24.28	68.2	30.42	36.7	15.26	38.46	105	145	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 195 6925MHz		13850	57.72	-30.48	88.2	40.02	39.75	21.63	43.68	295	48	P	H
		13850	48.13	-20.07	68.2	30.43	39.75	21.63	43.68	295	48	A	H
		20775	44.31	-29.69	74	50.91	38.25	16.98	61.83	150	116	P	H
		20775	35.23	-18.77	54	41.83	38.25	16.98	61.83	150	116	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13850	55.22	-32.98	88.2	37.52	39.75	21.63	43.68	397	360	P	V
		13850	44.66	-23.54	68.2	26.96	39.75	21.63	43.68	397	360	A	V
		20775	37.75	-36.25	74	44.35	38.25	16.98	61.83	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 211 7005MHz		14010	54.57	-33.63	88.2	36.7	40.01	21.76	43.9	294	48	P	H
		14010	46.42	-21.78	68.2	28.55	40.01	21.76	43.9	294	48	A	H
		21015	40.84	-33.16	74	47.51	37.86	17.15	61.68	150	111	P	H
		21015	33.61	-20.39	54	40.28	37.86	17.15	61.68	150	111	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		14010	53.17	-35.03	88.2	35.3	40.01	21.76	43.9	399	357	P	V
		14010	43.81	-24.39	68.2	25.94	40.01	21.76	43.9	399	357	A	V
		21015	37.11	-36.89	74	43.78	37.86	17.15	61.68	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial 242/62 CH 227 7085MHz	*	7085	116.62	-	-	103.49	36.34	15.21	38.42	203	42	P	H
	*	7085	108.55	-	-	95.42	36.34	15.21	38.42	203	42	A	H
		7128.18	83.09	-5.11	88.2	69.62	36.68	15.25	38.46	203	42	P	H
		7128.18	59.51	-8.69	68.2	46.04	36.68	15.25	38.46	203	42	A	H
													H
													H
	*	7085	109.33	-	-	96.2	36.34	15.21	38.42	216	1	P	V
	*	7085	100.86	-	-	87.73	36.34	15.21	38.42	216	1	A	V
		7128.54	77.31	-10.89	88.2	63.83	36.69	15.25	38.46	216	1	P	V
		7129.8	53.61	-14.59	68.2	40.11	36.7	15.26	38.46	216	1	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 215 7025MHz	*	7025	113.2	-	-	100.32	36.1	15.15	38.37	220	38	P	H
	*	7025	103.21	-	-	90.33	36.1	15.15	38.37	220	38	A	H
		7128.52	56.18	-32.02	88.2	42.7	36.69	15.25	38.46	220	38	P	H
		7129.82	46.44	-21.76	68.2	32.94	36.7	15.26	38.46	220	38	A	H
													H
													H
	*	7025	105.03	-	-	92.15	36.1	15.15	38.37	100	33	P	V
	*	7025	96.05	-	-	83.17	36.1	15.15	38.37	100	33	A	V
		7232.78	51.92	-36.28	88.2	38.03	37.07	15.36	38.54	100	33	P	V
		7244.22	41.94	-26.26	68.2	28.03	37.09	15.37	38.55	100	33	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**Band 8 - 6875~7125MHz****WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 199 6945MHz		13890	53.43	-34.77	88.2	35.72	39.79	21.66	43.74	296	49	P	H
		13890	46	-22.2	68.2	28.29	39.79	21.66	43.74	296	49	A	H
		20835	42.5	-31.5	74	49.05	38.23	17.02	61.8	150	113	P	H
		20835	33.42	-20.58	54	39.97	38.23	17.02	61.8	150	113	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13890	52.08	-36.12	88.2	34.37	39.79	21.66	43.74	400	358	P	V
		13890	43.06	-25.14	68.2	25.35	39.79	21.66	43.74	400	358	A	V
		20835	38.81	-35.19	74	45.36	38.23	17.02	61.8	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Partial 484/66 CH 215 7025MHz	*	7025	114.82	-	-	101.94	36.1	15.15	38.37	209	40	P	H
	*	7025	106.17	-	-	93.29	36.1	15.15	38.37	209	40	A	H
		7126.96	75.74	-12.46	88.2	62.27	36.67	15.25	38.45	209	40	P	H
		7127.22	53.26	-14.94	68.2	39.79	36.67	15.25	38.45	209	40	A	H
													H
													H
	*	7025	105.41	-	-	92.53	36.1	15.15	38.37	399	1	P	V
	*	7025	96.29	-	-	83.41	36.1	15.15	38.37	399	1	A	V
		7129.56	69.61	-18.59	88.2	56.11	36.7	15.26	38.46	399	1	P	V
		7124.88	48.33	-101.67	150	34.88	36.65	15.25	38.45	399	1	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 207 6985MHz	*	6985	108.89	-	-	96.15	35.97	15.11	38.34	256	38	P	H
	*	6985	101.02	-	-	88.28	35.97	15.11	38.34	256	38	A	H
		7133.16	62.61	-25.59	88.2	49.08	36.73	15.26	38.46	256	38	P	H
		7132.52	52.52	-15.68	68.2	38.99	36.73	15.26	38.46	256	38	A	H
													H
													H
	*	6985	101.42	-	-	88.68	35.97	15.11	38.34	100	35	P	V
	*	6985	93.45	-	-	80.71	35.97	15.11	38.34	100	35	A	V
		7152.68	54.06	-34.14	88.2	40.35	36.91	15.28	38.48	100	35	P	V
		7131.56	44.59	-23.61	68.2	31.07	36.72	15.26	38.46	100	35	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Partial 996/68 CH 207 6985MHz	*	6985	110.28	-	-	97.54	35.97	15.11	38.34	207	42	P	H
	*	6985	102.05	-	-	89.31	35.97	15.11	38.34	207	42	A	H
		7132.52	78.87	-9.33	88.2	65.34	36.73	15.26	38.46	207	42	P	H
		7132.52	62.68	-5.52	68.2	49.15	36.73	15.26	38.46	207	42	A	H
													H
													H
	*	6985	101.51	-	-	88.77	35.97	15.11	38.34	248	0	P	V
	*	6985	93.43	-	-	80.69	35.97	15.11	38.34	248	0	A	V
		7139.24	73.18	-15.02	88.2	59.58	36.79	15.27	38.46	248	0	P	V
		7133.8	58.52	-9.68	68.2	44.98	36.74	15.26	38.46	248	0	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Emission below 1GHz

WIFI 802.11a (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a LF		49.55	34.26	-5.74	40	53.35	14.88	1.59	35.56	395	125	Q	H
		95.79	24.98	-18.52	43.5	42.99	15.48	2.02	35.51	-	-	P	H
		196.77	27.61	-15.89	43.5	45.19	14.97	2.78	35.33	-	-	P	H
		205.6	30.08	-13.42	43.5	47.37	15.19	2.83	35.31	-	-	P	H
		714.4	33.63	-12.37	46	35.54	26.99	4.97	33.87	-	-	P	H
		953.6	35.48	-10.52	46	31.94	30.9	5.6	32.96	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
		49.55	35.19	-4.81	40	54.28	14.88	1.59	35.56	100	222	Q	V
		95.79	23.69	-19.81	43.5	41.7	15.48	2.02	35.51	-	-	P	V
		198.13	29.12	-14.38	43.5	46.66	14.99	2.79	35.32	-	-	P	V
		204.8	32.51	-10.99	43.5	49.84	15.15	2.83	35.31	-	-	P	V
		732.8	34.21	-11.79	46	35.01	27.96	5.01	33.77	-	-	P	V
		944	35.62	-10.38	46	32.51	30.52	5.59	33	-	-	P	V
													V
													V
													V
													V
													V
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against limit line.												
	3. The emission position marked as “-” means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.												



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a		5925	55.45	-32.75	88.2	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
5955MHz		5925	43.54	-24.66	68.2	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
 = 55.45 (dBμV/m)
2. Margin (dB)
 = Level(dBμV/m) – Limit Line(dBμV/m)
 = 55.45(dBμV/m) – 88.2(dBμV/m)
 = -32.75(dB)

For Average Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
 = 43.54(dBμV/m)
2. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)
 = 43.54 (dBμV/m) – 68.2(dBμV/m)
 = -24.66(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots





Test Engineer :	John Chuang, David Dai and Sam Chou	Temperature :	19.7~23.5°C
		Relative Humidity :	64.9~70.8%

Note symbol





-L	Low channel location
-R	High channel location



Band 5 - 5925~6425MHz
WIFI 802.11a (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
1+2	Vertical	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Date: 2024-06-01 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Date: 2024-06-01 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Level (dBuV/m) Frequency (MHz) Date: 2024-06-01 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Date: 2024-06-01 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.110KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.110KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.110kHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.110kHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/61 CH03 5965MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/61 CH03 5965MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
1+2	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







Band 5 5925~6425MHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Date: 2024-06-01	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Date: 2024-06-01
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto Date: 2024-06-01	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto Date: 2024-06-01







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:1500KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 HORIZONTAL : RBW:1000.000KHz VBW:1500KHz SWT:Auto





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:1500KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG(UNIT)_6E 3m 91200_02360_231030 VERTICAL : RBW:1000.000KHz VBW:1500KHz SWT:Auto





Band 5 - 5925~6425MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH49 6195MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH49 6195MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH93 6415MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH51 6205MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH91 6405MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH55 6225MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH87 6385MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_5E 1m SHF_1223_230710 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH47 6185MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK[UNIT]_5E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK[UNIT]_5E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH79 6345MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK[UNIT]_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK[UNIT]_6E 1m SHF_1223_230710 VERTICAL :





Band 6 - 6425~6525MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH97 6435MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH105 6475MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH113 6615MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL :





Band 6 6425~6525MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH97 6435MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH105 6475MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL :





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH113 6515MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL :



Band 6 6425~6525MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH99 6445MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK(UNIT)_6E 1m SHF_1223_230710 VERTICAL :



WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH107 6485MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK[UNIT]_6E 1m SHF_1223_230710 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK[UNIT]_6E 1m SHF_1223_230710 VERTICAL :