

EXHIBIT 2

**SECTION 2.1033 (c)(1,2,4-7) INFORMATION OF MANUFACTURER,
APPLICANT, IDENTIFIER, EMISSION TYPES, FREQUENCY RANGE,
OPERATING POWER RANGE AND MAXIMUM POWER RATING**

Section 2.1033 (c)(1): NAME AND ADDRESS OF MANUFACTURER AND APPLICANT

The full name and mailing address of the manufacturer of the device and the applicant for certification.

Response:

Manufacturer:	Lucent Technologies, Inc. 6200 East Broad Street Columbus, OH 43213-1569 U.S.A.
Applicant:	Lucent Technologies, Inc. 101 Crawfords Corner Road Holmdel, NJ 07733 U.S.A. Attention: Cynthia S. Donovan

Section 2.1033 (c)(2): FCC IDENTIFIER

Response:

FCC Identifier: AS5ONEBTS-06

Section 2.1033 (c)(4): TYPE OR TYPES OF EMISSION

Response:

1M25F9W

Section 2.1033 (c)(5): FREQUENCY RANGE

Response:

Transmit: 1930-1990 MHz

Section 2.1033 (c)(6): OPERATING POWER RANGE AND ADJUSTMENT

Response:

.010-20 watts (CDMA signal), continuous software control

Section 2.1033 (c)(7): MAXIMUM POWER RATING

Response:

20 Watts per carrier. The P2PAM AS5ONEBTS-06 can transmit only one CDMA carrier.