

Appendix L_NR Bands *P_{limit}* Conducted Power

L.1 NR FDD Band n5 Maximum Conducted Power

NR FDD Band n5 Conducted Power_ Measured Pmax, RSI = 0 (Free) MAIN1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.20	24.17	23.85	0
				1	13	24.17	24.03	23.70	0
				1	23	24.25	24.08	23.78	0
				12	0	23.74	23.67	23.34	0.5
				12	7	24.27	24.11	23.80	0
				12	13	23.77	23.59	23.30	0.5
				25	0	23.77	23.65	23.33	0.5
			QPSK	1	1	24.18	24.16	23.82	0
				1	13	24.16	23.99	23.70	0
				1	23	24.27	24.02	23.76	0
				12	0	23.24	23.16	22.87	1
				12	7	24.26	24.14	23.82	0
				12	13	23.28	23.12	22.80	1
				25	0	23.29	23.16	22.83	1
			16QAM	1	1	23.11	23.14	22.85	1
			64QAM	1	1	21.71	21.74	21.34	2.5
			256QAM	1	1	19.67	19.61	19.36	4.5
		CP	QPSK	1	1	22.65	22.72	22.29	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.19	0
				1	26	24.18	0
				1	50	23.95	0
				25	0	23.68	0.5
				25	14	24.12	0
				25	27	23.55	0.5
				50	0	23.64	0.5
			QPSK	1	1	24.19	0
				1	26	24.18	0
				1	50	23.98	0
				25	0	23.22	1
				25	14	24.15	0
				25	27	23.07	1
				50	0	23.15	1
			16QAM	1	1	23.18	1
			64QAM	1	1	21.75	2.5
			256QAM	1	1	19.74	4.5
		CP	OPSK	1	1	22.77	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.19	0
				1	40	24.04	0
				1	77	23.86	0
				36	0	23.75	0.5
				36	22	24.12	0
				36	43	23.51	0.5
				75	0	23.64	0.5
			QPSK	1	1	24.27	0
				1	40	24.05	0
				1	77	23.90	0
				36	0	23.26	1
				36	22	24.14	0
				36	43	23.03	1
				75	0	23.18	1
			16QAM	1	1	23.20	1
			64QAM	1	1	21.69	2.5
			256QAM	1	1	19.75	4.5
		CP	QPSK	1	1	22.75	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.22	0
				1	53	24.16	0
				1	104	23.80	0
				50	0	23.74	0.5
				50	28	24.15	0
				50	56	23.45	0.5
				100	0	23.68	0.5
			QPSK	1	1	24.28	0
				1	53	24.23	0
				1	104	23.85	0
				50	0	23.24	1
				50	28	24.17	0
				50	56	22.96	1
				100	0	23.20	1
			16QAM	1	1	23.22	1
			64QAM	1	1	21.64	2.5
			256QAM	1	1	19.72	4.5
		CP	QPSK	1	1	22.74	1.5

NR FDD Band n5 Conducted Power_ Measured RSI = 1, 3 (Grip Sensor #1, #3)_ MAIN1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.02	22.04	21.73	0
				1	13	22.01	21.87	21.60	0
				1	23	22.11	21.92	21.68	0
				12	0	22.06	22.05	21.71	0
				12	7	22.10	22.00	21.68	0
				12	13	22.12	21.97	21.67	0
				25	0	22.10	22.01	21.70	0
			QPSK	1	1	22.05	22.06	21.74	0
				1	13	22.03	21.92	21.61	0
				1	23	22.13	21.95	21.65	0
				12	0	22.10	22.03	21.73	0
				12	7	22.13	22.02	21.70	0
				12	13	22.11	21.98	21.68	0
				25	0	22.13	22.03	21.72	0
			16QAM	1	1	22.16	22.18	21.78	0
			64QAM	1	1	21.69	21.83	21.30	0.5
			256QAM	1	1	19.56	19.67	19.25	2.5
		CP	QPSK	1	1	22.08	22.02	21.75	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.10	0
				1	26	22.08	0
				1	50	21.87	0
				25	0	22.09	0
				25	14	22.02	0
				25	27	21.94	0
				50	0	22.05	0
			QPSK	1	1	22.10	0
				1	26	22.08	0
				1	50	21.84	0
				25	0	22.12	0
				25	14	22.03	0
				25	27	21.97	0
				50	0	22.05	0
			16QAM	1	1	22.08	0
			64QAM	1	1	21.68	0.5
			256QAM	1	1	19.68	2.5
		CP	OPSK	1	1	22.07	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.09	0
				1	40	21.91	0
				1	77	21.74	0
				36	0	22.12	0
				36	22	22.05	0
				36	43	21.89	0
				75	0	22.05	0
			QPSK	1	1	22.21	0
				1	40	22.00	0
				1	77	21.81	0
				36	0	22.16	0
				36	22	22.05	0
				36	43	21.91	0
				75	0	22.07	0
			16QAM	1	1	22.09	0
			64QAM	1	1	21.77	0.5
			256QAM	1	1	19.61	2.5
		CP	QPSK	1	1	22.11	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.14	0
				1	53	22.08	0
				1	104	21.70	0
				50	0	22.16	0
				50	28	22.03	0
				50	56	21.85	0
				100	0	22.06	0
			QPSK	1	1	22.18	0
				1	53	22.13	0
				1	104	21.72	0
				50	0	22.15	0
				50	28	22.05	0
				50	56	21.86	0
				100	0	22.06	0
			16QAM	1	1	22.13	0
			64QAM	1	1	21.72	0.5
			256QAM	1	1	19.71	2.5
		CP	QPSK	1	1	22.09	0

NR FDD Band n5 Conducted Power_ Measured RSI = 2 (Grip Sensor #2)_ MAIN1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.32	14.31	13.89	0
				1	13	14.32	14.16	13.79	0
				1	23	14.42	14.17	13.81	0
				12	0	14.33	14.26	13.91	0
				12	7	14.34	14.20	13.84	0
				12	13	14.38	14.17	13.86	0
				25	0	14.36	14.20	13.87	0
			QPSK	1	1	14.29	14.26	13.88	0
				1	13	14.27	14.11	13.75	0
				1	23	14.35	14.11	13.85	0
				12	0	14.29	14.23	13.88	0
				12	7	14.31	14.17	13.87	0
				12	13	14.38	14.15	13.84	0
				25	0	14.31	14.23	13.82	0
			16QAM	1	1	14.43	14.24	13.86	0
			64QAM	1	1	14.41	14.29	13.95	0
			256QAM	1	1	14.29	14.25	13.78	0
		CP	QPSK	1	1	14.25	14.14	13.92	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.27	0
				1	26	14.16	0
				1	50	14.02	0
				25	0	14.27	0
				25	14	14.18	0
				25	27	14.14	0
				50	0	14.14	0
			QPSK	1	1	14.27	0
				1	26	14.14	0
				1	50	14.03	0
				25	0	14.25	0
				25	14	14.11	0
				25	27	14.11	0
				50	0	14.22	0
			16QAM	1	1	14.24	0
			64QAM	1	1	14.14	0
			256QAM	1	1	14.13	0
		CP	QPSK	1	1	14.21	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.24	0
				1	40	14.10	0
				1	77	13.96	0
				36	0	14.22	0
				36	22	14.18	0
				36	43	14.03	0
				75	0	14.15	0
			QPSK	1	1	14.25	0
				1	40	14.13	0
				1	77	13.91	0
				36	0	14.28	0
				36	22	14.15	0
				36	43	14.02	0
				75	0	14.12	0
			16QAM	1	1	14.20	0
			64QAM	1	1	14.29	0
			256QAM	1	1	14.13	0
		CP	QPSK	1	1	14.35	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.28	0
				1	53	14.18	0
				1	104	13.80	0
				50	0	14.21	0
				50	28	14.12	0
				50	56	13.95	0
				100	0	14.21	0
			QPSK	1	1	14.31	0
				1	53	14.32	0
				1	104	13.87	0
				50	0	14.27	0
				50	28	14.18	0
				50	56	13.98	0
				100	0	14.19	0
			16QAM	1	1	14.32	0
			64QAM	1	1	14.28	0
			256QAM	1	1	14.17	0
		CP	QPSK	1	1	14.23	0

L.2 NR TDD Band n41 Maximum Conducted Power

NR TDD Band n41 Conducted Power_ Measured RSI = 0 (Free) _ MAIN1 Antenna

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.68	18.11	18.87	18.64	18.53	0
				1	12	18.68	18.27	18.95	18.64	18.63	0
				1	22	18.32	17.95	18.94	18.60	18.61	0
				12	0	18.31	18.32	17.09	18.62	17.79	0
				12	6	17.49	18.37	18.25	18.34	18.58	0
				12	12	17.50	18.39	18.91	18.60	18.58	0
				24	0	17.70	18.31	18.25	18.59	18.58	0
			QPSK	1	1	17.46	18.31	18.82	18.59	18.54	0
				1	12	17.81	18.42	18.91	18.56	18.60	0
				1	22	18.09	18.40	18.92	18.58	18.59	0
				12	0	18.47	18.35	18.87	18.05	18.56	0
				12	6	18.67	18.31	18.92	18.62	18.57	0
				12	12	18.69	18.39	18.92	18.61	18.58	0
				24	0	18.63	18.37	18.93	18.62	18.58	0
			16QAM	1	1	18.43	18.47	18.79	18.62	18.41	0
			64QAM	1	1	18.75	18.37	18.84	18.67	18.54	0
			256QAM	1	1	18.54	18.25	18.80	18.60	18.52	0
		CP	QPSK	1	1	18.77	18.05	18.74	18.61	18.14	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	18.95	18.38	18.80	18.65	18.76	0
				1	18	18.86	18.37	18.88	18.53	18.74	0
				1	36	18.73	18.45	18.94	18.54	18.81	0
				18	0	18.88	17.81	17.16	18.59	17.31	0
				18	9	18.87	18.41	18.90	18.58	18.75	0
				18	18	18.79	18.43	18.92	18.56	18.76	0
				36	0	18.87	18.40	18.91	18.57	18.74	0
			QPSK	1	1	18.95	18.35	18.79	18.63	18.69	0
				1	18	18.82	18.34	18.87	18.53	18.71	0
				1	36	18.71	18.46	18.93	18.54	18.80	0
				18	0	18.88	18.38	18.83	18.59	18.71	0
				18	9	18.87	18.43	18.90	18.58	18.76	0
				18	18	18.79	18.44	18.93	18.56	18.79	0
				36	0	18.89	18.42	18.92	18.58	18.74	0
			16QAM	1	1	18.94	18.30	18.78	18.52	18.81	0
			64QAM	1	1	18.89	18.34	18.61	18.57	18.56	0
			256QAM	1	1	18.84	18.33	18.76	18.57	18.63	0
		CP	QPSK	1	1	18.91	18.14	18.21	18.26	18.38	0

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.74	18.40	18.81	18.67	18.61	0
				1	26	18.59	18.45	18.91	18.55	18.67	0
				1	49	18.49	18.55	18.92	18.51	18.72	0
				25	0	18.69	18.31	17.79	18.57	17.95	0
				25	13	18.60	18.46	18.92	17.69	18.21	0
				25	26	18.50	17.17	18.26	17.77	17.99	0
				50	0	18.62	18.45	18.90	18.31	18.66	0
			QPSK	1	1	18.71	18.37	18.75	18.59	18.52	0
				1	26	18.56	18.43	18.92	18.54	18.64	0
				1	49	18.44	18.50	18.91	18.47	18.72	0
				25	0	18.67	17.06	18.79	18.17	17.41	0
				25	13	18.61	18.46	18.91	18.27	18.65	0
				25	26	18.49	18.47	18.92	18.24	18.73	0
				50	0	18.62	18.47	18.90	18.33	18.24	0
			16QAM	1	1	18.72	18.37	18.77	18.55	18.58	0
			64QAM	1	1	18.67	18.40	18.78	18.62	18.54	0
			256QAM	1	1	18.84	18.17	18.78	18.59	18.57	0
		CP	QPSK	1	1	18.31	18.28	18.33	18.38	18.34	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.87	18.45	18.71	18.79	18.79	0
				1	39	18.70	18.57	18.95	18.76	18.59	0
				1	76	18.48	18.62	18.92	18.67	18.71	0
				36	0	18.42	18.44	18.31	18.25	18.17	0
				36	21	18.63	18.54	18.92	18.76	18.44	0
				36	42	18.54	18.57	18.89	18.70	18.55	0
				75	0	18.63	18.53	18.90	18.76	18.44	0
			QPSK	1	1	18.86	18.44	18.70	18.80	18.31	0
				1	39	18.62	18.56	18.94	18.83	18.51	0
				1	76	18.46	18.60	18.91	18.66	18.56	0
				36	0	18.82	18.46	18.77	18.78	18.36	0
				36	21	18.63	18.53	18.91	18.76	18.45	0
				36	42	18.54	18.58	18.91	18.71	18.53	0
				75	0	18.62	18.52	18.91	18.75	18.42	0
			16QAM	1	1	18.75	18.39	18.66	18.67	18.36	0
			64QAM	1	1	18.71	18.41	18.61	18.82	18.27	0
			256QAM	1	1	18.87	18.31	18.66	18.76	18.57	0
		CP	QPSK	1	1	18.42	18.33	18.21	18.28	18.10	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01	2567.34		2618.67	2670	
						MHz	MHz		MHz	MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.74	18.39		18.81	18.52	0
				1	53	18.46	18.54		18.75	18.63	0
				1	104	18.33	18.63		18.59	18.72	0
				50	0	18.64	18.32		18.22	18.17	0
				50	28	18.44	18.22		17.93	18.32	0
				50	56	18.35	18.53		18.64	18.67	0
				100	0	18.46	18.14		17.83	18.21	0
			QPSK	1	1	18.75	18.35		18.81	18.50	0
				1	53	18.38	18.47		18.70	18.59	0
				1	104	18.33	18.59		18.57	18.72	0
				50	0	18.63	17.87		18.14	18.11	0
				50	28	18.48	18.48		18.69	18.56	0
				50	56	18.37	18.54		18.63	18.68	0
				100	0	18.46	18.48		18.71	18.54	0
			16QAM	1	1	18.84	18.29		18.82	18.47	0
			64QAM	1	1	18.61	18.25		18.14	18.28	0
			256QAM	1	1	18.72	18.43		18.74	18.36	0
		CP	QPSK	1	1	18.33	18.21		18.17	18.33	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.84		18.52		18.69	0
				1	67	18.54		18.86		18.65	0
				1	131	18.47		18.56		18.77	0
				64	0	18.24		18.25		18.42	0
				64	35	18.52		18.36		18.76	0
				64	69	18.43		18.63		18.74	0
				128	0	18.52		18.20		18.53	0
			QPSK	1	1	18.83		18.58		18.66	0
				1	67	18.50		18.90		18.61	0
				1	131	18.43		18.72		18.75	0
				64	0	18.67		17.83		17.45	0
				64	35	18.54		18.93		18.33	0
				64	69	18.44		18.92		18.46	0
				128	0	18.53		18.90		18.29	0
			16QAM	1	1	18.96		18.49		18.41	0
			64QAM	1	1	18.80		18.31		18.26	0
			256QAM	1	1	18.77		18.64		18.77	0
		CP	QPSK	1	1	18.21		18.25		18.21	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	18.74		18.57		18.62	0
				1	81	18.41		18.96		18.51	0
				1	160	18.43		18.69		18.70	0
				81	0	17.36		18.74		18.59	0
				81	41	18.35		18.30		18.91	0
				81	81	18.33		18.92		18.60	0
				162	0	18.34		18.32		18.92	0
			QPSK	1	1	18.68		18.54		18.55	0
				1	81	18.33		18.89		18.46	0
				1	160	18.38		18.68		18.67	0
				81	0	18.49		17.68		17.56	0
				81	41	18.35		18.92		18.49	0
				81	81	18.32		18.91		18.59	0
				162	0	18.36		18.90		18.47	0
			16QAM	1	1	18.75		18.69		18.62	0
			64QAM	1	1	18.73		18.92		18.14	0
			256QAM	1	1	18.65		18.61		18.77	0
		CP	QPSK	1	1	18.24		18.08		18.27	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04					2654.97
						MHz					MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	18.81				18.58	0
				1	95	18.44				18.34	0
				1	187	18.61				18.65	0
				90	0	18.27				18.50	0
				90	50	18.15				18.36	0
				90	99	18.18				18.46	0
				180	0	18.14				18.37	0
			QPSK	1	1	18.51				18.53	0
				1	95	18.16				18.32	0
				1	187	18.27				18.62	0
				90	0	18.27				18.50	0
				90	50	18.14				18.37	0
				90	99	18.19				18.46	0
				180	0	18.14				18.38	0
			16QAM	1	1	18.50				18.54	0
			64QAM	1	1	18.33				18.64	0
			256QAM	1	1	18.78				18.58	0
		CP	QPSK	1	1	18.88				18.16	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
						MHz					MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	18.79				18.80	0
				1	109	18.34				18.55	0
				1	215	18.59				18.72	0
				108	0	18.59				18.62	0
				108	55	18.29				17.97	0
				108	109	18.42				18.53	0
				216	0	18.32				18.15	0
			QPSK	1	1	18.75				18.76	0
				1	109	18.31				18.49	0
				1	215	18.54				18.67	0
				108	0	18.42				18.64	0
				108	55	18.31				18.54	0
				108	109	18.42				18.54	0
				216	0	18.64				18.70	0
			16QAM	1	1	18.78				18.69	0
			64QAM	1	1	18.71				18.79	0
			256QAM	1	1	18.74				18.79	0
		CP	QPSK	1	1	18.13				18.25	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.98
					MHz				MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	18.86				18.91	0
				1	123	18.44				18.71	0
				1	243	18.72				18.72	0
				120	0	18.50				18.46	0
				120	63	18.43				18.39	0
				120	125	18.56				18.29	0
				243	0	18.40				18.36	0
			QPSK	1	1	18.85				18.57	0
				1	123	18.46				18.35	0
				1	243	18.73				18.38	0
				120	0	18.50				18.47	0
				120	63	18.42				18.40	0
				120	125	18.56				18.30	0
				243	0	18.41				18.36	0
			16QAM	1	1	18.93				18.80	0
			64QAM	1	1	17.98				18.50	0
			256QAM	1	1	18.85				18.87	0
		CP	QPSK	1	1	18.30				18.40	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99		
								MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			18.49		0
				1	137			18.93		0
				1	271			18.65		0
				135	0			18.59		0
				135	69			18.91		0
				135	138			18.77		0
				270	0			18.88		0
			QPSK	1	1			18.50		0
				1	137			18.94		0
				1	271			18.66		0
				135	0			18.60		0
				135	69			18.90		0
				135	138			18.76		0
				270	0			18.89		0
			16QAM	1	1			18.47		0
			64QAM	1	1			18.45		0
			256QAM	1	1			18.35		0
		CP	QPSK	1	1			18.21		0

NR TDD Band n41 Conducted Power_ Measured RSI = 2 (Grip Sensor #2)_ MAIN1 Antenna

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01	2547	2592.99	2639.01	2685	
						MHz	MHz	MHz	MHz	MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	9.95	10.07	10.41	10.29	9.94	0
				1	12	10.12	10.05	10.27	10.31	10.26	0
				1	22	9.74	10.06	10.55	10.24	9.92	0
				12	0	9.97	10.02	10.19	9.97	10.26	0
				12	6	10.10	10.05	10.53	10.26	10.27	0
				12	12	10.11	9.92	10.23	9.97	9.96	0
				24	0	10.10	10.05	10.52	10.26	10.27	0
			QPSK	1	1	10.04	10.02	10.18	10.00	10.26	0
				1	12	10.15	10.11	10.31	10.32	10.32	0
				1	22	9.98	10.06	10.58	10.00	10.29	0
				12	0	9.81	10.03	10.18	9.95	10.26	0
				12	6	10.11	9.92	10.54	10.26	10.28	0
				12	12	10.10	10.07	10.26	9.96	10.27	0
				24	0	9.94	10.04	10.23	10.26	10.28	0
		16QAM	1	1	9.86	10.10	10.47	10.23	10.22	0	
		64QAM	1	1	9.78	9.87	10.53	10.22	10.24	0	
		256QAM	1	1	10.03	9.71	9.86	9.91	10.20	0	
		CP	QPSK	1	1	9.58	9.86	10.45	9.93	10.09	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						500700	509664	518598	527562	536496		
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz		
15 MHz	30	DFT-s	pi/2 BPSK	1	1	9.91	9.65	9.66	9.84	10.07	0	
				1	18	9.96	9.79	10.10	10.15	10.28	0	
				1	36	9.89	9.77	10.51	9.84	10.00	0	
				18	0	10.37	9.71	10.13	10.25	10.29	0	
				18	9	10.37	9.75	10.19	9.94	10.32	0	
				18	18	10.01	9.76	10.54	9.92	10.08	0	
			QPSK	36	0	10.36	9.77	10.21	10.24	10.02	0	
				1	1	10.13	9.99	10.36	10.27	9.95	0	
				1	18	10.05	9.66	10.48	10.19	10.02	0	
				1	36	9.94	9.71	10.27	10.19	10.17	0	
				18	0	10.38	9.71	10.43	10.27	10.30	0	
				18	9	10.07	9.75	10.20	9.95	10.03	0	
				18	18	10.31	10.06	10.54	10.22	10.07	0	
				36	0	10.38	9.77	10.52	9.93	10.04	0	
				16QAM	1	1	10.37	9.60	10.07	9.97	10.19	0
				64QAM	1	1	10.12	10.00	10.32	10.23	10.19	0
				256QAM	1	1	10.09	9.96	10.05	10.24	9.96	0
		CP	QPSK	1	1	9.80	10.01	10.19	10.22	10.17	0	

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	10.28	9.97	10.31	10.00	10.15	0
				1	26	10.00	10.01	10.48	9.86	10.26	0
				1	49	10.04	9.78	10.52	10.14	10.35	0
				25	0	10.29	10.02	10.08	9.94	9.93	0
				25	13	9.93	9.77	10.51	10.08	9.98	0
				25	26	9.80	10.08	10.51	10.19	10.36	0
				50	0	10.23	9.76	10.49	9.94	10.00	0
			QPSK	1	1	10.33	9.99	10.36	10.01	9.92	0
				1	26	9.89	10.04	10.52	10.22	10.28	0
				1	49	10.09	9.83	10.25	9.85	10.05	0
				25	0	10.29	10.01	10.39	9.95	9.92	0
				25	13	10.22	9.76	10.51	10.26	10.30	0
				25	26	10.12	9.80	10.36	9.90	10.21	0
				50	0	10.09	10.06	10.21	10.23	9.98	0
			16QAM	1	1	10.05	9.59	9.95	9.90	9.98	0
			64QAM	1	1	10.34	9.98	10.08	9.98	9.93	0
			256QAM	1	1	9.96	9.68	9.92	10.26	9.82	0
		CP	QPSK	1	1	9.89	9.73	10.05	10.22	10.29	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	10.31	9.66	9.92	9.65	9.73	0
				1	39	9.91	9.85	10.21	9.76	10.28	0
				1	76	10.02	9.98	10.16	9.58	10.03	0
				36	0	10.31	10.01	10.32	10.06	10.17	0
				36	21	9.88	10.10	10.48	9.72	10.27	0
				36	42	9.80	9.85	10.22	9.69	10.08	0
				75	0	10.17	9.80	10.19	9.71	9.97	0
			QPSK	1	1	10.05	9.60	9.94	10.04	10.00	0
				1	39	10.22	10.01	10.54	9.77	10.35	0
				1	76	10.02	9.82	10.23	9.94	10.43	0
				36	0	10.32	10.00	10.33	10.03	10.17	0
				36	21	10.18	10.11	10.20	10.04	10.28	0
				36	42	9.96	10.16	10.51	9.98	10.40	0
				75	0	10.15	9.78	10.17	10.00	10.26	0
			16QAM	1	1	10.15	9.75	10.18	9.89	10.15	0
			64QAM	1	1	10.06	10.04	9.86	9.87	10.20	0
			256QAM	1	1	9.97	9.89	10.22	9.99	10.01	0
		CP	QPSK	1	1	10.30	9.89	10.17	10.34	9.75	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01	2567.34		2618.67	2670	
						MHz	MHz		MHz	MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	10.23	10.04		10.41	9.69	0
				1	53	10.08	10.20		10.45	10.19	0
				1	104	9.87	10.03		10.22	10.32	0
				50	0	10.20	10.09		10.50	9.91	0
				50	28	10.06	10.16		9.82	10.18	0
				50	56	9.94	9.72		10.31	9.98	0
				100	0	10.05	10.14		10.39	10.16	0
			QPSK	1	1	10.29	10.05		10.50	10.16	0
				1	53	10.12	10.19		10.43	10.24	0
				1	104	9.90	10.28		10.27	10.38	0
				50	0	9.62	9.76		10.51	10.11	0
				50	28	10.06	10.16		10.38	10.18	0
				50	56	9.94	10.19		9.81	10.29	0
				100	0	10.05	10.15		10.39	10.16	0
			16QAM	1	1	10.31	9.94		10.45	10.12	0
			64QAM	1	1	10.43	10.13		10.48	10.02	0
			256QAM	1	1	10.43	10.00		10.43	9.96	0
		CP	QPSK	1	1	10.20	10.08		10.47	10.10	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	10.33		10.10		10.16	0
				1	67	10.09		10.50		10.18	0
				1	131	10.01		9.71		10.39	0
				64	0	10.18		10.29		9.56	0
				64	35	10.09		9.56		9.81	0
				64	69	10.01		10.56		10.34	0
				128	0	10.08		9.66		10.17	0
			QPSK	1	1	10.31		10.18		9.66	0
				1	67	10.09		10.54		10.24	0
				1	131	10.06		10.48		10.44	0
				64	0	10.18		10.30		10.18	0
				64	35	10.12		10.53		10.20	0
				64	69	10.01		10.56		10.33	0
				128	0	10.08		9.71		9.62	0
			16QAM	1	1	10.12		10.33		9.83	0
			64QAM	1	1	10.13		10.01		9.92	0
			256QAM	1	1	10.25		10.03		10.23	0
		CP	QPSK	1	1	10.23		10.07		10.21	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	10.23		10.07		10.22	0
				1	81	10.03		10.61		10.20	0
				1	160	9.98		10.31		10.32	0
				81	0	10.09		10.08		10.20	0
				81	41	10.01		10.52		10.13	0
				81	81	9.94		10.54		10.23	0
			162	0	9.97		10.49		10.13	0	
			QPSK	1	1	10.30		10.14		9.69	0
				1	81	10.12		10.63		10.24	0
				1	160	10.06		10.40		10.35	0
				81	0	10.08		10.25		10.20	0
				81	41	10.05		10.53		10.14	0
				81	81	9.96		9.55		10.25	0
			162	0	9.97		10.49		9.76	0	
			16QAM	1	1	10.16		10.16		10.12	0
			64QAM	1	1	10.20		9.95		10.42	0
			256QAM	1	1	10.03		10.05		10.12	0
		CP	QPSK	1	1	10.24		10.08		10.27	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04					2654.97
						MHz					MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	10.07				9.97	0
				1	95	9.82				10.01	0
				1	187	9.97				10.07	0
				90	0	9.95				10.12	0
				90	50	9.87				9.94	0
				90	99	9.95				9.99	0
				180	0	9.86				9.97	0
			QPSK	1	1	10.11				10.19	0
				1	95	9.86				9.94	0
				1	187	10.01				10.15	0
				90	0	9.95				10.13	0
				90	50	9.88				9.94	0
				90	99	9.96				10.00	0
				180	0	9.86				9.97	0
			16QAM	1	1	10.07				10.26	0
			64QAM	1	1	10.10				10.17	0
			256QAM	1	1	10.06				10.12	0
		CP	QPSK	1	1	9.88				10.16	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
						MHz					MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	9.56				9.61	0
				1	109	9.79				9.96	0
				1	215	9.96				10.17	0
				108	0	9.92				10.14	0
				108	55	9.82				10.01	0
				108	109	9.91				10.03	0
				216	0	9.65				10.01	0
			QPSK	1	1	10.13				10.33	0
				1	109	9.78				10.05	0
				1	215	9.96				10.24	0
				108	0	9.93				10.15	0
				108	55	9.84				10.02	0
				108	109	9.91				10.03	0
				216	0	9.97				10.01	0
			16QAM	1	1	10.23				10.24	0
			64QAM	1	1	10.27				10.32	0
			256QAM	1	1	10.12				10.23	0
		CP	QPSK	1	1	10.13				10.25	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	10.29				10.05	0
				1	123	10.00				10.07	0
				1	243	10.17				10.27	0
				120	0	9.89				10.17	0
				120	63	9.88				10.11	0
				120	125	10.03				10.07	0
				243	0	9.85				10.10	0
			QPSK	1	1	10.17				10.32	0
				1	123	9.86				10.14	0
				1	243	10.17				10.41	0
				120	0	9.93				10.19	0
				120	63	9.88				10.11	0
				120	125	10.03				10.22	0
				243	0	9.85				10.11	0
			16QAM	1	1	10.18				10.23	0
			64QAM	1	1	10.17				10.40	0
			256QAM	1	1	10.11				10.38	0
		CP	QPSK	1	1	10.30				10.40	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99		
								MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			10.17		0
				1	137			10.49		0
				1	271			10.11		0
				135	0			9.84		0
				135	69			10.37		0
				135	138			10.11		0
				270	0			10.47		0
			QPSK	1	1			9.98		0
				1	137			10.21		0
				1	271			10.33		0
				135	0			9.86		0
				135	69			10.21		0
				135	138			10.13		0
				270	0			10.20		0
			16QAM	1	1			9.98		0
			64QAM	1	1			10.06		0
			256QAM	1	1			9.73		0
		CP	QPSK	1	1			10.17		0

L.3 NR FDD Band n66 Maximum Conducted Power

NR FDD Band n66 Conducted Power_ Measured Pmax, RSI = 0 (Free) _ MAIN1 Antenna

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.84	24.10	24.20	0
				1	13	23.80	24.02	24.09	0
				1	23	23.87	24.09	24.20	0
				12	0	23.41	23.64	23.73	0.5
				12	7	23.91	24.12	24.19	0
				12	13	23.40	23.62	23.71	0.5
				25	0	23.43	23.65	23.71	0.5
			QPSK	1	1	23.97	24.12	24.24	0
				1	13	23.83	24.03	24.07	0
				1	23	23.92	24.09	24.16	0
				12	0	22.99	23.16	23.23	1
				12	7	23.98	24.17	24.24	0
				12	13	22.96	23.14	23.23	1
				25	0	22.98	23.16	23.22	1
			16QAM	1	1	23.01	23.19	23.31	1
			64QAM	1	1	21.45	21.69	21.64	2.5
			256QAM	1	1	19.33	19.57	19.62	4.5
		CP	QPSK	1	1	22.42	22.58	22.73	1.5

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.02	24.15	24.27	0
				1	26	24.13	24.26	24.32	0
				1	50	23.97	24.15	24.25	0
				25	0	23.58	23.69	23.82	0.5
				25	14	24.04	24.18	24.30	0
				25	27	23.50	23.66	23.81	0.5
				50	0	23.56	23.67	23.85	0.5
			QPSK	1	1	24.06	24.20	24.30	0
				1	26	24.07	24.18	24.34	0
				1	50	23.98	24.15	24.25	0
				25	0	23.11	23.23	23.35	1
				25	14	24.06	24.18	24.35	0
				25	27	23.05	23.18	23.31	1
				50	0	23.08	23.21	23.35	1
			16QAM	1	1	23.10	23.29	23.35	1
			64QAM	1	1	21.61	21.66	21.86	2.5
			256QAM	1	1	19.38	19.62	19.59	4.5
		CP	QPSK	1	1	22.56	22.61	22.71	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.99	24.16	24.06	0
				1	40	23.85	24.05	24.15	0
				1	77	23.96	24.19	24.19	0
				36	0	23.53	23.71	23.69	0.5
				36	22	23.97	24.19	24.25	0
				36	43	23.48	23.66	23.76	0.5
				75	0	23.48	23.69	23.76	0.5
			QPSK	1	1	23.95	24.17	24.15	0
				1	40	23.90	24.11	24.18	0
				1	77	24.00	24.20	24.26	0
				36	0	23.07	23.24	23.21	1
				36	22	24.02	24.18	24.26	0
				36	43	23.02	23.19	23.25	1
				75	0	23.01	23.20	23.28	1
			16QAM	1	1	23.04	23.16	23.09	1
			64QAM	1	1	21.77	21.63	21.59	2.5
			256QAM	1	1	19.41	19.59	19.46	4.5
		CP	QPSK	1	1	22.48	22.69	22.50	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.94	24.16	24.04	0
				1	53	24.03	24.28	24.32	0
				1	104	24.03	24.15	24.22	0
				50	0	23.49	23.75	23.63	0.5
				50	28	23.95	24.19	24.28	0
				50	56	23.48	23.69	23.80	0.5
				100	0	23.45	23.73	23.76	0.5
			QPSK	1	1	24.03	24.24	24.07	0
				1	53	24.03	24.27	24.37	0
				1	104	24.04	24.18	24.25	0
				50	0	23.04	23.26	23.18	1
				50	28	23.98	24.21	24.28	0
				50	56	23.00	23.21	23.33	1
				100	0	22.98	23.22	23.31	1
			16QAM	1	1	22.99	23.21	23.09	1
			64QAM	1	1	21.59	21.77	21.68	2.5
			256QAM	1	1	19.37	19.58	19.54	4.5
		CP	QPSK	1	1	22.37	22.62	22.52	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.83	24.09	24.08	0
				1	66	23.95	24.37	24.36	0
				1	131	24.07	24.12	24.23	0
				64	0	23.41	23.74	23.63	0.5
				64	35	23.90	24.20	24.23	0
				64	69	23.51	23.72	23.86	0.5
				128	0	23.41	23.72	23.73	0.5
			QPSK	1	1	23.96	24.16	24.09	0
				1	66	23.96	24.25	24.27	0
				1	131	24.16	24.16	24.26	0
				64	0	22.96	23.26	23.19	1
				64	35	23.92	24.23	24.29	0
				64	69	23.02	23.23	23.39	1
				128	0	22.93	23.23	23.27	1
			16QAM	1	1	23.05	23.25	23.25	1
			64QAM	1	1	21.41	21.68	21.74	2.5
			256QAM	1	1	19.39	19.56	19.51	4.5
		CP	QPSK	1	1	22.43	22.66	22.58	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.02	0
				1	80	24.27	0
				1	158	24.10	0
				80	0	23.73	0.5
				80	40	24.20	0
				80	80	23.71	0.5
				160	0	23.73	0.5
			QPSK	1	1	24.13	0
				1	80	24.30	0
				1	158	24.18	0
				80	0	23.27	1
				80	40	24.25	0
				80	80	23.25	1
				160	0	23.25	1
			16QAM	1	1	23.17	1
			64QAM	1	1	21.76	2.5
			256QAM	1	1	19.62	4.5
		CP	QPSK	1	1	22.55	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.92	0
				1	108	24.30	0
				1	214	24.14	0
				108	0	23.68	0.5
				108	54	24.22	0
				108	108	23.66	0.5
				216	0	23.71	0.5
			QPSK	1	1	24.00	0
				1	108	24.32	0
				1	214	24.19	0
				108	0	23.25	1
				108	54	24.23	0
				108	108	23.21	1
				216	0	23.22	1
			16QAM	1	1	22.99	1
			64QAM	1	1	21.54	2.5
			256QAM	1	1	19.41	4.5
		CP	QPSK	1	1	22.44	1.5

NR FDD Band n66 Conducted Power_ Measured RSI = 1, 3 (Grip Sensor #1, #3)_ MAIN1 Antenna

NR FDD Band n66 _5 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 Mhz	1745 Mhz	1777.5 Mhz	
5 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.68	19.93	20.04	0
				1	13	19.60	19.85	19.91	0
				1	23	19.70	19.93	20.01	0
				12	0	19.72	19.93	20.02	0
				12	7	19.71	19.93	20.02	0
				12	13	19.71	19.94	20.00	0
				25	0	19.74	19.95	20.03	0
			QPSK	1	1	19.74	19.99	20.07	0
				1	13	19.65	19.82	19.96	0
				1	23	19.72	19.90	20.02	0
				12	0	19.75	19.96	20.05	0
				12	7	19.76	19.95	20.07	0
				12	13	19.73	19.95	20.03	0
				25	0	19.75	19.97	20.02	0
			16QAM	1	1	19.76	20.09	20.14	0
			64QAM	1	1	19.80	20.12	20.17	0
			256QAM	1	1	19.25	19.46	19.59	0.5
		CP	QPSK	1	1	19.75	19.95	20.04	0

NR FDD Band n66 _10 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 Mhz	1745 Mhz	1775 Mhz	
10 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.83	19.96	20.08	0
				1	26	19.93	20.08	20.14	0
				1	50	19.75	19.94	20.06	0
				25	0	19.85	20.00	20.12	0
				25	14	19.82	19.96	20.14	0
				25	27	19.79	19.97	20.07	0
				50	0	19.83	19.97	20.15	0
			QPSK	1	1	19.88	19.98	20.10	0
				1	26	19.91	20.04	20.19	0
				1	50	19.78	19.97	20.05	0
				25	0	19.89	20.02	20.15	0
				25	14	19.86	19.97	20.16	0
				25	27	19.81	19.99	20.12	0
				50	0	19.82	19.99	20.17	0
			16QAM	1	1	20.01	20.01	20.15	0
			64QAM	1	1	20.01	20.01	20.14	0
			256QAM	1	1	19.32	19.52	19.56	0.5
		CP	QPSK	1	1	19.85	19.96	20.08	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.77	19.96	19.87	0
				1	40	19.63	19.85	19.95	0
				1	77	19.73	19.98	20.00	0
				36	0	19.78	19.98	19.96	0
				36	22	19.73	19.95	20.04	0
				36	43	19.75	19.95	20.05	0
				75	0	19.75	19.99	20.07	0
			QPSK	1	1	19.84	20.01	19.90	0
				1	40	19.69	19.90	19.98	0
				1	77	19.78	20.02	20.01	0
				36	0	19.82	20.03	20.00	0
				36	22	19.77	19.99	20.06	0
				36	43	19.77	19.97	20.05	0
				75	0	19.79	20.00	20.04	0
			16QAM	1	1	19.79	19.98	19.95	0
			64QAM	1	1	19.88	19.99	19.93	0
			256QAM	1	1	19.34	19.64	19.50	0.5
		CP	QPSK	1	1	19.77	19.96	19.84	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.71	19.94	19.83	0
				1	53	19.78	20.08	20.12	0
				1	104	19.80	19.95	20.02	0
				50	0	19.76	20.00	19.91	0
				50	28	19.71	19.98	20.05	0
				50	56	19.73	19.98	20.11	0
				100	0	19.71	20.00	20.06	0
			QPSK	1	1	19.79	19.99	19.89	0
				1	53	19.75	20.10	20.18	0
				1	104	19.81	19.99	20.07	0
				50	0	19.76	20.03	19.93	0
				50	28	19.72	20.01	20.07	0
				50	56	19.76	20.00	20.13	0
				100	0	19.75	20.01	20.08	0
			16QAM	1	1	19.85	20.00	19.86	0
			64QAM	1	1	19.89	19.95	19.92	0
			256QAM	1	1	19.39	19.40	19.46	0.5
		CP	QPSK	1	1	19.72	19.94	19.84	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.65	19.91	19.90	0
				1	66	19.75	19.99	20.18	0
				1	131	19.85	19.92	20.04	0
				64	0	19.66	20.02	19.93	0
				64	35	19.67	19.99	20.05	0
				64	69	19.78	20.00	20.16	0
				128	0	19.66	20.00	20.04	0
			QPSK	1	1	19.76	19.89	19.93	0
				1	66	19.78	20.05	20.12	0
				1	131	19.91	19.94	20.01	0
				64	0	19.72	20.06	19.95	0
				64	35	19.71	20.01	20.05	0
				64	69	19.81	20.01	20.17	0
				128	0	19.71	20.01	20.05	0
			16QAM	1	1	19.81	19.98	19.91	0
			64QAM	1	1	19.87	19.92	19.89	0
			256QAM	1	1	19.14	19.45	19.40	0.5
		CP	QPSK	1	1	19.70	19.85	19.81	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.79	0
				1	80	20.05	0
				1	158	19.89	0
				80	0	20.02	0
				80	40	19.99	0
				80	80	20.00	0
				160	0	19.96	0
			QPSK	1	1	19.89	0
				1	80	20.09	0
				1	158	19.94	0
				80	0	20.02	0
				80	40	20.00	0
				80	80	20.01	0
				160	0	20.00	0
			16QAM	1	1	19.86	0
			64QAM	1	1	19.90	0
			256QAM	1	1	19.42	0.5
		CP	QPSK	1	1	19.84	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.65	0
				1	108	20.08	0
				1	214	19.92	0
				108	0	19.97	0
				108	54	19.98	0
				108	108	19.94	0
				216	0	19.99	0
			QPSK	1	1	19.79	0
				1	108	20.09	0
				1	214	19.98	0
				108	0	20.01	0
				108	54	20.02	0
				108	108	19.97	0
				216	0	19.99	0
			16QAM	1	1	19.78	0
			64QAM	1	1	19.80	0
			256QAM	1	1	19.23	0.5
		CP	QPSK	1	1	19.74	0

NR FDD Band n66 Conducted Power_ Measured RSI = 2 (Grip Sensor #2) _MAIN1 Antenna

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.56	11.78	11.88	0
				1	13	11.47	11.65	11.75	0
				1	23	11.43	11.75	11.85	0
				12	0	11.54	11.77	11.83	0
				12	7	11.52	11.76	11.82	0
				12	13	11.52	11.75	11.81	0
				25	0	11.53	11.75	11.84	0
			QPSK	1	1	11.59	11.79	11.89	0
				1	13	11.52	11.71	11.77	0
				1	23	11.56	11.80	11.85	0
				12	0	11.57	11.80	11.86	0
				12	7	11.56	11.76	11.82	0
				12	13	11.55	11.75	11.81	0
				25	0	11.56	11.79	11.82	0
			16QAM	1	1	11.56	11.84	11.79	0
			64QAM	1	1	11.54	11.85	11.87	0
			256QAM	1	1	11.54	11.77	11.89	0
		CP	QPSK	1	1	11.57	11.78	11.85	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.66	11.78	11.90	0
				1	26	11.74	11.90	12.08	0
				1	50	11.55	11.77	11.87	0
				25	0	11.66	11.80	11.94	0
				25	14	11.58	11.75	11.93	0
				25	27	11.56	11.74	11.86	0
				50	0	11.61	11.77	11.95	0
			QPSK	1	1	11.67	11.80	11.90	0
				1	26	11.68	11.81	12.03	0
				1	50	11.55	11.74	11.86	0
				25	0	11.68	11.82	11.95	0
				25	14	11.62	11.78	11.94	0
				25	27	11.59	11.75	11.91	0
				50	0	11.61	11.78	11.95	0
			16QAM	1	1	11.71	11.73	12.00	0
			64QAM	1	1	11.70	11.79	11.95	0
			256QAM	1	1	11.62	11.81	11.99	0
		CP	QPSK	1	1	11.68	11.86	11.92	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.61	11.80	11.69	0
				1	40	11.45	11.67	11.76	0
				1	77	11.52	11.77	11.78	0
				36	0	11.60	11.79	11.78	0
				36	22	11.52	11.77	11.84	0
				36	43	11.53	11.75	11.82	0
				75	0	11.56	11.77	11.84	0
			QPSK	1	1	11.64	11.83	11.69	0
				1	40	11.45	11.66	11.73	0
				1	77	11.54	11.78	11.78	0
				36	0	11.61	11.82	11.79	0
				36	22	11.54	11.76	11.84	0
				36	43	11.53	11.76	11.81	0
				75	0	11.56	11.79	11.84	0
			16QAM	1	1	11.60	11.78	11.72	0
			64QAM	1	1	11.81	11.88	11.70	0
			256QAM	1	1	11.49	11.76	11.63	0
		CP	QPSK	1	1	11.60	11.78	11.66	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.56	11.77	11.63	0
				1	53	11.60	11.87	11.93	0
				1	104	11.60	11.74	11.83	0
				50	0	11.52	11.80	11.71	0
				50	28	11.49	11.75	11.85	0
				50	56	11.51	11.75	11.86	0
				100	0	11.49	11.75	11.82	0
			QPSK	1	1	11.55	11.77	11.64	0
				1	53	11.53	11.77	11.92	0
				1	104	11.56	11.74	11.77	0
				50	0	11.54	11.80	11.71	0
				50	28	11.48	11.75	11.83	0
				50	56	11.52	11.74	11.88	0
				100	0	11.51	11.79	11.84	0
			16QAM	1	1	11.56	11.79	11.64	0
			64QAM	1	1	11.67	11.79	11.71	0
			256QAM	1	1	11.52	11.78	11.54	0
		CP	QPSK	1	1	11.59	11.78	11.59	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.52	11.72	11.69	0
				1	66	11.56	11.79	11.98	0
				1	131	11.67	11.71	11.84	0
				64	0	11.49	11.78	11.68	0
				64	35	11.46	11.79	11.79	0
				64	69	11.57	11.75	11.93	0
				128	0	11.45	11.78	11.81	0
			QPSK	1	1	11.53	11.73	11.72	0
				1	66	11.54	11.87	11.85	0
				1	131	11.68	11.74	11.83	0
				64	0	11.49	11.80	11.71	0
				64	35	11.45	11.77	11.83	0
				64	69	11.58	11.80	11.94	0
				128	0	11.48	11.77	11.81	0
			16QAM	1	1	11.50	11.69	11.76	0
			64QAM	1	1	11.62	11.66	11.63	0
			256QAM	1	1	11.40	11.70	11.69	0
		CP	QPSK	1	1	11.49	11.76	11.70	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.68	0
				1	80	11.91	0
				1	158	11.70	0
				80	0	11.80	0
				80	40	11.78	0
				80	80	11.78	0
				160	0	11.76	0
			QPSK	1	1	11.69	0
				1	80	11.82	0
				1	158	11.71	0
				80	0	11.80	0
				80	40	11.79	0
				80	80	11.78	0
				160	0	11.78	0
			16QAM	1	1	11.68	0
			64QAM	1	1	11.70	0
			256QAM	1	1	11.60	0
		CP	QPSK	1	1	11.66	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.50	0
				1	108	11.86	0
				1	214	11.71	0
				108	0	11.77	0
				108	54	11.76	0
				108	108	11.70	0
				216	0	11.75	0
			QPSK	1	1	11.45	0
				1	108	11.83	0
				1	214	11.69	0
				108	0	11.77	0
				108	54	11.78	0
				108	108	11.74	0
				216	0	11.75	0
			16QAM	1	1	11.51	0
			64QAM	1	1	11.55	0
			256QAM	1	1	11.51	0
		CP	QPSK	1	1	11.50	0

L.4 NR TDD Band n77 Maximum Conducted Power

NR TDD Band n77 (PC2, PC3) Conducted Power_ Measured RSI = 0 (Free) _ MAIN2 Antenna

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705	3759	3813	3867	3921	3975	
						MHz	MHz	MHz	MHz	MHz	MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.84	18.60	18.48	18.53	18.79	18.51	0
				1	12	18.83	18.54	18.48	18.56	18.90	18.25	0
				1	22	18.82	18.50	18.38	18.61	18.90	18.43	0
				12	0	18.03	18.50	18.31	18.52	17.09	18.02	0
				12	6	18.07	18.46	18.22	18.55	18.80	18.56	0
				12	12	18.61	18.45	18.34	18.57	18.03	18.21	0
				24	0	18.75	18.45	18.35	18.53	18.78	18.56	0
			QPSK	1	1	18.76	18.53	18.36	18.47	18.78	18.60	0
				1	12	18.75	18.47	18.44	18.52	18.83	18.54	0
				1	22	18.71	18.46	18.32	18.59	18.85	18.52	0
				12	0	18.42	18.52	18.27	18.51	18.78	18.59	0
				12	6	18.77	18.48	18.33	18.54	18.79	18.28	0
				12	12	18.79	18.46	18.33	18.56	18.82	18.26	0
				24	0	18.76	18.46	18.35	18.53	18.78	18.27	0
			16QAM	1	1	18.67	18.63	18.33	18.53	18.08	18.53	0
			64QAM	1	1	18.76	18.59	18.33	18.44	18.72	18.62	0
			256QAM	1	1	18.74	18.50	18.37	18.45	18.85	18.60	0
		CP	QPSK	1	1	18.69	18.18	17.98	18.47	18.68	18.58	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654234	657766	661300	664832	
						3 707.52	3 760.5	3 813.51	3 866.5	3 919.5	3 972.48	
						MHz	MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	18.74	18.56	18.41	18.41	18.71	18.58	0
				1	18	18.70	18.37	18.28	18.45	18.71	18.53	0
				1	36	18.70	18.48	18.27	18.60	18.87	18.48	0
				18	0	17.99	18.03	17.19	18.11	17.39	18.20	0
				18	9	18.73	18.42	18.33	18.50	18.74	18.71	0
				18	18	18.71	18.43	18.13	18.16	18.07	18.37	0
				36	0	18.74	18.11	18.31	18.50	18.72	18.72	0
			QPSK	1	1	18.76	18.54	18.36	18.43	18.67	18.71	0
				1	18	18.68	18.37	18.27	18.43	18.71	18.65	0
				1	36	18.67	18.48	18.27	18.56	18.85	18.64	0
				18	0	18.74	17.54	18.35	17.39	18.70	18.72	0
				18	9	18.73	18.43	18.33	18.50	18.76	18.72	0
				18	18	18.72	18.44	18.30	18.54	18.80	18.67	0
				36	0	18.71	18.44	18.32	18.51	18.73	18.74	0
			16QAM	1	1	18.75	18.59	18.23	18.39	18.66	18.62	0
			64QAM	1	1	18.61	18.56	18.22	18.44	18.62	18.66	0
			256QAM	1	1	18.72	18.11	18.35	18.08	18.33	18.12	0
		CP	QPSK	1	1	18.71	18.19	18.39	18.40	18.69	18.64	0

NR TDD Band n77_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.81	18.61	18.40	18.40	18.64	18.52	0
				1	26	18.77	18.47	18.33	18.52	18.72	18.69	0
				1	49	18.67	18.53	18.25	18.62	18.85	18.64	0
				25	0	18.79	18.15	17.05	18.17	18.11	18.05	0
				25	13	18.76	18.46	18.31	18.50	18.71	18.71	0
				25	26	18.70	18.50	18.28	18.54	18.76	18.64	0
				50	0	18.77	18.46	18.31	18.49	18.68	18.69	0
			QPSK	1	1	18.78	18.59	18.38	18.37	18.62	18.51	0
				1	26	18.74	18.45	18.29	18.49	18.69	18.67	0
				1	49	18.62	18.50	18.21	18.60	18.86	18.59	0
				25	0	18.80	18.50	18.08	18.44	18.64	18.61	0
				25	13	18.76	18.46	18.35	18.50	18.69	18.69	0
				25	26	18.71	18.48	18.28	18.56	18.77	18.64	0
				50	0	18.77	18.45	18.32	18.49	18.70	18.70	0
			16QAM	1	1	18.81	18.55	18.31	18.38	18.70	18.38	0
			64QAM	1	1	18.11	18.38	18.33	18.40	18.63	18.46	0
			256QAM	1	1	18.79	18.71	18.40	18.37	18.65	18.45	0
		CP	QPSK	1	1	18.79	18.23	18.37	18.43	18.28	18.49	0

NR TDD Band n77_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.87	18.66	18.42	18.34	18.67	18.40	0
				1	32	18.78	18.53	18.36	18.52	18.71	18.66	0
				1	63	18.71	18.56	18.22	18.64	18.83	18.61	0
				32	0	18.81	18.31	18.33	18.54	18.30	18.18	0
				32	17	18.78	18.50	18.32	18.47	18.64	18.62	0
				32	33	18.66	18.53	18.26	18.53	18.74	18.64	0
				64	0	18.77	18.48	18.32	18.47	18.65	18.60	0
			QPSK	1	1	18.85	18.63	18.42	18.33	18.61	18.36	0
				1	32	18.77	18.51	18.38	18.46	18.67	18.59	0
				1	63	18.67	18.56	18.19	18.63	18.82	18.57	0
				32	0	18.83	18.52	18.37	18.38	18.58	18.46	0
				32	17	18.77	18.50	18.33	18.49	18.65	18.62	0
				32	33	18.69	18.51	18.26	18.53	18.73	18.63	0
				64	0	18.77	18.48	18.33	18.47	18.65	18.59	0
			16QAM	1	1	17.90	18.61	18.44	18.18	18.64	18.35	0
			64QAM	1	1	18.80	18.63	18.37	18.39	18.62	18.34	0
			256QAM	1	1	18.81	18.62	18.33	18.29	18.59	18.34	0
		CP	QPSK	1	1	18.81	18.56	18.36	18.33	18.62	18.32	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.66	18.44	18.20	18.53	18.67	18.46	0
				1	39	18.65	18.36	18.18	18.64	18.65	18.74	0
				1	76	18.68	18.49	18.08	18.69	18.85	18.62	0
				36	0	18.65	18.31	18.44	18.21	18.27	18.17	0
				36	21	18.61	18.36	18.15	18.13	18.62	18.26	0
				36	42	18.58	18.43	18.11	18.15	18.71	18.17	0
				75	0	18.61	18.34	18.15	18.60	18.21	18.64	0
			QPSK	1	1	18.67	18.41	18.17	18.45	18.64	18.42	0
				1	39	18.63	18.39	18.22	18.60	18.64	18.71	0
				1	76	18.67	18.52	18.09	18.70	18.82	18.59	0
				36	0	18.65	18.31	18.15	18.21	18.57	18.31	0
				36	21	18.59	18.35	18.15	18.62	18.61	18.66	0
				36	42	18.59	18.43	18.11	18.65	18.69	18.73	0
				75	0	18.61	18.34	18.15	18.59	18.59	18.63	0
			16QAM	1	1	18.74	18.43	18.14	18.44	18.60	18.35	0
			64QAM	1	1	18.65	18.50	18.16	18.50	18.59	18.47	0
			256QAM	1	1	18.64	18.39	17.82	18.23	18.59	18.43	0
		CP	QPSK	1	1	18.60	18.42	18.17	18.20	18.61	18.43	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.80	18.54	18.23	18.20	18.82	18.63	0
				1	53	18.72	18.49	18.30	18.30	18.77	18.49	0
				1	104	18.85	18.50	18.11	18.44	18.85	18.59	0
				50	0	18.76	18.11	18.21	18.31	18.21	18.11	0
				50	28	18.07	18.45	18.21	18.61	18.70	18.31	0
				50	56	18.74	18.33	18.10	18.21	18.33	18.71	0
				100	0	18.64	18.42	18.21	18.58	18.67	18.45	0
			QPSK	1	1	18.77	18.48	18.21	18.33	18.84	18.64	0
				1	53	18.69	18.43	18.19	18.56	18.77	18.45	0
				1	104	18.81	18.45	18.02	18.68	18.84	18.57	0
				50	0	18.75	18.29	18.35	18.24	18.20	18.24	0
				50	28	18.65	18.44	18.15	18.62	18.69	18.48	0
				50	56	18.72	18.52	18.10	18.66	18.77	18.71	0
				100	0	18.65	18.41	18.15	18.56	18.69	18.46	0
			16QAM	1	1	18.95	18.68	18.20	18.35	18.75	18.60	0
			64QAM	1	1	18.50	18.31	18.21	18.33	18.25	18.21	0
			256QAM	1	1	18.40	18.58	18.17	18.36	18.86	18.83	0
		CP	QPSK	1	1	18.75	18.45	18.22	18.38	18.83	18.74	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.69	18.42	18.21		18.58	18.96	0
				1	67	18.62	18.56	18.14		18.78	18.48	0
				1	131	18.64	18.24	18.50		18.74	18.54	0
				64	0	18.21	17.29	18.31		18.21	18.31	0
				64	35	18.59	18.58	18.12		18.22	18.47	0
				64	69	18.76	18.32	18.38		18.63	18.65	0
				128	0	18.59	18.53	18.09		18.75	18.25	0
			QPSK	1	1	18.65	18.42	18.16		18.53	18.91	0
				1	67	18.60	18.54	18.07		18.74	18.45	0
				1	131	18.65	18.25	18.47		18.73	18.49	0
				64	0	18.60	18.52	18.09		18.35	18.21	0
				64	35	18.61	18.57	18.12		18.78	18.50	0
				64	69	18.77	18.37	18.40		18.65	18.65	0
				128	0	18.58	18.54	18.09		18.76	18.44	0
			16QAM	1	1	18.49	18.26	18.53		18.44	18.89	0
			64QAM	1	1	18.55	18.31	18.14		18.33	18.78	0
			256QAM	1	1	18.66	18.38	18.14		18.5	18.24	0
		CP	QPSK	1	1	18.67	18.39	18.09		18.52	18.77	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.74	18.58			18.18	18.36	0
				1	81	18.82	18.37			18.71	18.29	0
				1	160	18.42	18.08			18.71	18.39	0
				81	0	18.65	18.31			18.25	18.33	0
				81	41	18.74	18.35			18.41	18.33	0
				81	81	18.73	18.20			17.62	17.56	0
				162	0	18.71	18.31			18.58	18.29	0
			QPSK	1	1	18.75	18.56			18.21	18.62	0
				1	81	18.84	18.37			18.69	18.43	0
				1	160	18.36	18.05			18.71	18.5	0
				81	0	18.26	18.49			18.26	18.31	0
				81	41	18.74	18.36			18.61	18.33	0
				81	81	18.72	18.21			18.81	18.54	0
				162	0	18.72	18.31			18.58	18.29	0
			16QAM	1	1	18.65	18.36			18.09	18.52	0
			64QAM	1	1	18.69	18.55			18.33	18.38	0
			256QAM	1	1	18.65	18.47			17.76	18.56	0
		CP	QPSK	1	1	18.63	18.50			18.15	18.63	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.58	18.59			17.98	18.51	0
				1	95	18.69	18.34			18.56	18.45	0
				1	187	18.50	18.02			18.72	18.67	0
				90	0	18.45	18.53			18.28	18.70	0
				90	50	18.68	18.35			18.53	18.45	0
				90	99	18.51	18.14			18.79	18.51	0
				180	0	18.65	18.33			18.50	18.47	0
			QPSK	1	1	18.57	18.53			17.99	18.52	0
				1	95	18.71	18.34			18.57	18.46	0
				1	187	18.50	18.01			18.73	18.68	0
				90	0	18.46	18.52			18.29	18.69	0
				90	50	18.69	18.35			18.55	18.44	0
				90	99	18.52	18.14			18.78	18.51	0
				180	0	18.65	18.32			18.50	18.47	0
			16QAM	1	1	18.64	18.55			17.99	18.55	0
			64QAM	1	1	18.60	18.56			17.95	18.43	0
			256QAM	1	1	18.59	18.49			17.97	18.49	0
		CP	QPSK	1	1	18.49	18.53			17.96	18.49	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.76		18.28		18.78		0
				1	109	18.86		18.13		18.74		0
				1	215	18.56		18.69		18.69		0
				108	0	18.56		18.15		18.71		0
				108	55	18.83		18.09		18.73		0
				108	109	18.40		18.44		18.49		0
				216	0	18.80		18.25		18.70		0
			QPSK	1	1	18.75		18.25		18.76		0
				1	109	18.88		18.14		18.76		0
				1	215	18.60		18.70		18.70		0
				108	0	18.56		18.35		18.71		0
				108	55	18.82		18.10		18.72		0
				108	109	18.39		18.45		18.5		0
				216	0	18.81		18.06		18.69		0
			16QAM	1	1	18.70		18.22		18.86		0
			64QAM	1	1	18.78		18.21		18.45		0
			256QAM	1	1	18.71		18.24		18.75		0
		CP	QPSK	1	1	17.35		17.94		18.72		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649668		656000		662332		
						3745.02 MHz		3840 MHz		3934.98 MHz		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.71		18.36		18.95		0
				1	123	18.63		18.12		18.88		0
				1	243	18.61		18.78		18.56		0
				120	0	18.48		18.34		18.75		0
				120	63	18.62		18.24		18.86		0
				120	125	18.44		18.47		18.26		0
				243	0	18.64		18.06		18.27		0
			QPSK	1	1	18.70		18.35		18.97		0
				1	123	18.62		18.11		18.89		0
				1	243	18.62		18.79		18.56		0
				120	0	18.49		18.18		18.46		0
				120	63	18.62		18.10		18.41		0
				120	125	18.45		18.48		18.41		0
				243	0	18.64		18.35		18.81		0
			16QAM	1	1	18.84		18.30		18.91		0
			64QAM	1	1	18.70		18.25		18.92		0
			256QAM	1	1	18.33		18.32		18.22		0
		CP	QPSK	1	1	18.66		18.28		18.26		0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						650000				662000		
						3750 MHz				3930 MHz		
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.90				18.78		0
				1	137	18.58				18.88		0
				1	271	18.42				18.72		0
				135	0	17.79				18.68		0
				135	69	18.58				18.86		0
				135	138	18.51				18.42		0
				270	0	18.60				18.83		0
			QPSK	1	1	18.85				18.78		0
				1	137	18.59				18.91		0
				1	271	18.45				18.72		0
				135	0	18.64				18.67		0
				135	69	18.59				18.86		0
				135	138	18.51				18.40		0
				270	0	18.59				18.83		0
			16QAM	1	1	18.87				18.77		0
			64QAM	1	1	18.83				18.76		0
			256QAM	1	1	18.33				18.71		0
		CP	QPSK	1	1	18.80				18.75		0

NR TDD Band n77 (PC2, PC3) Conducted Power_ Measured RSI = 4 (Grip Sensor #4) _ MAIN2

Antenna

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705	3759	3813	3867	3921	3975	
						MHz	MHz	MHz	MHz	MHz	MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	7.92	8.04	7.51	7.83	8.21	7.93	0
				1	12	7.98	7.73	7.87	8.12	8.29	8.19	0
				1	22	8.26	7.67	7.73	7.77	7.98	7.72	0
				12	0	8.13	8.02	7.84	7.88	7.93	8.08	0
				12	6	8.13	7.98	7.53	7.90	8.25	7.93	0
				12	12	8.27	7.98	7.52	8.09	8.13	7.76	0
				24	0	8.28	7.99	7.54	8.04	7.94	8.06	0
			QPSK	1	1	8.33	7.72	7.86	7.72	7.96	7.77	0
				1	12	8.09	8.03	7.59	8.17	7.98	8.06	0
				1	22	8.33	7.67	7.80	7.82	8.30	7.73	0
				12	0	8.28	7.89	7.83	7.73	8.20	8.09	0
				12	6	8.00	7.99	7.53	7.76	8.09	8.08	0
				12	12	8.31	7.71	7.82	7.79	8.01	7.93	0
				24	0	8.01	7.69	7.83	7.76	8.27	7.79	0
			16QAM	1	1	7.97	7.75	7.52	7.73	7.93	8.11	0
			64QAM	1	1	8.37	7.83	7.97	7.73	8.06	7.80	0
			256QAM	1	1	7.99	8.05	7.59	7.64	8.17	8.10	0
		CP	QPSK	1	1	7.89	7.88	7.59	7.91	7.58	7.83	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654234	657766	661300	664832	
						3707.52	3760.5	3813.51	3866.5	3919.5	3972.48	
						MHz	MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	8.03	7.66	7.59	7.82	7.88	7.92	0
				1	18	7.97	7.96	7.80	7.69	8.01	8.09	0
				1	36	8.14	8.05	7.83	7.86	8.05	7.75	0
				18	0	8.36	7.79	7.90	8.05	7.94	7.87	0
				18	9	8.36	8.04	7.87	7.79	8.26	8.15	0
				18	18	8.20	8.04	7.58	7.84	8.30	8.12	0
				36	0	8.36	7.73	7.59	8.09	7.95	7.88	0
			QPSK	1	1	8.35	7.87	7.93	7.99	8.02	7.95	0
				1	18	8.27	7.86	7.84	8.04	8.16	8.09	0
				1	36	8.28	7.80	7.85	8.20	8.30	8.03	0
				18	0	8.37	7.82	7.62	7.90	8.21	8.16	0
				18	9	8.23	8.03	7.89	8.10	8.10	7.86	0
				18	18	8.36	8.04	7.86	8.14	8.29	7.96	0
				36	0	8.08	7.89	7.89	7.82	7.93	8.15	0
			16QAM	1	1	8.04	7.82	7.59	7.95	8.09	7.83	0
			64QAM	1	1	8.32	7.87	7.69	7.70	8.25	8.10	0
			256QAM	1	1	8.22	7.94	7.93	7.92	8.10	7.63	0
		CP	QPSK	1	1	8.33	7.95	7.73	7.69	7.74	7.54	0

NR TDD Band n77_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01	3762	3813.99	3866.01	3918	3969.99	
						MHz	MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.36	7.91	7.86	7.69	7.75	7.91	0
				1	26	8.29	7.81	7.81	7.98	7.99	8.10	0
				1	49	8.05	7.70	7.89	7.97	8.14	8.05	0
				25	0	8.35	7.75	7.85	7.95	8.12	7.88	0
				25	13	8.04	7.86	7.50	7.88	7.88	8.15	0
				25	26	7.97	7.88	7.66	7.76	7.95	7.81	0
				50	0	8.33	7.85	7.66	8.01	7.88	8.13	0
			QPSK	1	1	8.13	7.90	7.85	7.91	8.13	7.79	0
				1	26	8.21	8.03	7.76	7.99	8.20	8.14	0
				1	49	8.14	8.06	7.89	7.89	8.31	8.07	0
				25	0	8.06	7.74	7.71	7.95	8.12	8.01	0
				25	13	8.20	7.99	7.82	8.02	8.03	7.99	0
				25	26	7.98	7.72	7.61	7.80	8.24	8.09	0
				50	0	8.33	7.70	7.81	7.72	8.17	7.83	0
			16QAM	1	1	8.25	7.80	7.80	7.60	8.03	7.65	0
			64QAM	1	1	8.50	8.09	7.63	7.87	7.84	7.89	0
			256QAM	1	1	8.36	8.11	7.52	7.82	8.00	7.89	0
		CP	QPSK	1	1	8.20	8.17	8.07	7.89	7.73	7.88	0

NR TDD Band n77_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5	3763.5	3814.5	3865.5	3916.5	3967.5	
						MHz	MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.35	8.17	7.53	7.61	8.09	7.60	0
				1	32	8.26	8.01	7.77	7.96	8.14	7.94	0
				1	63	8.02	8.01	7.59	7.80	8.31	8.06	0
				32	0	8.04	8.02	7.83	7.87	8.06	7.76	0
				32	17	8.27	7.70	7.79	7.99	7.98	8.08	0
				32	33	7.89	8.00	7.61	8.06	7.94	8.12	0
				64	0	7.99	7.99	7.63	7.97	8.15	7.91	0
			QPSK	1	1	8.05	7.84	7.88	7.77	7.80	7.81	0
				1	32	8.27	7.99	7.79	7.94	8.16	8.08	0
				1	63	7.87	8.00	7.68	8.12	8.28	7.90	0
				32	0	8.34	7.72	7.83	7.74	8.08	7.92	0
				32	17	8.30	7.69	7.51	7.98	8.01	8.09	0
				32	33	7.89	7.87	7.61	7.77	7.94	8.11	0
				64	0	8.29	7.98	7.50	7.97	8.14	7.62	0
			16QAM	1	1	8.34	7.98	7.51	7.80	7.82	7.84	0
			64QAM	1	1	8.06	8.10	7.85	7.67	8.05	7.77	0
			256QAM	1	1	8.27	8.15	7.82	7.71	7.82	7.52	0
		CP	QPSK	1	1	8.08	7.88	7.51	7.68	7.99	7.61	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	7.91	8.03	7.89	7.75	7.82	7.87	0
				1	39	7.94	7.88	7.71	7.97	7.87	7.80	0
				1	76	8.27	7.78	7.52	7.97	8.07	7.71	0
				36	0	8.11	7.94	7.76	8.01	8.11	7.96	0
				36	21	8.20	7.82	7.66	8.09	7.86	8.10	0
				36	42	8.20	8.05	7.74	7.83	7.97	7.85	0
				75	0	8.19	7.96	7.61	8.06	8.15	8.06	0
			QPSK	1	1	7.91	8.05	7.61	7.97	8.03	7.91	0
				1	39	8.11	7.90	7.83	8.11	8.18	8.17	0
				1	76	7.97	8.12	7.71	8.03	8.10	8.06	0
				36	0	8.25	7.96	7.75	7.88	8.13	7.96	0
				36	21	8.22	7.68	7.75	8.10	7.87	8.09	0
				36	42	7.93	8.04	7.67	7.85	8.27	7.86	0
				75	0	7.92	7.95	7.73	7.79	8.15	8.07	0
			16QAM	1	1	7.96	7.86	7.72	8.08	8.22	7.94	0
			64QAM	1	1	8.28	7.72	7.89	7.93	7.88	7.67	0
			256QAM	1	1	8.19	8.04	7.70	7.80	8.05	7.87	0
		CP	QPSK	1	1	8.27	7.67	7.57	7.56	7.83	7.60	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	7.70	8.11	7.77	7.83	8.32	8.08	0
				1	53	8.23	8.11	7.85	8.15	8.22	8.03	0
				1	104	8.38	8.05	7.69	7.61	8.35	8.04	0
				50	0	8.34	8.01	7.78	8.00	8.30	7.83	0
				50	28	8.22	8.04	7.79	8.10	8.20	7.97	0
				50	56	8.33	8.31	7.75	8.16	8.28	8.18	0
				100	0	8.23	8.01	7.80	8.08	8.19	7.94	0
			QPSK	1	1	8.47	8.12	8.03	7.88	8.37	8.16	0
				1	53	8.33	8.11	7.87	8.20	8.30	8.01	0
				1	104	8.05	8.03	8.04	8.03	8.40	8.17	0
				50	0	8.36	8.00	7.97	8.07	8.26	7.84	0
				50	28	8.24	8.06	7.80	8.09	8.22	7.98	0
				50	56	8.35	8.13	7.58	8.16	8.29	8.21	0
				100	0	8.25	8.02	7.79	8.08	8.19	7.96	0
			16QAM	1	1	8.47	7.99	7.98	7.77	8.44	8.07	0
			64QAM	1	1	7.86	8.04	7.68	7.89	8.25	8.13	0
			256QAM	1	1	7.59	7.61	7.91	7.81	7.66	7.71	0
		CP	QPSK	1	1	8.37	7.96	7.99	7.55	8.19	7.98	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.24	8.01	7.72		8.05	8.40	0
				1	67	8.23	8.10	7.66		8.30	7.91	0
				1	131	8.26	7.98	8.04		8.33	8.03	0
				64	0	8.22	8.12	7.67		8.25	8.17	0
				64	35	7.97	8.15	7.70		7.97	8.11	0
				64	69	8.43	7.97	7.97		8.05	8.11	0
				128	0	8.24	8.17	7.66		8.32	8.06	0
			QPSK	1	1	8.28	8.13	8.07		8.12	8.04	0
				1	67	8.25	8.19	7.74		7.98	8.01	0
				1	131	8.33	7.89	8.04		8.35	8.09	0
				64	0	8.24	8.14	7.70		8.28	8.01	0
				64	35	8.03	8.15	7.72		8.33	7.98	0
				64	69	8.44	7.97	7.98		8.07	8.14	0
				128	0	8.23	8.02	7.68		8.34	7.94	0
			16QAM	1	1	8.35	8.19	7.53		8.16	8.48	0
			64QAM	1	1	8.26	7.99	7.53		8.19	8.28	0
			256QAM	1	1	8.36	7.93	7.66		7.71	8.47	0
		CP	QPSK	1	1	8.27	8.00	7.71		8.04	8.32	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.32	7.91			7.69	8.01	0
				1	81	8.43	7.93			8.19	7.88	0
				1	160	7.99	8.01			8.27	8.09	0
				81	0	8.29	8.06			7.85	8.30	0
				81	41	8.38	7.93			8.19	8.04	0
				81	81	8.38	8.11			8.43	8.12	0
				162	0	8.36	7.90			8.21	7.86	0
			QPSK	1	1	7.95	8.09			7.68	8.03	0
				1	81	8.47	7.93			8.24	8.13	0
				1	160	8.02	7.96			8.28	8.11	0
				81	0	8.29	8.13			8.00	8.30	0
				81	41	8.23	7.95			7.96	7.89	0
				81	81	7.98	7.81			8.06	8.11	0
				162	0	8.36	8.04			8.20	7.87	0
			16QAM	1	1	8.32	8.04			7.82	8.23	0
			64QAM	1	1	8.29	8.17			8.04	8.00	0
			256QAM	1	1	8.26	8.13			7.51	8.03	0
		CP	QPSK	1	1	8.29	8.06			7.75	8.18	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.05	7.96			8.06	7.55	0
				1	95	8.17	7.86			8.11	7.52	0
				1	187	7.81	7.57			7.67	7.76	0
				90	0	8.01	7.82			7.92	7.82	0
				90	50	8.24	7.80			8.11	7.58	0
				90	99	8.21	7.89			8.08	7.66	0
				180	0	8.20	7.78			7.98	7.76	0
			QPSK	1	1	8.12	8.00			7.55	7.72	0
				1	95	8.38	7.78			8.00	7.50	0
				1	187	8.01	7.94			8.15	7.89	0
				90	0	8.16	8.14			7.75	7.96	0
				90	50	8.39	7.94			8.04	8.13	0
				90	99	8.05	7.60			8.28	7.66	0
				180	0	8.22	7.91			7.83	7.63	0
			16QAM	1	1	8.25	8.14			8.13	7.59	0
			64QAM	1	1	8.22	7.61			7.54	7.57	0
			256QAM	1	1	8.09	8.17			8.04	7.93	0
		CP	QPSK	1	1	8.01	8.11			8.00	7.76	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.34		8.03		8.13		0
				1	109	7.97		7.66		8.03		0
				1	215	8.12		8.10		7.97		0
				108	0	8.22		7.77		8.08		0
				108	55	8.48		7.57		8.09		0
				108	109	7.88		7.91		7.88		0
				216	0	8.46		7.67		8.06		0
			QPSK	1	1	8.23		7.86		8.14		0
				1	109	8.32		7.53		7.91		0
				1	215	7.99		8.11		7.86		0
				108	0	8.08		7.62		8.09		0
				108	55	8.33		7.57		7.63		0
				108	109	8.03		7.92		8.02		0
				216	0	8.17		7.70		8.22		0
			16QAM	1	1	8.28		7.76		8.14		0
			64QAM	1	1	8.36		7.72		8.06		0
			256QAM	1	1	8.26		7.74		8.04		0
		CP	QPSK	1	1	8.19		7.65		8.06		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3745.02 MHz		3840 MHz		3934.98 MHz	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.18		8.04		8.27	0
				1	123	7.99		7.52		8.32	0
				1	243	8.07		8.22		8.03	0
				120	0	8.18		7.65		8.11	0
				120	63	8.33		7.56		8.36	0
				120	125	8.14		7.81		7.78	0
				243	0	8.20		7.69		8.33	0
			QPSK	1	1	8.23		7.60		8.32	0
				1	123	8.18		7.65		8.19	0
				1	243	7.95		8.37		8.03	0
				120	0	8.03		7.81		8.26	0
				120	63	8.19		7.57		8.21	0
				120	125	8.15		7.96		7.92	0
				243	0	8.20		7.71		8.33	0
			16QAM	1	1	8.09		7.95		8.03	0
			64QAM	1	1	8.44		7.79		8.18	0
			256QAM	1	1	8.32		7.84		8.31	0
		CP	QPSK	1	1	8.26		7.74		8.26	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750 MHz				3930 MHz	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.17				8.33	0
				1	137	8.24				8.40	0
				1	271	7.75				7.94	0
				135	0	8.33				8.09	0
				135	69	7.97				8.13	0
				135	138	8.18				7.86	0
			QPSK	270	0	7.98				8.27	0
				1	1	8.20				8.11	0
				1	137	8.07				8.40	0
				1	271	7.89				8.09	0
				135	0	8.35				8.25	0
				135	69	8.29				8.31	0
				135	138	8.17				7.86	0
				270	0	8.00				8.12	0
			16QAM	1	1	8.52				8.08	0
			64QAM	1	1	8.23				8.06	0
			256QAM	1	1	8.32				7.98	0
		CP	QPSK	1	1	8.13				8.13	0

L.5 NR TDD Band n77 DoD Maximum Conducted Power

NR TDD Band n77 DoD (PC2, PC3) Conducted Power_ Measured RSI = 0 (Free) _ MAIN2

Antenna

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.54	18.40	18.74	0
				1	12	18.52	18.42	18.75	0
				1	22	18.47	18.37	18.79	0
				12	0	18.33	17.69	16.64	0
				12	6	18.48	18.34	18.74	0
				12	12	18.47	18.34	18.73	0
				24	0	18.22	17.78	18.73	0
			QPSK	1	1	18.41	18.38	18.71	0
				1	12	18.52	18.36	18.74	0
				1	22	18.45	18.34	18.76	0
				12	0	18.52	17.38	17.64	0
				12	6	18.48	18.34	18.73	0
				12	12	18.32	18.34	18.75	0
				24	0	18.49	18.15	18.56	0
			16QAM	1	1	18.51	18.27	18.75	0
			64QAM	1	1	18.51	17.27	17.43	0
			256QAM	1	1	18.54	18.21	18.20	0
		CP	QPSK	1	1	18.47	18.39	18.05	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	18.56	18.39	18.59	0
				1	18	18.47	18.32	18.61	0
				1	36	18.46	18.36	18.69	0
				18	0	18.54	18.11	18.13	0
				18	9	18.52	18.34	18.66	0
				18	18	18.50	18.35	18.67	0
				36	0	18.52	18.38	18.65	0
			QPSK	1	1	18.57	18.35	18.58	0
				1	18	18.46	18.27	18.59	0
				1	36	18.43	18.31	18.68	0
				18	0	18.55	17.61	18.63	0
				18	9	18.52	18.35	18.65	0
				18	18	17.85	18.34	18.66	0
				36	0	18.20	18.29	18.64	0
			16QAM	1	1	18.62	18.37	18.55	0
			64QAM	1	1	18.59	17.06	18.56	0
			256QAM	1	1	18.54	18.14	18.53	0
		CP	QPSK	1	1	18.19	18.39	18.59	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.64	18.42	18.51	0
				1	26	18.56	18.34	18.58	0
				1	49	18.46	18.34	18.64	0
				25	0	18.59	18.36	18.15	0
				25	13	18.58	18.34	18.22	0
				25	26	18.50	18.32	18.60	0
				50	0	18.55	18.34	18.17	0
			QPSK	1	1	18.62	18.42	18.45	0
				1	26	18.51	18.38	18.57	0
				1	49	18.39	18.34	18.60	0
				25	0	18.61	18.35	18.51	0
				25	13	18.57	18.32	18.58	0
				25	26	18.49	18.34	18.60	0
				50	0	18.56	18.32	18.57	0
			16QAM	1	1	18.61	18.38	16.68	0
			64QAM	1	1	18.74	18.40	18.41	0
			256QAM	1	1	18.57	18.32	18.43	0
		CP	QPSK	1	1	18.62	18.38	18.14	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3462.51 MHz	3500.01 MHz	3537.48 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	18.72	18.43	18.38	0
				1	26	18.59	18.39	18.49	0
				1	49	18.47	18.36	18.56	0
				25	0	18.36	17.82	17.23	0
				25	13	18.30	18.35	18.45	0
				25	26	18.21	18.25	18.51	0
				50	0	18.29	18.14	18.19	0
			QPSK	1	1	18.42	18.38	18.34	0
				1	26	18.35	18.36	18.46	0
				1	49	18.17	18.32	18.54	0
				25	0	18.37	17.51	17.31	0
				25	13	18.30	18.35	18.46	0
				25	26	18.19	18.33	18.51	0
				50	0	18.29	18.06	17.99	0
			16QAM	1	1	18.52	18.35	18.55	0
			64QAM	1	1	18.34	17.21	17.32	0
			256QAM	1	1	18.67	18.17	18.34	0
		CP	QPSK	1	1	18.70	18.41	18.26	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.50	18.36	18.51	0
				1	39	18.38	18.34	18.67	0
				1	76	18.23	18.33	18.71	0
				36	0	18.45	18.22	18.53	0
				36	21	18.35	18.34	18.63	0
				36	42	18.25	18.33	18.69	0
				75	0	18.36	18.14	18.60	0
			QPSK	1	1	18.49	17.40	18.50	0
				1	39	18.33	18.34	18.61	0
				1	76	18.22	18.33	18.72	0
				36	0	18.45	18.19	18.55	0
				36	21	18.34	18.33	18.63	0
				36	42	18.25	18.32	18.69	0
				75	0	18.36	18.11	18.61	0
			16QAM	1	1	18.42	18.37	18.30	0
			64QAM	1	1	18.30	18.34	18.43	0
			256QAM	1	1	18.47	18.13	18.49	0
		CP	QPSK	1	1	18.24	18.35	17.56	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.61		18.33	0
				1	53	18.50		18.47	0
				1	104	18.39		18.63	0
				50	0	18.53		18.39	0
				50	28	18.40		18.31	0
				50	56	18.35		18.56	0
				100	0	18.42		18.43	0
			QPSK	1	1	18.60		18.30	0
				1	53	18.43		18.46	0
				1	104	18.36		18.60	0
				50	0	18.55		18.39	0
				50	28	18.41		18.44	0
				50	56	18.36		18.55	0
				100	0	17.65		18.43	0
			16QAM	1	1	18.62		18.32	0
			64QAM	1	1	18.55		18.17	0
			256QAM	1	1	18.74		18.34	0
		CP	QPSK	1	1	18.24		18.27	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.55		18.23	0
				1	67	18.27		18.30	0
				1	131	18.26		18.51	0
				64	0	18.39		18.21	0
				64	35	18.26		18.29	0
				64	69	18.28		18.22	0
				128	0	18.26		18.29	0
			QPSK	1	1	18.44		18.19	0
				1	67	18.28		18.27	0
				1	131	18.21		18.49	0
				64	0	18.39		18.20	0
				64	35	18.27		18.29	0
				64	69	18.27		18.40	0
				128	0	18.26		18.28	0
			16QAM	1	1	18.66		17.98	0
			64QAM	1	1	18.47		18.15	0
			256QAM	1	1	18.52		18.07	0
		CP	QPSK	1	1	17.51		18.25	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		18.36		0
				1	81		18.38		0
				1	160		18.42		0
				81	0		18.36		0
				81	41		18.33		0
				81	81		18.35		0
				162	0		18.31		0
			QPSK	1	1		18.37		0
				1	81		18.37		0
				1	160		18.43		0
				81	0		18.36		0
				81	41		18.34		0
				81	81		18.35		0
				162	0		18.34		0
			16QAM	1	1		18.69		0
			64QAM	1	1		18.28		0
			256QAM	1	1		18.24		0
		CP	QPSK	1	1		18.32		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		18.39		0
				1	95		18.34		0
				1	187		18.46		0
				90	0		18.34		0
				90	50		18.32		0
				90	99		18.36		0
				180	0		18.32		0
			QPSK	1	1		18.41		0
				1	95		18.35		0
				1	187		18.47		0
				90	0		18.34		0
				90	50		18.33		0
				90	99		18.35		0
				180	0		18.32		0
			16QAM	1	1		18.49		0
			64QAM	1	1		18.47		0
			256QAM	1	1		18.47		0
		CP	QPSK	1	1		16.59		0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		18.52		0
				1	109		18.35		0
				1	215		18.58		0
				108	0		18.34		0
				108	55		18.32		0
				108	109		18.38		0
				216	0		18.31		0
			QPSK	1	1		18.53		0
				1	109		18.36		0
				1	215		18.58		0
				108	0		18.33		0
				108	55		18.33		0
				108	109		18.38		0
				216	0		18.32		0
			16QAM	1	1		18.49		0
			64QAM	1	1		18.47		0
			256QAM	1	1		18.51		0
		CP	QPSK	1	1		17.17		0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		18.60		0
				1	123		18.34		0
				1	243		18.65		0
				120	0		18.34		0
				120	63		18.32		0
				120	125		18.40		0
				243	0		18.33		0
			QPSK	1	1		18.59		0
				1	123		18.34		0
				1	243		18.62		0
				120	0		18.34		0
				120	63		18.31		0
				120	125		18.39		0
				243	0		18.32		0
			16QAM	1	1		18.66		0
			64QAM	1	1		18.73		0
			256QAM	1	1		18.57		0
		CP	QPSK	1	1		17.89		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		18.71		0
				1	137		18.35		0
				1	271		18.77		0
				135	0		18.35		0
				135	69		18.31		0
				135	138		18.43		0
				270	0		18.33		0
			QPSK	1	1		18.72		0
				1	137		18.37		0
				1	271		18.76		0
				135	0		18.35		0
				135	69		18.32		0
				135	138		18.42		0
				270	0		18.34		0
			16QAM	1	1		18.72		0
			64QAM	1	1		18.70		0
			256QAM	1	1		18.67		0
		CP	QPSK	1	1		18.65		0

NR TDD Band n77 DoD (PC2, PC3) Conducted Power_ Measured RSI = 4 (Grip Sensor #4)_

MAIN2 Antenna

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	8.32	7.82	7.93	0
				1	12	7.70	7.76	8.03	0
				1	22	7.94	7.88	8.00	0
				12	0	7.70	7.57	7.97	0
				12	6	7.68	7.57	8.00	0
				12	12	7.97	7.87	8.15	0
				24	0	7.98	7.72	8.28	0
			QPSK	1	1	8.06	7.59	8.28	0
				1	12	7.74	7.80	7.99	0
				1	22	7.67	7.89	8.01	0
				12	0	7.99	7.58	7.97	0
				12	6	7.84	7.86	8.00	0
				12	12	7.69	7.58	8.00	0
				24	0	7.98	7.57	8.29	0
			16QAM	1	1	7.69	7.74	8.16	0
			64QAM	1	1	7.94	7.87	8.27	0
			256QAM	1	1	7.99	7.59	8.33	0
		CP	QPSK	1	1	7.64	7.85	7.91	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	8.06	7.85	8.13	0
				1	18	7.65	7.56	8.16	0
				1	36	7.62	7.88	8.26	0
				18	0	8.04	7.58	8.20	0
				18	9	8.00	7.87	7.93	0
				18	18	7.85	7.86	7.97	0
				36	0	8.02	7.86	7.95	0
			QPSK	1	1	8.03	7.58	8.14	0
				1	18	7.67	7.51	7.87	0
				1	36	7.95	7.73	8.25	0
				18	0	7.74	7.73	8.06	0
				18	9	8.04	7.57	8.24	0
				18	18	7.69	7.86	7.95	0
				36	0	8.03	7.86	8.25	0
			16QAM	1	1	7.93	7.88	8.23	0
			64QAM	1	1	8.04	7.63	8.25	0
			256QAM	1	1	8.01	7.51	8.13	0
		CP	QPSK	1	1	7.71	7.52	7.54	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	8.12	7.58	8.03	0
				1	26	7.72	7.55	8.00	0
				1	49	7.94	7.88	7.93	0
				25	0	8.09	7.89	7.82	0
				25	13	7.93	7.60	8.05	0
				25	26	7.69	7.76	8.23	0
				50	0	7.93	7.59	8.18	0
			QPSK	1	1	7.88	7.88	8.06	0
				1	26	8.10	7.57	7.85	0
				1	49	7.98	7.71	7.95	0
				25	0	7.96	7.89	7.98	0
				25	13	7.80	7.61	7.90	0
				25	26	7.73	7.89	7.93	0
				50	0	7.79	7.57	7.89	0
			16QAM	1	1	7.80	7.85	8.00	0
			64QAM	1	1	7.78	7.59	8.02	0
			256QAM	1	1	8.08	7.51	7.60	0
		CP	QPSK	1	1	7.89	7.50	7.84	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3462.51 MHz	3500.01 MHz	3537.48 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	7.84	7.63	7.80	0
				1	26	8.09	7.89	8.10	0
				1	49	7.94	7.58	8.19	0
				25	0	7.85	7.60	7.82	0
				25	13	8.07	7.89	7.79	0
				25	26	7.98	7.76	7.88	0
				50	0	8.08	7.60	7.76	0
			QPSK	1	1	8.00	7.72	7.90	0
				1	26	8.09	7.89	8.04	0
				1	49	7.64	7.87	8.15	0
				25	0	7.99	7.59	7.69	0
				25	13	7.94	7.60	7.79	0
				25	26	7.70	7.90	8.15	0
				50	0	8.07	7.75	8.09	0
			16QAM	1	1	8.11	7.67	7.63	0
			64QAM	1	1	7.81	7.59	7.61	0
			256QAM	1	1	8.01	7.59	7.88	0
		CP	QPSK	1	1	8.12	7.80	7.57	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	7.65	7.79	7.88	0
				1	39	7.96	7.96	8.12	0
				1	76	7.62	7.60	8.29	0
				36	0	7.98	7.91	8.13	0
				36	21	7.75	7.59	8.07	0
				36	42	7.80	7.60	8.29	0
				75	0	7.60	7.74	8.19	0
			QPSK	1	1	7.98	7.88	8.04	0
				1	39	7.95	7.95	8.21	0
				1	76	7.82	7.64	8.31	0
				36	0	7.97	7.89	8.12	0
				36	21	7.76	7.89	7.93	0
				36	42	7.51	7.90	7.98	0
				75	0	7.90	7.89	8.07	0
			16QAM	1	1	7.64	7.56	8.12	0
			64QAM	1	1	8.01	7.84	8.11	0
			256QAM	1	1	7.66	7.88	7.79	0
		CP	QPSK	1	1	7.61	7.81	7.98	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	8.08		7.80	0
				1	53	7.95		8.13	0
				1	104	7.88		8.18	0
				50	0	8.04		7.96	0
				50	28	7.91		8.07	0
				50	56	7.89		8.18	0
				100	0	7.93		8.03	0
			QPSK	1	1	8.03		7.88	0
				1	53	7.95		8.13	0
				1	104	7.89		8.26	0
				50	0	8.05		7.95	0
				50	28	7.93		8.06	0
				50	56	7.89		8.18	0
				100	0	7.93		8.02	0
			16QAM	1	1	8.05		7.90	0
			64QAM	1	1	8.03		7.83	0
			256QAM	1	1	8.12		7.85	0
		CP	QPSK	1	1	7.98		7.77	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	7.95		8.04	0
				1	67	7.75		7.85	0
				1	131	7.86		8.13	0
				64	0	7.91		7.80	0
				64	35	7.68		7.94	0
				64	69	7.87		7.79	0
				128	0	7.82		7.92	0
			QPSK	1	1	8.00		7.70	0
				1	67	7.81		7.87	0
				1	131	7.90		8.15	0
				64	0	7.90		7.81	0
				64	35	7.82		7.94	0
				64	69	7.88		8.08	0
				128	0	7.81		7.92	0
			16QAM	1	1	7.97		7.89	0
			64QAM	1	1	8.14		7.75	0
			256QAM	1	1	7.91		8.01	0
		CP	QPSK	1	1	7.96		7.64	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		7.75		0
				1	81		7.96		0
				1	160		8.00		0
				81	0		7.88		0
				81	41		7.92		0
				81	81		7.99		0
				162	0		7.88		0
			QPSK	1	1		7.80		0
				1	81		7.98		0
				1	160		8.00		0
				81	0		7.89		0
				81	41		7.93		0
				81	81		7.95		0
				162	0		7.91		0
			16QAM	1	1		7.80		0
			64QAM	1	1		7.91		0
			256QAM	1	1		7.75		0
		CP	QPSK	1	1		7.72		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		7.65		0
				1	95		7.55		0
				1	187		8.03		0
				90	0		7.85		0
				90	50		7.88		0
				90	99		7.98		0
				180	0		7.67		0
			QPSK	1	1		7.83		0
				1	95		7.87		0
				1	187		7.91		0
				90	0		7.85		0
				90	50		7.76		0
				90	99		7.84		0
				180	0		7.73		0
			16QAM	1	1		7.89		0
			64QAM	1	1		7.77		0
			256QAM	1	1		7.58		0
		CP	QPSK	1	1		7.61		0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		7.75		0
				1	109		7.70		0
				1	215		7.98		0
				108	0		7.70		0
				108	55		7.74		0
				108	109		7.85		0
				216	0		7.88		0
			QPSK	1	1		7.80		0
				1	109		7.76		0
				1	215		8.16		0
				108	0		7.67		0
				108	55		7.75		0
				108	109		7.84		0
				216	0		7.74		0
			16QAM	1	1		7.85		0
			64QAM	1	1		7.99		0
			256QAM	1	1		7.73		0
		CP	QPSK	1	1		7.71		0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		7.99		0
				1	123		7.85		0
				1	243		8.23		0
				120	0		7.53		0
				120	63		7.59		0
				120	125		7.87		0
				243	0		7.74		0
			QPSK	1	1		7.87		0
				1	123		7.60		0
				1	243		8.09		0
				120	0		7.85		0
				120	63		7.74		0
				120	125		8.02		0
				243	0		7.89		0
			16QAM	1	1		7.87		0
			64QAM	1	1		7.94		0
			256QAM	1	1		7.77		0
		CP	QPSK	1	1		7.96		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		8.10		0
				1	137		7.55		0
				1	271		8.32		0
				135	0		7.55		0
				135	69		7.59		0
				135	138		7.90		0
				270	0		7.90		0
			QPSK	1	1		8.16		0
				1	137		7.71		0
				1	271		8.17		0
				135	0		7.56		0
				135	69		7.59		0
				135	138		8.06		0
				270	0		8.02		0
			16QAM	1	1		7.99		0
			64QAM	1	1		8.18		0
			256QAM	1	1		7.96		0
		CP	QPSK	1	1		8.04		0

L.6 NR TDD Band n78 Maximum Conducted Power

NR TDD Band n78 (PC2, PC3) Conducted Power_ Measured RSI= 0 (Free) _ MAIN2 Antenna

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.72	18.75	18.36	0
				1	12	18.68	18.69	18.31	0
				1	22	18.69	18.60	18.29	0
				12	0	18.68	18.31	18.30	0
				12	6	18.66	18.22	18.28	0
				12	12	18.66	18.35	18.28	0
				24	0	18.67	18.27	18.29	0
			QPSK	1	1	18.70	18.14	18.32	0
				1	12	18.71	18.16	18.30	0
				1	22	18.68	18.33	18.25	0
				12	0	18.66	18.65	18.29	0
				12	6	18.67	18.62	18.28	0
				12	12	18.68	18.59	18.27	0
				24	0	18.69	18.60	18.29	0
			16QAM	1	1	18.68	18.64	18.30	0
			64QAM	1	1	18.70	18.79	18.28	0
			256QAM	1	1	18.73	18.70	18.29	0
		CP	QPSK	1	1	18.69	17.73	18.02	0

NR TDD Band n78 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						6471668	650000	652832	
						3707.52 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	18.72	18.80	18.56	0
				1	18	18.66	18.59	18.40	0
				1	36	18.67	18.51	18.38	0
				18	0	18.72	18.69	18.49	0
				18	10	18.68	18.61	18.44	0
				18	20	18.70	18.54	18.39	0
				36	0	18.71	18.62	18.43	0
			QPSK	1	1	18.71	18.75	18.54	0
				1	18	18.67	18.55	18.39	0
				1	36	18.66	18.49	18.37	0
				18	0	18.73	18.69	18.49	0
				18	10	18.71	18.61	18.46	0
				18	20	18.68	18.54	18.38	0
				36	0	18.71	18.62	18.45	0
			16QAM	1	1	18.75	18.89	18.45	0
			64QAM	1	1	18.76	18.79	18.49	0
			256QAM	1	1	18.75	18.71	18.50	0
		CP	QPSK	1	1	18.70	18.76	17.18	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.81	18.84	18.35	0
				1	26	18.75	18.64	18.24	0
				1	49	18.66	18.47	18.17	0
				25	0	18.77	18.71	18.48	0
				25	13	18.75	18.62	18.42	0
				25	26	18.69	18.52	18.37	0
				50	0	18.76	18.62	18.43	0
			QPSK	1	1	18.78	18.80	18.51	0
				1	26	18.74	18.60	18.40	0
				1	49	18.61	18.44	18.32	0
				25	0	18.76	18.72	18.47	0
				25	13	18.75	18.63	18.44	0
				25	26	18.69	18.52	18.37	0
				50	0	18.75	18.61	18.42	0
			16QAM	1	1	18.79	18.80	18.42	0
			64QAM	1	1	18.80	18.89	18.48	0
			256QAM	1	1	18.75	18.49	18.53	0
		CP	QPSK	1	1	18.34	18.78	18.50	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	18.85	18.85	18.35	0
				1	32	18.77	18.67	18.38	0
				1	63	18.71	18.45	18.34	0
				32	0	18.81	18.75	18.47	0
				32	17	18.74	18.61	18.41	0
				32	33	18.66	18.49	18.34	0
				64	0	18.75	18.61	18.40	0
			QPSK	1	1	18.85	18.83	18.45	0
				1	32	18.75	18.65	18.41	0
				1	63	18.68	18.42	18.31	0
				32	0	18.81	18.74	18.46	0
				32	17	18.76	18.61	18.41	0
				32	33	18.67	18.49	18.34	0
				64	0	18.75	18.62	18.40	0
			16QAM	1	1	18.70	18.78	18.50	0
			64QAM	1	1	18.94	18.76	18.35	0
			256QAM	1	1	18.82	18.79	18.30	0
		CP	QPSK	1	1	18.83	18.80	18.44	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647668	650000	652332	
						3715.02 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.89	18.76	18.56	0
				1	39	18.82	18.64	18.62	0
				1	76	18.72	18.40	18.32	0
				36	0	18.85	18.77	18.61	0
				36	21	18.77	18.61	18.56	0
				36	42	18.68	18.46	18.43	0
				75	0	18.77	18.62	18.56	0
			QPSK	1	1	18.87	18.78	18.57	0
				1	39	18.80	18.62	18.57	0
				1	76	18.73	18.43	18.35	0
				36	0	18.84	18.78	18.61	0
				36	21	18.78	18.61	18.55	0
				36	42	18.69	18.45	18.43	0
				75	0	18.77	18.62	18.55	0
			16QAM	1	1	18.98	18.60	18.57	0
			64QAM	1	1	18.84	18.72	18.51	0
			256QAM	1	1	18.56	18.73	18.51	0
		CP	QPSK	1	1	18.89	18.78	18.59	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648000		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.67		18.38	0
				1	53	18.70		18.56	0
				1	104	18.78		18.30	0
				50	0	18.68		18.46	0
				50	28	18.61		18.54	0
				50	56	18.33		18.41	0
				100	0	18.61		18.52	0
			QPSK	1	1	18.60		18.36	0
				1	53	18.60		18.57	0
				1	104	18.72		18.23	0
				50	0	18.67		18.14	0
				50	28	18.61		18.24	0
				50	56	18.66		18.11	0
				100	0	18.61		18.23	0
			16QAM	1	1	18.67		18.14	0
			64QAM	1	1	18.49		18.15	0
			256QAM	1	1	18.86		18.25	0
		CP	QPSK	1	1	18.34		18.28	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.66		18.67	0
				1	67	18.62		18.63	0
				1	131	18.65		18.28	0
				64	0	18.59		18.50	0
				64	35	18.59		18.59	0
				64	69	18.76		18.48	0
				128	0	18.56		18.56	0
			QPSK	1	1	18.61		18.62	0
				1	67	18.59		18.60	0
				1	131	18.62		18.27	0
				64	0	18.58		18.50	0
				64	35	18.60		18.60	0
				64	69	18.76		18.49	0
				128	0	18.55		18.57	0
			16QAM	1	1	18.92		18.61	0
			64QAM	1	1	18.60		18.47	0
			256QAM	1	1	18.67		18.55	0
		CP	QPSK	1	1	18.38		18.59	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		18.57		0
				1	81		18.65		0
				1	160		18.52		0
				81	0		18.28		0
				81	41		18.61		0
				81	81		18.34		0
				162	0		18.58		0
			QPSK	1	1		18.61		0
				1	81		18.64		0
				1	160		18.54		0
				81	0		18.77		0
				81	41		18.61		0
				81	81		18.43		0
				162	0		18.59		0
			16QAM	1	1		18.31		0
			64QAM	1	1		18.60		0
			256QAM	1	1		18.43		0
		CP	QPSK	1	1		18.28		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		18.64		0
				1	95		18.61		0
				1	187		18.52		0
				90	0		18.71		0
				90	50		18.60		0
				90	99		18.43		0
				180	0		18.62		0
			QPSK	1	1		18.61		0
				1	95		18.62		0
				1	187		18.51		0
				90	0		18.71		0
				90	50		18.59		0
				90	99		18.44		0
				180	0		18.61		0
			16QAM	1	1		18.76		0
			64QAM	1	1		18.17		0
			256QAM	1	1		18.59		0
		CP	QPSK	1	1		18.26		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		18.68		0
				1	109		18.60		0
				1	215		18.47		0
				108	0		18.28		0
				108	55		18.43		0
				108	109		18.48		0
				216	0		18.58		0
			QPSK	1	1		18.69		0
				1	109		18.61		0
				1	215		18.46		0
				108	0		18.71		0
				108	55		18.58		0
				108	109		18.46		0
				216	0		18.59		0
			16QAM	1	1		18.70		0
			64QAM	1	1		17.08		0
			256QAM	1	1		18.68		0
		CP	QPSK	1	1		18.66		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		18.76		0
				1	123		18.60		0
				1	243		18.45		0
				120	0		18.67		0
				120	63		18.59		0
				120	125		18.48		0
				243	0		18.58		0
			QPSK	1	1		18.77		0
				1	123		18.60		0
				1	243		18.40		0
				120	0		18.66		0
				120	63		18.60		0
				120	125		18.49		0
				243	0		18.60		0
			16QAM	1	1		18.85		0
			64QAM	1	1		18.76		0
			256QAM	1	1		18.78		0
		CP	QPSK	1	1		18.62		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		18.90		0
				1	137		18.63		0
				1	271		18.42		0
				135	0		16.96		0
				135	69		18.27		0
				135	138		18.11		0
				270	0		18.59		0
			QPSK	1	1		18.80		0
				1	137		18.54		0
				1	271		18.31		0
				135	0		18.63		0
				135	69		18.59		0
				135	138		18.50		0
				270	0		18.60		0
			16QAM	1	1		18.88		0
			64QAM	1	1		18.31		0
			256QAM	1	1		18.91		0
		CP	QPSK	1	1		18.78		0

NR TDD Band n78 (PC2, PC3) Conducted Power_ Measured RSI = 4 (Grip Sensor #4) _ MAIN2

Antenna

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	7.85	8.34	7.79	0
				1	12	8.40	8.32	8.04	0
				1	22	8.37	8.19	7.76	0
				12	0	8.25	8.18	7.65	0
				12	6	8.39	8.28	7.80	0
				12	12	8.40	7.93	7.95	0
				24	0	8.40	8.27	7.94	0
			QPSK	1	1	8.39	8.27	7.64	0
				1	12	8.40	8.06	7.66	0
				1	22	8.36	8.22	7.89	0
				12	0	8.40	8.34	7.65	0
				12	6	8.40	8.00	7.65	0
				12	12	8.40	8.23	7.94	0
				24	0	8.41	7.99	7.80	0
			16QAM	1	1	8.45	8.10	7.84	0
			64QAM	1	1	8.38	8.16	7.77	0
			256QAM	1	1	8.38	8.05	7.98	0
		CP	QPSK	1	1	8.07	8.15	7.78	0

NR TDD Band n78 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647168	650000	652832	
						3707.52 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	8.40	8.07	8.09	0
				1	18	8.01	8.23	7.66	0
				1	36	8.01	7.95	7.95	0
				18	0	8.40	8.35	7.79	0
				18	10	8.10	7.96	8.03	0
				18	20	8.38	7.90	8.00	0
				36	0	8.10	8.28	8.04	0
			QPSK	1	1	8.43	8.09	8.13	0
				1	18	8.02	7.91	7.97	0
				1	36	8.02	8.08	7.92	0
				18	0	8.40	8.36	8.09	0
				18	10	8.40	7.97	8.04	0
				18	20	8.38	8.05	7.69	0
				36	0	8.39	8.28	7.75	0
			16QAM	1	1	8.27	8.49	8.01	0
			64QAM	1	1	8.40	8.39	8.19	0
			256QAM	1	1	8.38	8.37	7.74	0
		CP	QPSK	1	1	8.32	8.34	7.61	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	8.09	8.13	8.09	0
				1	26	8.36	8.23	7.84	0
				1	49	8.13	8.06	7.60	0
				25	0	8.28	8.08	8.08	0
				25	13	8.10	7.96	8.05	0
				25	26	8.04	7.88	7.70	0
				50	0	8.41	8.12	8.03	0
			QPSK	1	1	8.46	8.30	8.09	0
				1	26	8.44	7.92	7.99	0
				1	49	8.31	8.02	7.63	0
				25	0	8.28	8.38	7.96	0
				25	13	8.13	8.10	8.06	0
				25	26	8.19	8.15	7.99	0
				50	0	8.11	8.27	8.03	0
			16QAM	1	1	8.10	8.20	7.72	0
			64QAM	1	1	8.16	8.44	8.14	0
			256QAM	1	1	8.39	8.42	8.09	0
		CP	QPSK	1	1	8.39	8.24	7.93	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	8.28	8.47	8.14	0
				1	32	8.38	8.28	8.03	0
				1	63	7.96	8.04	7.62	0
				32	0	8.43	8.37	7.81	0
				32	17	8.25	7.97	7.76	0
				32	33	8.28	7.84	8.01	0
				64	0	8.38	8.26	8.06	0
			QPSK	1	1	8.44	8.45	7.76	0
				1	32	8.39	8.22	8.04	0
				1	63	8.24	7.74	7.64	0
				32	0	8.44	8.40	8.11	0
				32	17	8.23	8.26	7.94	0
				32	33	8.28	8.12	8.00	0
				64	0	8.08	7.96	7.75	0
			16QAM	1	1	8.14	8.16	7.82	0
			64QAM	1	1	8.46	8.51	8.27	0
			256QAM	1	1	8.13	8.48	7.76	0
		CP	QPSK	1	1	8.11	8.38	7.59	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647668	650000	652332	
						3715.02 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	8.45	8.43	8.14	0
				1	39	8.34	8.29	7.85	0
				1	76	8.33	7.70	7.57	0
				36	0	8.45	8.45	8.19	0
				36	21	8.36	7.96	7.84	0
				36	42	7.98	8.08	7.71	0
				75	0	8.36	8.27	8.14	0
			QPSK	1	1	8.48	8.29	8.04	0
				1	39	8.42	8.12	7.92	0
				1	76	8.31	8.07	7.90	0
				36	0	8.44	8.45	8.19	0
				36	21	8.07	8.26	8.00	0
				36	42	7.99	7.82	8.00	0
				75	0	8.06	8.27	7.85	0
			16QAM	1	1	8.20	8.50	7.96	0
			64QAM	1	1	8.50	8.47	8.11	0
			256QAM	1	1	8.42	8.41	7.81	0
		CP	QPSK	1	1	8.12	8.04	8.11	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648000		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	8.11		7.99	0
				1	53	8.32		8.24	0
				1	104	8.43		7.94	0
				50	0	8.33		8.09	0
				50	28	8.28		8.11	0
				50	56	8.34		8.04	0
				100	0	8.27		8.13	0
			QPSK	1	1	8.34		7.99	0
				1	53	8.31		8.22	0
				1	104	8.09		7.92	0
				50	0	8.36		8.04	0
				50	28	8.27		8.19	0
				50	56	8.33		8.06	0
				100	0	8.29		8.16	0
			16QAM	1	1	8.11		7.92	0
			64QAM	1	1	8.01		8.02	0
			256QAM	1	1	8.22		7.90	0
		CP	QPSK	1	1	8.23		7.91	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	8.24		8.27	0
				1	67	8.26		8.13	0
				1	131	8.31		7.70	0
				64	0	8.24		8.14	0
				64	35	8.29		8.19	0
				64	69	8.47		8.06	0
				128	0	8.26		8.13	0
			QPSK	1	1	8.31		8.32	0
				1	67	8.33		8.16	0
				1	131	8.40		7.73	0
				64	0	8.26		8.10	0
				64	35	8.29		8.17	0
				64	69	8.32		8.16	0
				128	0	8.26		8.13	0
			16QAM	1	1	8.26		8.29	0
			64QAM	1	1	8.30		8.32	0
			256QAM	1	1	8.14		8.24	0
		CP	QPSK	1	1	8.23		8.23	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		8.17		0
				1	81		8.29		0
				1	160		8.11		0
				81	0		8.42		0
				81	41		8.26		0
				81	81		8.06		0
				162	0		8.24		0
			QPSK	1	1		8.22		0
				1	81		8.18		0
				1	160		8.04		0
				81	0		7.97		0
				81	41		8.27		0
				81	81		8.08		0
				162	0		8.25		0
			16QAM	1	1		8.14		0
			64QAM	1	1		8.14		0
			256QAM	1	1		8.17		0
		CP	QPSK	1	1		8.04		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		8.06		0
				1	95		8.20		0
				1	187		7.92		0
				90	0		8.37		0
				90	50		7.82		0
				90	99		8.09		0
				180	0		8.13		0
			QPSK	1	1		7.93		0
				1	95		8.08		0
				1	187		8.10		0
				90	0		8.25		0
				90	50		8.25		0
				90	99		8.09		0
				180	0		8.29		0
			16QAM	1	1		8.25		0
			64QAM	1	1		7.61		0
			256QAM	1	1		8.14		0
		CP	QPSK	1	1		8.03		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		8.15		0
				1	109		8.05		0
				1	215		7.91		0
				108	0		8.22		0
				108	55		7.95		0
				108	109		7.65		0
				216	0		8.24		0
			QPSK	1	1		8.33		0
				1	109		8.22		0
				1	215		8.09		0
				108	0		8.23		0
				108	55		8.13		0
				108	109		7.97		0
				216	0		8.10		0
			16QAM	1	1		8.23		0
			64QAM	1	1		8.15		0
			256QAM	1	1		8.27		0
		CP	QPSK	1	1		7.65		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		8.23		0
				1	123		8.05		0
				1	243		7.91		0
				120	0		8.34		0
				120	63		8.10		0
				120	125		7.83		0
				243	0		8.11		0
			QPSK	1	1		8.27		0
				1	123		8.23		0
				1	243		8.08		0
				120	0		8.33		0
				120	63		8.25		0
				120	125		7.98		0
				243	0		8.11		0
			16QAM	1	1		8.32		0
			64QAM	1	1		8.48		0
			256QAM	1	1		8.35		0
		CP	QPSK	1	1		8.20		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		8.32		0
				1	137		8.20		0
				1	271		8.03		0
				135	0		8.01		0
				135	69		7.95		0
				135	138		8.15		0
				270	0		7.97		0
			QPSK	1	1		8.21		0
				1	137		8.23		0
				1	271		7.78		0
				135	0		8.03		0
				135	69		7.97		0
				135	138		7.87		0
				270	0		8.14		0
			16QAM	1	1		8.38		0
			64QAM	1	1		8.17		0
			256QAM	1	1		8.27		0
		CP	QPSK	1	1		8.12		0

L.7 NR TDD Band n78 DoD Maximum Conducted Power

NR TDD Band n78 DoD (PC2, PC3) Conducted Power_ Measured RSI = 0 (Free) _ MAIN2

Antenna

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.54	18.40	18.74	0
				1	12	18.54	18.42	18.75	0
				1	22	18.48	18.38	18.78	0
				12	0	18.49	18.35	18.70	0
				12	6	18.33	18.34	18.75	0
				12	12	18.46	18.35	18.75	0
				24	0	18.48	18.34	18.24	0
			QPSK	1	1	18.53	18.37	18.75	0
				1	12	18.52	18.37	18.78	0
				1	22	18.45	18.37	18.76	0
				12	0	18.49	18.35	18.71	0
				12	6	18.47	18.04	18.75	0
				12	12	18.47	18.05	18.75	0
				24	0	18.47	18.35	18.73	0
			16QAM	1	1	18.48	18.30	18.74	0
			64QAM	1	1	18.55	18.35	18.77	0
			256QAM	1	1	18.55	18.34	18.71	0
		CP	QPSK	1	1	18.51	18.39	18.71	0

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	18.57	18.38	18.57	0
				1	18	18.48	18.29	18.57	0
				1	36	18.44	18.33	18.64	0
				18	0	18.55	18.36	18.60	0
				18	9	18.53	18.34	18.62	0
				18	18	18.47	18.35	18.65	0
				36	0	18.53	18.35	18.64	0
			QPSK	1	1	18.58	18.38	18.56	0
				1	18	18.47	18.28	18.56	0
				1	36	18.44	18.33	18.67	0
				18	0	18.55	18.35	18.60	0
				18	9	18.52	18.35	18.63	0
				18	18	18.49	18.35	18.65	0
				36	0	18.53	18.36	18.64	0
			16QAM	1	1	18.51	18.23	18.30	0
			64QAM	1	1	18.60	18.37	18.60	0
			256QAM	1	1	18.59	18.34	18.57	0
		CP	QPSK	1	1	18.54	18.30	18.31	0

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.65	18.41	18.40	0
				1	26	18.56	18.34	18.36	0
				1	49	18.47	18.35	18.36	0
				25	0	18.59	18.37	18.37	0
				25	13	18.57	18.34	18.34	0
				25	26	18.48	18.35	18.33	0
				50	0	18.56	18.33	18.35	0
			QPSK	1	1	18.61	18.41	18.38	0
				1	26	18.57	18.35	18.33	0
				1	49	18.43	18.34	18.31	0
				25	0	18.62	18.37	18.36	0
				25	13	18.56	18.35	18.34	0
				25	26	18.49	18.33	18.33	0
				50	0	18.56	18.34	18.34	0
			16QAM	1	1	18.58	18.25	18.30	0
			64QAM	1	1	18.70	18.42	18.38	0
			256QAM	1	1	18.60	18.38	18.42	0
		CP	QPSK	1	1	18.58	18.39	18.39	0

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3462.51 MHz	3500.01 MHz	3537481 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	18.74	18.42	18.41	0
				1	26	18.61	18.35	18.53	0
				1	49	18.47	18.36	18.55	0
				25	0	18.66	18.38	18.38	0
				25	13	18.59	18.33	18.46	0
				25	26	18.49	18.32	18.51	0
				50	0	18.59	18.33	18.46	0
			QPSK	1	1	18.66	18.40	18.35	0
				1	26	18.64	18.37	18.47	0
				1	49	18.40	18.34	18.56	0
				25	0	18.66	18.37	18.37	0
				25	13	18.60	18.35	18.45	0
				25	26	18.49	18.33	18.49	0
				50	0	18.59	18.34	18.26	0
			16QAM	1	1	18.64	18.40	18.30	0
			64QAM	1	1	18.70	18.35	18.31	0
			256QAM	1	1	18.72	18.41	18.28	0
		CP	QPSK	1	1	18.67	18.10	18.40	0

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.50	18.37	18.53	0
				1	39	18.40	18.34	18.64	0
				1	76	18.26	18.34	18.69	0
				36	0	18.45	18.37	18.55	0
				36	21	18.35	18.35	18.65	0
				36	42	18.26	18.34	18.71	0
				75	0	18.37	18.35	18.62	0
			QPSK	1	1	18.49	18.37	18.53	0
				1	39	18.38	18.36	18.65	0
				1	76	18.24	18.33	18.72	0
				36	0	18.45	18.37	18.56	0
				36	21	18.36	18.36	18.65	0
				36	42	18.27	18.32	18.70	0
				75	0	18.36	18.34	18.62	0
			16QAM	1	1	18.44	18.37	18.43	0
			64QAM	1	1	18.47	18.30	18.54	0
			256QAM	1	1	18.47	18.31	18.50	0
		CP	QPSK	1	1	18.48	18.37	18.58	0

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.61	0.10	18.34	0
				1	53	18.49	0.10	18.49	0
				1	104	18.41	0.10	18.63	0
				50	0	18.55	0.10	18.39	0
				50	28	18.41	0.10	18.44	0
				50	56	18.35	0.10	18.56	0
				100	0	18.43	0.10	18.43	0
			QPSK	1	1	18.53	0.10	18.31	0
				1	53	18.39	0.10	18.41	0
				1	104	18.32	0.10	18.63	0
				50	0	18.56	0.10	18.39	0
				50	28	18.42	0.10	18.44	0
				50	56	18.36	0.10	18.57	0
				100	0	18.43	0.10	18.43	0
			16QAM	1	1	18.47	0.10	18.16	0
			64QAM	1	1	18.74	0.10	18.28	0
			256QAM	1	1	18.60	0.10	18.31	0
		CP	QPSK	1	1	18.69	0.10	18.33	0

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.53	0.10	18.24	0
				1	67	18.28	0.10	18.32	0
				1	131	18.26	0.10	18.53	0
				64	0	18.39	0.10	18.22	0
				64	35	18.26	0.10	18.28	0
				64	69	18.27	0.10	18.40	0
				128	0	18.27	0.10	18.30	0
			QPSK	1	1	18.49	0.10	18.18	0
				1	67	18.22	0.10	18.29	0
				1	131	18.24	0.10	18.49	0
				64	0	18.39	0.10	18.21	0
				64	35	18.27	0.10	18.30	0
				64	69	18.27	0.10	18.39	0
				128	0	18.25	0.10	18.29	0
			16QAM	1	1	18.44	0.10	18.07	0
			64QAM	1	1	18.28	0.10	18.17	0
			256QAM	1	1	18.53	0.10	18.16	0
		CP	QPSK	1	1	18.39	0.10	18.20	0

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		18.36		0
				1	81		18.39		0
				1	160		18.43		0
				81	0		18.35		0
				81	41		18.34		0
				81	81		18.34		0
				162	0		18.33		0
			QPSK	1	1		18.36		0
				1	81		18.36		0
				1	160		18.44		0
				81	0		18.36		0
				81	41		17.98		0
				81	81		18.37		0
				162	0		18.31		0
			16QAM	1	1		18.20		0
			64QAM	1	1		18.32		0
			256QAM	1	1		18.36		0
		CP	QPSK	1	1		18.30		0

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		18.40		0
				1	95		18.35		0
				1	187		18.46		0
				90	0		18.34		0
				90	50		18.33		0
				90	99		18.36		0
				180	0		18.32		0
			QPSK	1	1		18.41		0
				1	95		18.34		0
				1	187		18.47		0
				90	0		18.33		0
				90	50		18.33		0
				90	99		18.36		0
				180	0		18.32		0
			16QAM	1	1		18.44		0
			64QAM	1	1		18.37		0
			256QAM	1	1		18.37		0
		CP	QPSK	1	1		18.36		0

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		18.52		0
				1	109		18.35		0
				1	215		18.59		0
				108	0		18.33		0
				108	55		18.33		0
				108	109		18.38		0
				216	0		18.31		0
			QPSK	1	1		18.54		0
				1	109		18.36		0
				1	215		18.59		0
				108	0		18.34		0
				108	55		18.33		0
				108	109		18.39		0
				216	0		18.33		0
			16QAM	1	1		18.52		0
			64QAM	1	1		18.48		0
			256QAM	1	1		18.57		0
		CP	QPSK	1	1		18.48		0

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		18.61		0
				1	123		18.34		0
				1	243		18.66		0
				120	0		18.28		0
				120	63		18.33		0
				120	125		18.29		0
				243	0		18.03		0
			QPSK	1	1		18.30		0
				1	123		18.03		0
				1	243		18.50		0
				120	0		18.38		0
				120	63		18.32		0
				120	125		18.39		0
				243	0		18.33		0
			16QAM	1	1		18.69		0
			64QAM	1	1		18.57		0
			256QAM	1	1		18.57		0
		CP	QPSK	1	1		18.56		0

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		18.71		0
				1	137		18.36		0
				1	271		18.76		0
				135	0		18.41		0
				135	69		18.01		0
				135	138		18.11		0
				270	0		18.04		0
			QPSK	1	1		18.38		0
				1	137		18.04		0
				1	271		18.44		0
				135	0		18.05		0
				135	69		18.02		0
				135	138		18.12		0
				270	0		18.04		0
			16QAM	1	1		18.41		0
			64QAM	1	1		18.28		0
			256QAM	1	1		18.65		0
		CP	QPSK	1	1		17.98		0

NR TDD Band n78 DoD (PC2, PC3) Conducted Power_ Measured RSI = 4 (Grip Sensor #4)_

MAIN2 Antenna

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	7.85	7.88	8.28	0
				1	12	8.04	7.95	8.39	0
				1	22	7.96	7.60	8.20	0
				12	0	7.74	7.90	8.17	0
				12	6	8.01	7.60	8.32	0
				12	12	7.86	7.61	8.03	0
				24	0	7.72	7.60	8.32	0
			QPSK	1	1	8.05	7.61	7.97	0
				1	12	7.94	7.93	8.02	0
				1	22	7.76	7.59	8.16	0
				12	0	8.03	7.90	8.01	0
				12	6	7.73	7.90	8.03	0
				12	12	7.86	7.91	8.04	0
				24	0	8.02	7.89	8.33	0
			16QAM	1	1	8.00	7.78	7.91	0
			64QAM	1	1	7.97	7.83	7.96	0
			256QAM	1	1	8.00	7.65	7.96	0
		CP	QPSK	1	1	7.66	8.13	8.04	0

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	7.75	7.55	7.81	0
				1	18	7.66	7.83	8.19	0
				1	36	7.97	7.58	8.29	0
				18	0	8.07	7.91	8.20	0
				18	9	8.05	7.90	7.96	0
				18	18	7.71	7.61	7.97	0
				36	0	7.75	7.90	7.94	0
			QPSK	1	1	7.91	7.75	8.12	0
				1	18	7.96	7.56	8.00	0
				1	36	7.94	7.92	8.25	0
				18	0	7.77	7.62	8.20	0
				18	9	7.75	7.76	8.23	0
				18	18	7.71	7.61	7.96	0
				36	0	8.04	7.76	8.23	0
			16QAM	1	1	7.75	7.81	7.85	0
			64QAM	1	1	7.73	7.56	7.83	0
			256QAM	1	1	7.97	7.51	7.78	0
		CP	QPSK	1	1	7.73	7.81	7.76	0

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	8.12	7.55	7.97	0
				1	26	7.87	7.87	7.87	0
				1	49	7.94	7.75	7.72	0
				25	0	7.95	7.90	7.75	0
				25	13	8.07	7.60	7.60	0
				25	26	7.84	7.89	7.61	0
				50	0	8.08	7.75	7.89	0
			QPSK	1	1	8.10	7.58	7.58	0
				1	26	8.03	7.89	7.55	0
				1	49	7.62	7.92	7.57	0
				25	0	8.09	7.61	7.60	0
				25	13	7.92	7.60	7.60	0
				25	26	8.00	7.61	7.60	0
				50	0	7.93	7.75	7.89	0
			16QAM	1	1	8.11	7.92	7.53	0
			64QAM	1	1	8.13	7.70	7.61	0
			256QAM	1	1	7.95	7.84	7.54	0
		CP	QPSK	1	1	8.10	8.04	7.88	0

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3462.51 MHz	3500.01 MHz	3537.48 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	8.17	7.87	7.92	0
				1	26	8.13	7.73	8.11	0
				1	49	7.62	7.92	8.20	0
				25	0	8.01	7.90	7.70	0
				25	13	8.09	7.61	8.09	0
				25	26	7.83	7.75	7.87	0
				50	0	7.80	7.74	7.77	0
			QPSK	1	1	8.19	7.60	7.88	0
				1	26	8.12	7.79	8.05	0
				1	49	7.97	7.64	7.90	0
				25	0	8.15	7.90	7.70	0
				25	13	7.95	7.90	7.80	0
				25	26	7.99	7.91	8.16	0
				50	0	7.79	7.75	7.79	0
			16QAM	1	1	7.93	7.88	8.03	0
			64QAM	1	1	8.20	7.88	7.66	0
			256QAM	1	1	7.80	7.87	7.62	0
		CP	QPSK	1	1	8.16	8.04	8.01	0

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	7.66	7.86	7.74	0
				1	39	7.64	7.65	7.97	0
				1	76	7.67	7.94	7.98	0
				36	0	7.98	7.90	8.14	0
				36	21	7.77	7.60	8.22	0
				36	42	7.53	7.91	8.29	0
				75	0	7.60	7.89	8.20	0
			QPSK	1	1	7.71	7.91	8.04	0
				1	39	7.95	7.93	8.12	0
				1	76	7.82	7.62	7.98	0
				36	0	7.98	7.92	8.13	0
				36	21	7.90	7.76	8.08	0
				36	42	7.54	7.91	7.99	0
				75	0	7.60	7.76	8.06	0
			16QAM	1	1	7.89	7.52	7.71	0
			64QAM	1	1	8.00	7.85	8.02	0
			256QAM	1	1	8.03	7.55	7.79	0
		CP	QPSK	1	1	7.94	8.01	7.99	0

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	8.05		7.87	0
				1	53	8.01		8.16	0
				1	104	7.90		8.25	0
				50	0	8.06		8.01	0
				50	28	7.91		8.05	0
				50	56	7.91		8.19	0
				100	0	7.93		8.06	0
			QPSK	1	1	8.19		7.93	0
				1	53	8.04		8.14	0
				1	104	8.01		8.27	0
				50	0	8.05		7.98	0
				50	28	7.93		8.07	0
				50	56	7.89		8.20	0
				100	0	7.95		7.99	0
			16QAM	1	1	8.21		7.88	0
			64QAM	1	1	8.13		7.78	0
			256QAM	1	1	8.16		7.68	0
		CP	QPSK	1	1	8.03		8.01	0

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	7.97		7.96	0
				1	67	7.76		7.89	0
				1	131	7.86		8.08	0
				64	0	7.91		7.77	0
				64	35	7.82		7.89	0
				64	69	7.87		8.03	0
				128	0	7.91		7.89	0
			QPSK	1	1	7.97		7.70	0
				1	67	7.78		7.86	0
				1	131	7.75		8.12	0
				64	0	7.90		7.64	0
				64	35	7.81		7.90	0
				64	69	7.86		8.04	0
				128	0	7.83		7.90	0
			16QAM	1	1	8.00		7.64	0
			64QAM	1	1	8.15		7.78	0
			256QAM	1	1	8.01		7.65	0
		CP	QPSK	1	1	7.94		7.67	0

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		7.72		0
				1	81		7.94		0
				1	160		7.77		0
				81	0		7.68		0
				81	41		7.88		0
				81	81		7.81		0
				162	0		7.85		0
			QPSK	1	1		7.76		0
				1	81		7.96		0
				1	160		7.99		0
				81	0		7.86		0
				81	41		7.89		0
				81	81		7.93		0
				162	0		7.86		0
			16QAM	1	1		7.75		0
			64QAM	1	1		7.64		0
			256QAM	1	1		7.62		0
		CP	QPSK	1	1		7.70		0

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		7.64		0
				1	95		7.84		0
				1	187		7.87		0
				90	0		7.81		0
				90	50		7.81		0
				90	99		7.96		0
				180	0		7.86		0
			QPSK	1	1		7.70		0
				1	95		7.72		0
				1	187		8.04		0
				90	0		7.68		0
				90	50		7.73		0
				90	99		7.95		0
				180	0		7.71		0
			16QAM	1	1		7.51		0
			64QAM	1	1		7.66		0
			256QAM	1	1		7.77		0
		CP	QPSK	1	1		7.77		0

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		7.74		0
				1	109		7.69		0
				1	215		7.97		0
				108	0		7.66		0
				108	55		7.73		0
				108	109		7.82		0
				216	0		7.72		0
			QPSK	1	1		7.94		0
				1	109		7.79		0
				1	215		8.13		0
				108	0		7.50		0
				108	55		7.73		0
				108	109		7.98		0
				216	0		7.71		0
			16QAM	1	1		7.81		0
			64QAM	1	1		7.85		0
			256QAM	1	1		7.63		0
		CP	QPSK	1	1		7.87		0

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		7.96		0
				1	123		7.82		0
				1	243		7.88		0
				120	0		7.67		0
				120	63		7.56		0
				120	125		7.85		0
				243	0		7.55		0
			QPSK	1	1		7.85		0
				1	123		7.70		0
				1	243		8.07		0
				120	0		7.82		0
				120	63		7.73		0
				120	125		7.56		0
				243	0		7.61		0
			16QAM	1	1		7.85		0
			64QAM	1	1		7.87		0
			256QAM	1	1		7.77		0
		CP	QPSK	1	1		7.83		0

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		7.76		0
				1	137		7.82		0
				1	271		7.98		0
				135	0		7.52		0
				135	69		7.86		0
				135	138		7.86		0
				270	0		7.87		0
			QPSK	1	1		7.80		0
				1	137		7.67		0
				1	271		7.98		0
				135	0		7.54		0
				135	69		7.87		0
				135	138		8.01		0
				270	0		7.59		0
			16QAM	1	1		7.95		0
			64QAM	1	1		8.02		0
			256QAM	1	1		7.76		0
		CP	QPSK	1	1		7.71		