



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 13.37                            | 0.36        | 13.73                                          | 17.00                | Complies |
| 40      | 5200            | 13.37                            | 0.36        | 13.73                                          | 17.00                | Complies |
| 48      | 5240            | 13.55                            | 0.36        | 13.91                                          | 17.00                | Complies |


CH36



CH40




CH48




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 13.49                            | 0.36        | 13.85                                          | 17.00                | Complies |
| 40      | 5200            | 13.46                            | 0.36        | 13.82                                          | 17.00                | Complies |
| 48      | 5240            | 13.46                            | 0.36        | 13.82                                          | 17.00                | Complies |


CH36



CH40



CH48




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 16.80                            | 17.00                | Complies |
| 40      | 5200            | 16.78                            | 17.00                | Complies |
| 48      | 5240            | 16.87                            | 17.00                | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 12.71                            | 0.33        | 13.04                                          | 17.00                | Complies |
| 46      | 5230            | 12.88                            | 0.33        | 13.21                                          | 17.00                | Complies |

CH38




CH46




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 12.58                            | 0.33        | 12.91                                          | 17.00                | Complies |
| 46      | 5230            | 12.85                            | 0.33        | 13.18                                          | 17.00                | Complies |

CH38



CH46




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 15.99                            | 17.00                | Complies |
| 46      | 5230            | 16.21                            | 17.00                | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 10.28                            | 0.34        | 10.62                                          | 17.00                | Complies |


CH42



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 10.72                            | 0.34        | 11.06                                          | 17.00                | Complies |

CH42




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 13.86                            | 17.00                | Complies |


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 7.32                             | 0.30        | 7.62                                           | 11.00                | Complies |
| 60      | 5300            | 7.53                             | 0.30        | 7.83                                           | 11.00                | Complies |
| 64      | 5320            | 7.65                             | 0.30        | 7.95                                           | 11.00                | Complies |



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 7.22                             | 0.30        | 7.52                                           | 11.00                | Complies |
| 60      | 5300            | 7.37                             | 0.30        | 7.67                                           | 11.00                | Complies |
| 64      | 5320            | 7.51                             | 0.30        | 7.81                                           | 11.00                | Complies |




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 10.58                            | 11.00                | Complies |
| 60      | 5300            | 10.77                            | 11.00                | Complies |
| 64      | 5320            | 10.90                            | 11.00                | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 7.40                             | 0.38        | 7.78                                           | 11.00                | Complies |
| 60      | 5300            | 7.19                             | 0.38        | 7.57                                           | 11.00                | Complies |
| 64      | 5320            | 7.18                             | 0.38        | 7.56                                           | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 7.28                             | 0.38        | 7.66                                           | 11.00                | Complies |
| 60      | 5300            | 7.49                             | 0.38        | 7.87                                           | 11.00                | Complies |
| 64      | 5320            | 7.44                             | 0.38        | 7.82                                           | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 10.73                            | 11.00                | Complies |
| 60      | 5300            | 10.73                            | 11.00                | Complies |
| 64      | 5320            | 10.70                            | 11.00                | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 7.43                             | 0.37        | 7.80                                           | 11.00                | Complies |
| 62      | 5310            | 7.25                             | 0.37        | 7.62                                           | 11.00                | Complies |

CH54




CH62




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 7.31                             | 0.37        | 7.68                                           | 11.00                | Complies |
| 62      | 5310            | 7.10                             | 0.37        | 7.47                                           | 11.00                | Complies |

CH54



CH62




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 10.75                            | 11.00                | Complies |
| 62      | 5310            | 10.55                            | 11.00                | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | 4.68                             | 0.35        | 5.03                                           | 11.00                | Complies |


CH58



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | 4.53                             | 0.35        | 4.88                                           | 11.00                | Complies |

CH58




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | 7.97                             | 11.00                | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 7.18                             | 0.36        | 7.54                                           | 11.00                | Complies |
| 60      | 5300            | 7.31                             | 0.36        | 7.67                                           | 11.00                | Complies |
| 64      | 5320            | 7.56                             | 0.36        | 7.92                                           | 11.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 7.04                             | 0.36        | 7.40                                           | 11.00                | Complies |
| 60      | 5300            | 7.13                             | 0.36        | 7.49                                           | 11.00                | Complies |
| 64      | 5320            | 7.40                             | 0.36        | 7.76                                           | 11.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 10.48                            | 11.00                | Complies |
| 60      | 5300            | 10.59                            | 11.00                | Complies |
| 64      | 5320            | 10.85                            | 11.00                | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 7.12                             | 0.33        | 7.45                                           | 11.00                | Complies |
| 62      | 5310            | 7.06                             | 0.33        | 7.39                                           | 11.00                | Complies |

CH54




CH62




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 6.89                             | 0.33        | 7.22                                           | 11.00                | Complies |
| 62      | 5310            | 7.02                             | 0.33        | 7.35                                           | 11.00                | Complies |

CH54



CH62




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 10.35                            | 11.00                | Complies |
| 62      | 5310            | 10.38                            | 11.00                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | 4.71                             | 0.34        | 5.05                                           | 11.00                | Complies |


CH58



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | 5.00                             | 0.34        | 5.34                                           | 11.00                | Complies |

CH58




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | 8.21                             | 11.00                | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | 1.92                             | 0.38        | 2.30                                           | 11.00                | Complies |


CH50



|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | 2.34                             | 0.38        | 2.72                                           | 11.00                | Complies |

CH50




|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Total |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 50      | 5250            | 5.53                             | 11.00                | Complies |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | 2.33                             | 0.38        | 2.71                                           | 11.00                | Complies |


CH50



|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | 2.27                             | 0.38        | 2.65                                           | 11.00                | Complies |

CH50




|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Total |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 50      | 5250            | 5.69                             | 11.00                | Complies |


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 7.68                             | 0.30        | 7.98                                           | 11.00                | Complies |
| 116     | 5580            | 7.47                             | 0.30        | 7.77                                           | 11.00                | Complies |
| 140     | 5700            | 7.40                             | 0.30        | 7.70                                           | 11.00                | Complies |
| 144     | 5720            | 7.39                             | 0.30        | 7.69                                           | 11.00                | Complies |


CH100




CH116



CH140




CH144




|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 7.28                             | 0.30        | 7.58                                           | 11.00                | Complies |
| 116     | 5580            | 7.55                             | 0.30        | 7.85                                           | 11.00                | Complies |
| 140     | 5700            | 7.47                             | 0.30        | 7.77                                           | 11.00                | Complies |
| 144     | 5720            | 7.27                             | 0.30        | 7.57                                           | 11.00                | Complies |


CH100




CH116



CH140



CH144




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 10.80                            | 11.00                | Complies |
| 116     | 5580            | 10.82                            | 11.00                | Complies |
| 140     | 5700            | 10.75                            | 11.00                | Complies |
| 144     | 5720            | 10.65                            | 11.00                | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 7.27                             | 0.38        | 7.65                                           | 11.00                | Complies |
| 116     | 5580            | 7.22                             | 0.38        | 7.60                                           | 11.00                | Complies |
| 140     | 5700            | 7.11                             | 0.38        | 7.49                                           | 11.00                | Complies |
| 144     | 5720            | 7.20                             | 0.38        | 7.58                                           | 11.00                | Complies |


CH100




CH116



CH140




CH144




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 7.39                             | 0.38        | 7.77                                           | 11.00                | Complies |
| 116     | 5580            | 7.41                             | 0.38        | 7.79                                           | 11.00                | Complies |
| 140     | 5700            | 7.28                             | 0.38        | 7.66                                           | 11.00                | Complies |
| 144     | 5720            | 7.40                             | 0.38        | 7.78                                           | 11.00                | Complies |


CH100




CH116



CH140



CH144




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 10.72                            | 11.00                | Complies |
| 116     | 5580            | 10.70                            | 11.00                | Complies |
| 140     | 5700            | 10.58                            | 11.00                | Complies |
| 144     | 5720            | 10.69                            | 11.00                | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 7.07                             | 0.37        | 7.44                                           | 11.00                | Complies |
| 110     | 5550            | 7.32                             | 0.37        | 7.69                                           | 11.00                | Complies |
| 134     | 5670            | 7.15                             | 0.37        | 7.52                                           | 11.00                | Complies |
| 142     | 5710            | 7.39                             | 0.37        | 7.76                                           | 11.00                | Complies |


CH102




CH110



CH134




CH142




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 7.25                             | 0.37        | 7.62                                           | 11.00                | Complies |
| 110     | 5550            | 7.54                             | 0.37        | 7.91                                           | 11.00                | Complies |
| 134     | 5670            | 7.08                             | 0.37        | 7.45                                           | 11.00                | Complies |
| 142     | 5710            | 7.59                             | 0.37        | 7.96                                           | 11.00                | Complies |


CH102




CH110



CH134



CH142



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 102     | 5510            | 10.54                            | 11.00                | Complies |
| 110     | 5550            | 10.81                            | 11.00                | Complies |
| 134     | 5670            | 10.49                            | 11.00                | Complies |
| 142     | 5710            | 10.87                            | 11.00                | Complies |