


产品说明书


四折页 / 尺寸：90x90mm / 157克哑粉纸 / 过油不磨光 / 四色正反面印刷

MayaX

47 g
30000 dpi



SUITABLE FOR CLAW GRIP



Since the dawn of time, humanity has craved for power. Civilisations prosper and falter, the Mayans without exception. Yet the essence carries on, passed onto the next generation. Now gathered into your hands, where does the Maya lead you?

By LAMZU

LAMZU

Procedure of use
1. Open mouse switch.
2. Plug in the 2.4G receiver to use wireless mode.
3. Connect mouse with cable to use wired mode


生产商 / MANUFACTURER:
深圳市兰族电子科技有限公司
SHENZHEN LAMZU ELECTRONIC TECHNOLOGY Co., Ltd.
www.lamzu.com

* 图片均为参考示意图，且由于技术和软件升级，所标注的信息与参数可能与产品实物有偏差，请以实物为准。
* Information about this manual is for reference only. Specification and designs are subject to change without notice.

FC CE RoHS ETL
217-241586

LAMZU

MayaX




47g

SUPER LIGHT
WIRELESS
MOUSE

No Lag, No Delay, Low Power
2.4 GHz Wireless / Wired GAMING MOUSE

LAMZU




CPI

开 关
on off
~에 끄다
オン オフ
an aus

100%
400
800
1600
3200
6400

MayaX

47 g
30000 dpi



100%
20%
充满：常亮冰蓝色
Fully charged : steady ice blue
전체: 항상 밝은 아이스 블루
フル残量：水色に点灯
Voll: Immer hell eisblau

充电：闪烁紫色
Charging : blink purple
충전 중: 보라색으로 깜박임
充電中：紫色に点滅
Aufladen: Violett blinkend

低电：闪烁红色
Low battery : blink red
저전력: 빨간색 깜박임
低残量：赤色に点滅
Niedrige Leistung: rot blinkend

SUPER LIGHT
WIRELESS
MOUSE

2.4 GHZ WIRELESS + WIRED GAMING MOUSE
LAG FREE

电池工作时间：80小时
Battery life : 80 hours
배터리 : 80시
バッテリー：80 時間
Batterie : 80 Stunde

重量：47g
Weight : 47g
무게 : 47g
重さ : 47g
Gewicht : 47g

按键数量：6
Buttons : 6
단추 : 6
ボタン : 6
Taste : 6

左右按键：光微动
LM1/RM1 : Optical switch
좌/우클릭 스위치 : 광스위치
左右スイッチ : 光学スイッチ
LM1/RM1 : Optischer Schalter

芯片：Pixart 3950
Sensor IC : Pixart 3950
감지기 : Pixart 3950
センサー : Pixart 3950
Sensor : Pixart 3950

分辨率：30000
DPI : 30000
무게 : 47g
DPI : 30000
DPI : 30000

编码器：LAMZU
Encoder : LAMZU
인코더 : LAMZU
エンコーダー : LAMZU
Encoder : LAMZU

主控：Nordic 52840
MCU : Nordic 52840
MCU : Nordic 52840
MCU : Nordic 52840
MCU : Nordic 52840

尺寸：124x64x40mm
Size : 124x64x40mm
크기 : 124x64x40mm
サイズ : 124x64x40mm
Größe : 124x64x40mm

追踪速率：750
IPS : 750
IPS : 750
IPS : 750
IPS : 750

回报率：125-1000Hz
polling rate : 125-1000Hz
표준 비율 : 125-1000Hz
ポーリングレート : 125-1000Hz
Abfragerate : 125-1000Hz

加速度：50g
Acceleration : 50g
가속 : 50g
加速度 : 50g
Beschleunigung : 50g

RF exposure statement

This equipment complies with the FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.