





Mode	100																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11650.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>59.11</td><td>39.26</td><td>12.99</td><td>63.45</td></tr><tr><td>2 17475.00</td><td>51.31</td><td>68.30</td><td>-16.99</td><td>58.72</td><td>42.12</td><td>15.90</td><td>65.43</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11650.00	47.91	74.00	-26.09	59.11	39.26	12.99	63.45	2 17475.00	51.31	68.30	-16.99	58.72	42.12	15.90	65.43	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 11650.00</td><td>48.72</td><td>74.00</td><td>-25.28</td><td>59.92</td><td>39.26</td><td>12.99</td><td>63.45</td></tr><tr><td>2 17475.00</td><td>51.61</td><td>68.30</td><td>-16.69</td><td>59.02</td><td>42.12</td><td>15.90</td><td>65.43</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11650.00	48.72	74.00	-25.28	59.92	39.26	12.99	63.45	2 17475.00	51.61	68.30	-16.69	59.02	42.12	15.90	65.43
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11650.00	47.91	74.00	-26.09	59.11	39.26	12.99	63.45																																																																																									
2 17475.00	51.31	68.30	-16.99	58.72	42.12	15.90	65.43																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11650.00	48.72	74.00	-25.28	59.92	39.26	12.99	63.45																																																																																									
2 17475.00	51.61	68.30	-16.69	59.02	42.12	15.90	65.43																																																																																									



Mode	101																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																													
ANT	5+7																																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																																								
Peak	Date: 2024-03-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.91</td><td>56.07</td><td>68.30</td><td>-12.23</td><td>42.25</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>298</td><td>PEAK</td></tr><tr><td>2</td><td>5652.08</td><td>57.11</td><td>69.84</td><td>-12.73</td><td>43.28</td><td>36.11</td><td>9.87</td><td>32.15</td><td>100</td><td>298</td><td>PEAK</td></tr><tr><td>3</td><td>5717.65</td><td>72.83</td><td>110.14</td><td>-37.31</td><td>58.85</td><td>36.20</td><td>10.00</td><td>32.22</td><td>100</td><td>298</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>68.05</td><td>111.09</td><td>-43.04</td><td>54.05</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>298</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.91	56.07	68.30	-12.23	42.25	36.11	9.86	32.15	100	298	PEAK	2	5652.08	57.11	69.84	-12.73	43.28	36.11	9.87	32.15	100	298	PEAK	3	5717.65	72.83	110.14	-37.31	58.85	36.20	10.00	32.22	100	298	PEAK	4	5720.13	68.05	111.09	-43.04	54.05	36.21	10.01	32.22	100	298	PEAK	Date: 2024-03-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.89</td><td>-----</td><td>-----</td><td>91.81</td><td>36.25</td><td>10.08</td><td>32.25</td><td>100</td><td>298</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	105.89	-----	-----	91.81	36.25	10.08	32.25	100	298	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5649.91	56.07	68.30	-12.23	42.25	36.11	9.86	32.15	100	298	PEAK																																																																																																																			
2	5652.08	57.11	69.84	-12.73	43.28	36.11	9.87	32.15	100	298	PEAK																																																																																																																			
3	5717.65	72.83	110.14	-37.31	58.85	36.20	10.00	32.22	100	298	PEAK																																																																																																																			
4	5720.13	68.05	111.09	-43.04	54.05	36.21	10.01	32.22	100	298	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5755.00	105.89	-----	-----	91.81	36.25	10.08	32.25	100	298	PEAK																																																																																																																			
Avg	Blank					Date: 2024-03-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.20</td><td>-----</td><td>-----</td><td>85.12</td><td>36.25</td><td>10.08</td><td>32.25</td><td>100</td><td>298</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.20	-----	-----	85.12	36.25	10.08	32.25	100	298	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5755.00	99.20	-----	-----	85.12	36.25	10.08	32.25	100	298	AVERAGE																																																																																																																			



Mode	102																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																		
ANT	5+7																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2024-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5649.53</td><td>54.45</td><td>68.30</td><td>-13.85</td><td>40.63</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>302</td><td>PEAK</td></tr><tr><td>2</td><td>5650.31</td><td>52.87</td><td>68.53</td><td>-15.66</td><td>39.05</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>302</td><td>PEAK</td></tr><tr><td>3</td><td>5706.67</td><td>63.63</td><td>107.07</td><td>-43.44</td><td>49.67</td><td>36.19</td><td>9.98</td><td>32.21</td><td>100</td><td>302</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>62.21</td><td>111.07</td><td>-48.86</td><td>48.21</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>302</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5649.53	54.45	68.30	-13.85	40.63	36.11	9.86	32.15	100	302	PEAK	2	5650.31	52.87	68.53	-15.66	39.05	36.11	9.86	32.15	100	302	PEAK	3	5706.67	63.63	107.07	-43.44	49.67	36.19	9.98	32.21	100	302	PEAK	4	5720.12	62.21	111.07	-48.86	48.21	36.21	10.01	32.22	100	302	PEAK	Level (dBuV/m) Date: 2024-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5795.00</td><td>107.63</td><td>-----</td><td>-----</td><td>93.47</td><td>36.30</td><td>10.15</td><td>32.29</td><td>100</td><td>302</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5795.00	107.63	-----	-----	93.47	36.30	10.15	32.29	100	302	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5649.53	54.45	68.30	-13.85	40.63	36.11	9.86	32.15	100	302	PEAK																																																																																																																								
2	5650.31	52.87	68.53	-15.66	39.05	36.11	9.86	32.15	100	302	PEAK																																																																																																																								
3	5706.67	63.63	107.07	-43.44	49.67	36.19	9.98	32.21	100	302	PEAK																																																																																																																								
4	5720.12	62.21	111.07	-48.86	48.21	36.21	10.01	32.22	100	302	PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5795.00	107.63	-----	-----	93.47	36.30	10.15	32.29	100	302	PEAK																																																																																																																								
Avg	Blank						Level (dBuV/m) Date: 2024-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5795.00</td><td>100.95</td><td>-----</td><td>-----</td><td>86.72</td><td>36.34</td><td>10.20</td><td>32.31</td><td>100</td><td>302</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5795.00	100.95	-----	-----	86.72	36.34	10.20	32.31	100	302	AVERAGE																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5795.00	100.95	-----	-----	86.72	36.34	10.20	32.31	100	302	AVERAGE																																																																																																																								

Mode

102

Band Edge - R

U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz

ANT

5+7

Pol.

Horizontal

Fundamental

Peak

Level (dBuV/m)

Date: 2024-03-04

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

5795

5826

5857

5888

5919

5950

Frequency (MHz)

1

2

3

4

PEAK_BE(B4)_16.24

Limit

Read

Ant

Cable

Preamp

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

cm

deg

1

5854.99

68.79

110.83

-42.04

54.45

36.40

10.29

32.35

100

302

PEAK

2

5867.85

69.28

107.20

-37.92

54.92

36.41

10.32

32.37

100

302

PEAK

3

5924.89

53.02

68.38

-15.36

38.51

36.49

10.44

32.42

100

302

PEAK

4

5931.40

54.19

68.30

-14.11

39.67

36.50

10.45

32.43

100

302




PEAK

Blank



Mode	102																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																				
ANT	5+7																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	Date: 2024-03-04 Level (dBuV/m) vs Frequency (MHz) from 5600 to 5795 MHz. The plot shows a rising signal level with a peak at 5795 MHz labeled 'PEAK_BE(BA)_T0-Z4'. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5608.58</td><td>53.66</td><td>68.30</td><td>-14.64</td><td>39.95</td><td>36.05</td><td>9.77</td><td>32.11</td><td>340 251 PEAK</td></tr><tr><td>2 5650.31</td><td>53.77</td><td>68.53</td><td>-14.76</td><td>39.95</td><td>36.11</td><td>9.86</td><td>32.15</td><td>340 251 PEAK</td></tr><tr><td>3 5700.43</td><td>58.40</td><td>105.32</td><td>-46.92</td><td>44.45</td><td>36.18</td><td>9.97</td><td>32.20</td><td>340 251 PEAK</td></tr><tr><td>4 5720.12</td><td>59.36</td><td>111.07</td><td>-51.71</td><td>45.36</td><td>36.21</td><td>10.01</td><td>32.22</td><td>340 251 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5608.58	53.66	68.30	-14.64	39.95	36.05	9.77	32.11	340 251 PEAK	2 5650.31	53.77	68.53	-14.76	39.95	36.11	9.86	32.15	340 251 PEAK	3 5700.43	58.40	105.32	-46.92	44.45	36.18	9.97	32.20	340 251 PEAK	4 5720.12	59.36	111.07	-51.71	45.36	36.21	10.01	32.22	340 251 PEAK	Date: 2024-03-04 Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a flat baseline with a sharp peak at 5795 MHz labeled 'PART 15.407'. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>107.72</td><td>-----</td><td>-----</td><td>93.57</td><td>36.29</td><td>10.14</td><td>32.28</td><td>340 251 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5795.00	107.72	-----	-----	93.57	36.29	10.14	32.28	340 251 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1 5608.58	53.66	68.30	-14.64	39.95	36.05	9.77	32.11	340 251 PEAK																																																																																													
2 5650.31	53.77	68.53	-14.76	39.95	36.11	9.86	32.15	340 251 PEAK																																																																																													
3 5700.43	58.40	105.32	-46.92	44.45	36.18	9.97	32.20	340 251 PEAK																																																																																													
4 5720.12	59.36	111.07	-51.71	45.36	36.21	10.01	32.22	340 251 PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1 5795.00	107.72	-----	-----	93.57	36.29	10.14	32.28	340 251 PEAK																																																																																													
Avg	Blank	Date: 2024-03-04 Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a flat baseline with a sharp peak at 5795 MHz labeled 'PART 15.407 AVG'. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>100.73</td><td>-----</td><td>-----</td><td>86.57</td><td>36.30</td><td>10.15</td><td>32.29</td><td>340 251 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5795.00	100.73	-----	-----	86.57	36.30	10.15	32.29	340 251 AVERAGE																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1 5795.00	100.73	-----	-----	86.57	36.30	10.15	32.29	340 251 AVERAGE																																																																																													



Mode	104																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																				
ANT	5+7																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Date: 2024-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.00</td><td>52.44</td><td>68.30</td><td>-15.86</td><td>38.62</td><td>36.11</td><td>9.86</td><td>32.15</td><td>113</td><td>301 PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>51.78</td><td>68.32</td><td>-16.54</td><td>37.96</td><td>36.11</td><td>9.86</td><td>32.15</td><td>113</td><td>301 PEAK</td></tr><tr><td>3</td><td>5718.76</td><td>68.17</td><td>110.45</td><td>-42.28</td><td>54.17</td><td>36.21</td><td>10.01</td><td>32.22</td><td>113</td><td>301 PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>67.83</td><td>111.27</td><td>-43.44</td><td>53.83</td><td>36.21</td><td>10.01</td><td>32.22</td><td>113</td><td>301 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5648.00	52.44	68.30	-15.86	38.62	36.11	9.86	32.15	113	301 PEAK	2	5650.03	51.78	68.32	-16.54	37.96	36.11	9.86	32.15	113	301 PEAK	3	5718.76	68.17	110.45	-42.28	54.17	36.21	10.01	32.22	113	301 PEAK	4	5720.21	67.83	111.27	-43.44	53.83	36.21	10.01	32.22	113	301 PEAK	Date: 2024-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>110.60</td><td>-----</td><td>-----</td><td>96.55</td><td>36.24</td><td>10.05</td><td>32.24</td><td>113</td><td>301 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.60	-----	-----	96.55	36.24	10.05	32.24	113	301 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5648.00	52.44	68.30	-15.86	38.62	36.11	9.86	32.15	113	301 PEAK																																																																																																											
2	5650.03	51.78	68.32	-16.54	37.96	36.11	9.86	32.15	113	301 PEAK																																																																																																											
3	5718.76	68.17	110.45	-42.28	54.17	36.21	10.01	32.22	113	301 PEAK																																																																																																											
4	5720.21	67.83	111.27	-43.44	53.83	36.21	10.01	32.22	113	301 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	110.60	-----	-----	96.55	36.24	10.05	32.24	113	301 PEAK																																																																																																											
Avg	Blank	Date: 2024-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>101.80</td><td>-----</td><td>-----</td><td>87.75</td><td>36.24</td><td>10.05</td><td>32.24</td><td>113</td><td>301 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.80	-----	-----	87.75	36.24	10.05	32.24	113	301 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	101.80	-----	-----	87.75	36.24	10.05	32.24	113	301 AVERAGE																																																																																																											



Mode	104																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																
ANT	5+7																																																																																																																																
Pol.	Vertical					Fundamental																																																																																																																											
Peak	Date: 2024-03-04 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.44</td><td>53.05</td><td>68.30</td><td>-15.25</td><td>39.33</td><td>36.05</td><td>9.78</td><td>32.11</td><td>307</td><td>256 PEAK</td></tr><tr><td>2</td><td>5652.78</td><td>53.99</td><td>70.36</td><td>-16.37</td><td>40.16</td><td>36.11</td><td>9.87</td><td>32.15</td><td>307</td><td>256 PEAK</td></tr><tr><td>3</td><td>5719.77</td><td>65.57</td><td>110.74</td><td>-45.17</td><td>51.57</td><td>36.21</td><td>10.01</td><td>32.22</td><td>307</td><td>256 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>66.08</td><td>110.94</td><td>-44.86</td><td>52.08</td><td>36.21</td><td>10.01</td><td>32.22</td><td>307</td><td>256 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5610.44	53.05	68.30	-15.25	39.33	36.05	9.78	32.11	307	256 PEAK	2	5652.78	53.99	70.36	-16.37	40.16	36.11	9.87	32.15	307	256 PEAK	3	5719.77	65.57	110.74	-45.17	51.57	36.21	10.01	32.22	307	256 PEAK	4	5720.06	66.08	110.94	-44.86	52.08	36.21	10.01	32.22	307	256 PEAK	Date: 2024-03-04 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5745.00</td><td>110.48</td><td>-----</td><td>-----</td><td>96.43</td><td>36.24</td><td>10.05</td><td>32.24</td><td>307</td><td>256 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5745.00	110.48	-----	-----	96.43	36.24	10.05	32.24	307	256 PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5610.44	53.05	68.30	-15.25	39.33	36.05	9.78	32.11	307	256 PEAK																																																																																																																							
2	5652.78	53.99	70.36	-16.37	40.16	36.11	9.87	32.15	307	256 PEAK																																																																																																																							
3	5719.77	65.57	110.74	-45.17	51.57	36.21	10.01	32.22	307	256 PEAK																																																																																																																							
4	5720.06	66.08	110.94	-44.86	52.08	36.21	10.01	32.22	307	256 PEAK																																																																																																																							
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5745.00	110.48	-----	-----	96.43	36.24	10.05	32.24	307	256 PEAK																																																																																																																							
Avg	Blank					Date: 2024-03-04 <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5745.00</td><td>101.56</td><td>-----</td><td>-----</td><td>87.51</td><td>36.24</td><td>10.05</td><td>32.24</td><td>307</td><td>256 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5745.00	101.56	-----	-----	87.51	36.24	10.05	32.24	307	256 AVERAGE																																																																												
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5745.00	101.56	-----	-----	87.51	36.24	10.05	32.24	307	256 AVERAGE																																																																																																																							



Mode	104																																																																																																													
	Harmonic																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																													
ANT	5+7																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-03-10 Frequency (MHz)					Level (dBuV/m) Date: 2024-03-10 Frequency (MHz)																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>48.09</td><td>74.00</td><td>-25.91</td><td>59.46</td><td>39.20</td><td>12.87</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17235.00</td><td>48.84</td><td>68.30</td><td>-19.46</td><td>56.56</td><td>41.86</td><td>15.72</td><td>65.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	48.09	74.00	-25.91	59.46	39.20	12.87	63.44	---	---	Peak	2 17235.00	48.84	68.30	-19.46	56.56	41.86	15.72	65.30	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>49.07</td><td>74.00</td><td>-24.93</td><td>60.44</td><td>39.20</td><td>12.87</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17235.00</td><td>48.19</td><td>68.30</td><td>-20.11</td><td>55.91</td><td>41.86</td><td>15.72</td><td>65.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	49.07	74.00	-24.93	60.44	39.20	12.87	63.44	---	---	Peak	2 17235.00	48.19	68.30	-20.11	55.91	41.86	15.72	65.30	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 11490.00	48.09	74.00	-25.91	59.46	39.20	12.87	63.44	---	---	Peak																																																																																																				
2 17235.00	48.84	68.30	-19.46	56.56	41.86	15.72	65.30	---	---	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 11490.00	49.07	74.00	-24.93	60.44	39.20	12.87	63.44	---	---	Peak																																																																																																				
2 17235.00	48.19	68.30	-20.11	55.91	41.86	15.72	65.30	---	---	Peak																																																																																																				



Mode	105																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																															
ANT	5+7																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-10 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11570.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>58.26</td><td>39.23</td><td>12.93</td><td>63.45</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17355.00</td><td>49.30</td><td>68.30</td><td>-19.00</td><td>56.86</td><td>41.99</td><td>15.81</td><td>65.36</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 11570.00	46.97	74.00	-27.03	58.26	39.23	12.93	63.45	---	---	---	Peak	2 17355.00	49.30	68.30	-19.00	56.86	41.99	15.81	65.36	---	---	---	Peak	Level (dBuV/m) Date: 2024-03-10 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11570.00</td><td>48.27</td><td>74.00</td><td>-25.73</td><td>59.56</td><td>39.23</td><td>12.93</td><td>63.45</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17355.00</td><td>50.33</td><td>68.30</td><td>-17.97</td><td>57.89</td><td>41.99</td><td>15.81</td><td>65.36</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 11570.00	48.27	74.00	-25.73	59.56	39.23	12.93	63.45	---	---	---	Peak	2 17355.00	50.33	68.30	-17.97	57.89	41.99	15.81	65.36	---	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1 11570.00	46.97	74.00	-27.03	58.26	39.23	12.93	63.45	---	---	---	Peak																																																																																																																					
2 17355.00	49.30	68.30	-19.00	56.86	41.99	15.81	65.36	---	---	---	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1 11570.00	48.27	74.00	-25.73	59.56	39.23	12.93	63.45	---	---	---	Peak																																																																																																																					
2 17355.00	50.33	68.30	-17.97	57.89	41.99	15.81	65.36	---	---	---	Peak																																																																																																																					





Mode	106																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																														
ANT	5+7																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2024-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>59.60</td><td>111.65</td><td>-52.05</td><td>45.26</td><td>36.40</td><td>10.29</td><td>32.35</td><td>100</td><td>297</td><td>PEAK</td></tr><tr><td>2</td><td>5862.25</td><td>62.60</td><td>108.77</td><td>-46.17</td><td>48.24</td><td>36.41</td><td>10.31</td><td>32.36</td><td>100</td><td>297</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>51.75</td><td>68.30</td><td>-16.55</td><td>37.24</td><td>36.49</td><td>10.44</td><td>32.42</td><td>100</td><td>297</td><td>PEAK</td></tr><tr><td>4</td><td>5928.13</td><td>52.82</td><td>68.30</td><td>-15.48</td><td>38.30</td><td>36.50</td><td>10.45</td><td>32.43</td><td>100</td><td>297</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.63	59.60	111.65	-52.05	45.26	36.40	10.29	32.35	100	297	PEAK	2	5862.25	62.60	108.77	-46.17	48.24	36.41	10.31	32.36	100	297	PEAK	3	5925.00	51.75	68.30	-16.55	37.24	36.49	10.44	32.42	100	297	PEAK	4	5928.13	52.82	68.30	-15.48	38.30	36.50	10.45	32.43	100	297	PEAK	Level (dBuV/m) Date: 2024-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>111.29</td><td>-----</td><td>-----</td><td>97.05</td><td>36.35</td><td>10.21</td><td>32.32</td><td>100</td><td>297</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	111.29	-----	-----	97.05	36.35	10.21	32.32	100	297	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.63	59.60	111.65	-52.05	45.26	36.40	10.29	32.35	100	297	PEAK																																																																																																																				
2	5862.25	62.60	108.77	-46.17	48.24	36.41	10.31	32.36	100	297	PEAK																																																																																																																				
3	5925.00	51.75	68.30	-16.55	37.24	36.49	10.44	32.42	100	297	PEAK																																																																																																																				
4	5928.13	52.82	68.30	-15.48	38.30	36.50	10.45	32.43	100	297	PEAK																																																																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	111.29	-----	-----	97.05	36.35	10.21	32.32	100	297	PEAK																																																																																																																				
Avg	Blank						Level (dBuV/m) Date: 2024-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.61</td><td>-----</td><td>-----</td><td>88.35</td><td>36.35</td><td>10.23</td><td>32.32</td><td>100</td><td>297</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.61	-----	-----	88.35	36.35	10.23	32.32	100	297	AVERAGE																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	102.61	-----	-----	88.35	36.35	10.23	32.32	100	297	AVERAGE																																																																																																																				






Mode	106																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																													
ANT	5+7																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2024-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.13</td><td>57.05</td><td>112.79</td><td>-55.74</td><td>42.71</td><td>36.40</td><td>10.29</td><td>32.35</td><td>341</td><td>247</td><td>PEAK</td></tr><tr><td>2</td><td>5868.50</td><td>58.81</td><td>107.02</td><td>-48.21</td><td>44.44</td><td>36.42</td><td>10.32</td><td>32.37</td><td>341</td><td>247</td><td>PEAK</td></tr><tr><td>3</td><td>5924.25</td><td>52.39</td><td>68.85</td><td>-16.46</td><td>37.88</td><td>36.49</td><td>10.44</td><td>32.42</td><td>341</td><td>247</td><td>PEAK</td></tr><tr><td>4</td><td>5931.88</td><td>52.79</td><td>68.30</td><td>-15.51</td><td>38.27</td><td>36.50</td><td>10.45</td><td>32.43</td><td>341</td><td>247</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.13	57.05	112.79	-55.74	42.71	36.40	10.29	32.35	341	247	PEAK	2	5868.50	58.81	107.02	-48.21	44.44	36.42	10.32	32.37	341	247	PEAK	3	5924.25	52.39	68.85	-16.46	37.88	36.49	10.44	32.42	341	247	PEAK	4	5931.88	52.79	68.30	-15.51	38.27	36.50	10.45	32.43	341	247	PEAK	Level (dBuV/m) Date: 2024-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.28</td><td>-----</td><td>-----</td><td>92.02</td><td>36.35</td><td>10.23</td><td>32.32</td><td>341</td><td>247</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.28	-----	-----	92.02	36.35	10.23	32.32	341	247	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5854.13	57.05	112.79	-55.74	42.71	36.40	10.29	32.35	341	247	PEAK																																																																																																																			
2	5868.50	58.81	107.02	-48.21	44.44	36.42	10.32	32.37	341	247	PEAK																																																																																																																			
3	5924.25	52.39	68.85	-16.46	37.88	36.49	10.44	32.42	341	247	PEAK																																																																																																																			
4	5931.88	52.79	68.30	-15.51	38.27	36.50	10.45	32.43	341	247	PEAK																																																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5825.00	106.28	-----	-----	92.02	36.35	10.23	32.32	341	247	PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.98</td><td>-----</td><td>-----</td><td>83.74</td><td>36.35</td><td>10.21</td><td>32.32</td><td>341</td><td>247</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.98	-----	-----	83.74	36.35	10.21	32.32	341	247	AVERAGE																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5825.00	97.98	-----	-----	83.74	36.35	10.21	32.32	341	247	AVERAGE																																																																																																																			






Mode	106																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																	
ANT	5+7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>58.75</td><td>39.26</td><td>12.99</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>50.56</td><td>68.30</td><td>-17.74</td><td>57.97</td><td>42.12</td><td>15.90</td><td>65.43</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	47.55	74.00	-26.45	58.75	39.26	12.99	63.45	---	---	Peak	2	17475.00	50.56	68.30	-17.74	57.97	42.12	15.90	65.43	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>59.69</td><td>39.26</td><td>12.99</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>50.33</td><td>68.30</td><td>-17.97</td><td>57.74</td><td>42.12</td><td>15.90</td><td>65.43</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	48.49	74.00	-25.51	59.69	39.26	12.99	63.45	---	---	Peak	2	17475.00	50.33	68.30	-17.97	57.74	42.12	15.90	65.43	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11650.00	47.55	74.00	-26.45	58.75	39.26	12.99	63.45	---	---	Peak																																																																																																																							
2	17475.00	50.56	68.30	-17.74	57.97	42.12	15.90	65.43	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11650.00	48.49	74.00	-25.51	59.69	39.26	12.99	63.45	---	---	Peak																																																																																																																							
2	17475.00	50.33	68.30	-17.97	57.74	42.12	15.90	65.43	---	---	Peak																																																																																																																							




Mode	107																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																
ANT	5+7																																																																																																																																
Pol.	Horizontal					Fundamental																																																																																																																											
Peak	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a rising signal level with a peak at 5724 MHz labeled 'PEAK_BELB4_10-24'.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a sharp peak at 5800 MHz labeled 'PART 15.407'.																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.05</td><td>59.96</td><td>68.30</td><td>-8.34</td><td>46.14</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>56.76</td><td>68.35</td><td>-11.59</td><td>42.94</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>293</td><td>PEAK</td></tr><tr><td>3</td><td>5717.49</td><td>74.99</td><td>110.10</td><td>-35.11</td><td>61.01</td><td>36.20</td><td>10.00</td><td>32.22</td><td>100</td><td>293</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>72.28</td><td>111.09</td><td>-38.81</td><td>58.28</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>293</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5648.05	59.96	68.30	-8.34	46.14	36.11	9.86	32.15	100	293	PEAK	2	5650.07	56.76	68.35	-11.59	42.94	36.11	9.86	32.15	100	293	PEAK	3	5717.49	74.99	110.10	-35.11	61.01	36.20	10.00	32.22	100	293	PEAK	4	5720.13	72.28	111.09	-38.81	58.28	36.21	10.01	32.22	100	293	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.34</td><td>-----</td><td>-----</td><td>95.26</td><td>36.25</td><td>10.08</td><td>32.25</td><td>100</td><td>293</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	109.34	-----	-----	95.26	36.25	10.08	32.25	100	293
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5648.05	59.96	68.30	-8.34	46.14	36.11	9.86	32.15	100	293	PEAK																																																																																																																						
2	5650.07	56.76	68.35	-11.59	42.94	36.11	9.86	32.15	100	293	PEAK																																																																																																																						
3	5717.49	74.99	110.10	-35.11	61.01	36.20	10.00	32.22	100	293	PEAK																																																																																																																						
4	5720.13	72.28	111.09	-38.81	58.28	36.21	10.01	32.22	100	293	PEAK																																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5755.00	109.34	-----	-----	95.26	36.25	10.08	32.25	100	293	PEAK																																																																																																																						
Avg	Blank					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a sharp peak at 5800 MHz labeled 'PART 15.407 AVG'.																																																																																																																											
						<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.73</td><td>-----</td><td>-----</td><td>85.65</td><td>36.25</td><td>10.08</td><td>32.25</td><td>100</td><td>293</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.73	-----	-----	85.65	36.25	10.08	32.25	100	293	AVERAGE																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5755.00	99.73	-----	-----	85.65	36.25	10.08	32.25	100	293	AVERAGE																																																																																																																						





Mode	107																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																												
ANT	5+7																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Date: 2024-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.21</td><td>61.04</td><td>68.30</td><td>-7.26</td><td>47.22</td><td>36.11</td><td>9.86</td><td>32.15</td><td>308</td><td>255 PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>59.64</td><td>68.58</td><td>-8.94</td><td>45.82</td><td>36.11</td><td>9.86</td><td>32.15</td><td>308</td><td>255 PEAK</td></tr><tr><td>3</td><td>5703.23</td><td>73.35</td><td>106.11</td><td>-32.76</td><td>59.40</td><td>36.18</td><td>9.97</td><td>32.20</td><td>308</td><td>255 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>71.41</td><td>111.09</td><td>-39.68</td><td>57.41</td><td>36.21</td><td>10.01</td><td>32.22</td><td>308</td><td>255 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5648.21	61.04	68.30	-7.26	47.22	36.11	9.86	32.15	308	255 PEAK	2	5650.38	59.64	68.58	-8.94	45.82	36.11	9.86	32.15	308	255 PEAK	3	5703.23	73.35	106.11	-32.76	59.40	36.18	9.97	32.20	308	255 PEAK	4	5720.13	71.41	111.09	-39.68	57.41	36.21	10.01	32.22	308	255 PEAK	Date: 2024-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>108.25</td><td>-----</td><td>-----</td><td>94.20</td><td>36.24</td><td>10.06</td><td>32.25</td><td>308</td><td>255 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	108.25	-----	-----	94.20	36.24	10.06	32.25	308	255 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5648.21	61.04	68.30	-7.26	47.22	36.11	9.86	32.15	308	255 PEAK																																																																																																																			
2	5650.38	59.64	68.58	-8.94	45.82	36.11	9.86	32.15	308	255 PEAK																																																																																																																			
3	5703.23	73.35	106.11	-32.76	59.40	36.18	9.97	32.20	308	255 PEAK																																																																																																																			
4	5720.13	71.41	111.09	-39.68	57.41	36.21	10.01	32.22	308	255 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5755.00	108.25	-----	-----	94.20	36.24	10.06	32.25	308	255 PEAK																																																																																																																			
Avg	Blank					Date: 2024-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>99.14</td><td>-----</td><td>-----</td><td>85.09</td><td>36.24</td><td>10.06</td><td>32.25</td><td>308</td><td>255 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.14	-----	-----	85.09	36.24	10.06	32.25	308	255 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5755.00	99.14	-----	-----	85.09	36.24	10.06	32.25	308	255 AVERAGE																																																																																																																			



Mode	107																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																											
ANT	5+7																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	Date: 2024-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>60.56</td><td>111.17</td><td>-50.61</td><td>46.22</td><td>36.40</td><td>10.29</td><td>32.35</td><td>308</td><td>255 PEAK</td></tr><tr><td>2</td><td>5864.59</td><td>63.52</td><td>108.11</td><td>-44.59</td><td>49.16</td><td>36.41</td><td>10.31</td><td>32.36</td><td>308</td><td>255 PEAK</td></tr><tr><td>3</td><td>5920.17</td><td>55.34</td><td>71.85</td><td>-16.51</td><td>40.84</td><td>36.49</td><td>10.43</td><td>32.42</td><td>308</td><td>255 PEAK</td></tr><tr><td>4</td><td>5932.65</td><td>53.85</td><td>68.30</td><td>-14.45</td><td>39.31</td><td>36.51</td><td>10.46</td><td>32.43</td><td>308</td><td>255 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.84	60.56	111.17	-50.61	46.22	36.40	10.29	32.35	308	255 PEAK	2	5864.59	63.52	108.11	-44.59	49.16	36.41	10.31	32.36	308	255 PEAK	3	5920.17	55.34	71.85	-16.51	40.84	36.49	10.43	32.42	308	255 PEAK	4	5932.65	53.85	68.30	-14.45	39.31	36.51	10.46	32.43	308	255 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.84	60.56	111.17	-50.61	46.22	36.40	10.29	32.35	308	255 PEAK																																																																		
2	5864.59	63.52	108.11	-44.59	49.16	36.41	10.31	32.36	308	255 PEAK																																																																		
3	5920.17	55.34	71.85	-16.51	40.84	36.49	10.43	32.42	308	255 PEAK																																																																		
4	5932.65	53.85	68.30	-14.45	39.31	36.51	10.46	32.43	308	255 PEAK																																																																		



Mode	107																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																			
ANT	5+7																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>48.09</td><td>74.00</td><td>-25.91</td><td>59.45</td><td>39.20</td><td>12.89</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17265.00</td><td>49.04</td><td>68.30</td><td>-19.26</td><td>56.73</td><td>41.89</td><td>15.74</td><td>65.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	48.09	74.00	-25.91	59.45	39.20	12.89	63.45	---	---	Peak	2	17265.00	49.04	68.30	-19.26	56.73	41.89	15.74	65.32	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>49.43</td><td>74.00</td><td>-24.57</td><td>60.79</td><td>39.20</td><td>12.89</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17265.00</td><td>49.01</td><td>68.30</td><td>-19.29</td><td>56.70</td><td>41.89</td><td>15.74</td><td>65.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	49.43	74.00	-24.57	60.79	39.20	12.89	63.45	---	---	Peak	2	17265.00	49.01	68.30	-19.29	56.70	41.89	15.74	65.32	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11510.00	48.09	74.00	-25.91	59.45	39.20	12.89	63.45	---	---	Peak																																																																																																									
2	17265.00	49.04	68.30	-19.26	56.73	41.89	15.74	65.32	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11510.00	49.43	74.00	-24.57	60.79	39.20	12.89	63.45	---	---	Peak																																																																																																									
2	17265.00	49.01	68.30	-19.29	56.70	41.89	15.74	65.32	---	---	Peak																																																																																																									



Mode	108																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																				
ANT	5+7																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Date: 2024-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.38</td><td>53.02</td><td>68.30</td><td>-15.28</td><td>39.26</td><td>36.07</td><td>9.81</td><td>32.12</td><td>100</td><td>293 PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>51.74</td><td>68.96</td><td>-17.22</td><td>37.92</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>293 PEAK</td></tr><tr><td>3</td><td>5706.67</td><td>58.59</td><td>107.07</td><td>-48.48</td><td>44.63</td><td>36.19</td><td>9.98</td><td>32.21</td><td>100</td><td>293 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>57.08</td><td>111.07</td><td>-53.99</td><td>43.08</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>293 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5624.38	53.02	68.30	-15.28	39.26	36.07	9.81	32.12	100	293 PEAK	2	5650.90	51.74	68.96	-17.22	37.92	36.11	9.86	32.15	100	293 PEAK	3	5706.67	58.59	107.07	-48.48	44.63	36.19	9.98	32.21	100	293 PEAK	4	5720.12	57.08	111.07	-53.99	43.08	36.21	10.01	32.22	100	293 PEAK	Date: 2024-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>109.21</td><td>-----</td><td>-----</td><td>95.05</td><td>36.30</td><td>10.15</td><td>32.29</td><td>100</td><td>293 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	109.21	-----	-----	95.05	36.30	10.15	32.29	100	293 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5624.38	53.02	68.30	-15.28	39.26	36.07	9.81	32.12	100	293 PEAK																																																																																																											
2	5650.90	51.74	68.96	-17.22	37.92	36.11	9.86	32.15	100	293 PEAK																																																																																																											
3	5706.67	58.59	107.07	-48.48	44.63	36.19	9.98	32.21	100	293 PEAK																																																																																																											
4	5720.12	57.08	111.07	-53.99	43.08	36.21	10.01	32.22	100	293 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	109.21	-----	-----	95.05	36.30	10.15	32.29	100	293 PEAK																																																																																																											
Avg	Blank	Date: 2024-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.75</td><td>-----</td><td>-----</td><td>84.57</td><td>36.31</td><td>10.16</td><td>32.29</td><td>100</td><td>293 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	98.75	-----	-----	84.57	36.31	10.16	32.29	100	293 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	98.75	-----	-----	84.57	36.31	10.16	32.29	100	293 AVERAGE																																																																																																											




Mode	108																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																													
ANT	5+7																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	Date: 2024-03-04 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.68</td><td>59.33</td><td>111.54</td><td>-52.21</td><td>44.99</td><td>36.40</td><td>10.29</td><td>32.35</td><td>100</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>5870.33</td><td>61.60</td><td>106.51</td><td>-44.91</td><td>47.23</td><td>36.42</td><td>10.32</td><td>32.37</td><td>100</td><td>293</td><td>PEAK</td></tr><tr><td>3</td><td>5924.74</td><td>52.03</td><td>68.49</td><td>-16.46</td><td>37.52</td><td>36.49</td><td>10.44</td><td>32.42</td><td>100</td><td>293</td><td>PEAK</td></tr><tr><td>4</td><td>5930.01</td><td>53.44</td><td>68.30</td><td>-14.86</td><td>38.92</td><td>36.50</td><td>10.45</td><td>32.43</td><td>100</td><td>293</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.68	59.33	111.54	-52.21	44.99	36.40	10.29	32.35	100	293	PEAK	2	5870.33	61.60	106.51	-44.91	47.23	36.42	10.32	32.37	100	293	PEAK	3	5924.74	52.03	68.49	-16.46	37.52	36.49	10.44	32.42	100	293	PEAK	4	5930.01	53.44	68.30	-14.86	38.92	36.50	10.45	32.43	100	293	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.68	59.33	111.54	-52.21	44.99	36.40	10.29	32.35	100	293	PEAK																																																																			
2	5870.33	61.60	106.51	-44.91	47.23	36.42	10.32	32.37	100	293	PEAK																																																																			
3	5924.74	52.03	68.49	-16.46	37.52	36.49	10.44	32.42	100	293	PEAK																																																																			
4	5930.01	53.44	68.30	-14.86	38.92	36.50	10.45	32.43	100	293	PEAK																																																																			



Mode	108																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																				
ANT	5+7																																																																																																																				
Pol.	Vertical	Fundamental																																																																																																																			
Peak	Date: 2024-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5635.30</td><td>53.96</td><td>68.30</td><td>-14.34</td><td>40.18</td><td>36.09</td><td>9.83</td><td>32.14</td><td>359</td><td>265 PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>51.57</td><td>68.39</td><td>-16.82</td><td>37.75</td><td>36.11</td><td>9.86</td><td>32.15</td><td>359</td><td>265 PEAK</td></tr><tr><td>3</td><td>5701.79</td><td>51.99</td><td>105.70</td><td>-53.71</td><td>38.04</td><td>36.18</td><td>9.97</td><td>32.20</td><td>359</td><td>265 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>54.44</td><td>111.07</td><td>-56.63</td><td>40.44</td><td>36.21</td><td>10.01</td><td>32.22</td><td>359</td><td>265 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5635.30	53.96	68.30	-14.34	40.18	36.09	9.83	32.14	359	265 PEAK	2	5650.12	51.57	68.39	-16.82	37.75	36.11	9.86	32.15	359	265 PEAK	3	5701.79	51.99	105.70	-53.71	38.04	36.18	9.97	32.20	359	265 PEAK	4	5720.12	54.44	111.07	-56.63	40.44	36.21	10.01	32.22	359	265 PEAK	Date: 2024-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>103.04</td><td>-----</td><td>-----</td><td>88.86</td><td>36.31</td><td>10.16</td><td>32.29</td><td>359</td><td>265 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	103.04	-----	-----	88.86	36.31	10.16	32.29	359	265 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5635.30	53.96	68.30	-14.34	40.18	36.09	9.83	32.14	359	265 PEAK																																																																																																											
2	5650.12	51.57	68.39	-16.82	37.75	36.11	9.86	32.15	359	265 PEAK																																																																																																											
3	5701.79	51.99	105.70	-53.71	38.04	36.18	9.97	32.20	359	265 PEAK																																																																																																											
4	5720.12	54.44	111.07	-56.63	40.44	36.21	10.01	32.22	359	265 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	103.04	-----	-----	88.86	36.31	10.16	32.29	359	265 PEAK																																																																																																											
Avg	Blank	Date: 2024-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>94.74</td><td>-----</td><td>-----</td><td>80.56</td><td>36.31</td><td>10.16</td><td>32.29</td><td>359</td><td>265 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	94.74	-----	-----	80.56	36.31	10.16	32.29	359	265 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	94.74	-----	-----	80.56	36.31	10.16	32.29	359	265 AVERAGE																																																																																																											



Mode	108																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																											
ANT	5+7																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	Date: 2024-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>53.86</td><td>110.83</td><td>-56.97</td><td>39.52</td><td>36.40</td><td>10.29</td><td>32.35</td><td>359</td><td>265 PEAK</td></tr><tr><td>2</td><td>5872.66</td><td>57.38</td><td>105.86</td><td>-48.48</td><td>43.00</td><td>36.42</td><td>10.33</td><td>32.37</td><td>359</td><td>265 PEAK</td></tr><tr><td>3</td><td>5924.58</td><td>51.99</td><td>68.61</td><td>-16.62</td><td>37.48</td><td>36.49</td><td>10.44</td><td>32.42</td><td>359</td><td>265 PEAK</td></tr><tr><td>4</td><td>5934.97</td><td>53.10</td><td>68.30</td><td>-15.20</td><td>38.56</td><td>36.51</td><td>10.46</td><td>32.43</td><td>359</td><td>265 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.99	53.86	110.83	-56.97	39.52	36.40	10.29	32.35	359	265 PEAK	2	5872.66	57.38	105.86	-48.48	43.00	36.42	10.33	32.37	359	265 PEAK	3	5924.58	51.99	68.61	-16.62	37.48	36.49	10.44	32.42	359	265 PEAK	4	5934.97	53.10	68.30	-15.20	38.56	36.51	10.46	32.43	359	265 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.99	53.86	110.83	-56.97	39.52	36.40	10.29	32.35	359	265 PEAK																																																																		
2	5872.66	57.38	105.86	-48.48	43.00	36.42	10.33	32.37	359	265 PEAK																																																																		
3	5924.58	51.99	68.61	-16.62	37.48	36.49	10.44	32.42	359	265 PEAK																																																																		
4	5934.97	53.10	68.30	-15.20	38.56	36.51	10.46	32.43	359	265 PEAK																																																																		



Mode	109																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																												
ANT	5+7																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Date: 2024-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.10</td><td>54.63</td><td>68.30</td><td>-13.67</td><td>40.85</td><td>36.09</td><td>9.83</td><td>32.14</td><td>100</td><td>62 PEAK</td></tr><tr><td>2</td><td>5650.58</td><td>53.88</td><td>68.73</td><td>-14.85</td><td>40.06</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>62 PEAK</td></tr><tr><td>3</td><td>5707.80</td><td>58.97</td><td>107.39</td><td>-48.42</td><td>45.01</td><td>36.19</td><td>9.98</td><td>32.21</td><td>100</td><td>62 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>61.56</td><td>111.71</td><td>-50.15</td><td>47.56</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>62 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5637.10	54.63	68.30	-13.67	40.85	36.09	9.83	32.14	100	62 PEAK	2	5650.58	53.88	68.73	-14.85	40.06	36.11	9.86	32.15	100	62 PEAK	3	5707.80	58.97	107.39	-48.42	45.01	36.19	9.98	32.21	100	62 PEAK	4	5720.40	61.56	111.71	-50.15	47.56	36.21	10.01	32.22	100	62 PEAK	Date: 2024-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.45</td><td>-----</td><td>-----</td><td>89.37</td><td>36.25</td><td>10.08</td><td>32.25</td><td>100</td><td>62 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	103.45	-----	-----	89.37	36.25	10.08	32.25	100	62 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5637.10	54.63	68.30	-13.67	40.85	36.09	9.83	32.14	100	62 PEAK																																																																																																																			
2	5650.58	53.88	68.73	-14.85	40.06	36.11	9.86	32.15	100	62 PEAK																																																																																																																			
3	5707.80	58.97	107.39	-48.42	45.01	36.19	9.98	32.21	100	62 PEAK																																																																																																																			
4	5720.40	61.56	111.71	-50.15	47.56	36.21	10.01	32.22	100	62 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	103.45	-----	-----	89.37	36.25	10.08	32.25	100	62 PEAK																																																																																																																			
Avg	Blank					Date: 2024-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.13</td><td>-----</td><td>-----</td><td>79.95</td><td>36.31</td><td>10.16</td><td>32.29</td><td>100</td><td>62 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	94.13	-----	-----	79.95	36.31	10.16	32.29	100	62 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5775.00	94.13	-----	-----	79.95	36.31	10.16	32.29	100	62 AVERAGE																																																																																																																			



Mode	109									
	Band Edge - L									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz									
ANT	5+7									
Pol.	Vertical					Fundamental				
Peak										



Mode	110																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU52/37_5745MHz																																																																																																															
ANT	5+7																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	Date: 2024-03-17 Level (dBuV/m) Frequency (MHz) PEAK_BE(B4)_10-24 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5629.73</td><td>53.04</td><td>68.30</td><td>-15.26</td><td>39.27</td><td>36.08</td><td>9.82</td><td>32.13</td><td>101</td><td>54 PEAK</td></tr><tr><td>2 5650.61</td><td>51.53</td><td>68.75</td><td>-17.22</td><td>37.71</td><td>36.11</td><td>9.86</td><td>32.15</td><td>101</td><td>54 PEAK</td></tr><tr><td>3 5700.05</td><td>52.45</td><td>105.21</td><td>-52.76</td><td>38.50</td><td>36.18</td><td>9.97</td><td>32.20</td><td>101</td><td>54 PEAK</td></tr><tr><td>4 5720.06</td><td>52.10</td><td>110.94</td><td>-58.84</td><td>38.10</td><td>36.21</td><td>10.01</td><td>32.22</td><td>101</td><td>54 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5629.73	53.04	68.30	-15.26	39.27	36.08	9.82	32.13	101	54 PEAK	2 5650.61	51.53	68.75	-17.22	37.71	36.11	9.86	32.15	101	54 PEAK	3 5700.05	52.45	105.21	-52.76	38.50	36.18	9.97	32.20	101	54 PEAK	4 5720.06	52.10	110.94	-58.84	38.10	36.21	10.01	32.22	101	54 PEAK	Date: 2024-03-17 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>103.25</td><td>-----</td><td>-----</td><td>89.20</td><td>36.24</td><td>10.05</td><td>32.24</td><td>101</td><td>54 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5745.00	103.25	-----	-----	89.20	36.24	10.05	32.24	101	54 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5629.73	53.04	68.30	-15.26	39.27	36.08	9.82	32.13	101	54 PEAK																																																																																																							
2 5650.61	51.53	68.75	-17.22	37.71	36.11	9.86	32.15	101	54 PEAK																																																																																																							
3 5700.05	52.45	105.21	-52.76	38.50	36.18	9.97	32.20	101	54 PEAK																																																																																																							
4 5720.06	52.10	110.94	-58.84	38.10	36.21	10.01	32.22	101	54 PEAK																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5745.00	103.25	-----	-----	89.20	36.24	10.05	32.24	101	54 PEAK																																																																																																							
Avg	Blank	Date: 2024-03-17 Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>96.53</td><td>-----</td><td>-----</td><td>82.48</td><td>36.24</td><td>10.05</td><td>32.24</td><td>101</td><td>54 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5745.00	96.53	-----	-----	82.48	36.24	10.05	32.24	101	54 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5745.00	96.53	-----	-----	82.48	36.24	10.05	32.24	101	54 AVERAGE																																																																																																							






Mode	110																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU52/37_5745MHz																																																																																																																												
ANT	5+7																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5606.67</td><td>53.56</td><td>68.30</td><td>-14.74</td><td>39.85</td><td>36.05</td><td>9.77</td><td>32.11</td><td>200</td><td>0° PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>51.49</td><td>68.53</td><td>-17.04</td><td>37.67</td><td>36.11</td><td>9.86</td><td>32.15</td><td>200</td><td>0° PEAK</td></tr><tr><td>3</td><td>5702.23</td><td>52.83</td><td>105.82</td><td>-52.99</td><td>38.88</td><td>36.18</td><td>9.97</td><td>32.20</td><td>200</td><td>0° PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>50.98</td><td>111.27</td><td>-60.29</td><td>36.98</td><td>36.21</td><td>10.01</td><td>32.22</td><td>200</td><td>0° PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5606.67	53.56	68.30	-14.74	39.85	36.05	9.77	32.11	200	0° PEAK	2	5650.32	51.49	68.53	-17.04	37.67	36.11	9.86	32.15	200	0° PEAK	3	5702.23	52.83	105.82	-52.99	38.88	36.18	9.97	32.20	200	0° PEAK	4	5720.21	50.98	111.27	-60.29	36.98	36.21	10.01	32.22	200	0° PEAK	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>96.97</td><td>-----</td><td>-----</td><td>82.93</td><td>36.23</td><td>10.04</td><td>32.23</td><td>200</td><td>0° PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.97	-----	-----	82.93	36.23	10.04	32.23	200	0° PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5606.67	53.56	68.30	-14.74	39.85	36.05	9.77	32.11	200	0° PEAK																																																																																																																			
2	5650.32	51.49	68.53	-17.04	37.67	36.11	9.86	32.15	200	0° PEAK																																																																																																																			
3	5702.23	52.83	105.82	-52.99	38.88	36.18	9.97	32.20	200	0° PEAK																																																																																																																			
4	5720.21	50.98	111.27	-60.29	36.98	36.21	10.01	32.22	200	0° PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	96.97	-----	-----	82.93	36.23	10.04	32.23	200	0° PEAK																																																																																																																			
Avg	Blank					Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>87.77</td><td>-----</td><td>-----</td><td>73.73</td><td>36.23</td><td>10.04</td><td>32.23</td><td>200</td><td>0° AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	87.77	-----	-----	73.73	36.23	10.04	32.23	200	0° AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	87.77	-----	-----	73.73	36.23	10.04	32.23	200	0° AVERAGE																																																																																																																			



Mode	111																																																																																																												
	Band Edge																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU52/40_5825MHz																																																																																																												
ANT	5+7																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5855.00</td><td>51.02</td><td>110.80</td><td>-59.78</td><td>36.68</td><td>36.40</td><td>10.29</td><td>32.35</td><td>200</td><td>123</td><td>PEAK</td></tr><tr><td>2 5874.63</td><td>51.38</td><td>105.30</td><td>-53.92</td><td>37.00</td><td>36.42</td><td>10.33</td><td>32.37</td><td>200</td><td>123</td><td>PEAK</td></tr><tr><td>3 5924.88</td><td>51.64</td><td>68.39</td><td>-16.75</td><td>37.13</td><td>36.49</td><td>10.44</td><td>32.42</td><td>200</td><td>123</td><td>PEAK</td></tr><tr><td>4 5946.00</td><td>53.38</td><td>68.30</td><td>-14.92</td><td>38.83</td><td>36.52</td><td>10.48</td><td>32.45</td><td>200</td><td>123</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5855.00	51.02	110.80	-59.78	36.68	36.40	10.29	32.35	200	123	PEAK	2 5874.63	51.38	105.30	-53.92	37.00	36.42	10.33	32.37	200	123	PEAK	3 5924.88	51.64	68.39	-16.75	37.13	36.49	10.44	32.42	200	123	PEAK	4 5946.00	53.38	68.30	-14.92	38.83	36.52	10.48	32.45	200	123	PEAK	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.41</td><td>-----</td><td>-----</td><td>90.13</td><td>36.37</td><td>10.25</td><td>32.34</td><td>200</td><td>123</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5825.00	104.41	-----	-----	90.13	36.37	10.25	32.34	200	123	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 5855.00	51.02	110.80	-59.78	36.68	36.40	10.29	32.35	200	123	PEAK																																																																																																			
2 5874.63	51.38	105.30	-53.92	37.00	36.42	10.33	32.37	200	123	PEAK																																																																																																			
3 5924.88	51.64	68.39	-16.75	37.13	36.49	10.44	32.42	200	123	PEAK																																																																																																			
4 5946.00	53.38	68.30	-14.92	38.83	36.52	10.48	32.45	200	123	PEAK																																																																																																			
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 5825.00	104.41	-----	-----	90.13	36.37	10.25	32.34	200	123	PEAK																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5825.00</td><td>96.30</td><td>-----</td><td>-----</td><td>82.02</td><td>36.37</td><td>10.25</td><td>32.34</td><td>200</td><td>123</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5825.00	96.30	-----	-----	82.02	36.37	10.25	32.34	200	123	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 5825.00	96.30	-----	-----	82.02	36.37	10.25	32.34	200	123	AVERAGE																																																																																																			





Mode	111																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU52/40_5825MHz																																																																																																																												
ANT	5+7																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-03-17  PEAK_BE(B4)_16-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.75</td><td>52.20</td><td>111.37</td><td>-59.17</td><td>37.86</td><td>36.40</td><td>10.29</td><td>32.35</td><td>400</td><td>1 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>52.07</td><td>105.48</td><td>-53.41</td><td>37.69</td><td>36.42</td><td>10.33</td><td>32.37</td><td>400</td><td>1 PEAK</td></tr><tr><td>3</td><td>5923.75</td><td>52.68</td><td>69.22</td><td>-16.54</td><td>38.17</td><td>36.49</td><td>10.44</td><td>32.42</td><td>400</td><td>1 PEAK</td></tr><tr><td>4</td><td>5934.75</td><td>53.97</td><td>68.30</td><td>-14.33</td><td>39.43</td><td>36.51</td><td>10.46</td><td>32.43</td><td>400</td><td>1 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.75	52.20	111.37	-59.17	37.86	36.40	10.29	32.35	400	1 PEAK	2	5874.00	52.07	105.48	-53.41	37.69	36.42	10.33	32.37	400	1 PEAK	3	5923.75	52.68	69.22	-16.54	38.17	36.49	10.44	32.42	400	1 PEAK	4	5934.75	53.97	68.30	-14.33	39.43	36.51	10.46	32.43	400	1 PEAK	Level (dBuV/m) Date: 2024-03-17  PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>93.57</td><td>-----</td><td>-----</td><td>79.30</td><td>36.36</td><td>10.24</td><td>32.33</td><td>400</td><td>1 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	93.57	-----	-----	79.30	36.36	10.24	32.33	400	1 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5854.75	52.20	111.37	-59.17	37.86	36.40	10.29	32.35	400	1 PEAK																																																																																																																			
2	5874.00	52.07	105.48	-53.41	37.69	36.42	10.33	32.37	400	1 PEAK																																																																																																																			
3	5923.75	52.68	69.22	-16.54	38.17	36.49	10.44	32.42	400	1 PEAK																																																																																																																			
4	5934.75	53.97	68.30	-14.33	39.43	36.51	10.46	32.43	400	1 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	93.57	-----	-----	79.30	36.36	10.24	32.33	400	1 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-03-17  PART 15.407 AVG Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>86.63</td><td>-----</td><td>-----</td><td>72.36</td><td>36.36</td><td>10.24</td><td>32.33</td><td>400</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	86.63	-----	-----	72.36	36.36	10.24	32.33	400	1 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	86.63	-----	-----	72.36	36.36	10.24	32.33	400	1 AVERAGE																																																																																																																			



Mode	112																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full RU_5745MHz																																																																																																																				
ANT	5+7																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Date: 2024-03-04 Level (dBuV/m) Frequency (MHz) PEAK_BE[B4]_10-24 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.82</td><td>53.84</td><td>68.30</td><td>-14.46</td><td>40.06</td><td>36.09</td><td>9.83</td><td>32.14</td><td>100</td><td>61 PEAK</td></tr><tr><td>2</td><td>5650.17</td><td>51.31</td><td>68.43</td><td>-17.12</td><td>37.49</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>61 PEAK</td></tr><tr><td>3</td><td>5701.79</td><td>53.96</td><td>105.70</td><td>-51.74</td><td>40.01</td><td>36.18</td><td>9.97</td><td>32.20</td><td>100</td><td>61 PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>59.18</td><td>111.60</td><td>-52.42</td><td>45.18</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>61 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5635.82	53.84	68.30	-14.46	40.06	36.09	9.83	32.14	100	61 PEAK	2	5650.17	51.31	68.43	-17.12	37.49	36.11	9.86	32.15	100	61 PEAK	3	5701.79	53.96	105.70	-51.74	40.01	36.18	9.97	32.20	100	61 PEAK	4	5720.35	59.18	111.60	-52.42	45.18	36.21	10.01	32.22	100	61 PEAK	Date: 2024-03-04 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.42</td><td>-----</td><td>-----</td><td>96.37</td><td>36.24</td><td>10.05</td><td>32.24</td><td>100</td><td>61 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.42	-----	-----	96.37	36.24	10.05	32.24	100	61 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5635.82	53.84	68.30	-14.46	40.06	36.09	9.83	32.14	100	61 PEAK																																																																																																											
2	5650.17	51.31	68.43	-17.12	37.49	36.11	9.86	32.15	100	61 PEAK																																																																																																											
3	5701.79	53.96	105.70	-51.74	40.01	36.18	9.97	32.20	100	61 PEAK																																																																																																											
4	5720.35	59.18	111.60	-52.42	45.18	36.21	10.01	32.22	100	61 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	110.42	-----	-----	96.37	36.24	10.05	32.24	100	61 PEAK																																																																																																											
Avg	Blank	Date: 2024-03-04 Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.44</td><td>-----</td><td>-----</td><td>87.39</td><td>36.24</td><td>10.05</td><td>32.24</td><td>100</td><td>61 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.44	-----	-----	87.39	36.24	10.05	32.24	100	61 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5745.00	101.44	-----	-----	87.39	36.24	10.05	32.24	100	61 AVERAGE																																																																																																											






Mode	112																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT 20_CH149_Full RU_5745MHz																																																																																																																															
ANT	5+7																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>48.66</td><td>74.00</td><td>-25.34</td><td>60.03</td><td>39.20</td><td>12.87</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>49.83</td><td>68.30</td><td>-18.47</td><td>57.55</td><td>41.86</td><td>15.72</td><td>65.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11490.00	48.66	74.00	-25.34	60.03	39.20	12.87	63.44	---	---	Peak	2	17235.00	49.83	68.30	-18.47	57.55	41.86	15.72	65.30	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>58.73</td><td>39.20</td><td>12.87</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.97</td><td>68.30</td><td>-19.33</td><td>56.69</td><td>41.86</td><td>15.72</td><td>65.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11490.00	47.36	74.00	-26.64	58.73	39.20	12.87	63.44	---	---	Peak	2	17235.00	48.97	68.30	-19.33	56.69	41.86	15.72	65.30	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11490.00	48.66	74.00	-25.34	60.03	39.20	12.87	63.44	---	---	Peak																																																																																																																					
2	17235.00	49.83	68.30	-18.47	57.55	41.86	15.72	65.30	---	---	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11490.00	47.36	74.00	-26.64	58.73	39.20	12.87	63.44	---	---	Peak																																																																																																																					
2	17235.00	48.97	68.30	-19.33	56.69	41.86	15.72	65.30	---	---	Peak																																																																																																																					



Mode	113																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT 20_CH157_Full RU_5785MHz																																																																																																																															
ANT	5+7																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-10 Frequency (MHz)						Level (dBuV/m) Date: 2024-03-10 Frequency (MHz)																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>48.43</td><td>74.00</td><td>-25.57</td><td>59.72</td><td>39.23</td><td>12.93</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>50.93</td><td>68.30</td><td>-17.37</td><td>58.49</td><td>41.99</td><td>15.81</td><td>65.36</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11570.00	48.43	74.00	-25.57	59.72	39.23	12.93	63.45	---	---	Peak	2	17355.00	50.93	68.30	-17.37	58.49	41.99	15.81	65.36	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>58.61</td><td>39.23</td><td>12.93</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>49.50</td><td>68.30</td><td>-18.80</td><td>57.06</td><td>41.99</td><td>15.81</td><td>65.36</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11570.00	47.32	74.00	-26.68	58.61	39.23	12.93	63.45	---	---	Peak	2	17355.00	49.50	68.30	-18.80	57.06	41.99	15.81	65.36	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11570.00	48.43	74.00	-25.57	59.72	39.23	12.93	63.45	---	---	Peak																																																																																																																					
2	17355.00	50.93	68.30	-17.37	58.49	41.99	15.81	65.36	---	---	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11570.00	47.32	74.00	-26.68	58.61	39.23	12.93	63.45	---	---	Peak																																																																																																																					
2	17355.00	49.50	68.30	-18.80	57.06	41.99	15.81	65.36	---	---	Peak																																																																																																																					



Mode	114																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT 20_CH165_Full RU_5825MHz																																																																																																																							
ANT	5+7																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	Level (dBuV/m) Date: 2024-03-04  PEAK_BE(B4)_16.24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.88</td><td>52.76</td><td>111.08</td><td>-58.32</td><td>38.42</td><td>36.40</td><td>10.29</td><td>32.35</td><td>100</td><td>299 PEAK</td></tr><tr><td>2 5874.00</td><td>53.34</td><td>105.48</td><td>-52.14</td><td>38.96</td><td>36.42</td><td>10.33</td><td>32.37</td><td>100</td><td>299 PEAK</td></tr><tr><td>3 5925.00</td><td>51.73</td><td>68.30</td><td>-16.57</td><td>37.22</td><td>36.49</td><td>10.44</td><td>32.42</td><td>100</td><td>299 PEAK</td></tr><tr><td>4 5946.88</td><td>52.76</td><td>68.30</td><td>-15.54</td><td>38.19</td><td>36.53</td><td>10.49</td><td>32.45</td><td>100</td><td>299 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5854.88	52.76	111.08	-58.32	38.42	36.40	10.29	32.35	100	299 PEAK	2 5874.00	53.34	105.48	-52.14	38.96	36.42	10.33	32.37	100	299 PEAK	3 5925.00	51.73	68.30	-16.57	37.22	36.49	10.44	32.42	100	299 PEAK	4 5946.88	52.76	68.30	-15.54	38.19	36.53	10.49	32.45	100	299 PEAK	Level (dBuV/m) Date: 2024-03-04  PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.26</td><td>-----</td><td>-----</td><td>95.00</td><td>36.35</td><td>10.23</td><td>32.32</td><td>100</td><td>299 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	109.26	-----	-----	95.00	36.35	10.23	32.32	100	299 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5854.88	52.76	111.08	-58.32	38.42	36.40	10.29	32.35	100	299 PEAK																																																																																																															
2 5874.00	53.34	105.48	-52.14	38.96	36.42	10.33	32.37	100	299 PEAK																																																																																																															
3 5925.00	51.73	68.30	-16.57	37.22	36.49	10.44	32.42	100	299 PEAK																																																																																																															
4 5946.88	52.76	68.30	-15.54	38.19	36.53	10.49	32.45	100	299 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	109.26	-----	-----	95.00	36.35	10.23	32.32	100	299 PEAK																																																																																																															
Avg	Blank					Level (dBuV/m) Date: 2024-03-04  PART 15.407 AVG Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.73</td><td>-----</td><td>-----</td><td>86.47</td><td>36.35</td><td>10.23</td><td>32.32</td><td>100</td><td>299 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	100.73	-----	-----	86.47	36.35	10.23	32.32	100	299 AVERAGE																																																																						
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	100.73	-----	-----	86.47	36.35	10.23	32.32	100	299 AVERAGE																																																																																																															



Mode	114																																																																																																																					
	Band Edge																																																																																																																					
	U-NII-3_5.725-5.85_802.11be EHT 20_CH165_Full RU_5825MHz																																																																																																																					
ANT	5+7																																																																																																																					
Pol.	Vertical	Fundamental																																																																																																																				
Peak	Level (dBuV/m) Date: 2024-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>52.87</td><td>110.80</td><td>-57.93</td><td>38.53</td><td>36.40</td><td>10.29</td><td>32.35</td><td>300</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>5873.38</td><td>52.60</td><td>105.65</td><td>-53.05</td><td>38.22</td><td>36.42</td><td>10.33</td><td>32.37</td><td>300</td><td>271</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>51.56</td><td>68.48</td><td>-16.92</td><td>37.05</td><td>36.49</td><td>10.44</td><td>32.42</td><td>300</td><td>271</td><td>PEAK</td></tr><tr><td>4</td><td>5931.00</td><td>52.10</td><td>68.30</td><td>-16.20</td><td>37.58</td><td>36.50</td><td>10.45</td><td>32.43</td><td>300</td><td>271</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	52.87	110.80	-57.93	38.53	36.40	10.29	32.35	300	271	PEAK	2	5873.38	52.60	105.65	-53.05	38.22	36.42	10.33	32.37	300	271	PEAK	3	5924.75	51.56	68.48	-16.92	37.05	36.49	10.44	32.42	300	271	PEAK	4	5931.00	52.10	68.30	-16.20	37.58	36.50	10.45	32.43	300	271	PEAK	Level (dBuV/m) Date: 2024-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.70</td><td>-----</td><td>-----</td><td>93.46</td><td>36.35</td><td>10.21</td><td>32.32</td><td>300</td><td>271</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.70	-----	-----	93.46	36.35	10.21	32.32	300	271	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5855.00	52.87	110.80	-57.93	38.53	36.40	10.29	32.35	300	271	PEAK																																																																																																											
2	5873.38	52.60	105.65	-53.05	38.22	36.42	10.33	32.37	300	271	PEAK																																																																																																											
3	5924.75	51.56	68.48	-16.92	37.05	36.49	10.44	32.42	300	271	PEAK																																																																																																											
4	5931.00	52.10	68.30	-16.20	37.58	36.50	10.45	32.43	300	271	PEAK																																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5825.00	107.70	-----	-----	93.46	36.35	10.21	32.32	300	271	PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2024-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.18</td><td>-----</td><td>-----</td><td>84.92</td><td>36.35</td><td>10.23</td><td>32.32</td><td>300</td><td>271</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.18	-----	-----	84.92	36.35	10.23	32.32	300	271	AVERAGE																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5825.00	99.18	-----	-----	84.92	36.35	10.23	32.32	300	271	AVERAGE																																																																																																											



Mode	114																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT 20_CH165_Full RU_5825MHz																																																																																																	
ANT	5+7																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-03-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>48.88</td><td>74.00</td><td>-25.12</td><td>60.08</td><td>39.26</td><td>12.99</td><td>63.45</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17475.00</td><td>51.50</td><td>68.30</td><td>-16.80</td><td>58.91</td><td>42.12</td><td>15.90</td><td>65.43</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	48.88	74.00	-25.12	60.08	39.26	12.99	63.45	---	--- Peak	2 17475.00	51.50	68.30	-16.80	58.91	42.12	15.90	65.43	---	--- Peak	Level (dBuV/m) Date: 2024-03-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>58.81</td><td>39.26</td><td>12.99</td><td>63.45</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17475.00</td><td>50.63</td><td>68.30</td><td>-17.67</td><td>58.04</td><td>42.12</td><td>15.90</td><td>65.43</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	47.61	74.00	-26.39	58.81	39.26	12.99	63.45	---	--- Peak	2 17475.00	50.63	68.30	-17.67	58.04	42.12	15.90	65.43	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11650.00	48.88	74.00	-25.12	60.08	39.26	12.99	63.45	---	--- Peak																																																																																									
2 17475.00	51.50	68.30	-16.80	58.91	42.12	15.90	65.43	---	--- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11650.00	47.61	74.00	-26.39	58.81	39.26	12.99	63.45	---	--- Peak																																																																																									
2 17475.00	50.63	68.30	-17.67	58.04	42.12	15.90	65.43	---	--- Peak																																																																																									



Mode	115																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT 40_CH151_Full RU_5755MHz																																																																																																															
ANT	5+7																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5637.98</td><td>54.02</td><td>68.30</td><td>-14.28</td><td>40.23</td><td>36.09</td><td>9.84</td><td>32.14</td><td>100</td><td>65 PEAK</td></tr><tr><td>2 5650.07</td><td>53.50</td><td>68.35</td><td>-14.85</td><td>39.68</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>65 PEAK</td></tr><tr><td>3 5716.87</td><td>68.34</td><td>109.92</td><td>-41.58</td><td>54.36</td><td>36.20</td><td>10.00</td><td>32.22</td><td>100</td><td>65 PEAK</td></tr><tr><td>4 5720.13</td><td>67.59</td><td>111.09</td><td>-43.50</td><td>53.59</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>65 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5637.98	54.02	68.30	-14.28	40.23	36.09	9.84	32.14	100	65 PEAK	2 5650.07	53.50	68.35	-14.85	39.68	36.11	9.86	32.15	100	65 PEAK	3 5716.87	68.34	109.92	-41.58	54.36	36.20	10.00	32.22	100	65 PEAK	4 5720.13	67.59	111.09	-43.50	53.59	36.21	10.01	32.22	100	65 PEAK	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5755.00</td><td>106.91</td><td>-----</td><td>-----</td><td>92.83</td><td>36.25</td><td>10.08</td><td>32.25</td><td>100</td><td>65 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5755.00	106.91	-----	-----	92.83	36.25	10.08	32.25	100	65 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5637.98	54.02	68.30	-14.28	40.23	36.09	9.84	32.14	100	65 PEAK																																																																																																							
2 5650.07	53.50	68.35	-14.85	39.68	36.11	9.86	32.15	100	65 PEAK																																																																																																							
3 5716.87	68.34	109.92	-41.58	54.36	36.20	10.00	32.22	100	65 PEAK																																																																																																							
4 5720.13	67.59	111.09	-43.50	53.59	36.21	10.01	32.22	100	65 PEAK																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5755.00	106.91	-----	-----	92.83	36.25	10.08	32.25	100	65 PEAK																																																																																																							
Avg	Blank	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5755.00</td><td>98.41</td><td>-----</td><td>-----</td><td>84.33</td><td>36.25</td><td>10.08</td><td>32.25</td><td>100</td><td>65 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5755.00	98.41	-----	-----	84.33	36.25	10.08	32.25	100	65 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5755.00	98.41	-----	-----	84.33	36.25	10.08	32.25	100	65 AVERAGE																																																																																																							



Mode	115																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT 40_CH151_Full RU_5755MHz																																																																																																																				
ANT	5+7																																																																																																																				
Pol.	Vertical	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5640.15</td><td>56.05</td><td>68.30</td><td>-12.25</td><td>42.25</td><td>36.10</td><td>9.84</td><td>32.14</td><td>332</td><td>242 PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>53.11</td><td>68.58</td><td>-15.47</td><td>39.29</td><td>36.11</td><td>9.86</td><td>32.15</td><td>332</td><td>242 PEAK</td></tr><tr><td>3</td><td>5717.65</td><td>70.04</td><td>110.14</td><td>-40.10</td><td>56.06</td><td>36.20</td><td>10.00</td><td>32.22</td><td>332</td><td>242 PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>70.69</td><td>111.44</td><td>-40.75</td><td>56.69</td><td>36.21</td><td>10.01</td><td>32.22</td><td>332</td><td>242 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5640.15	56.05	68.30	-12.25	42.25	36.10	9.84	32.14	332	242 PEAK	2	5650.38	53.11	68.58	-15.47	39.29	36.11	9.86	32.15	332	242 PEAK	3	5717.65	70.04	110.14	-40.10	56.06	36.20	10.00	32.22	332	242 PEAK	4	5720.28	70.69	111.44	-40.75	56.69	36.21	10.01	32.22	332	242 PEAK	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>105.16</td><td>-----</td><td>-----</td><td>91.05</td><td>36.27</td><td>10.10</td><td>32.26</td><td>332</td><td>242 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	105.16	-----	-----	91.05	36.27	10.10	32.26	332	242 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5640.15	56.05	68.30	-12.25	42.25	36.10	9.84	32.14	332	242 PEAK																																																																																																											
2	5650.38	53.11	68.58	-15.47	39.29	36.11	9.86	32.15	332	242 PEAK																																																																																																											
3	5717.65	70.04	110.14	-40.10	56.06	36.20	10.00	32.22	332	242 PEAK																																																																																																											
4	5720.28	70.69	111.44	-40.75	56.69	36.21	10.01	32.22	332	242 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5755.00	105.16	-----	-----	91.05	36.27	10.10	32.26	332	242 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>97.03</td><td>-----</td><td>-----</td><td>82.98</td><td>36.24</td><td>10.06</td><td>32.25</td><td>332</td><td>242 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.03	-----	-----	82.98	36.24	10.06	32.25	332	242 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5755.00	97.03	-----	-----	82.98	36.24	10.06	32.25	332	242 AVERAGE																																																																																																											

Mode	115																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT 40_CH151_Full RU_5755MHz																																																																																		
ANT	5+7																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-03-07 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.65</td><td>51.42</td><td>111.61</td><td>-60.19</td><td>37.08</td><td>36.40</td><td>10.29</td><td>32.35</td><td>332</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5869.86</td><td>52.99</td><td>106.64</td><td>-53.65</td><td>38.62</td><td>36.42</td><td>10.32</td><td>32.37</td><td>332</td><td>242</td><td>PEAK</td></tr><tr><td>3</td><td>5922.31</td><td>53.24</td><td>70.28</td><td>-17.04</td><td>38.74</td><td>36.49</td><td>10.43</td><td>32.42</td><td>332</td><td>242</td><td>PEAK</td></tr><tr><td>4</td><td>5925.63</td><td>53.64</td><td>68.30</td><td>-14.66</td><td>39.13</td><td>36.50</td><td>10.44</td><td>32.43</td><td>332</td><td>242</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	deg		1	5854.65	51.42	111.61	-60.19	37.08	36.40	10.29	32.35	332	242	PEAK	2	5869.86	52.99	106.64	-53.65	38.62	36.42	10.32	32.37	332	242	PEAK	3	5922.31	53.24	70.28	-17.04	38.74	36.49	10.43	32.42	332	242	PEAK	4	5925.63	53.64	68.30	-14.66	39.13	36.50	10.44	32.43	332	242	PEAK	Blank				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	deg																																																																									
1	5854.65	51.42	111.61	-60.19	37.08	36.40	10.29	32.35	332	242	PEAK																																																																								
2	5869.86	52.99	106.64	-53.65	38.62	36.42	10.32	32.37	332	242	PEAK																																																																								
3	5922.31	53.24	70.28	-17.04	38.74	36.49	10.43	32.42	332	242	PEAK																																																																								
4	5925.63	53.64	68.30	-14.66	39.13	36.50	10.44	32.43	332	242	PEAK																																																																								



Mode	116																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT 40_CH159_Full RU_5795MHz																																																																																																																				
ANT	5+7																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Date: 2024-03-07 Level (dBuV/m) vs Frequency (MHz) from 5600 to 5795 MHz. The plot shows a blue signal line with peaks at 5647.58, 5650.12, 5708.62, and 5720.51 MHz. A red limit line is shown, with a peak at 5720.51 MHz labeled 'PEAK_BER(4)_16-24'. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.58</td><td>53.19</td><td>68.30</td><td>-15.11</td><td>39.37</td><td>36.11</td><td>9.86</td><td>32.15</td><td>101</td><td>295 PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>52.32</td><td>68.39</td><td>-16.07</td><td>38.50</td><td>36.11</td><td>9.86</td><td>32.15</td><td>101</td><td>295 PEAK</td></tr><tr><td>3</td><td>5708.62</td><td>56.14</td><td>107.61</td><td>-51.47</td><td>42.18</td><td>36.19</td><td>9.98</td><td>32.21</td><td>101</td><td>295 PEAK</td></tr><tr><td>4</td><td>5720.51</td><td>57.57</td><td>111.96</td><td>-54.39</td><td>43.57</td><td>36.21</td><td>10.01</td><td>32.22</td><td>101</td><td>295 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5647.58	53.19	68.30	-15.11	39.37	36.11	9.86	32.15	101	295 PEAK	2	5650.12	52.32	68.39	-16.07	38.50	36.11	9.86	32.15	101	295 PEAK	3	5708.62	56.14	107.61	-51.47	42.18	36.19	9.98	32.21	101	295 PEAK	4	5720.51	57.57	111.96	-54.39	43.57	36.21	10.01	32.22	101	295 PEAK	Date: 2024-03-07 Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a sharp peak at 5795.00 MHz. A red limit line is shown, with a peak at 5795.00 MHz labeled 'PART 15.407'. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>107.33</td><td>-----</td><td>-----</td><td>93.13</td><td>36.32</td><td>10.18</td><td>32.30</td><td>101</td><td>295 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	107.33	-----	-----	93.13	36.32	10.18	32.30	101	295 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5647.58	53.19	68.30	-15.11	39.37	36.11	9.86	32.15	101	295 PEAK																																																																																																											
2	5650.12	52.32	68.39	-16.07	38.50	36.11	9.86	32.15	101	295 PEAK																																																																																																											
3	5708.62	56.14	107.61	-51.47	42.18	36.19	9.98	32.21	101	295 PEAK																																																																																																											
4	5720.51	57.57	111.96	-54.39	43.57	36.21	10.01	32.22	101	295 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	107.33	-----	-----	93.13	36.32	10.18	32.30	101	295 PEAK																																																																																																											
Avg	Blank	Date: 2024-03-07 Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a sharp peak at 5795.00 MHz. A red limit line is shown, with a peak at 5795.00 MHz labeled 'PART 15.407 AVG'. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.37</td><td>-----</td><td>-----</td><td>85.19</td><td>36.31</td><td>10.16</td><td>32.29</td><td>101</td><td>295 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	99.37	-----	-----	85.19	36.31	10.16	32.29	101	295 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	99.37	-----	-----	85.19	36.31	10.16	32.29	101	295 AVERAGE																																																																																																											



Mode	116																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT 40_CH159_Full RU_5795MHz																																																																																																																				
ANT	5+7																																																																																																																				
Pol.	Vertical	Fundamental																																																																																																																			
Peak	Date: 2024-03-07 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.17</td><td>52.63</td><td>68.30</td><td>-15.67</td><td>38.81</td><td>36.11</td><td>9.86</td><td>32.15</td><td>300</td><td>249 PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>51.11</td><td>68.39</td><td>-17.28</td><td>37.29</td><td>36.11</td><td>9.86</td><td>32.15</td><td>300</td><td>249 PEAK</td></tr><tr><td>3</td><td>5707.84</td><td>55.61</td><td>107.40</td><td>-51.79</td><td>41.65</td><td>36.19</td><td>9.98</td><td>32.21</td><td>300</td><td>249 PEAK</td></tr><tr><td>4</td><td>5720.32</td><td>54.17</td><td>111.52</td><td>-57.35</td><td>40.17</td><td>36.21</td><td>10.01</td><td>32.22</td><td>300</td><td>249 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5648.17	52.63	68.30	-15.67	38.81	36.11	9.86	32.15	300	249 PEAK	2	5650.12	51.11	68.39	-17.28	37.29	36.11	9.86	32.15	300	249 PEAK	3	5707.84	55.61	107.40	-51.79	41.65	36.19	9.98	32.21	300	249 PEAK	4	5720.32	54.17	111.52	-57.35	40.17	36.21	10.01	32.22	300	249 PEAK	Date: 2024-03-07 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>106.27</td><td>-----</td><td>-----</td><td>92.12</td><td>36.29</td><td>10.14</td><td>32.28</td><td>300</td><td>249 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	106.27	-----	-----	92.12	36.29	10.14	32.28	300	249 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5648.17	52.63	68.30	-15.67	38.81	36.11	9.86	32.15	300	249 PEAK																																																																																																											
2	5650.12	51.11	68.39	-17.28	37.29	36.11	9.86	32.15	300	249 PEAK																																																																																																											
3	5707.84	55.61	107.40	-51.79	41.65	36.19	9.98	32.21	300	249 PEAK																																																																																																											
4	5720.32	54.17	111.52	-57.35	40.17	36.21	10.01	32.22	300	249 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	106.27	-----	-----	92.12	36.29	10.14	32.28	300	249 PEAK																																																																																																											
Avg	Blank	Date: 2024-03-07 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>97.25</td><td>-----</td><td>-----</td><td>83.04</td><td>36.33</td><td>10.19</td><td>32.31</td><td>300</td><td>249 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	97.25	-----	-----	83.04	36.33	10.19	32.31	300	249 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	97.25	-----	-----	83.04	36.33	10.19	32.31	300	249 AVERAGE																																																																																																											



Mode	116																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT 40_CH159_Full RU_5795MHz																																																																																						
ANT	5+7																																																																																						
Pol.	Vertical							Fundamental																																																																															
Peak	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>53.06</td><td>110.83</td><td>-57.77</td><td>38.72</td><td>36.40</td><td>10.29</td><td>32.35</td><td>300</td><td>249</td><td>PEAK</td></tr><tr><td>2</td><td>5874.05</td><td>55.07</td><td>105.47</td><td>-50.40</td><td>40.69</td><td>36.42</td><td>10.33</td><td>32.37</td><td>300</td><td>249</td><td>PEAK</td></tr><tr><td>3</td><td>5923.81</td><td>52.75</td><td>69.18</td><td>-16.43</td><td>38.24</td><td>36.49</td><td>10.44</td><td>32.42</td><td>300</td><td>249</td><td>PEAK</td></tr><tr><td>4</td><td>5939.77</td><td>53.70</td><td>68.30</td><td>-14.60</td><td>39.15</td><td>36.52</td><td>10.47</td><td>32.44</td><td>300</td><td>249</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.99	53.06	110.83	-57.77	38.72	36.40	10.29	32.35	300	249	PEAK	2	5874.05	55.07	105.47	-50.40	40.69	36.42	10.33	32.37	300	249	PEAK	3	5923.81	52.75	69.18	-16.43	38.24	36.49	10.44	32.42	300	249	PEAK	4	5939.77	53.70	68.30	-14.60	39.15	36.52	10.47	32.44	300	249	PEAK	Blank			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.99	53.06	110.83	-57.77	38.72	36.40	10.29	32.35	300	249	PEAK																																																																												
2	5874.05	55.07	105.47	-50.40	40.69	36.42	10.33	32.37	300	249	PEAK																																																																												
3	5923.81	52.75	69.18	-16.43	38.24	36.49	10.44	32.42	300	249	PEAK																																																																												
4	5939.77	53.70	68.30	-14.60	39.15	36.52	10.47	32.44	300	249	PEAK																																																																												



Mode	117																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT 80_CH155_Full RU_5775MHz																																																																																																																				
ANT	5+7																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Date: 2024-03-07 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5635.00</td><td>54.29</td><td>68.30</td><td>-14.01</td><td>40.50</td><td>36.09</td><td>9.83</td><td>32.13</td><td>100</td><td>298 PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>54.09</td><td>68.86</td><td>-14.77</td><td>40.27</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>298 PEAK</td></tr><tr><td>3</td><td>5708.85</td><td>60.23</td><td>107.68</td><td>-47.45</td><td>46.27</td><td>36.19</td><td>9.98</td><td>32.21</td><td>100</td><td>298 PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>60.13</td><td>110.91</td><td>-50.78</td><td>46.13</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>298 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5635.00	54.29	68.30	-14.01	40.50	36.09	9.83	32.13	100	298 PEAK	2	5650.75	54.09	68.86	-14.77	40.27	36.11	9.86	32.15	100	298 PEAK	3	5708.85	60.23	107.68	-47.45	46.27	36.19	9.98	32.21	100	298 PEAK	4	5720.05	60.13	110.91	-50.78	46.13	36.21	10.01	32.22	100	298 PEAK	Date: 2024-03-07 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>104.21</td><td>-----</td><td>-----</td><td>90.03</td><td>36.31</td><td>10.16</td><td>32.29</td><td>100</td><td>298 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	104.21	-----	-----	90.03	36.31	10.16	32.29	100	298 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5635.00	54.29	68.30	-14.01	40.50	36.09	9.83	32.13	100	298 PEAK																																																																																																											
2	5650.75	54.09	68.86	-14.77	40.27	36.11	9.86	32.15	100	298 PEAK																																																																																																											
3	5708.85	60.23	107.68	-47.45	46.27	36.19	9.98	32.21	100	298 PEAK																																																																																																											
4	5720.05	60.13	110.91	-50.78	46.13	36.21	10.01	32.22	100	298 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	104.21	-----	-----	90.03	36.31	10.16	32.29	100	298 PEAK																																																																																																											
Avg	Blank	Date: 2024-03-07 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>94.76</td><td>-----</td><td>-----</td><td>80.53</td><td>36.34</td><td>10.20</td><td>32.31</td><td>100</td><td>298 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	94.76	-----	-----	80.53	36.34	10.20	32.31	100	298 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	94.76	-----	-----	80.53	36.34	10.20	32.31	100	298 AVERAGE																																																																																																											



Mode	117																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT 80_CH155_Full RU_5775MHz																																																																																																																				
ANT	5+7																																																																																																																				
Pol.	Vertical	Fundamental																																																																																																																			
Peak	Date: 2024-03-07 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.50</td><td>54.34</td><td>68.30</td><td>-13.96</td><td>40.54</td><td>36.10</td><td>9.85</td><td>32.15</td><td>300</td><td>247 PEAK</td></tr><tr><td>2</td><td>5650.23</td><td>52.88</td><td>68.47</td><td>-15.59</td><td>39.06</td><td>36.11</td><td>9.86</td><td>32.15</td><td>300</td><td>247 PEAK</td></tr><tr><td>3</td><td>5706.40</td><td>57.74</td><td>106.99</td><td>-49.25</td><td>43.78</td><td>36.19</td><td>9.98</td><td>32.21</td><td>300</td><td>247 PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>59.10</td><td>110.91</td><td>-51.81</td><td>45.10</td><td>36.21</td><td>10.01</td><td>32.22</td><td>300</td><td>247 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5645.50	54.34	68.30	-13.96	40.54	36.10	9.85	32.15	300	247 PEAK	2	5650.23	52.88	68.47	-15.59	39.06	36.11	9.86	32.15	300	247 PEAK	3	5706.40	57.74	106.99	-49.25	43.78	36.19	9.98	32.21	300	247 PEAK	4	5720.05	59.10	110.91	-51.81	45.10	36.21	10.01	32.22	300	247 PEAK	Date: 2024-03-07 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.51</td><td>-----</td><td>-----</td><td>88.35</td><td>36.30</td><td>10.15</td><td>32.29</td><td>300</td><td>247 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	102.51	-----	-----	88.35	36.30	10.15	32.29	300	247 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5645.50	54.34	68.30	-13.96	40.54	36.10	9.85	32.15	300	247 PEAK																																																																																																											
2	5650.23	52.88	68.47	-15.59	39.06	36.11	9.86	32.15	300	247 PEAK																																																																																																											
3	5706.40	57.74	106.99	-49.25	43.78	36.19	9.98	32.21	300	247 PEAK																																																																																																											
4	5720.05	59.10	110.91	-51.81	45.10	36.21	10.01	32.22	300	247 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	102.51	-----	-----	88.35	36.30	10.15	32.29	300	247 PEAK																																																																																																											
Avg	Blank	Date: 2024-03-07 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>92.81</td><td>-----</td><td>-----</td><td>78.60</td><td>36.33</td><td>10.19</td><td>32.31</td><td>300</td><td>247 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	92.81	-----	-----	78.60	36.33	10.19	32.31	300	247 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5775.00	92.81	-----	-----	78.60	36.33	10.19	32.31	300	247 AVERAGE																																																																																																											






Mode	117																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11be EHT 80_CH155_Full RU_5775MHz																																																																											
ANT	5+7																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>54.95</td><td>110.86</td><td>-55.91</td><td>40.61</td><td>36.40</td><td>10.29</td><td>32.35</td><td>300</td><td>247 PEAK</td></tr><tr><td>2</td><td>5865.65</td><td>57.99</td><td>107.82</td><td>-49.83</td><td>43.64</td><td>36.41</td><td>10.31</td><td>32.37</td><td>300</td><td>247 PEAK</td></tr><tr><td>3</td><td>5924.45</td><td>52.76</td><td>68.70</td><td>-15.94</td><td>38.25</td><td>36.49</td><td>10.44</td><td>32.42</td><td>300</td><td>247 PEAK</td></tr><tr><td>4</td><td>5941.08</td><td>53.31</td><td>68.30</td><td>-14.99</td><td>38.76</td><td>36.52</td><td>10.47</td><td>32.44</td><td>300</td><td>247 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.98	54.95	110.86	-55.91	40.61	36.40	10.29	32.35	300	247 PEAK	2	5865.65	57.99	107.82	-49.83	43.64	36.41	10.31	32.37	300	247 PEAK	3	5924.45	52.76	68.70	-15.94	38.25	36.49	10.44	32.42	300	247 PEAK	4	5941.08	53.31	68.30	-14.99	38.76	36.52	10.47	32.44	300	247 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.98	54.95	110.86	-55.91	40.61	36.40	10.29	32.35	300	247 PEAK																																																																		
2	5865.65	57.99	107.82	-49.83	43.64	36.41	10.31	32.37	300	247 PEAK																																																																		
3	5924.45	52.76	68.70	-15.94	38.25	36.49	10.44	32.42	300	247 PEAK																																																																		
4	5941.08	53.31	68.30	-14.99	38.76	36.52	10.47	32.44	300	247 PEAK																																																																		



Mode	118																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT 20_CH149_Single RU52/37_5745MHz																																																																																																																												
ANT	5+7																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Date: 2024-03-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.82</td><td>53.93</td><td>68.30</td><td>-14.37</td><td>40.15</td><td>36.09</td><td>9.83</td><td>32.14</td><td>100</td><td>75 PEAK</td></tr><tr><td>2</td><td>5651.19</td><td>52.43</td><td>69.18</td><td>-16.75</td><td>38.61</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>75 PEAK</td></tr><tr><td>3</td><td>5707.59</td><td>55.22</td><td>107.33</td><td>-52.11</td><td>41.26</td><td>36.19</td><td>9.98</td><td>32.21</td><td>100</td><td>75 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>53.57</td><td>110.94</td><td>-57.37</td><td>39.57</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>75 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5635.82	53.93	68.30	-14.37	40.15	36.09	9.83	32.14	100	75 PEAK	2	5651.19	52.43	69.18	-16.75	38.61	36.11	9.86	32.15	100	75 PEAK	3	5707.59	55.22	107.33	-52.11	41.26	36.19	9.98	32.21	100	75 PEAK	4	5720.06	53.57	110.94	-57.37	39.57	36.21	10.01	32.22	100	75 PEAK	Date: 2024-03-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.04</td><td>-----</td><td>-----</td><td>94.99</td><td>36.24</td><td>10.05</td><td>32.24</td><td>100</td><td>75 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.04	-----	-----	94.99	36.24	10.05	32.24	100	75 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5635.82	53.93	68.30	-14.37	40.15	36.09	9.83	32.14	100	75 PEAK																																																																																																																			
2	5651.19	52.43	69.18	-16.75	38.61	36.11	9.86	32.15	100	75 PEAK																																																																																																																			
3	5707.59	55.22	107.33	-52.11	41.26	36.19	9.98	32.21	100	75 PEAK																																																																																																																			
4	5720.06	53.57	110.94	-57.37	39.57	36.21	10.01	32.22	100	75 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	109.04	-----	-----	94.99	36.24	10.05	32.24	100	75 PEAK																																																																																																																			
Avg	Blank					Date: 2024-03-17 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.95</td><td>-----</td><td>-----</td><td>86.90</td><td>36.24</td><td>10.05</td><td>32.24</td><td>100</td><td>75 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.95	-----	-----	86.90	36.24	10.05	32.24	100	75 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	100.95	-----	-----	86.90	36.24	10.05	32.24	100	75 AVERAGE																																																																																																																			



Mode	118																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT 20_CH149_Single RU52/37_5745MHz																																																																																																																																
ANT	5+7																																																																																																																																
Pol.	Vertical					Fundamental																																																																																																																											
Peak	Date: 2024-03-17  <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td></td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>5602.76</td><td>52.77</td><td>68.30</td><td>-15.53</td><td>39.07</td><td>36.04</td><td>9.76</td><td>32.10</td><td>300</td><td>257 PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>51.43</td><td>68.86</td><td>-17.43</td><td>37.61</td><td>36.11</td><td>9.86</td><td>32.15</td><td>300</td><td>257 PEAK</td></tr><tr><td>3</td><td>5703.10</td><td>53.60</td><td>106.07</td><td>-52.47</td><td>39.65</td><td>36.18</td><td>9.97</td><td>32.20</td><td>300</td><td>257 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>52.80</td><td>110.94</td><td>-58.14</td><td>38.80</td><td>36.21</td><td>10.01</td><td>32.22</td><td>300</td><td>257 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5602.76	52.77	68.30	-15.53	39.07	36.04	9.76	32.10	300	257 PEAK	2	5650.75	51.43	68.86	-17.43	37.61	36.11	9.86	32.15	300	257 PEAK	3	5703.10	53.60	106.07	-52.47	39.65	36.18	9.97	32.20	300	257 PEAK	4	5720.06	52.80	110.94	-58.14	38.80	36.21	10.01	32.22	300	257 PEAK	Date: 2024-03-17  <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td></td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>5745.00</td><td>109.00</td><td>-----</td><td>-----</td><td>94.95</td><td>36.24</td><td>10.05</td><td>32.24</td><td>300</td><td>257 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5745.00	109.00	-----	-----	94.95	36.24	10.05	32.24	300	257 PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5602.76	52.77	68.30	-15.53	39.07	36.04	9.76	32.10	300	257 PEAK																																																																																																																							
2	5650.75	51.43	68.86	-17.43	37.61	36.11	9.86	32.15	300	257 PEAK																																																																																																																							
3	5703.10	53.60	106.07	-52.47	39.65	36.18	9.97	32.20	300	257 PEAK																																																																																																																							
4	5720.06	52.80	110.94	-58.14	38.80	36.21	10.01	32.22	300	257 PEAK																																																																																																																							
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5745.00	109.00	-----	-----	94.95	36.24	10.05	32.24	300	257 PEAK																																																																																																																							
Avg	Blank					Date: 2024-03-17  <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td></td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>5745.00</td><td>100.01</td><td>-----</td><td>-----</td><td>85.96</td><td>36.24</td><td>10.05</td><td>32.24</td><td>300</td><td>257 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5745.00	100.01	-----	-----	85.96	36.24	10.05	32.24	300	257 AVERAGE																																																																												
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5745.00	100.01	-----	-----	85.96	36.24	10.05	32.24	300	257 AVERAGE																																																																																																																							



Mode	119																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT 20_CH165_Single RU106/54_5825MHz																																																																																																																											
ANT	5+7																																																																																																																											
Pol.	Horizontal					Fundamental																																																																																																																						
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>52.17</td><td>111.08</td><td>-58.91</td><td>37.83</td><td>36.40</td><td>10.29</td><td>32.35</td><td>291</td><td>0° PEAK</td></tr><tr><td>2</td><td>5871.13</td><td>52.81</td><td>106.28</td><td>-53.47</td><td>38.43</td><td>36.42</td><td>10.33</td><td>32.37</td><td>291</td><td>0° PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>51.11</td><td>68.48</td><td>-17.37</td><td>36.60</td><td>36.49</td><td>10.44</td><td>32.42</td><td>291</td><td>0° PEAK</td></tr><tr><td>4</td><td>5935.63</td><td>53.78</td><td>68.30</td><td>-14.52</td><td>39.25</td><td>36.51</td><td>10.46</td><td>32.44</td><td>291</td><td>0° PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.88	52.17	111.08	-58.91	37.83	36.40	10.29	32.35	291	0° PEAK	2	5871.13	52.81	106.28	-53.47	38.43	36.42	10.33	32.37	291	0° PEAK	3	5924.75	51.11	68.48	-17.37	36.60	36.49	10.44	32.42	291	0° PEAK	4	5935.63	53.78	68.30	-14.52	39.25	36.51	10.46	32.44	291	0° PEAK	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.94</td><td>-----</td><td>88.67</td><td>36.36</td><td>10.24</td><td>32.33</td><td>291</td><td>0° PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.94	-----	88.67	36.36	10.24	32.33	291	0° PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5854.88	52.17	111.08	-58.91	37.83	36.40	10.29	32.35	291	0° PEAK																																																																																																																		
2	5871.13	52.81	106.28	-53.47	38.43	36.42	10.33	32.37	291	0° PEAK																																																																																																																		
3	5924.75	51.11	68.48	-17.37	36.60	36.49	10.44	32.42	291	0° PEAK																																																																																																																		
4	5935.63	53.78	68.30	-14.52	39.25	36.51	10.46	32.44	291	0° PEAK																																																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5825.00	102.94	-----	88.67	36.36	10.24	32.33	291	0° PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.34</td><td>-----</td><td>81.06</td><td>36.37</td><td>10.25</td><td>32.34</td><td>291</td><td>0° AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	95.34	-----	81.06	36.37	10.25	32.34	291	0° AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5825.00	95.34	-----	81.06	36.37	10.25	32.34	291	0° AVERAGE																																																																																																																			



Mode	119																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT 20_CH165_Single RU106/54_5825MHz																																																																																																																							
ANT	5+7																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.63</td><td>50.86</td><td>111.65</td><td>-60.79</td><td>36.52</td><td>36.40</td><td>10.29</td><td>32.35</td><td>200</td><td>34 PEAK</td></tr><tr><td>2 5874.25</td><td>51.89</td><td>105.41</td><td>-53.52</td><td>37.51</td><td>36.42</td><td>10.33</td><td>32.37</td><td>200</td><td>34 PEAK</td></tr><tr><td>3 5924.75</td><td>52.48</td><td>68.48</td><td>-16.00</td><td>37.97</td><td>36.49</td><td>10.44</td><td>32.42</td><td>200</td><td>34 PEAK</td></tr><tr><td>4 5939.75</td><td>53.47</td><td>68.30</td><td>-14.83</td><td>38.92</td><td>36.52</td><td>10.47</td><td>32.44</td><td>200</td><td>34 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5854.63	50.86	111.65	-60.79	36.52	36.40	10.29	32.35	200	34 PEAK	2 5874.25	51.89	105.41	-53.52	37.51	36.42	10.33	32.37	200	34 PEAK	3 5924.75	52.48	68.48	-16.00	37.97	36.49	10.44	32.42	200	34 PEAK	4 5939.75	53.47	68.30	-14.83	38.92	36.52	10.47	32.44	200	34 PEAK	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>94.39</td><td>-----</td><td>-----</td><td>80.12</td><td>36.36</td><td>10.24</td><td>32.33</td><td>200</td><td>34 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	94.39	-----	-----	80.12	36.36	10.24	32.33	200	34 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5854.63	50.86	111.65	-60.79	36.52	36.40	10.29	32.35	200	34 PEAK																																																																																																															
2 5874.25	51.89	105.41	-53.52	37.51	36.42	10.33	32.37	200	34 PEAK																																																																																																															
3 5924.75	52.48	68.48	-16.00	37.97	36.49	10.44	32.42	200	34 PEAK																																																																																																															
4 5939.75	53.47	68.30	-14.83	38.92	36.52	10.47	32.44	200	34 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	94.39	-----	-----	80.12	36.36	10.24	32.33	200	34 PEAK																																																																																																															
Avg	Blank					Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>86.58</td><td>-----</td><td>-----</td><td>72.30</td><td>36.37</td><td>10.25</td><td>32.34</td><td>200</td><td>34 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	86.58	-----	-----	72.30	36.37	10.25	32.34	200	34 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	86.58	-----	-----	72.30	36.37	10.25	32.34	200	34 AVERAGE																																																																																																															



Mode	120																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT 20_CH149_Small RU106+26_5745MHz																																																																																																																												
ANT	5+7																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5643.07</td><td>54.10</td><td>68.30</td><td>-14.20</td><td>40.29</td><td>36.10</td><td>9.85</td><td>32.14</td><td>100</td><td>50 PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>51.01</td><td>68.64</td><td>-17.63</td><td>37.19</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>50 PEAK</td></tr><tr><td>3</td><td>5701.07</td><td>53.16</td><td>105.50</td><td>-52.34</td><td>39.21</td><td>36.18</td><td>9.97</td><td>32.20</td><td>100</td><td>50 PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>51.59</td><td>111.27</td><td>-59.68</td><td>37.59</td><td>36.21</td><td>10.01</td><td>32.22</td><td>100</td><td>50 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5643.07	54.10	68.30	-14.20	40.29	36.10	9.85	32.14	100	50 PEAK	2	5650.46	51.01	68.64	-17.63	37.19	36.11	9.86	32.15	100	50 PEAK	3	5701.07	53.16	105.50	-52.34	39.21	36.18	9.97	32.20	100	50 PEAK	4	5720.21	51.59	111.27	-59.68	37.59	36.21	10.01	32.22	100	50 PEAK	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>110.55</td><td>-----</td><td>-----</td><td>96.50</td><td>36.24</td><td>10.05</td><td>32.24</td><td>100</td><td>50 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.55	-----	-----	96.50	36.24	10.05	32.24	100	50 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5643.07	54.10	68.30	-14.20	40.29	36.10	9.85	32.14	100	50 PEAK																																																																																																																			
2	5650.46	51.01	68.64	-17.63	37.19	36.11	9.86	32.15	100	50 PEAK																																																																																																																			
3	5701.07	53.16	105.50	-52.34	39.21	36.18	9.97	32.20	100	50 PEAK																																																																																																																			
4	5720.21	51.59	111.27	-59.68	37.59	36.21	10.01	32.22	100	50 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	110.55	-----	-----	96.50	36.24	10.05	32.24	100	50 PEAK																																																																																																																			
Avg	Blank					Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>101.45</td><td>-----</td><td>-----</td><td>87.40</td><td>36.24</td><td>10.06</td><td>32.25</td><td>100</td><td>50 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.45	-----	-----	87.40	36.24	10.06	32.25	100	50 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	101.45	-----	-----	87.40	36.24	10.06	32.25	100	50 AVERAGE																																																																																																																			



Mode	120																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT 20_CH149_Small RU106+26_5745MHz																																																																																																															
ANT	5+7																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	Date: 2024-03-17 Level (dBuV/m) Frequency (MHz) PEAK_BE[94]_10-24 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5608.12</td><td>53.29</td><td>68.30</td><td>-15.01</td><td>39.58</td><td>36.05</td><td>9.77</td><td>32.11</td><td>358</td><td>226 PEAK</td></tr><tr><td>2 5650.32</td><td>51.73</td><td>68.53</td><td>-16.80</td><td>37.91</td><td>36.11</td><td>9.86</td><td>32.15</td><td>358</td><td>226 PEAK</td></tr><tr><td>3 5703.10</td><td>53.23</td><td>106.07</td><td>-52.84</td><td>39.28</td><td>36.18</td><td>9.97</td><td>32.20</td><td>358</td><td>226 PEAK</td></tr><tr><td>4 5720.50</td><td>52.37</td><td>111.93</td><td>-59.56</td><td>38.37</td><td>36.21</td><td>10.01</td><td>32.22</td><td>358</td><td>226 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5608.12	53.29	68.30	-15.01	39.58	36.05	9.77	32.11	358	226 PEAK	2 5650.32	51.73	68.53	-16.80	37.91	36.11	9.86	32.15	358	226 PEAK	3 5703.10	53.23	106.07	-52.84	39.28	36.18	9.97	32.20	358	226 PEAK	4 5720.50	52.37	111.93	-59.56	38.37	36.21	10.01	32.22	358	226 PEAK	Date: 2024-03-17 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>102.81</td><td>-----</td><td>-----</td><td>88.76</td><td>36.24</td><td>10.05</td><td>32.24</td><td>358</td><td>226 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5745.00	102.81	-----	-----	88.76	36.24	10.05	32.24	358	226 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5608.12	53.29	68.30	-15.01	39.58	36.05	9.77	32.11	358	226 PEAK																																																																																																							
2 5650.32	51.73	68.53	-16.80	37.91	36.11	9.86	32.15	358	226 PEAK																																																																																																							
3 5703.10	53.23	106.07	-52.84	39.28	36.18	9.97	32.20	358	226 PEAK																																																																																																							
4 5720.50	52.37	111.93	-59.56	38.37	36.21	10.01	32.22	358	226 PEAK																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5745.00	102.81	-----	-----	88.76	36.24	10.05	32.24	358	226 PEAK																																																																																																							
Avg	Blank	Date: 2024-03-17 Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>93.37</td><td>-----</td><td>-----</td><td>79.32</td><td>36.24</td><td>10.06</td><td>32.25</td><td>358</td><td>226 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5745.00	93.37	-----	-----	79.32	36.24	10.06	32.25	358	226 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5745.00	93.37	-----	-----	79.32	36.24	10.06	32.25	358	226 AVERAGE																																																																																																							



Mode	121																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT 20_CH165_Small RU106+26_5825MHz																																																																																																																													
ANT	5+7																																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.63</td><td>51.63</td><td>111.65</td><td>-60.02</td><td>37.29</td><td>36.40</td><td>10.29</td><td>32.35</td><td>100</td><td>283</td><td>PEAK</td></tr><tr><td>2</td><td>5873.25</td><td>52.33</td><td>105.69</td><td>-53.36</td><td>37.95</td><td>36.42</td><td>10.33</td><td>32.37</td><td>100</td><td>283</td><td>PEAK</td></tr><tr><td>3</td><td>5924.88</td><td>50.77</td><td>68.39</td><td>-17.62</td><td>36.26</td><td>36.49</td><td>10.44</td><td>32.42</td><td>100</td><td>283</td><td>PEAK</td></tr><tr><td>4</td><td>5925.63</td><td>52.63</td><td>68.30</td><td>-15.67</td><td>38.12</td><td>36.50</td><td>10.44</td><td>32.43</td><td>100</td><td>283</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.63	51.63	111.65	-60.02	37.29	36.40	10.29	32.35	100	283	PEAK	2	5873.25	52.33	105.69	-53.36	37.95	36.42	10.33	32.37	100	283	PEAK	3	5924.88	50.77	68.39	-17.62	36.26	36.49	10.44	32.42	100	283	PEAK	4	5925.63	52.63	68.30	-15.67	38.12	36.50	10.44	32.43	100	283	PEAK	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.04</td><td>-----</td><td>-----</td><td>93.78</td><td>36.35</td><td>10.23</td><td>32.32</td><td>100</td><td>283</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.04	-----	-----	93.78	36.35	10.23	32.32	100	283	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5854.63	51.63	111.65	-60.02	37.29	36.40	10.29	32.35	100	283	PEAK																																																																																																																			
2	5873.25	52.33	105.69	-53.36	37.95	36.42	10.33	32.37	100	283	PEAK																																																																																																																			
3	5924.88	50.77	68.39	-17.62	36.26	36.49	10.44	32.42	100	283	PEAK																																																																																																																			
4	5925.63	52.63	68.30	-15.67	38.12	36.50	10.44	32.43	100	283	PEAK																																																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5825.00	108.04	-----	-----	93.78	36.35	10.23	32.32	100	283	PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.93</td><td>-----</td><td>-----</td><td>84.67</td><td>36.35</td><td>10.23</td><td>32.32</td><td>100</td><td>283</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.93	-----	-----	84.67	36.35	10.23	32.32	100	283	AVERAGE																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5825.00	98.93	-----	-----	84.67	36.35	10.23	32.32	100	283	AVERAGE																																																																																																																			



Mode	121																																																																																																																					
	Band Edge																																																																																																																					
	U-NII-3_5.725-5.85_802.11be EHT 20_CH165_Small RU106+26_5825MHz																																																																																																																					
ANT	5+7																																																																																																																					
Pol.	Vertical	Fundamental																																																																																																																				
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.13</td><td>52.99</td><td>112.79</td><td>-59.80</td><td>38.65</td><td>36.40</td><td>10.29</td><td>32.35</td><td>400</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>5873.00</td><td>51.59</td><td>105.76</td><td>-54.17</td><td>37.21</td><td>36.42</td><td>10.33</td><td>32.37</td><td>400</td><td>263</td><td>PEAK</td></tr><tr><td>3</td><td>5923.88</td><td>52.90</td><td>69.13</td><td>-16.23</td><td>38.39</td><td>36.49</td><td>10.44</td><td>32.42</td><td>400</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>5941.13</td><td>52.99</td><td>68.30</td><td>-15.31</td><td>38.44</td><td>36.52</td><td>10.47</td><td>32.44</td><td>400</td><td>263</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.13	52.99	112.79	-59.80	38.65	36.40	10.29	32.35	400	263	PEAK	2	5873.00	51.59	105.76	-54.17	37.21	36.42	10.33	32.37	400	263	PEAK	3	5923.88	52.90	69.13	-16.23	38.39	36.49	10.44	32.42	400	263	PEAK	4	5941.13	52.99	68.30	-15.31	38.44	36.52	10.47	32.44	400	263	PEAK	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.47</td><td>-----</td><td>-----</td><td>87.21</td><td>36.35</td><td>10.23</td><td>32.32</td><td>400</td><td>263</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.47	-----	-----	87.21	36.35	10.23	32.32	400	263	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5854.13	52.99	112.79	-59.80	38.65	36.40	10.29	32.35	400	263	PEAK																																																																																																											
2	5873.00	51.59	105.76	-54.17	37.21	36.42	10.33	32.37	400	263	PEAK																																																																																																											
3	5923.88	52.90	69.13	-16.23	38.39	36.49	10.44	32.42	400	263	PEAK																																																																																																											
4	5941.13	52.99	68.30	-15.31	38.44	36.52	10.47	32.44	400	263	PEAK																																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5825.00	101.47	-----	-----	87.21	36.35	10.23	32.32	400	263	PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>93.82</td><td>-----</td><td>-----</td><td>79.56</td><td>36.35</td><td>10.23</td><td>32.32</td><td>400</td><td>263</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	93.82	-----	-----	79.56	36.35	10.23	32.32	400	263	AVERAGE																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5825.00	93.82	-----	-----	79.56	36.35	10.23	32.32	400	263	AVERAGE																																																																																																											



Mode	122																																																																																		
	Band Edge - L																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT 80_CH42_Large RU 484+242_5210MHz																																																																																		
ANT	5+7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.19</td><td>54.00</td><td>74.00</td><td>-20.00</td><td>41.88</td><td>36.12</td><td>8.51</td><td>32.51</td><td>100</td><td>304 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5134.19	54.00	74.00	-20.00	41.88	36.12	8.51	32.51	100	304 PEAK	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>99.19</td><td>-----</td><td>86.90</td><td>36.08</td><td>8.63</td><td>32.42</td><td>100</td><td>304 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.19	-----	86.90	36.08	8.63	32.42	100	304 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5134.19	54.00	74.00	-20.00	41.88	36.12	8.51	32.51	100	304 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5210.00	99.19	-----	86.90	36.08	8.63	32.42	100	304 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.55</td><td>44.15</td><td>54.00</td><td>-9.85</td><td>32.03</td><td>36.12</td><td>8.51</td><td>32.51</td><td>100</td><td>304 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5137.55	44.15	54.00	-9.85	32.03	36.12	8.51	32.51	100	304 AVERAGE	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.26</td><td>-----</td><td>78.97</td><td>36.08</td><td>8.63</td><td>32.42</td><td>100</td><td>304 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.26	-----	78.97	36.08	8.63	32.42	100	304 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5137.55	44.15	54.00	-9.85	32.03	36.12	8.51	32.51	100	304 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5210.00	91.26	-----	78.97	36.08	8.63	32.42	100	304 AVERAGE																																																																										



Mode	122									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11be EHT 80_CH42_Large RU ④ 484+242_5210MHz									
ANT	5+7									
Pol.	Horizontal					Fundamental				
Peak										





Mode	122																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT 80_CH42_Large RU 484+242_5210MHz																																																																																			
ANT	5+7																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.92</td><td>57.16</td><td>74.00</td><td>-16.84</td><td>45.04</td><td>36.12</td><td>8.51</td><td>32.51</td><td>279</td><td>270 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5136.92	57.16	74.00	-16.84	45.04	36.12	8.51	32.51	279	270 PEAK	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>103.10</td><td>-----</td><td>-----</td><td>90.87</td><td>36.09</td><td>8.59</td><td>32.45</td><td>279</td><td>270 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	103.10	-----	-----	90.87	36.09	8.59	32.45	279	270 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5136.92	57.16	74.00	-16.84	45.04	36.12	8.51	32.51	279	270 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	103.10	-----	-----	90.87	36.09	8.59	32.45	279	270 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5140.70</td><td>45.65</td><td>54.00</td><td>-8.35</td><td>33.51</td><td>36.12</td><td>8.52</td><td>32.50</td><td>279</td><td>270 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5140.70	45.65	54.00	-8.35	33.51	36.12	8.52	32.50	279	270 AVERAGE	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>93.95</td><td>-----</td><td>-----</td><td>81.72</td><td>36.09</td><td>8.59</td><td>32.45</td><td>279</td><td>270 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	93.95	-----	-----	81.72	36.09	8.59	32.45	279	270 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5140.70	45.65	54.00	-8.35	33.51	36.12	8.52	32.50	279	270 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	93.95	-----	-----	81.72	36.09	8.59	32.45	279	270 AVERAGE																																																																										



Mode	123	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU ① 484+242_5290MHz	
ANT	5+7	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2024-03-17 1 5069.02 52.48 74.00 -21.52 40.57 36.17 8.36 32.62 100 63 PEAK	Level (dBuV/m) Date: 2024-03-17 1 5290.00 101.33 ----- 88.33 36.00 9.24 32.24 100 63 PEAK
Avg	Level (dBuV/m) Date: 2024-03-17 1 5069.02 42.70 54.00 -11.30 30.75 36.16 8.39 32.60 100 63 AVERAGE	Level (dBuV/m) Date: 2024-03-17 1 5290.00 93.47 ----- 80.47 36.00 9.24 32.24 100 63 AVERAGE





Mode	123																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_ 802.11be EHT80 _CH58_Large RU ① 484+242_5290MHz																																										
ANT	5+7																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.71</td><td>56.33</td><td>74.00</td><td>-17.67</td><td>43.07</td><td>35.98</td><td>9.46</td><td>32.18</td><td>100</td><td>63 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5368.71	56.33	74.00	-17.67	43.07	35.98	9.46	32.18	100	63 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5368.71	56.33	74.00	-17.67	43.07	35.98	9.46	32.18	100	63 PEAK																																	
Avg	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.95</td><td>47.57</td><td>54.00</td><td>-6.43</td><td>34.34</td><td>35.98</td><td>9.44</td><td>32.19</td><td>100</td><td>63 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5363.95	47.57	54.00	-6.43	34.34	35.98	9.44	32.19	100	63 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5363.95	47.57	54.00	-6.43	34.34	35.98	9.44	32.19	100	63 AVERAGE																																	



Mode	123																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU ① 484+242_5290MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-03-17 15407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.33</td><td>53.70</td><td>74.00</td><td>-20.30</td><td>41.58</td><td>36.12</td><td>8.51</td><td>32.51</td><td>300 256 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5138.33	53.70	74.00	-20.30	41.58	36.12	8.51	32.51	300 256 PEAK	Level (dBuV/m) Date: 2024-03-17 15407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>102.82</td><td>-----</td><td>89.96</td><td>36.02</td><td>9.12</td><td>32.28</td><td>300</td><td>256 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	102.82	-----	89.96	36.02	9.12	32.28	300	256 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5138.33	53.70	74.00	-20.30	41.58	36.12	8.51	32.51	300 256 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5290.00	102.82	-----	89.96	36.02	9.12	32.28	300	256 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-03-17 15407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5064.96</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>31.04</td><td>36.16</td><td>8.38</td><td>32.61</td><td>300 256 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5064.96	42.97	54.00	-11.03	31.04	36.16	8.38	32.61	300 256 AVERAGE	Level (dBuV/m) Date: 2024-03-17 15407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>94.04</td><td>-----</td><td>81.04</td><td>36.00</td><td>9.24</td><td>32.24</td><td>300</td><td>256 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	94.04	-----	81.04	36.00	9.24	32.24	300	256 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5064.96	42.97	54.00	-11.03	31.04	36.16	8.38	32.61	300 256 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5290.00	94.04	-----	81.04	36.00	9.24	32.24	300	256 AVERAGE																																																																									



Mode	123																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU ① 484+242_5290MHz																																										
ANT	5+7																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.25</td><td>59.65</td><td>74.00</td><td>-14.35</td><td>46.43</td><td>35.98</td><td>9.43</td><td>32.19</td><td>300</td><td>256 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5362.25	59.65	74.00	-14.35	46.43	35.98	9.43	32.19	300	256 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5362.25	59.65	74.00	-14.35	46.43	35.98	9.43	32.19	300	256 PEAK																																	
Avg	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.59</td><td>50.13</td><td>54.00</td><td>-3.87</td><td>36.91</td><td>35.98</td><td>9.43</td><td>32.19</td><td>300</td><td>256 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5362.59	50.13	54.00	-3.87	36.91	35.98	9.43	32.19	300	256 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5362.59	50.13	54.00	-3.87	36.91	35.98	9.43	32.19	300	256 AVERAGE																																	



Mode	124																																																																																										
	Band Edge - L																																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU ④ 484+242_5530MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.10</td><td>57.51</td><td>74.00</td><td>-16.49</td><td>43.97</td><td>35.93</td><td>9.68</td><td>32.07</td><td>100</td><td>57 PEAK</td></tr><tr><td>2</td><td>5468.80</td><td>56.94</td><td>68.30</td><td>-11.36</td><td>43.37</td><td>35.92</td><td>9.69</td><td>32.04</td><td>100</td><td>57 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.10	57.51	74.00	-16.49	43.97	35.93	9.68	32.07	100	57 PEAK	2	5468.80	56.94	68.30	-11.36	43.37	35.92	9.69	32.04	100	57 PEAK	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.87</td><td>-----</td><td>-----</td><td>89.26</td><td>35.91</td><td>9.71</td><td>32.01</td><td>100</td><td>57 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.87	-----	-----	89.26	35.91	9.71	32.01	100	57 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5448.10	57.51	74.00	-16.49	43.97	35.93	9.68	32.07	100	57 PEAK																																																																																	
2	5468.80	56.94	68.30	-11.36	43.37	35.92	9.69	32.04	100	57 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5530.00	102.87	-----	-----	89.26	35.91	9.71	32.01	100	57 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.44</td><td>47.39</td><td>54.00</td><td>-6.61</td><td>33.85</td><td>35.93</td><td>9.68</td><td>32.07</td><td>100</td><td>57 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.44	47.39	54.00	-6.61	33.85	35.93	9.68	32.07	100	57 AVERAGE	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.05</td><td>-----</td><td>-----</td><td>79.44</td><td>35.91</td><td>9.71</td><td>32.01</td><td>100</td><td>57 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.05	-----	-----	79.44	35.91	9.71	32.01	100	57 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5450.44	47.39	54.00	-6.61	33.85	35.93	9.68	32.07	100	57 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5530.00	93.05	-----	-----	79.44	35.91	9.71	32.01	100	57 AVERAGE																																																																																	



Mode	124																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_ 802.11be EHT80 _CH106_Large RU ④ 484+242_5530MHz																																									
ANT	5+7																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2024-03-17 <table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.64</td><td>52.98</td><td>68.30</td><td>-15.32</td><td>38.97</td><td>36.22</td><td>10.02</td><td>32.23</td><td>100</td><td>57 PEAK</td></tr></table>	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.64	52.98	68.30	-15.32	38.97	36.22	10.02	32.23	100	57 PEAK	Blank
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5727.64	52.98	68.30	-15.32	38.97	36.22	10.02	32.23	100	57 PEAK																																



		124																																																																																																						
Mode		Band Edge - L																																																																																																						
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU ① 484+242_5530MHz																																																																																																						
ANT		5+7																																																																																																						
Pol.		Vertical					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.14</td><td>58.02</td><td>74.00</td><td>-15.98</td><td>44.49</td><td>35.93</td><td>9.68</td><td>32.08</td><td>322</td><td>259</td><td>PEAK</td></tr><tr><td>2</td><td>5463.58</td><td>59.96</td><td>68.30</td><td>-8.34</td><td>46.40</td><td>35.92</td><td>9.69</td><td>32.05</td><td>322</td><td>259</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.14	58.02	74.00	-15.98	44.49	35.93	9.68	32.08	322	259	PEAK	2	5463.58	59.96	68.30	-8.34	46.40	35.92	9.69	32.05	322	259	PEAK	Level (dBuV/m) Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>103.02</td><td>-----</td><td>-----</td><td>89.41</td><td>35.90</td><td>9.71</td><td>32.00</td><td>322</td><td>259</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.02	-----	-----	89.41	35.90	9.71	32.00	322	259	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5444.14	58.02	74.00	-15.98	44.49	35.93	9.68	32.08	322	259	PEAK																																																																																													
2	5463.58	59.96	68.30	-8.34	46.40	35.92	9.69	32.05	322	259	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5530.00	103.02	-----	-----	89.41	35.90	9.71	32.00	322	259	PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.98</td><td>47.82</td><td>54.00</td><td>-6.18</td><td>34.27</td><td>35.92</td><td>9.69</td><td>32.06</td><td>322</td><td>259</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	47.82	54.00	-6.18	34.27	35.92	9.69	32.06	322	259	AVERAGE	Level (dBuV/m) Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>94.92</td><td>-----</td><td>-----</td><td>81.31</td><td>35.91</td><td>9.71</td><td>32.01</td><td>322</td><td>259</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.92	-----	-----	81.31	35.91	9.71	32.01	322	259	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5459.98	47.82	54.00	-6.18	34.27	35.92	9.69	32.06	322	259	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5530.00	94.92	-----	-----	81.31	35.91	9.71	32.01	322	259	AVERAGE																																																																																													







Mode	124																																																
	Band Edge - R																																																
	U-NII-2C_5.47-5.725_ 802.11be EHT80 _CH106_Large RU ④ 484+242_5530MHz																																																
ANT	5+7																																																
Pol.	Vertical	Fundamental																																															
Peak	Date: 2024-03-17 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5730.22</td><td>52.74</td><td>68.30</td><td>-15.56</td><td>38.72</td><td>36.22</td><td>10.03</td><td>32.23</td><td>322</td><td>259</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5730.22	52.74	68.30	-15.56	38.72	36.22	10.03	32.23	322	259	PEAK	Blank
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	5730.22	52.74	68.30	-15.56	38.72	36.22	10.03	32.23	322	259	PEAK																																						



Mode	125																																																																
	Band Edge - L																																																																
	U-NII-2C_5.47-5.725_ 802.11be EHT80 _CH122_Large RU ⓘ 484+242_5610MHz																																																																
ANT	5+7																																																																
Pol.	Horizontal																																																																
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5443.86</td><td>52.83</td><td>74.00</td><td>-21.17</td><td>39.30</td><td>35.93</td><td>9.68</td><td>32.08</td><td>100</td><td></td><td>277 PEAK</td></tr><tr><td>2</td><td>5465.18</td><td>51.47</td><td>68.30</td><td>-16.83</td><td>37.91</td><td>35.92</td><td>9.69</td><td>32.05</td><td>100</td><td></td><td>277 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5443.86	52.83	74.00	-21.17	39.30	35.93	9.68	32.08	100		277 PEAK	2	5465.18	51.47	68.30	-16.83	37.91	35.92	9.69	32.05	100		277 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5443.86	52.83	74.00	-21.17	39.30	35.93	9.68	32.08	100		277 PEAK																																																						
2	5465.18	51.47	68.30	-16.83	37.91	35.92	9.69	32.05	100		277 PEAK																																																						
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>103.15</td><td>-----</td><td>-----</td><td>89.33</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td></td><td>277 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	103.15	-----	-----	89.33	36.11	9.86	32.15	100		277 PEAK												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	5610.00	103.15	-----	-----	89.33	36.11	9.86	32.15	100		277 PEAK																																																						







		125																																																																																																								
Mode		Band Edge - L																																																																																																								
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU ① 484+242_5610MHz																																																																																																								
ANT		5+7																																																																																																								
Pol.		Fundamental																																																																																																								
Peak	Vertical	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5418.12</td><td>52.52</td><td>74.00</td><td>-21.48</td><td>39.01</td><td>35.95</td><td>9.67</td><td>32.11</td><td>303</td><td>249</td><td>PEAK</td></tr><tr><td>2</td><td>5465.18</td><td>52.62</td><td>68.30</td><td>-15.68</td><td>39.06</td><td>35.92</td><td>9.69</td><td>32.05</td><td>303</td><td>249</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5418.12	52.52	74.00	-21.48	39.01	35.95	9.67	32.11	303	249	PEAK	2	5465.18	52.62	68.30	-15.68	39.06	35.92	9.69	32.05	303	249	PEAK	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>105.06</td><td>-----</td><td>-----</td><td>91.31</td><td>36.07</td><td>9.80</td><td>32.12</td><td>303</td><td>249</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.06	-----	-----	91.31	36.07	9.80	32.12	303	249	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5418.12	52.52	74.00	-21.48	39.01	35.95	9.67	32.11	303	249	PEAK																																																																																															
2	5465.18	52.62	68.30	-15.68	39.06	35.92	9.69	32.05	303	249	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5610.00	105.06	-----	-----	91.31	36.07	9.80	32.12	303	249	PEAK																																																																																															
Avg	Vertical	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5438.66</td><td>43.81</td><td>54.00</td><td>-10.19</td><td>30.28</td><td>35.94</td><td>9.68</td><td>32.09</td><td>303</td><td>249</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.66	43.81	54.00	-10.19	30.28	35.94	9.68	32.09	303	249	AVERAGE	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.76</td><td>-----</td><td>-----</td><td>81.00</td><td>36.08</td><td>9.81</td><td>32.13</td><td>303</td><td>249</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.76	-----	-----	81.00	36.08	9.81	32.13	303	249	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5438.66	43.81	54.00	-10.19	30.28	35.94	9.68	32.09	303	249	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5610.00	94.76	-----	-----	81.00	36.08	9.81	32.13	303	249	AVERAGE																																																																																															



Mode	125																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_ 802.11be EHT80 _CH122_Large RU ① 484+242_5610MHz																																							
ANT	5+7																																							
Pol.	Vertical	Fundamental																																						
Peak	Date: 2024-03-17 <table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.99</td><td>55.86</td><td>68.30</td><td>-12.44</td><td>41.84</td><td>36.22</td><td>10.03</td><td>32.23</td><td>303</td><td>249</td><td>PEAK</td></tr></table> Blank	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.99	55.86	68.30	-12.44	41.84	36.22	10.03	32.23	303	249	PEAK
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5731.99	55.86	68.30	-12.44	41.84	36.22	10.03	32.23	303	249	PEAK																													



		126																																																																												
Mode		Band Edge - L																																																																												
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 3 996+484_5250MHz																																																																												
ANT		5+7																																																																												
Pol.		Horizontal					Fundamental																																																																							
Peak	Level (dBuV/m) Date: 2024-03-17 1 5127.25 58.73 74.00 -15.27 46.64 36.12 8.49 32.52 100 64 PEAK <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.25</td><td>58.73</td><td>74.00</td><td>-15.27</td><td>46.64</td><td>36.12</td><td>8.49</td><td>32.52</td><td>100</td><td>64 PEAK</td></tr></table>												Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.25	58.73	74.00	-15.27	46.64	36.12	8.49	32.52	100	64 PEAK	Level (dBuV/m) Date: 2024-03-17 1 5250.00 99.66 ----- 87.12 36.05 8.84 32.35 100 64 PEAK <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>99.66</td><td>-----</td><td>-----</td><td>87.12</td><td>36.05</td><td>8.84</td><td>32.35</td><td>100</td><td>64 PEAK</td></tr></table>		Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	99.66	-----	-----	87.12	36.05	8.84	32.35	100	64 PEAK
		Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5127.25	58.73	74.00	-15.27	46.64	36.12	8.49	32.52	100	64 PEAK																																																																				
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5250.00	99.66	-----	-----	87.12	36.05	8.84	32.35	100	64 PEAK																																																																				
Avg	Level (dBuV/m) Date: 2024-03-17 1 5124.50 47.26 54.00 -6.74 35.17 36.13 8.49 32.53 100 64 AVERAGE <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5124.50</td><td>47.26</td><td>54.00</td><td>-6.74</td><td>35.17</td><td>36.13</td><td>8.49</td><td>32.53</td><td>100</td><td>64 AVERAGE</td></tr></table>												Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.50	47.26	54.00	-6.74	35.17	36.13	8.49	32.53	100	64 AVERAGE	Level (dBuV/m) Date: 2024-03-17 1 5250.00 90.18 ----- 77.64 36.05 8.84 32.35 100 64 AVERAGE <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>90.18</td><td>-----</td><td>-----</td><td>77.64</td><td>36.05</td><td>8.84</td><td>32.35</td><td>100</td><td>64 AVERAGE</td></tr></table>		Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	90.18	-----	-----	77.64	36.05	8.84	32.35	100	64 AVERAGE
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5124.50	47.26	54.00	-6.74	35.17	36.13	8.49	32.53	100	64 AVERAGE																																																																				
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5250.00	90.18	-----	-----	77.64	36.05	8.84	32.35	100	64 AVERAGE																																																																				



Mode	126																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_ 802.11be EHT160 _CH50_Large RU 3 996+484_5250MHz																																																			
ANT	5+7																																																			
Pol.	Horizontal						Fundamental																																													
Peak	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.15</td><td>62.88</td><td>74.00</td><td>-11.12</td><td>49.68</td><td>35.99</td><td>9.41</td><td>32.20</td><td>100</td><td>64</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5358.15	62.88	74.00	-11.12	49.68	35.99	9.41	32.20	100	64	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	5358.15	62.88	74.00	-11.12	49.68	35.99	9.41	32.20	100	64	PEAK																																									
Avg	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.35</td><td>46.98</td><td>54.00</td><td>-7.02</td><td>33.45</td><td>35.93</td><td>9.68</td><td>32.08</td><td>100</td><td>64</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5446.35	46.98	54.00	-7.02	33.45	35.93	9.68	32.08	100	64	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	5446.35	46.98	54.00	-7.02	33.45	35.93	9.68	32.08	100	64	AVERAGE																																									



		126											
Mode		Band Edge - L											
		U-NII-2A_5.25-5.35_ 802.11be EHT160 _CH50_Large RU 3 996+484_5250MHz											
ANT		5+7											
Pol.		Vertical						Fundamental					
Peak		Level (dBuV/m) Date: 2024-03-17											



Mode	127																																																																																							
	Band Edge - L																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU ① 996+484_5570MHz																																																																																							
ANT	5+7																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5418.20</td><td>63.57</td><td>74.00</td><td>-10.43</td><td>50.06</td><td>35.95</td><td>9.67</td><td>32.11</td><td>108</td><td>58 PEAK</td></tr><tr><td>2 5468.58</td><td>58.16</td><td>68.30</td><td>-10.14</td><td>44.59</td><td>35.92</td><td>9.69</td><td>32.04</td><td>108</td><td>58 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5418.20	63.57	74.00	-10.43	50.06	35.95	9.67	32.11	108	58 PEAK	2 5468.58	58.16	68.30	-10.14	44.59	35.92	9.69	32.04	108	58 PEAK	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5570.00</td><td>100.68</td><td>-----</td><td>-----</td><td>87.02</td><td>35.99</td><td>9.74</td><td>32.07</td><td>108</td><td>58 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5570.00	100.68	-----	-----	87.02	35.99	9.74	32.07	108	58 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5418.20	63.57	74.00	-10.43	50.06	35.95	9.67	32.11	108	58 PEAK																																																																															
2 5468.58	58.16	68.30	-10.14	44.59	35.92	9.69	32.04	108	58 PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5570.00	100.68	-----	-----	87.02	35.99	9.74	32.07	108	58 PEAK																																																																															
Avg	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5418.20</td><td>47.57</td><td>54.00</td><td>-6.43</td><td>34.06</td><td>35.95</td><td>9.67</td><td>32.11</td><td>108</td><td>58 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5418.20	47.57	54.00	-6.43	34.06	35.95	9.67	32.11	108	58 AVERAGE	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5570.00</td><td>92.23</td><td>-----</td><td>-----</td><td>78.57</td><td>35.99</td><td>9.74</td><td>32.07</td><td>108</td><td>58 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5570.00	92.23	-----	-----	78.57	35.99	9.74	32.07	108	58 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5418.20	47.57	54.00	-6.43	34.06	35.95	9.67	32.11	108	58 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5570.00	92.23	-----	-----	78.57	35.99	9.74	32.07	108	58 AVERAGE																																																																															



Mode	127																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484_5570MHz																																																																																																				
ANT	5+7																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5417.98</td><td>64.45</td><td>74.00</td><td>-9.55</td><td>50.94</td><td>35.95</td><td>9.67</td><td>32.11</td><td>279</td><td>245</td><td>PEAK</td></tr><tr><td>2</td><td>5463.08</td><td>59.53</td><td>68.30</td><td>-8.77</td><td>45.97</td><td>35.92</td><td>9.69</td><td>32.05</td><td>279</td><td>245</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5417.98	64.45	74.00	-9.55	50.94	35.95	9.67	32.11	279	245	PEAK	2	5463.08	59.53	68.30	-8.77	45.97	35.92	9.69	32.05	279	245	PEAK	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>102.22</td><td>-----</td><td>88.56</td><td>35.99</td><td>9.74</td><td>32.07</td><td>279</td><td>245</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	102.22	-----	88.56	35.99	9.74	32.07	279	245	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5417.98	64.45	74.00	-9.55	50.94	35.95	9.67	32.11	279	245	PEAK																																																																																										
2	5463.08	59.53	68.30	-8.77	45.97	35.92	9.69	32.05	279	245	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	102.22	-----	88.56	35.99	9.74	32.07	279	245	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5418.20</td><td>48.39</td><td>54.00</td><td>-5.61</td><td>34.88</td><td>35.95</td><td>9.67</td><td>32.11</td><td>279</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5418.20	48.39	54.00	-5.61	34.88	35.95	9.67	32.11	279	245	AVERAGE	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>92.27</td><td>-----</td><td>78.61</td><td>35.99</td><td>9.74</td><td>32.07</td><td>279</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	92.27	-----	78.61	35.99	9.74	32.07	279	245	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5418.20	48.39	54.00	-5.61	34.88	35.95	9.67	32.11	279	245	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5570.00	92.27	-----	78.61	35.99	9.74	32.07	279	245	AVERAGE																																																																																											



Mode	128																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU ① 484+242_5775MHz																																																																																																														
ANT	5+7																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																													
Peak	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5646.90</td><td>53.97</td><td>68.30</td><td>-14.33</td><td>40.16</td><td>36.11</td><td>9.85</td><td>32.15</td><td>101</td><td>54 PEAK</td></tr><tr><td>2</td><td>5652.33</td><td>55.74</td><td>70.02</td><td>-14.28</td><td>41.91</td><td>36.11</td><td>9.87</td><td>32.15</td><td>101</td><td>54 PEAK</td></tr><tr><td>3</td><td>5712.00</td><td>62.93</td><td>108.56</td><td>-45.63</td><td>48.95</td><td>36.20</td><td>9.99</td><td>32.21</td><td>101</td><td>54 PEAK</td></tr><tr><td>4</td><td>5721.28</td><td>61.00</td><td>113.71</td><td>-52.71</td><td>47.00</td><td>36.21</td><td>10.01</td><td>32.22</td><td>101</td><td>54 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5646.90	53.97	68.30	-14.33	40.16	36.11	9.85	32.15	101	54 PEAK	2	5652.33	55.74	70.02	-14.28	41.91	36.11	9.87	32.15	101	54 PEAK	3	5712.00	62.93	108.56	-45.63	48.95	36.20	9.99	32.21	101	54 PEAK	4	5721.28	61.00	113.71	-52.71	47.00	36.21	10.01	32.22	101	54 PEAK	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5775.00</td><td>105.82</td><td>-----</td><td>-----</td><td>91.64</td><td>36.31</td><td>10.16</td><td>32.29</td><td>101</td><td>54 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5775.00	105.82	-----	-----	91.64	36.31	10.16	32.29	101	54 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1	5646.90	53.97	68.30	-14.33	40.16	36.11	9.85	32.15	101	54 PEAK																																																																																																					
2	5652.33	55.74	70.02	-14.28	41.91	36.11	9.87	32.15	101	54 PEAK																																																																																																					
3	5712.00	62.93	108.56	-45.63	48.95	36.20	9.99	32.21	101	54 PEAK																																																																																																					
4	5721.28	61.00	113.71	-52.71	47.00	36.21	10.01	32.22	101	54 PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1	5775.00	105.82	-----	-----	91.64	36.31	10.16	32.29	101	54 PEAK																																																																																																					
Avg	Blank	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5775.00</td><td>94.93</td><td>-----</td><td>-----</td><td>80.75</td><td>36.31</td><td>10.16</td><td>32.29</td><td>101</td><td>54 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5775.00	94.93	-----	-----	80.75	36.31	10.16	32.29	101	54 AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1	5775.00	94.93	-----	-----	80.75	36.31	10.16	32.29	101	54 AVERAGE																																																																																																					



Mode	128																																																																										
	Band Edge - R																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU ⓘ 484+242_5775MHz																																																																										
ANT	5+7																																																																										
Pol.	Horizontal	Fundamental																																																																									
Peak	Date: 2024-03-17 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5775 5810 5845 5880 5915 5950 PSAK_BE(B4)_16-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>54.25</td><td>111.65</td><td>-57.40</td><td>39.91</td><td>36.40</td><td>10.29</td><td>32.35</td><td>101</td><td>54 PEAK</td></tr><tr><td>2</td><td>5872.13</td><td>54.44</td><td>106.00</td><td>-51.56</td><td>40.06</td><td>36.42</td><td>10.33</td><td>32.37</td><td>101</td><td>54 PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>51.23</td><td>68.32</td><td>-17.09</td><td>36.72</td><td>36.49</td><td>10.44</td><td>32.42</td><td>101</td><td>54 PEAK</td></tr><tr><td>4</td><td>5942.65</td><td>53.07</td><td>68.30</td><td>-15.23</td><td>38.51</td><td>36.52</td><td>10.48</td><td>32.44</td><td>101</td><td>54 PEAK</td></tr></table> Blank		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	54.25	111.65	-57.40	39.91	36.40	10.29	32.35	101	54 PEAK	2	5872.13	54.44	106.00	-51.56	40.06	36.42	10.33	32.37	101	54 PEAK	3	5924.98	51.23	68.32	-17.09	36.72	36.49	10.44	32.42	101	54 PEAK	4	5942.65	53.07	68.30	-15.23	38.51	36.52	10.48	32.44	101	54 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5854.63	54.25	111.65	-57.40	39.91	36.40	10.29	32.35	101	54 PEAK																																																																	
2	5872.13	54.44	106.00	-51.56	40.06	36.42	10.33	32.37	101	54 PEAK																																																																	
3	5924.98	51.23	68.32	-17.09	36.72	36.49	10.44	32.42	101	54 PEAK																																																																	
4	5942.65	53.07	68.30	-15.23	38.51	36.52	10.48	32.44	101	54 PEAK																																																																	



Mode	128																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU ① 484+242_5775MHz																																																																																																																
ANT	5+7																																																																																																																
Pol.	Vertical	Fundamental																																																																																																															
Peak	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.43</td><td>54.58</td><td>68.30</td><td>-13.72</td><td>40.76</td><td>36.11</td><td>9.86</td><td>32.15</td><td>308</td><td>251 PEAK</td></tr><tr><td>2</td><td>5651.45</td><td>54.17</td><td>69.37</td><td>-15.20</td><td>40.35</td><td>36.11</td><td>9.86</td><td>32.15</td><td>308</td><td>251 PEAK</td></tr><tr><td>3</td><td>5706.93</td><td>61.64</td><td>107.14</td><td>-45.50</td><td>47.68</td><td>36.19</td><td>9.98</td><td>32.21</td><td>308</td><td>251 PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>59.19</td><td>110.91</td><td>-51.72</td><td>45.19</td><td>36.21</td><td>10.01</td><td>32.22</td><td>308</td><td>251 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.43	54.58	68.30	-13.72	40.76	36.11	9.86	32.15	308	251 PEAK	2	5651.45	54.17	69.37	-15.20	40.35	36.11	9.86	32.15	308	251 PEAK	3	5706.93	61.64	107.14	-45.50	47.68	36.19	9.98	32.21	308	251 PEAK	4	5720.05	59.19	110.91	-51.72	45.19	36.21	10.01	32.22	308	251 PEAK	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>101.71</td><td>-----</td><td>-----</td><td>87.55</td><td>36.30</td><td>10.15</td><td>32.29</td><td>308</td><td>251 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	101.71	-----	-----	87.55	36.30	10.15	32.29	308	251 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5647.43	54.58	68.30	-13.72	40.76	36.11	9.86	32.15	308	251 PEAK																																																																																																							
2	5651.45	54.17	69.37	-15.20	40.35	36.11	9.86	32.15	308	251 PEAK																																																																																																							
3	5706.93	61.64	107.14	-45.50	47.68	36.19	9.98	32.21	308	251 PEAK																																																																																																							
4	5720.05	59.19	110.91	-51.72	45.19	36.21	10.01	32.22	308	251 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5775.00	101.71	-----	-----	87.55	36.30	10.15	32.29	308	251 PEAK																																																																																																							
Avg	Blank	Date: 2024-03-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>93.87</td><td>-----</td><td>-----</td><td>79.71</td><td>36.30</td><td>10.15</td><td>32.29</td><td>308</td><td>251 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	93.87	-----	-----	79.71	36.30	10.15	32.29	308	251 AVERAGE																																																																								
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5775.00	93.87	-----	-----	79.71	36.30	10.15	32.29	308	251 AVERAGE																																																																																																							







Mode	131																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ①_5210MHz																																																																																			
ANT	5+7																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5132.51</td><td>62.80</td><td>74.00</td><td>-11.20</td><td>50.69</td><td>36.12</td><td>8.50</td><td>32.51</td><td>114</td><td>301 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5132.51	62.80	74.00	-11.20	50.69	36.12	8.50	32.51	114	301 PEAK	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>99.54</td><td>-----</td><td>-----</td><td>87.33</td><td>36.10</td><td>8.57</td><td>32.46</td><td>114</td><td>301 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.54	-----	-----	87.33	36.10	8.57	32.46	114	301 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5132.51	62.80	74.00	-11.20	50.69	36.12	8.50	32.51	114	301 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	99.54	-----	-----	87.33	36.10	8.57	32.46	114	301 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>49.03</td><td>54.00</td><td>-4.97</td><td>36.87</td><td>36.11</td><td>8.54</td><td>32.49</td><td>114</td><td>301 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.94	49.03	54.00	-4.97	36.87	36.11	8.54	32.49	114	301 AVERAGE	Level (dBuV/m) Date: 2024-03-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.81</td><td>-----</td><td>-----</td><td>78.60</td><td>36.10</td><td>8.57</td><td>32.46</td><td>114</td><td>301 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.81	-----	-----	78.60	36.10	8.57	32.46	114	301 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.94	49.03	54.00	-4.97	36.87	36.11	8.54	32.49	114	301 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	90.81	-----	-----	78.60	36.10	8.57	32.46	114	301 AVERAGE																																																																										







Mode	131									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ④_5210MHz									
ANT	5+7									
Pol.	Horizontal					Fundamental				
Peak	</									



Mode	131																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ④_5210MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	 Date: 2024-03-17 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5144.90</td><td>61.89</td><td>74.00</td><td>-12.11</td><td>49.75</td><td>36.11</td><td>8.53</td><td>32.50</td><td>322</td><td>260</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5144.90	61.89	74.00	-12.11	49.75	36.11	8.53	32.50	322	260	PEAK	 Date: 2024-03-17 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>102.23</td><td>-----</td><td>-----</td><td>90.01</td><td>36.09</td><td>8.58</td><td>32.45</td><td>322</td><td>260</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5210.00	102.23	-----	-----	90.01	36.09	8.58	32.45	322	260	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5144.90	61.89	74.00	-12.11	49.75	36.11	8.53	32.50	322	260	PEAK																																																																							
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5210.00	102.23	-----	-----	90.01	36.09	8.58	32.45	322	260	PEAK																																																																							
Avg	 Date: 2024-03-17 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5149.52</td><td>50.37</td><td>54.00</td><td>-3.63</td><td>38.22</td><td>36.11</td><td>8.53</td><td>32.49</td><td>322</td><td>260</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5149.52	50.37	54.00	-3.63	38.22	36.11	8.53	32.49	322	260	AVERAGE	 Date: 2024-03-17 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>93.12</td><td>-----</td><td>-----</td><td>80.91</td><td>36.10</td><td>8.57</td><td>32.46</td><td>322</td><td>260</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5210.00	93.12	-----	-----	80.91	36.10	8.57	32.46	322	260	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.52	50.37	54.00	-3.63	38.22	36.11	8.53	32.49	322	260	AVERAGE																																																																							
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5210.00	93.12	-----	-----	80.91	36.10	8.57	32.46	322	260	AVERAGE																																																																							



Mode	132	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ①_5290MHz	
ANT	5+7	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2024-03-18  1 5032.77 53.26 74.00 -20.74 41.41 36.18 8.32 32.65 111 54 PEAK	Level (dBuV/m) Date: 2024-03-18  1 5290.00 101.43 ----- 88.43 36.00 9.24 32.24 111 54 PEAK
	Level (dBuV/m) Date: 2024-03-18  1 5146.74 42.66 54.00 -11.34 30.51 36.11 8.53 32.49 111 54 AVERAGE	Level (dBuV/m) Date: 2024-03-18  1 5290.00 93.31 ----- 80.31 36.00 9.24 32.24 111 54 AVERAGE



Mode	132																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ①_5290MHz																																								
ANT	5+7																																								
Pol.	Horizontal	Fundamental																																							
Peak	Date: 2024-03-18 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.01</td><td>59.65</td><td>74.00</td><td>-14.35</td><td>46.51</td><td>35.99</td><td>9.36</td><td>32.21</td><td>111</td><td>54 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.01	59.65	74.00	-14.35	46.51	35.99	9.36	32.21	111	54 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5350.01	59.65	74.00	-14.35	46.51	35.99	9.36	32.21	111	54 PEAK																															
Avg	Date: 2024-03-18 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.01</td><td>50.49</td><td>54.00</td><td>-3.51</td><td>37.35</td><td>35.99</td><td>9.36</td><td>32.21</td><td>111</td><td>54 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.01	50.49	54.00	-3.51	37.35	35.99	9.36	32.21	111	54 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5350.01	50.49	54.00	-3.51	37.35	35.99	9.36	32.21	111	54 AVERAGE																															



Mode	132	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ①_5290MHz	
ANT	5+7	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-03-17 1 5078.88 52.31 74.00 -21.69 40.35 36.15 8.40 32.59 400 241 PEAK	Level (dBuV/m) Date: 2024-03-17 1 5290.00 95.51 ----- 82.80 36.03 8.99 32.31 400 241 PEAK
	Level (dBuV/m) Date: 2024-03-17 1 5101.79 42.82 54.00 -11.18 30.79 36.14 8.45 32.56 400 241 AVERAGE	Level (dBuV/m) Date: 2024-03-18 1 5290.00 87.78 ----- 74.81 36.01 9.21 32.25 400 241 AVERAGE



Mode	132																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ①_5290MHz																																																					
ANT	5+7																																																					
Pol.	Vertical						Fundamental																																															
Peak	Date: 2024-03-18 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5361.06</td><td>60.53</td><td>74.00</td><td>-13.47</td><td>47.32</td><td>35.98</td><td>9.42</td><td>32.19</td><td>400</td><td>241</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5361.06	60.53	74.00	-13.47	47.32	35.98	9.42	32.19	400	241	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5361.06	60.53	74.00	-13.47	47.32	35.98	9.42	32.19	400	241	PEAK																																											
Avg	Date: 2024-03-18 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5357.32</td><td>50.90</td><td>54.00</td><td>-3.10</td><td>37.71</td><td>35.99</td><td>9.40</td><td>32.20</td><td>400</td><td>241</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5357.32	50.90	54.00	-3.10	37.71	35.99	9.40	32.20	400	241	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5357.32	50.90	54.00	-3.10	37.71	35.99	9.40	32.20	400	241	AVERAGE																																											



		133										
Mode		Band Edge - L										
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M ④_5530MHz										
ANT		5+7										
Pol.		Horizontal										
Peak	Level (dBuV/m) Date: 2024-03-18 </											



Mode	133																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_ 802.11be EHT80 _CH106_Puncturing 20M ④ _5530MHz																																										
ANT	5+7																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2024-03-18 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.92</td><td>52.93</td><td>68.30</td><td>-15.37</td><td>38.89</td><td>36.23</td><td>10.04</td><td>32.23</td><td>101</td><td>46</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.92	52.93	68.30	-15.37	38.89	36.23	10.04	32.23	101	46	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5734.92	52.93	68.30	-15.37	38.89	36.23	10.04	32.23	101	46	PEAK																																



Mode	133																																																																																		
	Band Edge - L																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Puncturing 20M ①_5530MHz																																																																																		
ANT	5+7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5459.80</td><td>57.39</td><td>74.00</td><td>-16.61</td><td>43.84</td><td>35.92</td><td>9.69</td><td>32.06</td><td>344 254 PEAK</td></tr><tr><td>2 5465.56</td><td>60.39</td><td>68.30</td><td>-7.91</td><td>46.83</td><td>35.92</td><td>9.69</td><td>32.05</td><td>344 254 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5459.80	57.39	74.00	-16.61	43.84	35.92	9.69	32.06	344 254 PEAK	2 5465.56	60.39	68.30	-7.91	46.83	35.92	9.69	32.05	344 254 PEAK	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5530.00</td><td>102.60</td><td>-----</td><td>-----</td><td>88.99</td><td>35.91</td><td>9.71</td><td>32.01</td><td>344 254 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5530.00	102.60	-----	-----	88.99	35.91	9.71	32.01	344 254 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 5459.80	57.39	74.00	-16.61	43.84	35.92	9.69	32.06	344 254 PEAK																																																																											
2 5465.56	60.39	68.30	-7.91	46.83	35.92	9.69	32.05	344 254 PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 5530.00	102.60	-----	-----	88.99	35.91	9.71	32.01	344 254 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5459.98</td><td>49.26</td><td>54.00</td><td>-4.74</td><td>35.71</td><td>35.92</td><td>9.69</td><td>32.06</td><td>344 254 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5459.98	49.26	54.00	-4.74	35.71	35.92	9.69	32.06	344 254 AVERAGE	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5530.00</td><td>93.69</td><td>-----</td><td>-----</td><td>80.08</td><td>35.91</td><td>9.71</td><td>32.01</td><td>344 254 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5530.00	93.69	-----	-----	80.08	35.91	9.71	32.01	344 254 AVERAGE									
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 5459.98	49.26	54.00	-4.74	35.71	35.92	9.69	32.06	344 254 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 5530.00	93.69	-----	-----	80.08	35.91	9.71	32.01	344 254 AVERAGE																																																																											



Mode	134																																																																																										
	Band Edge - L																																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Puncturing 20M ①_5610MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.30</td><td>53.01</td><td>74.00</td><td>-20.99</td><td>39.46</td><td>35.93</td><td>9.68</td><td>32.06</td><td>100</td><td>61 PEAK</td></tr><tr><td>2</td><td>5461.28</td><td>52.70</td><td>68.30</td><td>-15.60</td><td>39.14</td><td>35.92</td><td>9.69</td><td>32.05</td><td>100</td><td>61 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.30	53.01	74.00	-20.99	39.46	35.93	9.68	32.06	100	61 PEAK	2	5461.28	52.70	68.30	-15.60	39.14	35.92	9.69	32.05	100	61 PEAK	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>106.24</td><td>-----</td><td>-----</td><td>92.53</td><td>36.05</td><td>9.77</td><td>32.11</td><td>100</td><td>61 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	106.24	-----	-----	92.53	36.05	9.77	32.11	100	61 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5455.30	53.01	74.00	-20.99	39.46	35.93	9.68	32.06	100	61 PEAK																																																																																	
2	5461.28	52.70	68.30	-15.60	39.14	35.92	9.69	32.05	100	61 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5610.00	106.24	-----	-----	92.53	36.05	9.77	32.11	100	61 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.60</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>29.81</td><td>35.93</td><td>9.69</td><td>32.06</td><td>100</td><td>61 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.60	43.37	54.00	-10.63	29.81	35.93	9.69	32.06	100	61 AVERAGE	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>95.52</td><td>-----</td><td>-----</td><td>81.70</td><td>36.11</td><td>9.86</td><td>32.15</td><td>100</td><td>61 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.52	-----	-----	81.70	36.11	9.86	32.15	100	61 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5456.60	43.37	54.00	-10.63	29.81	35.93	9.69	32.06	100	61 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5610.00	95.52	-----	-----	81.70	36.11	9.86	32.15	100	61 AVERAGE																																																																																	



Mode	134																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_ 802.11be EHT80 _CH122_Puncturing 20M ① _5610MHz																																									
ANT	5+7																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2024-03-18 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.03</td><td>58.85</td><td>68.30</td><td>-9.45</td><td>44.84</td><td>36.22</td><td>10.02</td><td>32.23</td><td>100</td><td>61</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5727.03	58.85	68.30	-9.45	44.84	36.22	10.02	32.23	100	61	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5727.03	58.85	68.30	-9.45	44.84	36.22	10.02	32.23	100	61	PEAK																															



Mode	134																																																																																		
	Band Edge - L																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Puncturing 20M ①_5610MHz																																																																																		
ANT	5+7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5405.38</td><td>52.15</td><td>74.00</td><td>-21.85</td><td>38.67</td><td>35.96</td><td>9.65</td><td>32.13</td><td>300</td></tr><tr><td>2 5467.00</td><td>51.70</td><td>68.30</td><td>-16.60</td><td>38.14</td><td>35.92</td><td>9.69</td><td>32.05</td><td>300</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5405.38	52.15	74.00	-21.85	38.67	35.96	9.65	32.13	300	2 5467.00	51.70	68.30	-16.60	38.14	35.92	9.69	32.05	300	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5610.00</td><td>100.86</td><td>-----</td><td>-----</td><td>87.05</td><td>36.10</td><td>9.85</td><td>32.14</td><td>300</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5610.00	100.86	-----	-----	87.05	36.10	9.85	32.14	300
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 5405.38	52.15	74.00	-21.85	38.67	35.96	9.65	32.13	300																																																																											
2 5467.00	51.70	68.30	-16.60	38.14	35.92	9.69	32.05	300																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 5610.00	100.86	-----	-----	87.05	36.10	9.85	32.14	300																																																																											
Avg	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5456.34</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>29.41</td><td>35.93</td><td>9.69</td><td>32.06</td><td>300</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5456.34	42.97	54.00	-11.03	29.41	35.93	9.69	32.06	300	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5610.00</td><td>91.46</td><td>-----</td><td>-----</td><td>77.75</td><td>36.05</td><td>9.77</td><td>32.11</td><td>300</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5610.00	91.46	-----	-----	77.75	36.05	9.77	32.11	300									
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 5456.34	42.97	54.00	-11.03	29.41	35.93	9.69	32.06	300																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 5610.00	91.46	-----	-----	77.75	36.05	9.77	32.11	300																																																																											







Mode	135																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M 3_5250MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.00</td><td>63.05</td><td>74.00</td><td>-10.95</td><td>50.91</td><td>36.12</td><td>8.52</td><td>32.50</td><td>109</td><td>338</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5141.00	63.05	74.00	-10.95	50.91	36.12	8.52	32.50	109	338	PEAK	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>95.47</td><td>-----</td><td>-----</td><td>83.11</td><td>36.07</td><td>8.68</td><td>32.39</td><td>109</td><td>338</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	95.47	-----	-----	83.11	36.07	8.68	32.39	109	338	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5141.00	63.05	74.00	-10.95	50.91	36.12	8.52	32.50	109	338	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5250.00	95.47	-----	-----	83.11	36.07	8.68	32.39	109	338	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.00</td><td>49.51</td><td>54.00</td><td>-4.49</td><td>37.37</td><td>36.12</td><td>8.52</td><td>32.50</td><td>109</td><td>338</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5141.00	49.51	54.00	-4.49	37.37	36.12	8.52	32.50	109	338	AVERAGE	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>86.03</td><td>-----</td><td>-----</td><td>73.67</td><td>36.07</td><td>8.68</td><td>32.39</td><td>109</td><td>338</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	86.03	-----	-----	73.67	36.07	8.68	32.39	109	338	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5141.00	49.51	54.00	-4.49	37.37	36.12	8.52	32.50	109	338	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5250.00	86.03	-----	-----	73.67	36.07	8.68	32.39	109	338	AVERAGE																																																																																	



Mode	135										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M 3_5250MHz										
ANT	5+7										
Pol.	Horizontal										Fundamental
Peak											



Mode	135																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Puncturing 40M 3_5250MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Date: 2024-03-18 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.25</td><td>62.86</td><td>74.00</td><td>-11.14</td><td>50.72</td><td>36.12</td><td>8.52</td><td>32.50</td><td>400</td><td>252</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5141.25	62.86	74.00	-11.14	50.72	36.12	8.52	32.50	400	252	PEAK	 Date: 2024-03-18 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>97.00</td><td>-----</td><td>-----</td><td>84.50</td><td>36.05</td><td>8.81</td><td>32.36</td><td>400</td><td>252</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	97.00	-----	-----	84.50	36.05	8.81	32.36	400	252	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5141.25	62.86	74.00	-11.14	50.72	36.12	8.52	32.50	400	252	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5250.00	97.00	-----	-----	84.50	36.05	8.81	32.36	400	252	PEAK																																																																																	
Avg	 Date: 2024-03-18 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.25</td><td>50.35</td><td>54.00</td><td>-3.65</td><td>38.20</td><td>36.11</td><td>8.53</td><td>32.49</td><td>400</td><td>252</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5147.25	50.35	54.00	-3.65	38.20	36.11	8.53	32.49	400	252	AVERAGE	 Date: 2024-03-18 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>88.86</td><td>-----</td><td>-----</td><td>76.36</td><td>36.05</td><td>8.81</td><td>32.36</td><td>400</td><td>252</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	88.86	-----	-----	76.36	36.05	8.81	32.36	400	252	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5147.25	50.35	54.00	-3.65	38.20	36.11	8.53	32.49	400	252	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5250.00	88.86	-----	-----	76.36	36.05	8.81	32.36	400	252	AVERAGE																																																																																	



Mode	136																																																																																		
	Band Edge - L																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M ①_5570MHz																																																																																		
ANT	5+7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5413.80</td><td>63.85</td><td>74.00</td><td>-10.15</td><td>50.36</td><td>35.95</td><td>9.66</td><td>32.12 100 62 PEAK</td></tr><tr><td>2</td><td>5468.80</td><td>59.77</td><td>68.30</td><td>-8.53</td><td>46.20</td><td>35.92</td><td>9.69</td><td>32.04 100 62 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5413.80	63.85	74.00	-10.15	50.36	35.95	9.66	32.12 100 62 PEAK	2	5468.80	59.77	68.30	-8.53	46.20	35.92	9.69	32.04 100 62 PEAK	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>101.12</td><td>-----</td><td>87.43</td><td>36.02</td><td>9.75</td><td>32.08</td><td>100 62 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	101.12	-----	87.43	36.02	9.75	32.08	100 62 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5413.80	63.85	74.00	-10.15	50.36	35.95	9.66	32.12 100 62 PEAK																																																																											
2	5468.80	59.77	68.30	-8.53	46.20	35.92	9.69	32.04 100 62 PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5570.00	101.12	-----	87.43	36.02	9.75	32.08	100 62 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.00</td><td>49.60</td><td>54.00</td><td>-4.40</td><td>36.06</td><td>35.93</td><td>9.68</td><td>32.07 100 62 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5449.00	49.60	54.00	-4.40	36.06	35.93	9.68	32.07 100 62 AVERAGE	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>92.35</td><td>-----</td><td>78.69</td><td>35.99</td><td>9.74</td><td>32.07</td><td>100 62 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	92.35	-----	78.69	35.99	9.74	32.07	100 62 AVERAGE									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5449.00	49.60	54.00	-4.40	36.06	35.93	9.68	32.07 100 62 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5570.00	92.35	-----	78.69	35.99	9.74	32.07	100 62 AVERAGE																																																																											



Mode	136																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_ 802.11be EHT160 _CH114_Puncturing 40M ④_5570MHz																																							
ANT	5+7																																							
Pol.	Horizontal	Fundamental																																						
Peak	Date: 2024-03-18 <table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.78</td><td>58.68</td><td>68.30</td><td>-9.62</td><td>44.67</td><td>36.22</td><td>10.02</td><td>32.23</td><td>100</td><td>62</td><td>PEAK</td></tr></table> Blank	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.78	58.68	68.30	-9.62	44.67	36.22	10.02	32.23	100	62	PEAK
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5726.78	58.68	68.30	-9.62	44.67	36.22	10.02	32.23	100	62	PEAK																													



Mode	136																																																																																																							
	Band Edge - L																																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M ①_5570MHz																																																																																																							
ANT	5+7																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.28</td><td>63.05</td><td>74.00</td><td>-10.95</td><td>49.52</td><td>35.93</td><td>9.68</td><td>32.08</td><td>347</td><td>257</td><td>PEAK</td></tr><tr><td>2</td><td>5465.06</td><td>61.30</td><td>68.30</td><td>-7.00</td><td>47.74</td><td>35.92</td><td>9.69</td><td>32.05</td><td>347</td><td>257</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.28	63.05	74.00	-10.95	49.52	35.93	9.68	32.08	347	257	PEAK	2	5465.06	61.30	68.30	-7.00	47.74	35.92	9.69	32.05	347	257	PEAK	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>100.31</td><td>-----</td><td>-----</td><td>86.70</td><td>35.90</td><td>9.71</td><td>32.00</td><td>347</td><td>257</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	100.31	-----	-----	86.70	35.90	9.71	32.00	347	257	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5443.28	63.05	74.00	-10.95	49.52	35.93	9.68	32.08	347	257	PEAK																																																																																													
2	5465.06	61.30	68.30	-7.00	47.74	35.92	9.69	32.05	347	257	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5570.00	100.31	-----	-----	86.70	35.90	9.71	32.00	347	257	PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5442.84</td><td>49.68</td><td>54.00</td><td>-4.32</td><td>36.15</td><td>35.93</td><td>9.68</td><td>32.08</td><td>347</td><td>257</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.84	49.68	54.00	-4.32	36.15	35.93	9.68	32.08	347	257	AVERAGE	Level (dBuV/m) Date: 2024-03-18 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>90.45</td><td>-----</td><td>-----</td><td>76.84</td><td>35.91</td><td>9.71</td><td>32.01</td><td>347</td><td>257</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.45	-----	-----	76.84	35.91	9.71	32.01	347	257	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5442.84	49.68	54.00	-4.32	36.15	35.93	9.68	32.08	347	257	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5570.00	90.45	-----	-----	76.84	35.91	9.71	32.01	347	257	AVERAGE																																																																																													