

EXHIBIT 11**DETAILED DESCRIPTION OF THE MODULATION SYSTEM****Section 2.1033 (c)(13) DESCRIPTION OF THE DIGITAL MODULATION SYSTEM**

For equipment employing digital modulation techniques, a detailed description of the modulation system to be used, including the response characteristics (frequency, phase and amplitude) of any filters provided, and a description of the modulating wave train, shall be submitted for the maximum rated conditions under which the equipment will be operated.

Response

The subject of this application supports LTE radio access technology and an instantaneous bandwidth up to 180 MHz in the frequency band of 2496-2690MHz for AEHC Band 41.

The baseband signals are generated in BBU and provided to the radio through CPRI link. The digital modulation of the subject of this application was developed in accordance to the latest guidelines of the following standards:

3GPP TS 36.211: 3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Evolved Universal Terrestrial Radio Access (E-UTRA); Physical Channels and Modulation.

3GPP TS 36.141 3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) conformance testing

3GPP TS 36 104: E-UTRA Base Station (BS) radio transmission and reception. These Standards contain the description and specifications of the modulation used in this product.

3GPP TS 38.211: 3rd Generation Partnership Project; Technical Specification Group Radio Access Network; NR; Physical channels and modulation

3GPP TS 38.141 3rd Generation Partnership Project; Technical Specification Group Radio Access Network; NR; Base Station (BS) conformance testing

3GPP TS 38 104: 3rd Generation Partnership Project; Technical Specification Group Radio Access Network; NR; Base Station (BS) radio transmission and reception

Additional information is in Exhibit 6 of this application.