

APPENDIX 3: Photographs of test setup

Radiated Spurious Emission




Photo 1




Photo 2

UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999


Facsimile : +81 596 24 8124

Worst Case Position
(Module / Antenna WA)


Above 1GHz : (Horizontal: X-axis/ Vertical:Z-axis)

Below 1GHz : (Horizontal: X-axis/ Vertical:X-axis)


X-axis



Y-axis



Z-axis



UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN


Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124


Worst Case Position
(Antenna WC)

Above 1GHz : (Horizontal: Y-axis/ Vertical:Y-axis)
Below 1GHz : (Horizontal: X-axis/ Vertical:X-axis)


X-axis




Y-axis



Z-axis



Test Configuration and peripherals



* Cabling and setup were taken into consideration and test data was taken under worse case conditions.

Description of EUT and Support equipment

No	Item	Model number	Serial number	Manufacturer	Remarks
A	Wireless communication module	AW-CB262	4099222E4157	Sony Interactive Entertainment	EUT
B	IFA Antenna	- (PWB Printed Antenna)	*1)	Sony Interactive Entertainment	EUT
C	IFA Antenna	- (PWB Printed Antenna)	*1)	Sony Interactive Entertainment	EUT
D	PIFA Antenna	2327815	*1)	TE Connectivity	EUT
E	Jig	-	No.2	Sony Interactive Entertainment	-

*1) This item is controlled with A: Wireless communication module.

List of cables used

No	Name	Length (m)	Shield		Remarks
			Cable	Connector	
1	Antenna Cable	0.33	Shielded	Shielded	-
2	DC + Signal Cable	0.4	Unshielded	Unshielded	-
3	DC Cable	2.2	Unshielded	Unshielded	-

End of Report

UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124