




11.3. APPENDIX C: MIN EMISSION BANDWIDTH 11.3.1. Test Result


Test Mode	Antenna	Channel	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
	Ant1	5745	16.56	5736.72	5753.28	0.5	PASS
	Ant4	5745	16.40	5736.80	5753.20	0.5	PASS
44A CDD	Ant1	5785	16.36	5776.80	5793.16	0.5	PASS
11A-CDD	Ant4	5785	16.36	5776.80	5793.16	0.5	PASS
	Ant1	5825	16.32	5816.80	5833.12	0.5	PASS
	Ant4	5825	16.60	5816.68	5833.28	0.5	PASS
	Ant1	5745	19.00	5735.48	5754.48	0.5	PASS
	Ant4	5745	18.92	5735.52	5754.44	0.5	PASS
11AX20MIMO	Ant1	5785	19.08	5775.48	5794.56	0.5	PASS
TTAXZUIVIIIVIO	Ant4	5785	18.76	5775.64	5794.40	0.5	PASS
	Ant1	5825	18.76	5815.52	5834.28	0.5	PASS
	Ant4	5825	19.08	5815.40	5834.48	0.5	PASS
	Ant1	5755	38.08	5735.96	5774.04	0.5	PASS
11AX40MIMO	Ant4	5755	38.24	5735.88	5774.12	0.5	PASS
11AA40IVIIIVIO	Ant1	5795	38.00	5776.04	5814.04	0.5	PASS
	Ant4	5795	38.08	5775.88	5813.96	0.5	PASS
11AX80MIMO	Ant1	5775	78.08	5735.96	5814.04	0.5	PASS
TTAXOUIVIIIVIO	Ant4	5775	78.08	5735.96	5814.04	0.5	PASS
	Ant1	5745	19.20	5735.40	5754.60	0.5	PASS
	Ant4	5745	18.92	5735.56	5754.48	0.5	PASS
11BE20MIMO	Ant1	5785	19.12	5775.44	5794.56	0.5	PASS
I I DEZUIVIIIVIO	Ant4	5785	19.04	5775.44	5794.48	0.5	PASS
	Ant1	5825	18.88	5815.48	5834.36	0.5	PASS
	Ant4	5825	19.08	5815.44	5834.52	0.5	PASS
	Ant1	5755	38.24	5735.88	5774.12	0.5	PASS
11BE40MIMO	Ant4	5755	37.84	5736.12	5773.96	0.5	PASS
I I DE4UIVIIIVIU	Ant1	5795	38.16	5775.88	5814.04	0.5	PASS
	Ant4	5795	38.08	5775.88	5813.96	0.5	PASS
11BE80MIMO	Ant1	5775	78.08	5735.96	5814.04	0.5	PASS
TIBEOUVIIVIO	Ant4	5775	76.80	5736.44	5813.24	0.5	PASS




11.3.2. Test Graphs














































REPORT NO.: 4790818590-1-RF-2

Page 268 of 324

11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER 11.4.1. Test Result For FCC

Test Mode	Antenna	Channel	Power	FCC Limit	Verdict
rest Mode			[dBm]	[dBm]	
	Ant1	5180	19.71		PASS
	Ant4	5180	18.89	n] [dBm] 1 ≤30.00 9 ≤30.00 3 ≤30.00 3 ≤30.00 0 ≤30.00 8 ≤30.00 5 ≤30.00 9 ≤30.00 9 ≤30.00 7 ≤30.00 7 ≤30.00 7 ≤30.00 6 ≤30.00 1 ≤30.00 1 ≤30.00 1 ≤30.00 1 ≤30.00 2 ≤30.00 1 ≤30.00 1 ≤30.00 1 ≤30.00 1 ≤30.00 7 ≤30.00 7 ≤30.00 1 ≤30.00 1 ≤30.00 1 ≤30.00 1 ≤30.00 7 ≤30.00 7 ≤30.00 7 ≤30.00 7 ≤30.00 7 ≤30.00 7 ≤30.00 7 ≤30.00 7 ≤30.00 7 ≤30.00 1 ≤30.00 1 ≤30.00 1 ≤30.00 2 ≤30.00 1 ≤30.00 9 ≤30.00 6 ≤30.00 9 ≤30.00 9 ≤30.00 1 ≤30.00 9 ≤30.00 1 ≤30.00 9 ≤30.00 1 ≤30.00 9 ≤30.00 1 ≤30.00	PASS
	total	5180	22.33		PASS
	Ant1	5200	19.83		PASS
	Ant4	5200	19.50		PASS
	total	5200	22.68		PASS
	Ant1	5240	20.85		PASS
	Ant4	5240		Bm] [dBm] 0.71 ≤30.00 3.89 ≤30.00 2.33 ≤30.00 2.68 ≤30.00 2.68 ≤30.00 2.68 ≤30.00 2.68 ≤30.00 3.78 ≤30.00 3.79 ≤30.00 3.72 ≤30.00 3.87 ≤30.00 3.87 ≤30.00 3.87 ≤30.00 3.87 ≤30.00 3.94 ≤30.00 3.94 ≤30.00 3.95 ≤30.00 3.57 ≤30.00 3.57 ≤30.00 3.57 ≤30.00 3.57 ≤30.00 3.59 ≤30.00 3.59 ≤30.00 3.59 ≤30.00 3.66 ≤30.00 3.69 ≤30.00 3.27 ≤30.00 3.27 ≤30.00 3.27 ≤30.00 3.27 ≤30.00 3.44	PASS
11A-CDD	total	5240			PASS
	Ant1	5745 5745			PASS
	Ant4	5745 5745			PASS PASS
	total				PASS
	Ant1 Ant4	5785 5785			PASS
	total	5785			PASS
	Ant1	5825			PASS
	Ant4	5825	23.94		PASS
!	total	5825	27.01		PASS
	Ant1	5180	20.98		PASS
	Ant4	5180	20.09		PASS
	total	5180	23.57		PASS
	Ant1	5200	21.57		PASS
	Ant4	5200	21.23		PASS
	total	5200	24.41		PASS
	Ant1	5240	21.72		PASS
	Ant4	5240	21.58		PASS
444700041040	total	5240	24.66		PASS
11AX20MIMO	Ant1	5745	23.59	≤30.00	PASS
	Ant4	5745	26.26	≤30.00	PASS
	total	5745	28.14	≤30.00	PASS
	Ant1	5785	24.09	≤30.00	PASS
	Ant4	5785	26.18		PASS
	total	5785	28.27		PASS
	Ant1	5825	24.03	≤30.00	PASS
	Ant4	5825	24.52		PASS
	total	5825	27.29		PASS
	Ant1	5190	19.05		PASS
	Ant4	5190	18.27		PASS
	total	5190	21.69		PASS
	Ant1	5230	20.44		PASS
	Ant4	5230	20.38	≤30.00 ≤30.00	PASS
11AX40MIMO	total	5230	23.42		PASS
1	Ant1	5755	23.74		PASS
	Ant4	5755	26.52		PASS
	total	5755	28.36		PASS
!	Ant1	5795	25.49		PASS
!	Ant4	5795 5705	26.25		PASS
-	total	5795 5210	28.90		PASS
	Ant1	5210 5210	17.70		PASS PASS
!	Ant4	5210 5210	17.28 20.51		PASS
11AX80MIMO	total	5775	21.54		PASS
!	Ant1	5775 5775	20.99		PASS
	Ant4 total	5775 5775	20.99		PASS
					- H.3.3



			1	I	
	Ant4	5180	19.26	≤30.00	PASS
	total	5180	22.73	≤30.00	PASS
	Ant1	5200	20.01	≤30.00	PASS
	Ant4	5200	19.74	≤30.00	PASS
	total	5200	22.89	≤30.00	PASS
	Ant1	5240	21.60	≤30.00	PASS
	Ant4	5240	21.44	≤30.00	PASS
	total	5240	24.53	≤30.00	PASS
	Ant1	5745	24.26	≤30.00	PASS
	Ant4	5745	26.75	≤30.00	PASS
	total	5745	28.69	≤30.00	PASS
	Ant1	5785	24.62	≤30.00	PASS
	Ant4	5785	26.56	≤30.00	PASS
	total	5785	28.71	≤30.00	PASS
	Ant1	5825	24.88	≤30.00	PASS
	Ant4	5825	25.08	≤30.00	PASS
	total	5825	27.99	≤30.00	PASS
	Ant1	5190	18.38	≤30.00	PASS
	Ant4	5190	17.82	≤30.00	PASS
	total	5190	21.12	≤30.00	PASS
	Ant1	5230	20.85	≤30.00	PASS
	Ant4	5230	20.80	≤30.00	PASS
14BE40MIMO	total	5230	23.84	≤30.00	PASS
11BE40MIMO	Ant1	5755	23.72	≤30.00	PASS
	Ant4	5755	27.02	≤30.00	PASS
	total	5755	28.69	≤30.00	PASS
	Ant1	5795	25.26	≤30.00	PASS
	Ant4	5795	26.44	≤30.00	PASS
	total	5795	28.90	≤30.00	PASS
	Ant1	5210	17.89	≤30.00	PASS
	Ant4	5210	17.52	≤30.00	PASS
44050004040	total	5210	20.72	≤30.00	PASS
11BE80MIMO	Ant1	5775	21.78	≤30.00	PASS
	Ant4	5775	21.24	≤30.00	PASS
	total	5775	24.53	≤30.00	PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

^{2.} The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.



11.4.2. Test Result For ISED

11.4.2. 1631				1055			
Test Mode	Antenna	Channel	Power [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
	Ant1	5180	11.90		14.90	≤22.45	PASS
	Ant4	5180	11.88		14.88	≤22.39	PASS
	total	5180	14.90		17.90	≤22.39	PASS
	Ant1	5200	11.84		14.84	≤22.47	PASS
	Ant4	5200	11.68		14.68	≤22.40	PASS
	total	5200	14.77		17.77	≤22.40	PASS
	Ant1	5240	11.24		14.24	≤22.47	PASS
	Ant4	5240	12.03		15.03	≤22.39	PASS
444.000	total	5240	14.66		17.66	≤22.39	PASS
11A-CDD	Ant1	5745	23.79	≤30.00	26.79		PASS
	Ant4	5745	25.72	≤30.00	28.72		PASS
	total	5745	27.87	≤30.00	30.87		PASS
	Ant1	5785	23.97	≤30.00	26.97		PASS
	Ant4	5785	25.87	≤30.00	28.87		PASS
	total	5785	28.03	≤30.00	31.03		PASS
	Ant1	5825	24.06	≤30.00	27.06		PASS
	Ant4	5825	23.94	≤30.00	26.94		PASS
	total	5825	27.01	≤30.00	30.01		PASS
	Ant1	5180	12.32		15.32	≤22.91	PASS
	Ant4	5180	12.35		15.35	≤22.88	PASS
	total	5180	15.35		18.35	≤22.88	PASS
	Ant1	5200	12.26		15.26	≤22.88	PASS
	Ant4	5200	12.18		15.18	≤22.87	PASS
	total	5200	15.23		18.23	≤22.87	PASS
	Ant1	5240	12.14		15.14	≤22.88	PASS
	Ant4	5240	12.76		15.76	≤22.87	PASS
	total	5240	15.47		18.47	≤22.87	PASS
11AX20MIMO	Ant1	5745	23.59	≤30.00	26.59		PASS
	Ant4	5745	26.26	≤30.00	29.26		PASS
	total	5745	28.14	≤30.00	31.14		PASS
	Ant1	5785	24.09	≤30.00	27.09		PASS
	Ant4	5785	26.18	≤30.00	29.18		PASS
	total	5785	28.27	≤30.00	31.27		PASS
	Ant1	5825	24.03	≤30.00	27.03		PASS
	Ant4	5825	24.52	≤30.00	27.52		PASS
	total	5825	27.29	≤30.00	30.29		PASS
	Ant1	5190	15.26		18.26	≤23.00	PASS
	Ant4	5190	15.17		18.17	≤23.00	PASS
	total	5190	18.23		21.23	≤23.00	PASS
	Ant1	5230	15.09		18.09	≤23.00	PASS
	Ant4	5230	15.34		18.34	≤23.00	PASS
	total	5230	18.23		21.23	≤23.00	PASS
11AX40MIMO	Ant1	5755	23.74	≤30.00	26.74		PASS
	Ant4	5755	26.52	≤30.00	29.52		PASS
	total	5755	28.36	≤30.00	31.36		PASS
	Ant1	5795	25.49	≤30.00	28.49		PASS
	Ant4	5795	26.25	≤30.00	29.25		PASS
	total	5795	28.90	≤30.00	31.90		PASS
	Ant1	5210	16.47		19.47	≤23.00	PASS
	Ant4	5210	16.81		19.81	≤23.00	PASS
	total	5210	19.65		22.65	≤23.00	PASS
11AX80MIMO	Ant1	5775	21.54	≤30.00	24.54		PASS
11AX80MIMO		0110	_				PASS
11AX80MIMO		5775	20 00	<.30.00	/ X uu		
11AX80MIMO	Ant4	5775 5775	20.99	≤30.00 ≤30.00	23.99		
11AX80MIMO		5775 5775 5180	20.99 24.28 12.07	≤30.00 ≤30.00	27.28 15.07	 ≤22.89	PASS PASS



	total	5180	15.01		18.01	≤22.88	PASS
	Ant1	5200	12.49		15.49	≤22.88	PASS
	Ant4	5200	12.31		15.31	≤22.96	PASS
	total	5200	15.41		18.41	≤22.88	PASS
	Ant1	5240	12.11		15.11	≤22.93	PASS
	Ant4	5240	12.66		15.66	≤22.89	PASS
	total	5240	15.40		18.40	≤22.89	PASS
	Ant1	5745	24.26	≤30.00	27.26		PASS
	Ant4	5745	26.75	≤30.00	29.75		PASS
	total	5745	28.69	≤30.00	31.69		PASS
	Ant1	5785	24.62	≤30.00	27.62		PASS
	Ant4	5785	26.56	≤30.00	29.56		PASS
	total	5785	28.71	≤30.00	31.71		PASS
	Ant1	5825	24.88	≤30.00	27.88		PASS
	Ant4	5825	25.08	≤30.00	28.08		PASS
	total	5825	27.99	≤30.00	30.99		PASS
	Ant1	5190	14.92		17.92	≤23.00	PASS
	Ant4	5190	15.03		18.03	≤23.00	PASS
	total	5190	17.99		20.99	≤23.00	PASS
	Ant1	5230	14.85		17.85	≤23.00	PASS
	Ant4	5230	15.21		18.21	≤23.00	PASS
11BE40MIMO	total	5230	18.04		21.04	≤23.00	PASS
I I BE40IVIIIVIO	Ant1	5755	23.72	≤30.00	26.72		PASS
	Ant4	5755	27.02	≤30.00	30.02		PASS
	total	5755	28.69	≤30.00	31.69		PASS
	Ant1	5795	25.26	≤30.00	28.26		PASS
	Ant4	5795	26.44	≤30.00	29.44		PASS
	total	5795	28.90	≤30.00	31.90		PASS
	Ant1	5210	16.53		19.53	≤23.00	PASS
	Ant4	5210	16.89		19.89	≤23.00	PASS
11BE80MIMO	total	5210	19.72		22.72	≤23.00	PASS
TIDEOUNIINO	Ant1	5775	21.78	≤30.00	24.78		PASS
	Ant4	5775	21.24	≤30.00	24.24		PASS
	total	5775	24.53	≤30.00	27.53		PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

^{2.} The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

REPORT NO.: 4790818590-1-RF-2 Page 272 of 324

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY 11.5.1. Test Result For FCC

Test Mode	Antenna	Channel	Power [dBm/MHz]	Limit [dBm/MHz]	Verdict
	Ant1	5180	8.7	≤17.00	PASS
	Ant4	5180	7.75	≤17.00	PASS
	total	5180	11.26	≤17.00	PASS
	Ant1	5200	8.79	≤17.00	PASS
	Ant4	5200	8.41	≤17.00	PASS
	total	5200		≤17.00	PASS
	Ant1	5240	9.64	MHz	PASS
	Ant4	5240			PASS
11A-CDD	total	5240		≤17.00	PASS
TIA-CDD	Ant1	5745	9.63	≤30.00	PASS
	Ant4	5745	11.54	≤30.00	PASS
	total	5745		≤30.00	PASS
	Ant1	5785	9.92		PASS
	Ant4	5785	11.94		PASS
	total	5785	14.06	≤30.00	PASS
	Ant1	5825	10	≤30.00	PASS
	Ant4	5825		≤30.00	PASS
	total	5825			PASS
	Ant1	5180	9.47		PASS
	Ant4	5180	8.4	≤17.00	PASS
	total	5180	11.98	≤17.00	PASS
	Ant1	5200	10.06	≤17.00	PASS
	Ant4	5200	9.47	[dBm/MHz] ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤17.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤17.00 ≤30.00	PASS
	total	5200	12.79		PASS
	Ant1	5240	10.05	≤17.00	PASS
	Ant4	5240	9.8	≤17.00	PASS
444700041040	total	5240	12.94	≤17.00	PASS
11AX20MIMO	Ant1	5745	9.27	≤17.00 ≤17.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤17.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤31.00	PASS
	Ant4	5745	11.54	≤30.00	PASS
	total	5745	13.56	≤29.99	PASS
	Ant1	5785	9.47	≤30.00	PASS
	Ant4	5785	11.47	≤30.00	PASS
	total	5785	13.59	≤30.00	PASS
	Ant1	5825	9.6	≤30.00	PASS
	Ant4	5825	10.16	≤30.00	PASS
	total	5825	12.90	≤30.00	PASS
	Ant1	5190	4.56	≤17.00	PASS
	Ant4	5190		≤17.00	PASS
	total	5190	7.10	≤17.00	PASS
	Ant1	5230	1		PASS
	Ant4	5230	5.61	≤17.00	PASS
44 4 7 40 8 4 1 8 4 0	total	5230			PASS
11AX40MIMO	Ant1	5755	6.04		PASS
	Ant4	5755	8.85		PASS
	total	5755	10.68	≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00	PASS
	Ant1	5795	7.91		PASS
	Ant4	5795	9.12		PASS
	total	5795	11.57	≤30.00	PASS
	Ant1	5210	0.24		PASS
	Ant4	5210	-0.53		PASS
4.4.4.1/0.5.1.1.5	total	5210	2.88	[dBm/MHz] ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤17.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤17.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤17.00 ≤30.00	PASS
11AX80MIMO	Ant1	5775	0.91		PASS
	Ant4	5775	0.66		PASS
	total	5775	3.80		PASS



Γ	A 14	5400	0.0	447.00	D400
	Ant1	5180	8.2	≤17.00	PASS
	Ant4	5180	7.53	≤17.00	PASS
	total	5180	10.89	≤17.00	PASS
	Ant1	5200	8.64	≤17.00	PASS
	Ant4	5200	8.04	≤17.00	PASS
	total	5200	11.36	≤17.00	PASS
	Ant1	5240	10.14	≤17.00	PASS
	Ant4	5240	9.65	≤17.00	PASS
11BE20MIMO	total	5240	12.91	≤17.00	PASS
TIBEZOWIIVIO	Ant1	5745	9.77	≤30.00	PASS
	Ant4	5745	11.95	≤30.00	PASS
	total	5745	14.01	≤30.00	PASS
	Ant1	5785	9.77	≤30.00	PASS
	Ant4	5785	11.78	≤30.00	PASS
	total	5785	13.90	≤30.00	PASS
	Ant1	5825	10.49	≤30.00	PASS
	Ant4	5825	10.97	≤30.00	PASS
	total	5825	13.75	≤30.00	PASS
	Ant1	5190	4.1	≤17.00	PASS
	Ant4	5190	2.98	≤17.00	PASS
	total	5190	6.59	≤17.00	PASS
	Ant1	5230	6.33	≤17.00	PASS
	Ant4	5230	6.05	≤17.00	PASS
44554044140	total	5230	9.20	≤17.00	PASS
11BE40MIMO	Ant1	5755	6.14	≤30.00	PASS
	Ant4	5755	9.27	≤30.00	PASS
	total	5755	10.99	≤30.00	PASS
	Ant1	5795	7.78	≤30.00	PASS
	Ant4	5795	8.88	≤30.00	PASS
	total	5795	11.38	≤29.99	PASS
	Ant1	5210	0.63	≤17.00	PASS
	Ant4	5210	-0.17	≤17.00	PASS
44050044146	total	5210	3.26	≤17.00	PASS
11BE80MIMO	Ant1	5775	1.44	≤30.00	PASS
	Ant4	5775	0.84	≤30.00	PASS
			4.16	≤30.00	PASS

Note: 1. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.



11.5.2. Test Graphs For FCC

