















Mode	23																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.70</td><td>52.26</td><td>74.00</td><td>-21.74</td><td>43.90</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>309</td><td>167</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.70	52.26	74.00	-21.74	43.90	34.40	10.61	36.65	0.00	309	167	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.34</td><td>-----</td><td>-----</td><td>102.92</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>309</td><td>167</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.34	-----	-----	102.92	34.42	10.63	36.63	0.00	309	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.70	52.26	74.00	-21.74	43.90	34.40	10.61	36.65	0.00	309	167	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	111.34	-----	-----	102.92	34.42	10.63	36.63	0.00	309	167	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.20</td><td>41.30</td><td>54.00</td><td>-12.70</td><td>32.97</td><td>34.40</td><td>10.60</td><td>36.67</td><td>0.00</td><td>309</td><td>167</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.20	41.30	54.00	-12.70	32.97	34.40	10.60	36.67	0.00	309	167	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.63</td><td>-----</td><td>-----</td><td>94.21</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>309</td><td>167</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.63	-----	-----	94.21	34.42	10.63	36.63	0.00	309	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5141.20	41.30	54.00	-12.70	32.97	34.40	10.60	36.67	0.00	309	167	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	102.63	-----	-----	94.21	34.42	10.63	36.63	0.00	309	167	AVERAGE																																																																																							







Mode	24																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																						
ANT	STBC 1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>39.58</td><td>34.62</td><td>10.76</td><td>36.33</td><td>0.00</td><td>112</td><td>334</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5379.00	48.63	74.00	-25.37	39.58	34.62	10.76	36.33	0.00	112	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5379.00	48.63	74.00	-25.37	39.58	34.62	10.76	36.33	0.00	112	334	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.82</td><td>-----</td><td>-----</td><td>92.92</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>112</td><td>334</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.82	-----	-----	92.92	34.57	10.73	36.40	0.00	112	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	101.82	-----	-----	92.92	34.57	10.73	36.40	0.00	112	334	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.70</td><td>38.50</td><td>54.00</td><td>-15.50</td><td>29.42</td><td>34.63</td><td>10.77</td><td>36.32</td><td>0.00</td><td>112</td><td>334</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.70	38.50	54.00	-15.50	29.42	34.63	10.77	36.32	0.00	112	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5385.70	38.50	54.00	-15.50	29.42	34.63	10.77	36.32	0.00	112	334	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.63</td><td>-----</td><td>-----</td><td>87.73</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>112</td><td>334</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.63	-----	-----	87.73	34.57	10.73	36.40	0.00	112	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	96.63	-----	-----	87.73	34.57	10.73	36.40	0.00	112	334	AVERAGE																																											







		24																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																																																																	
ANT	STBC 1+2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.80</td><td>49.91</td><td>74.00</td><td>-24.09</td><td>40.94</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>174</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.80	49.91	74.00	-24.09	40.94	34.59	10.75	36.37	0.00	100	174	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>108.54</td><td>-----</td><td>-----</td><td>99.64</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>100</td><td>174</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.54	-----	-----	99.64	34.57	10.73	36.40	0.00	100	174
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5351.80	49.91	74.00	-24.09	40.94	34.59	10.75	36.37	0.00	100	174	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	108.54	-----	-----	99.64	34.57	10.73	36.40	0.00	100	174	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.50</td><td>39.98</td><td>54.00</td><td>-14.02</td><td>30.99</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>100</td><td>174</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.50	39.98	54.00	-14.02	30.99	34.60	10.75	36.36	0.00	100	174	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.13</td><td>-----</td><td>-----</td><td>92.23</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>100</td><td>174</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.13	-----	-----	92.23	34.57	10.73	36.40	0.00	100	174
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5356.50	39.98	54.00	-14.02	30.99	34.60	10.75	36.36	0.00	100	174	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	101.13	-----	-----	92.23	34.57	10.73	36.40	0.00	100	174	AVERAGE																																																																																						



		25																																																																																																
Mode		Band Edge																																																																																																
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																																																
ANT		STBC 1+2																																																																																																
Pol.		Horizontal					Fundamental																																																																																											
Peak																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.72	48.77	74.00	-25.23	39.54	34.67	10.81	36.25	0.00	153	0 PEAK	2	5465.36	48.50	68.20	-19.70	39.16	34.70	10.85	36.21	0.00	153	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.79</td><td>-----</td><td>-----</td><td>98.35</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>153</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.79	-----	-----	98.35	34.73	10.88	36.17	0.00	153
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5432.72	48.77	74.00	-25.23	39.54	34.67	10.81	36.25	0.00	153	0 PEAK																																																																																							
2	5465.36	48.50	68.20	-19.70	39.16	34.70	10.85	36.21	0.00	153	0 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	107.79	-----	-----	98.35	34.73	10.88	36.17	0.00	153	0 PEAK																																																																																							
Avg																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	39.02	54.00	-14.98	29.71	34.69	10.84	36.22	0.00	153	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>98.79</td><td>-----</td><td>-----</td><td>89.35</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>153</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.79	-----	-----	89.35	34.73	10.88	36.17	0.00	153	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.20	39.02	54.00	-14.98	29.71	34.69	10.84	36.22	0.00	153	0 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	98.79	-----	-----	89.35	34.73	10.88	36.17	0.00	153	0 AVERAGE																																																																																							






Mode	25																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																																																																																		
ANT	STBC 1+2																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5436.72</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>40.23</td><td>34.67</td><td>10.81</td><td>36.25</td><td>0.00</td><td>283</td><td>39 PEAK</td></tr><tr><td>2</td><td>5465.68</td><td>49.78</td><td>68.20</td><td>-18.42</td><td>40.44</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>283</td><td>39 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5436.72	49.46	74.00	-24.54	40.23	34.67	10.81	36.25	0.00	283	39 PEAK	2	5465.68	49.78	68.20	-18.42	40.44	34.70	10.85	36.21	0.00	283	39 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.13</td><td>-----</td><td>-----</td><td>99.69</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>283</td><td>39 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	109.13	-----	-----	99.69	34.73	10.88	36.17	0.00	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5436.72	49.46	74.00	-24.54	40.23	34.67	10.81	36.25	0.00	283	39 PEAK																																																																																																																								
2	5465.68	49.78	68.20	-18.42	40.44	34.70	10.85	36.21	0.00	283	39 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5500.00	109.13	-----	-----	99.69	34.73	10.88	36.17	0.00	283	39 PEAK																																																																																																																								
Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>40.00</td><td>54.00</td><td>-14.00</td><td>30.68</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>283</td><td>39 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.44	40.00	54.00	-14.00	30.68	34.70	10.84	36.22	0.00	283	39 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.54</td><td>-----</td><td>-----</td><td>92.10</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>283</td><td>39 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	101.54	-----	-----	92.10	34.73	10.88	36.17	0.00	283	39 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5459.44	40.00	54.00	-14.00	30.68	34.70	10.84	36.22	0.00	283	39 AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5500.00	101.54	-----	-----	92.10	34.73	10.88	36.17	0.00	283	39 AVERAGE																																																																																																																								







Mode	26																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																										
ANT	STBC 1+2																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5764.52</td><td>49.03</td><td>68.20</td><td>-19.17</td><td>40.73</td><td>34.98</td><td>11.23</td><td>37.91</td><td>0.00</td><td>112</td><td>355</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5764.52	49.03	68.20	-19.17	40.73	34.98	11.23	37.91	0.00	112	355	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.12</td><td>-----</td><td>-----</td><td>97.09</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>112</td><td>355</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	106.12	-----	-----	97.09	34.93	11.16	37.06	0.00	112	355	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5764.52	49.03	68.20	-19.17	40.73	34.98	11.23	37.91	0.00	112	355	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5700.00	106.12	-----	-----	97.09	34.93	11.16	37.06	0.00	112	355	PEAK																																																																															
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.35</td><td>-----</td><td>-----</td><td>89.32</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>112</td><td>355</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	98.35	-----	-----	89.32	34.93	11.16	37.06	0.00	112	355	AVERAGE																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5700.00	98.35	-----	-----	89.32	34.93	11.16	37.06	0.00	112	355	AVERAGE																																																																															







Mode	26																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5729.88</td><td>51.11</td><td>68.20</td><td>-17.09</td><td>42.35</td><td>34.95</td><td>11.18</td><td>37.37</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.88	51.11	68.20	-17.09	42.35	34.95	11.18	37.37	0.00	100	159	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>108.87</td><td>-----</td><td>-----</td><td>99.84</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	108.87	-----	-----	99.84	34.93	11.16	37.06	0.00	100	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5729.88	51.11	68.20	-17.09	42.35	34.95	11.18	37.37	0.00	100	159	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	108.87	-----	-----	99.84	34.93	11.16	37.06	0.00	100	159	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.17</td><td>-----</td><td>-----</td><td>92.14</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>100</td><td>159</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.17	-----	-----	92.14	34.93	11.16	37.06	0.00	100	159	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	101.17	-----	-----	92.14	34.93	11.16	37.06	0.00	100	159	AVERAGE																																																																																							







		27																																																																																										
Mode		Band Edge																																																																																										
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz																																																																																										
ANT		STBC 1+2																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.60	50.54	74.00	-23.46	42.31	34.37	10.57	36.71	0.00	100	352	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.83</td><td>-----</td><td>-----</td><td>96.41</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.83	-----	-----	96.41	34.42	10.63	36.63	0.00	100	352
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5139.60	50.54	74.00	-23.46	42.31	34.37	10.57	36.71	0.00	100	352	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	104.83	-----	-----	96.41	34.42	10.63	36.63	0.00	100	352	PEAK																																																																																
Avg																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.60	39.52	54.00	-14.48	31.20	34.39	10.60	36.67	0.00	100	352	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.83</td><td>-----</td><td>-----</td><td>87.38</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>100</td><td>352</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.83	-----	-----	87.38	34.43	10.64	36.62	0.00	100	352
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5139.60	39.52	54.00	-14.48	31.20	34.39	10.60	36.67	0.00	100	352	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	95.83	-----	-----	87.38	34.43	10.64	36.62	0.00	100	352	AVERAGE																																																																																



		27																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.60</td><td>52.90</td><td>74.00</td><td>-21.10</td><td>44.58</td><td>34.39</td><td>10.60</td><td>36.67</td><td>0.00</td><td>290</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.60	52.90	74.00	-21.10	44.58	34.39	10.60	36.67	0.00	290	168	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>111.60</td><td>-----</td><td>-----</td><td>103.18</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>290</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.60	-----	-----	103.18	34.42	10.63	36.63	0.00	290	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5138.60	52.90	74.00	-21.10	44.58	34.39	10.60	36.67	0.00	290	168	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	111.60	-----	-----	103.18	34.42	10.63	36.63	0.00	290	168	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.40</td><td>42.56</td><td>54.00</td><td>-11.44</td><td>34.20</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>290</td><td>168</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.40	42.56	54.00	-11.44	34.20	34.40	10.61	36.65	0.00	290	168	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>102.94</td><td>-----</td><td>-----</td><td>94.52</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>290</td><td>168</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.94	-----	-----	94.52	34.42	10.63	36.63	0.00	290	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.40	42.56	54.00	-11.44	34.20	34.40	10.61	36.65	0.00	290	168	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	102.94	-----	-----	94.52	34.42	10.63	36.63	0.00	290	168	AVERAGE																																																																																							







Mode	28																																																					
	Band Edge																																																					
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz																																																					
ANT	STBC 1+2																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.80</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>39.60</td><td>34.61</td><td>10.76</td><td>36.35</td><td>0.00</td><td>100</td><td>1 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.80	48.62	74.00	-25.38	39.60	34.61	10.76	36.35	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5367.80	48.62	74.00	-25.38	39.60	34.61	10.76	36.35	0.00	100	1 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.21</td><td>-----</td><td>-----</td><td>96.31</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>100</td><td>1 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.21	-----	-----	96.31	34.57	10.73	36.40	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	105.21	-----	-----	96.31	34.57	10.73	36.40	0.00	100	1 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>39.16</td><td>54.00</td><td>-14.84</td><td>30.19</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>1 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	39.16	54.00	-14.84	30.19	34.59	10.75	36.37	0.00	100	1 AVERAGE				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.00	39.16	54.00	-14.84	30.19	34.59	10.75	36.37	0.00	100	1 AVERAGE																																											
																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.68</td><td>-----</td><td>-----</td><td>88.78</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>100</td><td>1 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.68	-----	-----	88.78	34.57	10.73	36.40	0.00	100	1 AVERAGE					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	97.68	-----	-----	88.78	34.57	10.73	36.40	0.00	100	1 AVERAGE																																											







		28																																										
Mode		Band Edge																																										
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz																																										
ANT		STBC 1+2																																										
Pol.		Fundamental																																										
Peak	Vertical																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.50</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>42.37</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.50	51.34	74.00	-22.66	42.37	34.59	10.75	36.37	0.00	100	177
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5351.50	51.34	74.00	-22.66	42.37	34.59	10.75	36.37	0.00	100	177	PEAK																																
Avg	Vertical																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>42.01</td><td>54.00</td><td>-11.99</td><td>33.04</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>177</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	42.01	54.00	-11.99	33.04	34.59	10.75	36.37	0.00	100	177
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5350.00	42.01	54.00	-11.99	33.04	34.59	10.75	36.37	0.00	100	177	AVERAGE																																
Peak	Fundamental																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>108.35</td><td>-----</td><td>-----</td><td>99.45</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.35	-----	-----	99.45	34.57	10.73	36.40	0.00	100	177
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5320.00	108.35	-----	-----	99.45	34.57	10.73	36.40	0.00	100	177	PEAK																																
Avg	Fundamental																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>101.89</td><td>-----</td><td>-----</td><td>93.01</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>177</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.89	-----	-----	93.01	34.56	10.73	36.41	0.00	100	177
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5320.00	101.89	-----	-----	93.01	34.56	10.73	36.41	0.00	100	177	AVERAGE																																






		29																																																																		
Mode	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																			
ANT	STBC 1+2																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5397.36</td><td>50.31</td><td>74.00</td><td>-23.69</td><td>41.20</td><td>34.64</td><td>10.77</td><td>36.30</td><td>0.00</td><td>113</td><td>338</td><td>PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>50.60</td><td>68.20</td><td>-17.60</td><td>41.25</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>113</td><td>338</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.36	50.31	74.00	-23.69	41.20	34.64	10.77	36.30	0.00	113	338	PEAK	2	5469.04	50.60	68.20	-17.60	41.25	34.70	10.85	36.20	0.00	113	338	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5397.36	50.31	74.00	-23.69	41.20	34.64	10.77	36.30	0.00	113	338	PEAK																																																								
2	5469.04	50.60	68.20	-17.60	41.25	34.70	10.85	36.20	0.00	113	338	PEAK																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.40</td><td>-----</td><td>-----</td><td>99.96</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>113</td><td>338</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.40	-----	-----	99.96	34.73	10.88	36.17	0.00	113	338	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	109.40	-----	-----	99.96	34.73	10.88	36.17	0.00	113	338	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.08</td><td>40.45</td><td>54.00</td><td>-13.55</td><td>31.17</td><td>34.68</td><td>10.83</td><td>36.23</td><td>0.00</td><td>113</td><td>338</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.08	40.45	54.00	-13.55	31.17	34.68	10.83	36.23	0.00	113	338	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5448.08	40.45	54.00	-13.55	31.17	34.68	10.83	36.23	0.00	113	338	AVERAGE																																																								
Aver																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.93</td><td>-----</td><td>-----</td><td>90.49</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>113</td><td>338</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.93	-----	-----	90.49	34.73	10.88	36.17	0.00	113	338	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	99.93	-----	-----	90.49	34.73	10.88	36.17	0.00	113	338	AVERAGE																																																								






Mode	29																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																																											
ANT	STBC 1+2																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.00</td><td>51.46</td><td>74.00</td><td>-22.54</td><td>42.20</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>280</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>5464.56</td><td>51.85</td><td>68.20</td><td>-16.35</td><td>42.51</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>280</td><td>43</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.00	51.46	74.00	-22.54	42.20	34.68	10.82	36.24	0.00	280	43	PEAK	2	5464.56	51.85	68.20	-16.35	42.51	34.70	10.85	36.21	0.00	280	43	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.06</td><td>-----</td><td>-----</td><td>101.62</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>280</td><td>43</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.06	-----	-----	101.62	34.73	10.88	36.17	0.00	280	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5442.00	51.46	74.00	-22.54	42.20	34.68	10.82	36.24	0.00	280	43	PEAK																																																																																																																
2	5464.56	51.85	68.20	-16.35	42.51	34.70	10.85	36.21	0.00	280	43	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	111.06	-----	-----	101.62	34.73	10.88	36.17	0.00	280	43	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.88</td><td>41.82</td><td>54.00</td><td>-12.18</td><td>32.51</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>280</td><td>43</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.88	41.82	54.00	-12.18	32.51	34.69	10.84	36.22	0.00	280	43	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.44</td><td>-----</td><td>-----</td><td>93.00</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>280</td><td>43</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.44	-----	-----	93.00	34.73	10.88	36.17	0.00	280	43	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5456.88	41.82	54.00	-12.18	32.51	34.69	10.84	36.22	0.00	280	43	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	102.44	-----	-----	93.00	34.73	10.88	36.17	0.00	280	43	AVERAGE																																																																																																																







Mode	30																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																			
ANT	STBC 1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.08</td><td>52.09</td><td>68.20</td><td>-16.11</td><td>43.25</td><td>34.95</td><td>11.18</td><td>37.29</td><td>0.00</td><td>112</td><td>354</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.08	52.09	68.20	-16.11	43.25	34.95	11.18	37.29	0.00	112	354	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.93</td><td>-----</td><td>-----</td><td>97.81</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>112</td><td>354</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.93	-----	-----	97.81	34.93	11.15	36.96	0.00	112	354	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5725.08	52.09	68.20	-16.11	43.25	34.95	11.18	37.29	0.00	112	354	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	106.93	-----	-----	97.81	34.93	11.15	36.96	0.00	112	354	PEAK																																																																																								
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.68</td><td>-----</td><td>-----</td><td>90.65</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>112</td><td>354</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.68	-----	-----	90.65	34.93	11.16	37.06	0.00	112	354	AVERAGE																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	99.68	-----	-----	90.65	34.93	11.16	37.06	0.00	112	354	AVERAGE																																																																																								



		30																																																																																																
Mode		Band Edge																																																																																																
		U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																
ANT		STBC 1+2																																																																																																
Pol.		Vertical						Fundamental																																																																																										
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.00</td><td>59.65</td><td>68.20</td><td>-8.55</td><td>50.81</td><td>34.95</td><td>11.18</td><td>37.29</td><td>0.00</td><td>140</td><td>158</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.00	59.65	68.20	-8.55	50.81	34.95	11.18	37.29	0.00	140	158	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>112.11</td><td>-----</td><td>-----</td><td>102.99</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>140</td><td>158</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	112.11	-----	-----	102.99	34.93	11.15	36.96	0.00	140	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5725.00	59.65	68.20	-8.55	50.81	34.95	11.18	37.29	0.00	140	158	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5700.00	112.11	-----	-----	102.99	34.93	11.15	36.96	0.00	140	158	PEAK																																																																																						
Avg	Blank																																																																																																	
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.19</td><td>-----</td><td>-----</td><td>95.07</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>140</td><td>158</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	104.19	-----	-----	95.07	34.93	11.15	36.96	0.00	140	158	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5700.00	104.19	-----	-----	95.07	34.93	11.15	36.96	0.00	140	158	AVERAGE																																																																																						







Mode	31																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5129.05</td><td>56.74</td><td>74.00</td><td>-17.26</td><td>40.14</td><td>34.24</td><td>12.45</td><td>30.09</td><td>0.00</td><td>111</td><td>329</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5129.05	56.74	74.00	-17.26	40.14	34.24	12.45	30.09	0.00	111	329	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>97.72</td><td>-----</td><td>-----</td><td>81.04</td><td>34.12</td><td>12.55</td><td>29.99</td><td>0.00</td><td>111</td><td>329</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	97.72	-----	-----	81.04	34.12	12.55	29.99	0.00	111	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5129.05	56.74	74.00	-17.26	40.14	34.24	12.45	30.09	0.00	111	329	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	97.72	-----	-----	81.04	34.12	12.55	29.99	0.00	111	329	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.05</td><td>48.42</td><td>54.00</td><td>-5.58</td><td>31.83</td><td>34.20</td><td>12.45</td><td>30.06</td><td>0.00</td><td>111</td><td>329</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.05	48.42	54.00	-5.58	31.83	34.20	12.45	30.06	0.00	111	329	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>90.01</td><td>-----</td><td>-----</td><td>73.35</td><td>34.13</td><td>12.53</td><td>30.00</td><td>0.00</td><td>111</td><td>329</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	90.01	-----	-----	73.35	34.13	12.53	30.00	0.00	111	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.05	48.42	54.00	-5.58	31.83	34.20	12.45	30.06	0.00	111	329	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	90.01	-----	-----	73.35	34.13	12.53	30.00	0.00	111	329	AVERAGE																																																																																							



Mode	31																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																							
ANT	STBC 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.31</td><td>55.81</td><td>74.00</td><td>-18.19</td><td>37.99</td><td>34.60</td><td>12.80</td><td>29.58</td><td>0.00</td><td>111</td><td>329</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.31	55.81	74.00	-18.19	37.99	34.60	12.80	29.58	0.00	111	329	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5452.31	55.81	74.00	-18.19	37.99	34.60	12.80	29.58	0.00	111	329	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.37</td><td>46.39</td><td>54.00</td><td>-7.61</td><td>28.57</td><td>34.60</td><td>12.81</td><td>29.59</td><td>0.00</td><td>111</td><td>329</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.37	46.39	54.00	-7.61	28.57	34.60	12.81	29.59	0.00	111	329	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5446.37	46.39	54.00	-7.61	28.57	34.60	12.81	29.59	0.00	111	329	AVERAGE																																												





Mode	31																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.85</td><td>58.61</td><td>74.00</td><td>-15.39</td><td>42.01</td><td>34.20</td><td>12.45</td><td>30.05</td><td>0.00</td><td>308</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	58.61	74.00	-15.39	42.01	34.20	12.45	30.05	0.00	308	159	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>103.91</td><td>-----</td><td>-----</td><td>87.23</td><td>34.12</td><td>12.55</td><td>29.99</td><td>0.00</td><td>308</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	103.91	-----	-----	87.23	34.12	12.55	29.99	0.00	308	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.85	58.61	74.00	-15.39	42.01	34.20	12.45	30.05	0.00	308	159	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	103.91	-----	-----	87.23	34.12	12.55	29.99	0.00	308	159	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>50.75</td><td>54.00</td><td>-3.25</td><td>34.15</td><td>34.20</td><td>12.45</td><td>30.05</td><td>0.00</td><td>308</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	50.75	54.00	-3.25	34.15	34.20	12.45	30.05	0.00	308	159	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>95.93</td><td>-----</td><td>-----</td><td>79.27</td><td>34.13</td><td>12.53</td><td>30.00</td><td>0.00</td><td>308</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	95.93	-----	-----	79.27	34.13	12.53	30.00	0.00	308	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	50.75	54.00	-3.25	34.15	34.20	12.45	30.05	0.00	308	159	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	95.93	-----	-----	79.27	34.13	12.53	30.00	0.00	308	159	AVERAGE																																																																																							





Mode	31										
	Band Edge - R										
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz										
ANT	STBC 1+2										
Pol.	Vertical										
Peak	Level (dBuV/m)										





Mode	31																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																
ANT	STBC 1+2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10300.00</td><td>44.90</td><td>68.20</td><td>-23.30</td><td>59.00</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10300.00	44.90	68.20	-23.30	59.00	37.38	15.47	66.95	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10300.00</td><td>45.73</td><td>68.20</td><td>-22.47</td><td>59.79</td><td>37.40</td><td>15.48</td><td>66.94</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10300.00	45.73	68.20	-22.47	59.79	37.40	15.48	66.94	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10300.00	44.90	68.20	-23.30	59.00	37.38	15.47	66.95	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10300.00	45.73	68.20	-22.47	59.79	37.40	15.48	66.94	0.00	--	PEAK																																																																																						







Mode	32																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																																																																																															
ANT	STBC 1+2																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 10460.00</td><td>45.75</td><td>68.20</td><td>-22.45</td><td>59.68</td><td>37.45</td><td>15.53</td><td>66.91</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10460.00	45.75	68.20	-22.45	59.68	37.45	15.53	66.91	0.00									--									--									PEAK	 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 10460.00</td><td>48.85</td><td>68.20</td><td>-19.35</td><td>62.77</td><td>37.45</td><td>15.54</td><td>66.91</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10460.00	48.85	68.20	-19.35	62.77	37.45	15.54	66.91	0.00									--									--									PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																								
1 10460.00	45.75	68.20	-22.45	59.68	37.45	15.53	66.91	0.00																																																																																																																								
								--																																																																																																																								
								--																																																																																																																								
								PEAK																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																								
1 10460.00	48.85	68.20	-19.35	62.77	37.45	15.54	66.91	0.00																																																																																																																								
								--																																																																																																																								
								--																																																																																																																								
								PEAK																																																																																																																								





Mode	33																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																																																																																							
ANT	STBC 1+2																																																																																																																																							
Pol.	Horizontal								Vertical																																																																																																																															
Peak Avg																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>45.13</td><td>68.20</td><td>-23.07</td><td>58.86</td><td>37.53</td><td>15.61</td><td>66.87</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>15815.40</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>60.73</td><td>40.12</td><td>19.22</td><td>64.05</td><td>0.00 300 250 Peak</td></tr><tr><td>3</td><td>15815.40</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>48.23</td><td>40.12</td><td>19.22</td><td>64.05</td><td>0.00 300 250 Average</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10540.00	45.13	68.20	-23.07	58.86	37.53	15.61	66.87	0.00 -- -- PEAK	2	15815.40	56.02	74.00	-17.98	60.73	40.12	19.22	64.05	0.00 300 250 Peak	3	15815.40	43.52	54.00	-10.48	48.23	40.12	19.22	64.05	0.00 300 250 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>46.18</td><td>68.20</td><td>-22.02</td><td>59.88</td><td>37.54</td><td>15.62</td><td>66.86</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>15804.40</td><td>57.80</td><td>74.00</td><td>-16.20</td><td>62.53</td><td>40.10</td><td>19.22</td><td>64.05</td><td>0.00 100 186 Peak</td></tr><tr><td>3</td><td>15804.40</td><td>46.70</td><td>54.00</td><td>-7.30</td><td>51.43</td><td>40.10</td><td>19.22</td><td>64.05</td><td>0.00 100 186 Average</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10540.00	46.18	68.20	-22.02	59.88	37.54	15.62	66.86	0.00 -- -- PEAK	2	15804.40	57.80	74.00	-16.20	62.53	40.10	19.22	64.05	0.00 100 186 Peak	3	15804.40	46.70	54.00	-7.30	51.43	40.10	19.22	64.05	0.00 100 186 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																
1	10540.00	45.13	68.20	-23.07	58.86	37.53	15.61	66.87	0.00 -- -- PEAK																																																																																																																															
2	15815.40	56.02	74.00	-17.98	60.73	40.12	19.22	64.05	0.00 300 250 Peak																																																																																																																															
3	15815.40	43.52	54.00	-10.48	48.23	40.12	19.22	64.05	0.00 300 250 Average																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																
1	10540.00	46.18	68.20	-22.02	59.88	37.54	15.62	66.86	0.00 -- -- PEAK																																																																																																																															
2	15804.40	57.80	74.00	-16.20	62.53	40.10	19.22	64.05	0.00 100 186 Peak																																																																																																																															
3	15804.40	46.70	54.00	-7.30	51.43	40.10	19.22	64.05	0.00 100 186 Average																																																																																																																															







Mode	34																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																						
ANT	STBC 1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.13</td><td>57.89</td><td>74.00</td><td>-16.11</td><td>41.28</td><td>34.25</td><td>12.45</td><td>30.09</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.13	57.89	74.00	-16.11	41.28	34.25	12.45	30.09	0.00	100	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5127.13	57.89	74.00	-16.11	41.28	34.25	12.45	30.09	0.00	100	43	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>100.51</td><td>-----</td><td>-----</td><td>83.30</td><td>34.42</td><td>12.60</td><td>29.81</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	100.51	-----	-----	83.30	34.42	12.60	29.81	0.00	100	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	100.51	-----	-----	83.30	34.42	12.60	29.81	0.00	100	43	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5115.77</td><td>47.08</td><td>54.00</td><td>-6.92</td><td>30.48</td><td>34.27</td><td>12.44</td><td>30.11</td><td>0.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5115.77	47.08	54.00	-6.92	30.48	34.27	12.44	30.11	0.00	100	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5115.77	47.08	54.00	-6.92	30.48	34.27	12.44	30.11	0.00	100	43	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>90.70</td><td>-----</td><td>-----</td><td>73.49</td><td>34.42</td><td>12.60</td><td>29.81</td><td>0.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	90.70	-----	-----	73.49	34.42	12.60	29.81	0.00	100	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	90.70	-----	-----	73.49	34.42	12.60	29.81	0.00	100	43	AVERAGE																																											





Mode	34																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																							
ANT	STBC 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.45</td><td>58.02</td><td>74.00</td><td>-15.98</td><td>40.10</td><td>34.60</td><td>12.99</td><td>29.67</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.45	58.02	74.00	-15.98	40.10	34.60	12.99	29.67	0.00	100	43	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5395.45	58.02	74.00	-15.98	40.10	34.60	12.99	29.67	0.00	100	43	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.35</td><td>48.20</td><td>54.00</td><td>-5.80</td><td>30.78</td><td>34.60</td><td>12.56</td><td>29.74</td><td>0.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.35	48.20	54.00	-5.80	30.78	34.60	12.56	29.74	0.00	100	43	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.35	48.20	54.00	-5.80	30.78	34.60	12.56	29.74	0.00	100	43	AVERAGE																																												





Mode	34																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5126.65</td><td>57.23</td><td>74.00</td><td>-16.77</td><td>40.62</td><td>34.25</td><td>12.45</td><td>30.09</td><td>0.00</td><td>301</td><td>155</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5126.65	57.23	74.00	-16.77	40.62	34.25	12.45	30.09	0.00	301	155	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>105.16</td><td>-----</td><td>-----</td><td>88.02</td><td>34.37</td><td>12.60</td><td>29.83</td><td>0.00</td><td>301</td><td>155</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	105.16	-----	-----	88.02	34.37	12.60	29.83	0.00	301	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5126.65	57.23	74.00	-16.77	40.62	34.25	12.45	30.09	0.00	301	155	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	105.16	-----	-----	88.02	34.37	12.60	29.83	0.00	301	155	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5109.21</td><td>47.16</td><td>54.00</td><td>-6.84</td><td>30.56</td><td>34.28</td><td>12.44</td><td>30.12</td><td>0.00</td><td>301</td><td>155</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5109.21	47.16	54.00	-6.84	30.56	34.28	12.44	30.12	0.00	301	155	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>97.35</td><td>-----</td><td>-----</td><td>80.13</td><td>34.43</td><td>12.60</td><td>29.81</td><td>0.00</td><td>301</td><td>155</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.35	-----	-----	80.13	34.43	12.60	29.81	0.00	301	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5109.21	47.16	54.00	-6.84	30.56	34.28	12.44	30.12	0.00	301	155	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	97.35	-----	-----	80.13	34.43	12.60	29.81	0.00	301	155	AVERAGE																																																																																							







Mode	34																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																
ANT	STBC 1+2																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.65</td><td>61.55</td><td>74.00</td><td>-12.45</td><td>44.10</td><td>34.60</td><td>12.59</td><td>29.74</td><td>0.00</td><td>301</td><td>155</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.65	61.55	74.00	-12.45	44.10	34.60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5353.65	61.55	74.00	-12.45	44.10	34.60	12.59	29.74	0.00	301	155	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.25</td><td>50.41</td><td>54.00</td><td>-3.59</td><td>32.98</td><td>34.60</td><td>12.57</td><td>29.74</td><td>0.00</td><td>301</td><td>155</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.25	50.41	54.00	-3.59	32.98	34.60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5351.25	50.41	54.00	-3.59	32.98	34.60	12.57	29.74	0.00	301	155	AVERAGE																																					




		34																																																																																																																																																						
Mode		Harmonic																																																																																																																																																						
		U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																																																																						
ANT		STBC 1+2																																																																																																																																																						
Pol.		Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>44.52</td><td>74.00</td><td>-29.48</td><td>58.05</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15930.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>50.44</td><td>40.29</td><td>19.30</td><td>64.03</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	44.52	74.00	-29.48	58.05	37.60	15.69	66.82	0.00	--	--	PEAK	2	15930.00	46.00	74.00	-28.00	50.44	40.29	19.30	64.03	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>57.60</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15930.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>51.22</td><td>40.29</td><td>19.30</td><td>64.03</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	44.07	74.00	-29.93	57.60	37.60	15.69	66.82	0.00	--	--	PEAK	2	15930.00	46.78	74.00	-27.22	51.22	40.29	19.30	64.03	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	10620.00	44.52	74.00	-29.48	58.05	37.60	15.69	66.82	0.00	--	--	PEAK																																																																																																																																												
2	15930.00	46.00	74.00	-28.00	50.44	40.29	19.30	64.03	0.00	--	--	PEAK																																																																																																																																												
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	10620.00	44.07	74.00	-29.93	57.60	37.60	15.69	66.82	0.00	--	--	PEAK																																																																																																																																												
2	15930.00	46.78	74.00	-27.22	51.22	40.29	19.30	64.03	0.00	--	--	PEAK																																																																																																																																												







		35																																																																																																									
Mode		Band Edge - L																																																																																																									
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																									
ANT		STBC 1+2																																																																																																									
Pol.		Horizontal					Fundamental																																																																																																				
Peak																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.65</td><td>58.02</td><td>74.00</td><td>-15.98</td><td>40.17</td><td>34.60</td><td>12.83</td><td>29.58</td><td>0.00</td><td>299</td><td>12 PEAK</td></tr><tr><td>2</td><td>5468.33</td><td>60.93</td><td>68.20</td><td>-7.27</td><td>42.99</td><td>34.60</td><td>12.90</td><td>29.56</td><td>0.00</td><td>299</td><td>12 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.65	58.02	74.00	-15.98	40.17	34.60	12.83	29.58	0.00	299	12 PEAK	2	5468.33	60.93	68.20	-7.27	42.99	34.60	12.90	29.56	0.00	299	12 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>103.57</td><td>-----</td><td>-----</td><td>85.38</td><td>34.61</td><td>13.08</td><td>29.50</td><td>0.00</td><td>299</td><td>12 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	103.57	-----	-----	85.38	34.61	13.08	29.50	0.00	299
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5456.65	58.02	74.00	-15.98	40.17	34.60	12.83	29.58	0.00	299	12 PEAK																																																																																																
2	5468.33	60.93	68.20	-7.27	42.99	34.60	12.90	29.56	0.00	299	12 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5510.00	103.57	-----	-----	85.38	34.61	13.08	29.50	0.00	299	12 PEAK																																																																																																
Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.37</td><td>48.37</td><td>54.00</td><td>-5.63</td><td>30.50</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>299</td><td>12 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.37	48.37	54.00	-5.63	30.50	34.60	12.84	29.57	0.00	299	12 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>94.28</td><td>-----</td><td>-----</td><td>76.06</td><td>34.64</td><td>13.07</td><td>29.49</td><td>0.00</td><td>299</td><td>12 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	94.28	-----	-----	76.06	34.64	13.07	29.49	0.00	299	12 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5459.37	48.37	54.00	-5.63	30.50	34.60	12.84	29.57	0.00	299	12 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5510.00	94.28	-----	-----	76.06	34.64	13.07	29.49	0.00	299	12 AVERAGE																																																																																																




Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	STBC 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.68</td><td>57.50</td><td>68.20</td><td>-10.70</td><td>39.26</td><td>34.65</td><td>13.31</td><td>29.72</td><td>0.00</td><td>299</td><td>12</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.68	57.50	68.20	-10.70	39.26	34.65	13.31	29.72	0.00	299	12	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.68	57.50	68.20	-10.70	39.26	34.65	13.31	29.72	0.00	299	12	PEAK																																												



		35																																																																			
Mode		Band Edge - L																																																																			
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																			
ANT		STBC 1+2																																																																			
Pol.		Fundamental																																																																			
Peak	Vertical	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.73</td><td>59.73</td><td>74.00</td><td>-14.27</td><td>41.89</td><td>34.60</td><td>12.82</td><td>29.58</td><td>0.00</td><td>286</td><td>38</td><td>PEAK</td></tr><tr><td>2</td><td>5465.45</td><td>65.31</td><td>68.20</td><td>-2.89</td><td>47.39</td><td>34.60</td><td>12.88</td><td>29.56</td><td>0.00</td><td>286</td><td>38</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.73	59.73	74.00	-14.27	41.89	34.60	12.82	29.58	0.00	286	38	PEAK	2	5465.45	65.31	68.20	-2.89	47.39	34.60	12.88	29.56	0.00	286	38	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5454.73	59.73	74.00	-14.27	41.89	34.60	12.82	29.58	0.00	286	38	PEAK																																																									
2	5465.45	65.31	68.20	-2.89	47.39	34.60	12.88	29.56	0.00	286	38	PEAK																																																									
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>107.36</td><td>-----</td><td>-----</td><td>89.17</td><td>34.61</td><td>13.08</td><td>29.50</td><td>0.00</td><td>286</td><td>38</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.36	-----	-----	89.17	34.61	13.08	29.50	0.00	286	38	PEAK																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5510.00	107.36	-----	-----	89.17	34.61	13.08	29.50	0.00	286	38	PEAK																																																									
Avg	Vertical	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.73</td><td>59.73</td><td>74.00</td><td>-14.27</td><td>41.89</td><td>34.60</td><td>12.82</td><td>29.58</td><td>0.00</td><td>286</td><td>38</td><td>PEAK</td></tr><tr><td>2</td><td>5465.45</td><td>65.11</td><td>68.20</td><td>-3.09</td><td>47.19</td><td>34.60</td><td>12.88</td><td>29.56</td><td>0.00</td><td>286</td><td>38</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.73	59.73	74.00	-14.27	41.89	34.60	12.82	29.58	0.00	286	38	PEAK	2	5465.45	65.11	68.20	-3.09	47.19	34.60	12.88	29.56	0.00	286	38	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5454.73	59.73	74.00	-14.27	41.89	34.60	12.82	29.58	0.00	286	38	PEAK																																																									
2	5465.45	65.11	68.20	-3.09	47.19	34.60	12.88	29.56	0.00	286	38	PEAK																																																									
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>98.91</td><td>-----</td><td>-----</td><td>80.69</td><td>34.64</td><td>13.07</td><td>29.49</td><td>0.00</td><td>286</td><td>38</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.91	-----	-----	80.69	34.64	13.07	29.49	0.00	286	38	AVERAGE																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5510.00	98.91	-----	-----	80.69	34.64	13.07	29.49	0.00	286	38	AVERAGE																																																									



Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	STBC 1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.24</td><td>57.91</td><td>68.20</td><td>-10.29</td><td>39.53</td><td>34.70</td><td>13.52</td><td>29.84</td><td>0.00</td><td>206</td><td>30</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.24	57.91	68.20	-10.29	39.53	34.70	13.52	29.84	0.00	206	30	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5750.24	57.91	68.20	-10.29	39.53	34.70	13.52	29.84	0.00	206	30	PEAK																																												







		35																																																																									
Mode		Harmonic																																																																									
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																									
ANT		STBC 1+2																																																																									
Pol.		Horizontal					Vertical																																																																				
Peak Avg																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11020.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>58.07</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 16530.00</td><td>47.52</td><td>68.20</td><td>-20.68</td><td>50.95</td><td>40.94</td><td>19.68</td><td>64.05</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	45.41	74.00	-28.59	58.07	37.88	16.06	66.60	0.00	--	-- PEAK	2 16530.00	47.52	68.20	-20.68	50.95	40.94	19.68	64.05	0.00	--	-- PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1 11020.00	45.41	74.00	-28.59	58.07	37.88	16.06	66.60	0.00	--	-- PEAK																																																																	
2 16530.00	47.52	68.20	-20.68	50.95	40.94	19.68	64.05	0.00	--	-- PEAK																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11020.00</td><td>51.67</td><td>74.00</td><td>-22.33</td><td>64.33</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>105</td><td>223 PEAK</td></tr><tr><td>2 11020.00</td><td>42.19</td><td>54.00</td><td>-11.81</td><td>54.85</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>105</td><td>223 AVERAGE</td></tr><tr><td>3 16530.00</td><td>46.30</td><td>68.20</td><td>-21.90</td><td>49.64</td><td>41.01</td><td>19.70</td><td>64.05</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	51.67	74.00	-22.33	64.33	37.88	16.06	66.60	0.00	105	223 PEAK	2 11020.00	42.19	54.00	-11.81	54.85	37.88	16.06	66.60	0.00	105	223 AVERAGE	3 16530.00	46.30	68.20	-21.90	49.64	41.01	19.70	64.05	0.00	--	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1 11020.00	51.67	74.00	-22.33	64.33	37.88	16.06	66.60	0.00	105	223 PEAK																																																																	
2 11020.00	42.19	54.00	-11.81	54.85	37.88	16.06	66.60	0.00	105	223 AVERAGE																																																																	
3 16530.00	46.30	68.20	-21.90	49.64	41.01	19.70	64.05	0.00	--	-- PEAK																																																																	




Mode	36																																																																												
	Harmonic																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																												
ANT	STBC 1+2																																																																												
Pol.	Horizontal												Vertical																																																																
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11100.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>57.58</td><td>37.80</td><td>16.11</td><td>66.55</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>48.99</td><td>68.20</td><td>-19.21</td><td>52.08</td><td>41.20</td><td>19.77</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11100.00	44.94	74.00	-29.06	57.58	37.80	16.11	66.55	0.00	--	--	PEAK	2	16650.00	48.99	68.20	-19.21	52.08	41.20	19.77	64.06	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	11100.00	44.94	74.00	-29.06	57.58	37.80	16.11	66.55	0.00	--	--	PEAK																																																																	
2	16650.00	48.99	68.20	-19.21	52.08	41.20	19.77	64.06	0.00	--	--	PEAK																																																																	
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11100.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>57.97</td><td>37.80</td><td>16.11</td><td>66.55</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>49.14</td><td>68.20</td><td>-19.06</td><td>52.24</td><td>41.20</td><td>19.76</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11100.00	45.33	74.00	-28.67	57.97	37.80	16.11	66.55	0.00	--	--	PEAK	2	16650.00	49.14	68.20	-19.06	52.24	41.20	19.76	64.06	0.00	--	--	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	11100.00	45.33	74.00	-28.67	57.97	37.80	16.11	66.55	0.00	--	--	PEAK																																																																	
2	16650.00	49.14	68.20	-19.06	52.24	41.20	19.76	64.06	0.00	--	--	PEAK																																																																	







Mode	37																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																
ANT	STBC 1+2																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5408.81</td><td>56.93</td><td>74.00</td><td>-17.07</td><td>38.99</td><td>34.60</td><td>12.99</td><td>29.65</td><td>0.00</td><td>100</td><td>345</td><td>PEAK</td></tr><tr><td>2</td><td>5463.21</td><td>55.92</td><td>68.20</td><td>-12.28</td><td>38.02</td><td>34.60</td><td>12.87</td><td>29.57</td><td>0.00</td><td>100</td><td>345</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5408.81	56.93	74.00	-17.07	38.99	34.60	12.99	29.65	0.00	100	345	PEAK	2	5463.21	55.92	68.20	-12.28	38.02	34.60	12.87	29.57	0.00	100	345	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>105.26</td><td>-----</td><td>-----</td><td>87.12</td><td>34.53</td><td>13.03</td><td>29.42</td><td>0.00</td><td>100</td><td>345</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.26	-----	-----	87.12	34.53	13.03	29.42	0.00	100	345	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5408.81	56.93	74.00	-17.07	38.99	34.60	12.99	29.65	0.00	100	345	PEAK																																																																																																					
2	5463.21	55.92	68.20	-12.28	38.02	34.60	12.87	29.57	0.00	100	345	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	105.26	-----	-----	87.12	34.53	13.03	29.42	0.00	100	345	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.81</td><td>46.61</td><td>54.00</td><td>-7.39</td><td>28.78</td><td>34.60</td><td>12.81</td><td>29.58</td><td>0.00</td><td>100</td><td>345</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.81	46.61	54.00	-7.39	28.78	34.60	12.81	29.58	0.00	100	345	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>97.49</td><td>-----</td><td>-----</td><td>79.35</td><td>34.53</td><td>13.03</td><td>29.42</td><td>0.00</td><td>100</td><td>345</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.49	-----	-----	79.35	34.53	13.03	29.42	0.00	100	345	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5452.81	46.61	54.00	-7.39	28.78	34.60	12.81	29.58	0.00	100	345	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	97.49	-----	-----	79.35	34.53	13.03	29.42	0.00	100	345	AVERAGE																																																																																																					



Mode	37																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																												
ANT	STBC 1+2																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.00</td><td>59.37</td><td>68.20</td><td>-8.83</td><td>41.11</td><td>34.66</td><td>13.35</td><td>29.75</td><td>0.00</td><td>100</td><td>345 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.00	59.37	68.20	-8.83	41.11	34.66	13.35	29.75	0.00	100	345 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5730.00	59.37	68.20	-8.83	41.11	34.66	13.35	29.75	0.00	100	345 PEAK																																		





Mode	37																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																															
ANT	STBC 1+2																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.24</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>38.79</td><td>34.60</td><td>12.64</td><td>29.73</td><td>0.00</td><td>141</td><td>158</td><td>PEAK</td></tr><tr><td>2</td><td>5462.57</td><td>56.13</td><td>68.20</td><td>-12.07</td><td>38.24</td><td>34.60</td><td>12.86</td><td>29.57</td><td>0.00</td><td>141</td><td>158</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.24	56.30	74.00	-17.70	38.79	34.60	12.64	29.73	0.00	141	158	PEAK	2	5462.57	56.13	68.20	-12.07	38.24	34.60	12.86	29.57	0.00	141	158	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>110.10</td><td>-----</td><td>-----</td><td>91.97</td><td>34.54</td><td>13.04</td><td>29.45</td><td>0.00</td><td>141</td><td>158</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	110.10	-----	-----	91.97	34.54	13.04	29.45	0.00	141	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5358.24	56.30	74.00	-17.70	38.79	34.60	12.64	29.73	0.00	141	158	PEAK																																																																																																				
2	5462.57	56.13	68.20	-12.07	38.24	34.60	12.86	29.57	0.00	141	158	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	110.10	-----	-----	91.97	34.54	13.04	29.45	0.00	141	158	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5431.69</td><td>46.60</td><td>54.00</td><td>-7.40</td><td>28.74</td><td>34.60</td><td>12.88</td><td>29.62</td><td>0.00</td><td>141</td><td>158</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.69	46.60	54.00	-7.40	28.74	34.60	12.88	29.62	0.00	141	158	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>101.50</td><td>-----</td><td>-----</td><td>83.36</td><td>34.53</td><td>13.03</td><td>29.42</td><td>0.00</td><td>141</td><td>158</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	101.50	-----	-----	83.36	34.53	13.03	29.42	0.00	141	158	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5431.69	46.60	54.00	-7.40	28.74	34.60	12.88	29.62	0.00	141	158	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	101.50	-----	-----	83.36	34.53	13.03	29.42	0.00	141	158	AVERAGE																																																																																																				







Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																							
ANT	STBC 1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.40</td><td>60.98</td><td>68.20</td><td>-7.22</td><td>42.70</td><td>34.66</td><td>13.37</td><td>29.75</td><td>0.00</td><td>141</td><td>158</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.40	60.98	68.20	-7.22	42.70	34.66	13.37	29.75	0.00	141	158	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.40	60.98	68.20	-7.22	42.70	34.66	13.37	29.75	0.00	141	158	PEAK																																												





Mode	37																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																							
ANT	STBC 1+2																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11340.00</td><td>45.24</td><td>74.00</td><td>-28.76</td><td>57.46</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17010.00</td><td>47.69</td><td>68.20</td><td>-20.51</td><td>50.61</td><td>41.17</td><td>20.02</td><td>64.11</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	45.24	74.00	-28.76	57.46	37.94	16.26	66.42	0.00	--	PEAK	2	17010.00	47.69	68.20	-20.51	50.61	41.17	20.02	64.11	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	11340.00	45.24	74.00	-28.76	57.46	37.94	16.26	66.42	0.00	--	PEAK																																																													
2	17010.00	47.69	68.20	-20.51	50.61	41.17	20.02	64.11	0.00	--	PEAK																																																													
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11340.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>57.41</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17010.00</td><td>49.10</td><td>68.20</td><td>-19.10</td><td>52.01</td><td>41.17</td><td>20.02</td><td>64.10</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	45.19	74.00	-28.81	57.41	37.94	16.26	66.42	0.00	--	PEAK	2	17010.00	49.10	68.20	-19.10	52.01	41.17	20.02	64.10	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	11340.00	45.19	74.00	-28.81	57.41	37.94	16.26	66.42	0.00	--	PEAK																																																													
2	17010.00	49.10	68.20	-19.10	52.01	41.17	20.02	64.10	0.00	--	PEAK																																																													







Mode	38																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																															
ANT	STBC 1+2																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with a sharp peak at 5144.09 MHz. A red line indicates the limit at 65.0 dBuV/m. The x-axis ranges from 5100 to 5260 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.09</td><td>57.31</td><td>74.00</td><td>-16.69</td><td>40.71</td><td>34.21</td><td>12.45</td><td>30.06</td><td>0.00</td><td>112</td><td>330</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.09	57.31	74.00	-16.69	40.71	34.21	12.45	30.06	0.00	112	330	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with a sharp peak at 5210.00 MHz. A red line indicates the limit at 65.0 dBuV/m. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>93.02</td><td>-----</td><td>-----</td><td>76.27</td><td>34.14</td><td>12.55</td><td>29.94</td><td>0.00</td><td>112</td><td>330</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	93.02	-----	-----	76.27	34.14	12.55	29.94	0.00	112	330	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5144.09	57.31	74.00	-16.69	40.71	34.21	12.45	30.06	0.00	112	330	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5210.00	93.02	-----	-----	76.27	34.14	12.55	29.94	0.00	112	330	PEAK																																																																																																				
Avg	 Horizontal Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with a sharp peak at 5145.16 MHz. A red line indicates the limit at 65.0 dBuV/m. The x-axis ranges from 5100 to 5260 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.16</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>31.98</td><td>34.21</td><td>12.45</td><td>30.06</td><td>0.00</td><td>112</td><td>330</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.16	48.58	54.00	-5.42	31.98	34.21	12.45	30.06	0.00	112	330	AVERAGE	 Fundamental Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue trace with a sharp peak at 5210.00 MHz. A red line indicates the limit at 65.0 dBuV/m. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>84.02</td><td>68.20</td><td>15.82</td><td>67.36</td><td>34.13</td><td>12.53</td><td>30.00</td><td>0.00</td><td>112</td><td>330</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	84.02	68.20	15.82	67.36	34.13	12.53	30.00	0.00	112	330	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5145.16	48.58	54.00	-5.42	31.98	34.21	12.45	30.06	0.00	112	330	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5210.00	84.02	68.20	15.82	67.36	34.13	12.53	30.00	0.00	112	330	AVERAGE																																																																																																				





Mode	38																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																							
ANT	STBC 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.82</td><td>56.62</td><td>74.00</td><td>-17.38</td><td>38.95</td><td>34.60</td><td>12.78</td><td>29.71</td><td>0.00</td><td>112</td><td>330</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.82	56.62	74.00	-17.38	38.95	34.60	12.78	29.71	0.00	112	330	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5373.82	56.62	74.00	-17.38	38.95	34.60	12.78	29.71	0.00	112	330	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.48</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>28.71</td><td>34.60</td><td>13.02</td><td>29.67</td><td>0.00</td><td>112</td><td>330</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.48	46.66	54.00	-7.34	28.71	34.60	13.02	29.67	0.00	112	330	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5398.48	46.66	54.00	-7.34	28.71	34.60	13.02	29.67	0.00	112	330	AVERAGE																																												





		38																																																																																																	
Mode	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.89</td><td>60.42</td><td>74.00</td><td>-13.58</td><td>43.83</td><td>34.20</td><td>12.45</td><td>30.06</td><td>0.00</td><td>292</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.89	60.42	74.00	-13.58	43.83	34.20	12.45	30.06	0.00	292	159	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>98.19</td><td>-----</td><td>-----</td><td>81.51</td><td>34.12</td><td>12.55</td><td>29.99</td><td>0.00</td><td>292</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.19	-----	-----	81.51	34.12	12.55	29.99	0.00	292	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.89	60.42	74.00	-13.58	43.83	34.20	12.45	30.06	0.00	292	159	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	98.19	-----	-----	81.51	34.12	12.55	29.99	0.00	292	159	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.05</td><td>50.76</td><td>54.00</td><td>-3.24</td><td>34.17</td><td>34.20</td><td>12.45</td><td>30.06</td><td>0.00</td><td>292</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.05	50.76	54.00	-3.24	34.17	34.20	12.45	30.06	0.00	292	159	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>89.86</td><td>-----</td><td>-----</td><td>73.18</td><td>34.12</td><td>12.55</td><td>29.99</td><td>0.00</td><td>292</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	89.86	-----	-----	73.18	34.12	12.55	29.99	0.00	292	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.05	50.76	54.00	-3.24	34.17	34.20	12.45	30.06	0.00	292	159	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	89.86	-----	-----	73.18	34.12	12.55	29.99	0.00	292	159	AVERAGE																																																																																							







Mode	38																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																							
ANT	STBC 1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5390.74</td><td>55.79</td><td>74.00</td><td>-18.21</td><td>37.93</td><td>34.60</td><td>12.94</td><td>29.68</td><td>0.00</td><td>292</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5390.74	55.79	74.00	-18.21	37.93	34.60	12.94	29.68	0.00	292	159	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5390.74	55.79	74.00	-18.21	37.93	34.60	12.94	29.68	0.00	292	159	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.92</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>28.66</td><td>34.60</td><td>13.03</td><td>29.66</td><td>0.00</td><td>292</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.92	46.63	54.00	-7.37	28.66	34.60	13.03	29.66	0.00	292	159	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5399.92	46.63	54.00	-7.37	28.66	34.60	13.03	29.66	0.00	292	159	AVERAGE																																												



Mode	38																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																																													
ANT	STBC 1+2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10420.00</td><td>44.50</td><td>68.20</td><td>-23.70</td><td>58.50</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15630.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>49.61</td><td>39.83</td><td>19.10</td><td>64.08</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10420.00	44.50	68.20	-23.70	58.50	37.42	15.51	66.93	0.00	--	--	PEAK	2	15630.00	44.46	74.00	-29.54	49.61	39.83	19.10	64.08	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10420.00</td><td>43.95</td><td>68.20</td><td>-24.25</td><td>58.05</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10420.00	43.95	68.20	-24.25	58.05	37.38	15.47	66.95	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																			
1	10420.00	44.50	68.20	-23.70	58.50	37.42	15.51	66.93	0.00	--	--	PEAK																																																																																																																		
2	15630.00	44.46	74.00	-29.54	49.61	39.83	19.10	64.08	0.00	--	--	PEAK																																																																																																																		
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																			
1	10420.00	43.95	68.20	-24.25	58.05	37.38	15.47	66.95	0.00	--	--	PEAK																																																																																																																		







Mode	39																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5106.33</td><td>57.33</td><td>74.00</td><td>-16.67</td><td>40.72</td><td>34.29</td><td>12.44</td><td>30.12</td><td>0.00</td><td>108</td><td>330</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.33	57.33	74.00	-16.67	40.72	34.29	12.44	30.12	0.00	108	330	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>94.63</td><td>-----</td><td>-----</td><td>77.49</td><td>34.37</td><td>12.60</td><td>29.83</td><td>0.00</td><td>108</td><td>330</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	94.63	-----	-----	77.49	34.37	12.60	29.83	0.00	108	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5106.33	57.33	74.00	-16.67	40.72	34.29	12.44	30.12	0.00	108	330	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	94.63	-----	-----	77.49	34.37	12.60	29.83	0.00	108	330	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5105.05</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>31.64</td><td>34.29</td><td>12.44</td><td>30.12</td><td>0.00</td><td>108</td><td>330</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.05	48.25	54.00	-5.75	31.64	34.29	12.44	30.12	0.00	108	330	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>85.39</td><td>-----</td><td>-----</td><td>68.25</td><td>34.37</td><td>12.60</td><td>29.83</td><td>0.00</td><td>108</td><td>330</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	85.39	-----	-----	68.25	34.37	12.60	29.83	0.00	108	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5105.05	48.25	54.00	-5.75	31.64	34.29	12.44	30.12	0.00	108	330	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	85.39	-----	-----	68.25	34.37	12.60	29.83	0.00	108	330	AVERAGE																																																																																							





Mode	39																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																			
ANT	STBC 1+2																																																			
Pol.	Horizontal					Fundamental																																														
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.55</td><td>55.86</td><td>74.00</td><td>-18.14</td><td>38.17</td><td>34.60</td><td>12.79</td><td>29.70</td><td>0.00</td><td>108</td><td>330 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5374.55	55.86	74.00	-18.14	38.17	34.60	12.79	29.70	0.00	108	330 PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1	5374.55	55.86	74.00	-18.14	38.17	34.60	12.79	29.70	0.00	108	330 PEAK																																									
Avg	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.65</td><td>47.89</td><td>54.00</td><td>-6.11</td><td>30.44</td><td>34.60</td><td>12.59</td><td>29.74</td><td>0.00</td><td>108</td><td>330 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.65	47.89	54.00	-6.11	30.44	34.60	12.59	29.74	0.00	108	330 AVERAGE	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1	5353.65	47.89	54.00	-6.11	30.44	34.60	12.59	29.74	0.00	108	330 AVERAGE																																									





		39																																																																																																	
Mode	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5111.77</td><td>56.34</td><td>74.00</td><td>-17.66</td><td>39.73</td><td>34.28</td><td>12.44</td><td>30.11</td><td>0.00</td><td>292</td><td>156</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5111.77	56.34	74.00	-17.66	39.73	34.28	12.44	30.11	0.00	292	156	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>99.63</td><td>-----</td><td>-----</td><td>82.67</td><td>34.28</td><td>12.55</td><td>29.87</td><td>0.00</td><td>292</td><td>156</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.63	-----	-----	82.67	34.28	12.55	29.87	0.00	292	156
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5111.77	56.34	74.00	-17.66	39.73	34.28	12.44	30.11	0.00	292	156	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	99.63	-----	-----	82.67	34.28	12.55	29.87	0.00	292	156	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5117.69</td><td>47.85</td><td>54.00</td><td>-6.15</td><td>31.26</td><td>34.26</td><td>12.44</td><td>30.11</td><td>0.00</td><td>292</td><td>156</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.69	47.85	54.00	-6.15	31.26	34.26	12.44	30.11	0.00	292	156	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>91.50</td><td>-----</td><td>-----</td><td>74.45</td><td>34.32</td><td>12.58</td><td>29.85</td><td>0.00</td><td>292</td><td>156</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	91.50	-----	-----	74.45	34.32	12.58	29.85	0.00	292	156
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5117.69	47.85	54.00	-6.15	31.26	34.26	12.44	30.11	0.00	292	156	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	91.50	-----	-----	74.45	34.32	12.58	29.85	0.00	292	156	AVERAGE																																																																																							







Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																							
ANT	STBC 1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.65</td><td>58.78</td><td>74.00</td><td>-15.22</td><td>41.35</td><td>34.60</td><td>12.57</td><td>29.74</td><td>0.00</td><td>292</td><td>156</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.65	58.78	74.00	-15.22	41.35	34.60	12.57	29.74	0.00	292	156	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.65	58.78	74.00	-15.22	41.35	34.60	12.57	29.74	0.00	292	156	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.15</td><td>50.30</td><td>54.00</td><td>-3.70</td><td>32.88</td><td>34.60</td><td>12.56</td><td>29.74</td><td>0.00</td><td>292</td><td>156</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.15	50.30	54.00	-3.70	32.88	34.60	12.56	29.74	0.00	292	156	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.15	50.30	54.00	-3.70	32.88	34.60	12.56	29.74	0.00	292	156	AVERAGE																																												




Mode	39																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																
ANT	STBC 1+2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.45</td><td>68.20</td><td>-23.75</td><td>58.15</td><td>37.54</td><td>15.62</td><td>66.86</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.45	68.20	-23.75	58.15	37.54	15.62	66.86	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>43.79</td><td>68.20</td><td>-24.41</td><td>57.49</td><td>37.54</td><td>15.62</td><td>66.86</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	43.79	68.20	-24.41	57.49	37.54	15.62	66.86	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10580.00	44.45	68.20	-23.75	58.15	37.54	15.62	66.86	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10580.00	43.79	68.20	-24.41	57.49	37.54	15.62	66.86	0.00	--	PEAK																																																																																						







Mode	40																																																																																																																																						
	Band Edge - L																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																																						
ANT	STBC 1+2																																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5436.65</td><td>58.42</td><td>74.00</td><td>-15.58</td><td>40.58</td><td>34.60</td><td>12.85</td><td>29.61</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr><tr><td>2</td><td>5468.97</td><td>56.75</td><td>68.20</td><td>-11.45</td><td>38.81</td><td>34.60</td><td>12.90</td><td>29.56</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5436.65	58.42	74.00	-15.58	40.58	34.60	12.85	29.61	0.00	100	341	PEAK	2	5468.97	56.75	68.20	-11.45	38.81	34.60	12.90	29.56	0.00	100	341	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>93.49</td><td>-----</td><td>-----</td><td>75.38</td><td>34.60</td><td>13.03</td><td>29.52</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	93.49	-----	-----	75.38	34.60	13.03	29.52	0.00	100	341	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5436.65	58.42	74.00	-15.58	40.58	34.60	12.85	29.61	0.00	100	341	PEAK																																																																																																																											
2	5468.97	56.75	68.20	-11.45	38.81	34.60	12.90	29.56	0.00	100	341	PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5530.00	93.49	-----	-----	75.38	34.60	13.03	29.52	0.00	100	341	PEAK																																																																																																																											
Avg																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5455.21</td><td>48.41</td><td>54.00</td><td>-5.59</td><td>30.57</td><td>34.60</td><td>12.82</td><td>29.58</td><td>0.00</td><td>100</td><td>341</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5455.21	48.41	54.00	-5.59	30.57	34.60	12.82	29.58	0.00	100	341	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>85.08</td><td>-----</td><td>-----</td><td>66.70</td><td>34.76</td><td>13.04</td><td>29.42</td><td>0.00</td><td>100</td><td>341</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	85.08	-----	-----	66.70	34.76	13.04	29.42	0.00	100	341	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5455.21	48.41	54.00	-5.59	30.57	34.60	12.82	29.58	0.00	100	341	AVERAGE																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5530.00	85.08	-----	-----	66.70	34.76	13.04	29.42	0.00	100	341	AVERAGE																																																																																																																											




Mode	40																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																					
ANT	STBC 1+2																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.68</td><td>57.88</td><td>68.20</td><td>-10.32</td><td>39.45</td><td>34.71</td><td>13.58</td><td>29.86</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5753.68	57.88	68.20	-10.32	39.45	34.71	13.58	29.86	0.00	100	341 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5753.68	57.88	68.20	-10.32	39.45	34.71	13.58	29.86	0.00	100	341 PEAK																																											





Mode	40																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																																		
ANT	STBC 1+2																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5456.65</td><td>59.24</td><td>74.00</td><td>-14.76</td><td>41.39</td><td>34.60</td><td>12.83</td><td>29.58</td><td>0.00</td><td>290</td><td>36 PEAK</td></tr><tr><td>2</td><td>5464.33</td><td>59.01</td><td>68.20</td><td>-9.19</td><td>41.10</td><td>34.60</td><td>12.87</td><td>29.56</td><td>0.00</td><td>290</td><td>36 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5456.65	59.24	74.00	-14.76	41.39	34.60	12.83	29.58	0.00	290	36 PEAK	2	5464.33	59.01	68.20	-9.19	41.10	34.60	12.87	29.56	0.00	290	36 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5530.00</td><td>98.43</td><td>-----</td><td>-----</td><td>80.18</td><td>34.68</td><td>13.05</td><td>29.48</td><td>0.00</td><td>290</td><td>36 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	98.43	-----	-----	80.18	34.68	13.05	29.48	0.00	290
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5456.65	59.24	74.00	-14.76	41.39	34.60	12.83	29.58	0.00	290	36 PEAK																																																																																																																								
2	5464.33	59.01	68.20	-9.19	41.10	34.60	12.87	29.56	0.00	290	36 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5530.00	98.43	-----	-----	80.18	34.68	13.05	29.48	0.00	290	36 PEAK																																																																																																																								
Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.05</td><td>50.43</td><td>54.00</td><td>-3.57</td><td>32.56</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>290</td><td>36 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.05	50.43	54.00	-3.57	32.56	34.60	12.84	29.57	0.00	290	36 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5530.00</td><td>90.21</td><td>-----</td><td>-----</td><td>71.97</td><td>34.66</td><td>13.06</td><td>29.48</td><td>0.00</td><td>290</td><td>36 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	90.21	-----	-----	71.97	34.66	13.06	29.48	0.00	290	36 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5459.05	50.43	54.00	-3.57	32.56	34.60	12.84	29.57	0.00	290	36 AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5530.00	90.21	-----	-----	71.97	34.66	13.06	29.48	0.00	290	36 AVERAGE																																																																																																																								







Mode	40																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																						
ANT	STBC 1+2																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.04</td><td>57.02</td><td>68.20</td><td>-11.18</td><td>38.72</td><td>34.67</td><td>13.40</td><td>29.77</td><td>0.00</td><td>290 36 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.04	57.02	68.20	-11.18	38.72	34.67	13.40	29.77	0.00	290 36 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5735.04	57.02	68.20	-11.18	38.72	34.67	13.40	29.77	0.00	290 36 PEAK																																													




Mode	40																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																
ANT	STBC 1+2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.65</td><td>74.00</td><td>-30.35</td><td>56.30</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	43.65	74.00	-30.35	56.30	37.84	16.08	66.57	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.66</td><td>74.00</td><td>-30.34</td><td>56.31</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	43.66	74.00	-30.34	56.31	37.84	16.08	66.57	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11060.00	43.65	74.00	-30.35	56.30	37.84	16.08	66.57	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11060.00	43.66	74.00	-30.34	56.31	37.84	16.08	66.57	0.00	--	PEAK																																																																																						







Mode	41																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																				
ANT	STBC 1+2																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.97</td><td>56.78</td><td>74.00</td><td>-17.22</td><td>38.94</td><td>34.60</td><td>12.85</td><td>29.61</td><td>0.00</td><td>108</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>5467.69</td><td>56.34</td><td>68.20</td><td>-11.86</td><td>38.41</td><td>34.60</td><td>12.89</td><td>29.56</td><td>0.00</td><td>108</td><td>343</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5436.97	56.78	74.00	-17.22	38.94	34.60	12.85	29.61	0.00	108	343	PEAK	2	5467.69	56.34	68.20	-11.86	38.41	34.60	12.89	29.56	0.00	108	343	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>102.49</td><td>-----</td><td>-----</td><td>84.20</td><td>34.50</td><td>13.12</td><td>29.33</td><td>0.00</td><td>108</td><td>343</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	102.49	-----	-----	84.20	34.50	13.12	29.33	0.00	108	343	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5436.97	56.78	74.00	-17.22	38.94	34.60	12.85	29.61	0.00	108	343	PEAK																																																																																																									
2	5467.69	56.34	68.20	-11.86	38.41	34.60	12.89	29.56	0.00	108	343	PEAK																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5610.00	102.49	-----	-----	84.20	34.50	13.12	29.33	0.00	108	343	PEAK																																																																																																									
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.17</td><td>47.98</td><td>54.00</td><td>-6.02</td><td>30.16</td><td>34.60</td><td>12.80</td><td>29.58</td><td>0.00</td><td>108</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.17	47.98	54.00	-6.02	30.16	34.60	12.80	29.58	0.00	108	343	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>93.89</td><td>-----</td><td>-----</td><td>75.62</td><td>34.50</td><td>13.09</td><td>29.32</td><td>0.00</td><td>108</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	93.89	-----	-----	75.62	34.50	13.09	29.32	0.00	108	343	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5452.17	47.98	54.00	-6.02	30.16	34.60	12.80	29.58	0.00	108	343	AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5610.00	93.89	-----	-----	75.62	34.50	13.09	29.32	0.00	108	343	AVERAGE																																																																																																									




Mode	41																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																
ANT	STBC 1+2																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5725.52</td><td>59.45</td><td>68.20</td><td>-8.75</td><td>41.21</td><td>34.65</td><td>13.31</td><td>29.72</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>343</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.52	59.45	68.20	-8.75	41.21	34.65	13.31	29.72								0.00	100									343									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5725.52	59.45	68.20	-8.75	41.21	34.65	13.31	29.72																																																									
							0.00	100																																																									
								343																																																									
								PEAK																																																									





Mode	41																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																
ANT	STBC 1+2																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.13</td><td>56.51</td><td>74.00</td><td>-17.49</td><td>38.71</td><td>34.60</td><td>12.79</td><td>29.59</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr><tr><td>2</td><td>5467.05</td><td>55.61</td><td>68.20</td><td>-12.59</td><td>37.68</td><td>34.60</td><td>12.89</td><td>29.56</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.13	56.51	74.00	-17.49	38.71	34.60	12.79	29.59	0.00	100	159	PEAK	2	5467.05	55.61	68.20	-12.59	37.68	34.60	12.89	29.56	0.00	100	159	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.66</td><td>-----</td><td>-----</td><td>84.36</td><td>34.50</td><td>13.14</td><td>29.34</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.66	-----	-----	84.36	34.50	13.14	29.34	0.00	100	159	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5449.13	56.51	74.00	-17.49	38.71	34.60	12.79	29.59	0.00	100	159	PEAK																																																																																																					
2	5467.05	55.61	68.20	-12.59	37.68	34.60	12.89	29.56	0.00	100	159	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	102.66	-----	-----	84.36	34.50	13.14	29.34	0.00	100	159	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.89</td><td>47.73</td><td>54.00</td><td>-6.27</td><td>29.86</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>100</td><td>159</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.89	47.73	54.00	-6.27	29.86	34.60	12.84	29.57	0.00	100	159	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.87</td><td>-----</td><td>-----</td><td>76.58</td><td>34.50</td><td>13.12</td><td>29.33</td><td>0.00</td><td>100</td><td>159</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.87	-----	-----	76.58	34.50	13.12	29.33	0.00	100	159	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.89	47.73	54.00	-6.27	29.86	34.60	12.84	29.57	0.00	100	159	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	94.87	-----	-----	76.58	34.50	13.12	29.33	0.00	100	159	AVERAGE																																																																																																					







Mode	41																																																																										
	Band Edge - R																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																										
ANT	STBC 1+2																																																																										
Pol.	Vertical						Fundamental																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5728.00</td><td>58.45</td><td>68.20</td><td>-9.75</td><td>40.19</td><td>34.66</td><td>13.34</td><td>29.74</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>159</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5728.00	58.45	68.20	-9.75	40.19	34.66	13.34	29.74								0.00	100									159									PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5728.00	58.45	68.20	-9.75	40.19	34.66	13.34	29.74																																																																			
							0.00	100																																																																			
								159																																																																			
								PEAK																																																																			



Mode	41																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																
ANT	STBC 1+2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>44.19</td><td>74.00</td><td>-29.81</td><td>56.59</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	44.19	74.00	-29.81	56.59	37.90	16.18	66.48	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>56.17</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	43.77	74.00	-30.23	56.17	37.90	16.18	66.48	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11220.00	44.19	74.00	-29.81	56.59	37.90	16.18	66.48	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11220.00	43.77	74.00	-30.23	56.17	37.90	16.18	66.48	0.00	--	PEAK																																																																																						







		42																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																							
ANT		STBC 1+2																																																																																							
Pol.	Horizontal											Fundamental																																																																													
Peak																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5095.38	57.72	74.00	-16.28	41.14	34.30	12.42	30.14	0.00	112	330	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>90.39</td><td>-----</td><td>-----</td><td>73.20</td><td>34.40</td><td>12.61</td><td>29.82</td><td>0.00</td><td>112</td><td>330</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	90.39	-----	-----	73.20	34.40	12.61	29.82	0.00	112	330	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5095.38	57.72	74.00	-16.28	41.14	34.30	12.42	30.14	0.00	112	330	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5250.00	90.39	-----	-----	73.20	34.40	12.61	29.82	0.00	112	330	PEAK																																																																													
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.38</td><td>48.84</td><td>54.00</td><td>-5.16</td><td>32.24</td><td>34.22</td><td>12.45</td><td>30.07</td><td>0.00</td><td>112</td><td>330</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.38	48.84	54.00	-5.16	32.24	34.22	12.45	30.07	0.00	112	330	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>81.35</td><td>68.20</td><td>13.15</td><td>64.48</td><td>34.23</td><td>12.53</td><td>29.89</td><td>0.00</td><td>112</td><td>330</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	81.35	68.20	13.15	64.48	34.23	12.53	29.89	0.00	112	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5142.38	48.84	54.00	-5.16	32.24	34.22	12.45	30.07	0.00	112	330	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5250.00	81.35	68.20	13.15	64.48	34.23	12.53	29.89	0.00	112	330	AVERAGE																																																																													





Mode	42										
	Band Edge - R										
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz										
ANT	STBC 1+2										
Pol.	Horizontal										
Peak	Level (dBuV/m)										





Mode	42																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																																																		
ANT	STBC 1+2																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5133.88</td><td>58.41</td><td>74.00</td><td>-15.59</td><td>41.81</td><td>34.23</td><td>12.45</td><td>30.08</td><td>0.00</td><td>293</td><td>157</td><td colspan="3">PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5133.88	58.41	74.00	-15.59	41.81	34.23	12.45	30.08	0.00	293	157	PEAK			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5250.00</td><td>94.49</td><td>-----</td><td>-----</td><td>77.73</td><td>34.15</td><td>12.54</td><td>29.93</td><td>0.00</td><td>293</td><td>157</td><td colspan="3">PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5250.00	94.49	-----	-----	77.73	34.15	12.54	29.93	0.00	293	157	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5133.88	58.41	74.00	-15.59	41.81	34.23	12.45	30.08	0.00	293	157	PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5250.00	94.49	-----	-----	77.73	34.15	12.54	29.93	0.00	293	157	PEAK																																																																																																																							
Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5143.63</td><td>50.77</td><td>54.00</td><td>-3.23</td><td>34.17</td><td>34.21</td><td>12.45</td><td>30.06</td><td>0.00</td><td>293</td><td>157</td><td colspan="3">AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5143.63	50.77	54.00	-3.23	34.17	34.21	12.45	30.06	0.00	293	157	AVERAGE			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5250.00</td><td>87.01</td><td>-----</td><td>-----</td><td>70.10</td><td>34.25</td><td>12.54</td><td>29.88</td><td>0.00</td><td>293</td><td>157</td><td colspan="3">AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5250.00	87.01	-----	-----	70.10	34.25	12.54	29.88	0.00	293	157	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5143.63	50.77	54.00	-3.23	34.17	34.21	12.45	30.06	0.00	293	157	AVERAGE																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5250.00	87.01	-----	-----	70.10	34.25	12.54	29.88	0.00	293	157	AVERAGE																																																																																																																							







Mode	42																																																						
	Band Edge - R																																																						
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																						
ANT	STBC 1+2																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5388.08</td><td>57.53</td><td>74.00</td><td>-16.47</td><td>39.69</td><td>34.60</td><td>12.92</td><td>29.68</td><td>0.00</td><td>293</td><td>157</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5388.08	57.53	74.00	-16.47	39.69	34.60	12.92	29.68	0.00	293	157	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5388.08	57.53	74.00	-16.47	39.69	34.60	12.92	29.68	0.00	293	157	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.98</td><td>48.90</td><td>54.00</td><td>-5.10</td><td>31.09</td><td>34.60</td><td>12.90</td><td>29.69</td><td>0.00</td><td>293</td><td>157</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.98	48.90	54.00	-5.10	31.09	34.60	12.90	29.69	0.00	293	157	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5385.98	48.90	54.00	-5.10	31.09	34.60	12.90	29.69	0.00	293	157	AVERAGE																																											




Mode	42																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																	
ANT	STBC 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>43.83</td><td>68.20</td><td>-24.37</td><td>57.53</td><td>37.54</td><td>15.62</td><td>66.86</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	43.83	68.20	-24.37	57.53	37.54	15.62	66.86	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>44.17</td><td>68.20</td><td>-24.03</td><td>57.88</td><td>37.54</td><td>15.61</td><td>66.86</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	44.17	68.20	-24.03	57.88	37.54	15.61	66.86	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10500.00	43.83	68.20	-24.37	57.53	37.54	15.62	66.86	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10500.00	44.17	68.20	-24.03	57.88	37.54	15.61	66.86	0.00	--	PEAK																																																																																							







		43																																																																																																												
Mode		Band Edge - L																																																																																																												
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																												
ANT		STBC 1+2																																																																																																												
Pol.		Horizontal					Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.60</td><td>57.26</td><td>74.00</td><td>-16.74</td><td>39.41</td><td>34.60</td><td>12.83</td><td>29.58</td><td>0.00</td><td>100</td><td>340</td><td>PEAK</td></tr><tr><td>2</td><td>5467.82</td><td>55.61</td><td>68.20</td><td>-12.59</td><td>37.68</td><td>34.60</td><td>12.89</td><td>29.56</td><td>0.00</td><td>100</td><td>340</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.60	57.26	74.00	-16.74	39.41	34.60	12.83	29.58	0.00	100	340	PEAK	2	5467.82	55.61	68.20	-12.59	37.68	34.60	12.89	29.56	0.00	100	340	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>88.86</td><td>-----</td><td>-----</td><td>70.50</td><td>34.72</td><td>13.05</td><td>29.41</td><td>0.00</td><td>100</td><td>340</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	88.86	-----	-----	70.50	34.72	13.05	29.41	0.00	100	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5456.60	57.26	74.00	-16.74	39.41	34.60	12.83	29.58	0.00	100	340	PEAK																																																																																																		
2	5467.82	55.61	68.20	-12.59	37.68	34.60	12.89	29.56	0.00	100	340	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5570.00	88.86	-----	-----	70.50	34.72	13.05	29.41	0.00	100	340	PEAK																																																																																																		
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5434.82</td><td>48.13</td><td>54.00</td><td>-5.87</td><td>30.28</td><td>34.60</td><td>12.86</td><td>29.61</td><td>0.00</td><td>100</td><td>340</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.82	48.13	54.00	-5.87	30.28	34.60	12.86	29.61	0.00	100	340	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>80.19</td><td>-----</td><td>-----</td><td>61.88</td><td>34.54</td><td>13.13</td><td>29.36</td><td>0.00</td><td>100</td><td>340</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	80.19	-----	-----	61.88	34.54	13.13	29.36	0.00	100	340	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5434.82	48.13	54.00	-5.87	30.28	34.60	12.86	29.61	0.00	100	340	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5570.00	80.19	-----	-----	61.88	34.54	13.13	29.36	0.00	100	340	AVERAGE																																																																																																		



Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																							
ANT	STBC 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.30</td><td>57.17</td><td>68.20</td><td>-11.03</td><td>38.70</td><td>34.71</td><td>13.64</td><td>29.88</td><td>0.00</td><td>100</td><td>340</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.30	57.17	68.20	-11.03	38.70	34.71	13.64	29.88	0.00	100	340	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5757.30	57.17	68.20	-11.03	38.70	34.71	13.64	29.88	0.00	100	340	PEAK																																												





Mode	43																																																																							
	Band Edge - L																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																							
ANT	STBC 1+2																																																																							
Pol.	Vertical						Fundamental																																																																	
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5436.36</td><td>57.24</td><td>74.00</td><td>-16.76</td><td>39.39</td><td>34.60</td><td>12.86</td><td>29.61</td><td>0.00</td><td>290</td><td>39 PEAK</td></tr><tr><td>2</td><td>5463.64</td><td>57.05</td><td>68.20</td><td>-11.15</td><td>39.15</td><td>34.60</td><td>12.87</td><td>29.57</td><td>0.00</td><td>290</td><td>39 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5436.36	57.24	74.00	-16.76	39.39	34.60	12.86	29.61	0.00	290	39 PEAK	2	5463.64	57.05	68.20	-11.15	39.15	34.60	12.87	29.57	0.00	290	39 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5436.36	57.24	74.00	-16.76	39.39	34.60	12.86	29.61	0.00	290	39 PEAK																																																													
2	5463.64	57.05	68.20	-11.15	39.15	34.60	12.87	29.57	0.00	290	39 PEAK																																																													
Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5447.58</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>32.58</td><td>34.60</td><td>12.80</td><td>29.59</td><td>0.00</td><td>290</td><td>39 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5447.58	50.39	54.00	-3.61	32.58	34.60	12.80	29.59	0.00	290	39 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5447.58	50.39	54.00	-3.61	32.58	34.60	12.80	29.59	0.00	290	39 AVERAGE																																																													
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5570.00</td><td>93.29</td><td>-----</td><td>-----</td><td>74.91</td><td>34.76</td><td>13.04</td><td>29.42</td><td>0.00</td><td>290</td><td>39 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5570.00	93.29	-----	-----	74.91	34.76	13.04	29.42	0.00	290	39 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5570.00	93.29	-----	-----	74.91	34.76	13.04	29.42	0.00	290	39 PEAK																																																													
Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5570.00</td><td>85.32</td><td>-----</td><td>-----</td><td>66.94</td><td>34.76</td><td>13.04</td><td>29.42</td><td>0.00</td><td>290</td><td>39 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5570.00	85.32	-----	-----	66.94	34.76	13.04	29.42	0.00	290	39 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5570.00	85.32	-----	-----	66.94	34.76	13.04	29.42	0.00	290	39 AVERAGE																																																													





Mode	43																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																						
ANT	STBC 1+2																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.51</td><td>57.01</td><td>68.20</td><td>-11.19</td><td>38.72</td><td>34.67</td><td>13.38</td><td>29.76</td><td>0.00</td><td>290</td><td>39</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.51	57.01	68.20	-11.19	38.72	34.67	13.38	29.76	0.00	290	39	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5733.51	57.01	68.20	-11.19	38.72	34.67	13.38	29.76	0.00	290	39	PEAK																																											





Mode	43																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																	
ANT	STBC 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>57.61</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	45.05	74.00	-28.95	57.61	37.84	16.13	66.53	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>57.48</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	44.92	74.00	-29.08	57.48	37.84	16.13	66.53	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11140.00	45.05	74.00	-28.95	57.61	37.84	16.13	66.53	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11140.00	44.92	74.00	-29.08	57.48	37.84	16.13	66.53	0.00	--	PEAK																																																																																							






Mode	35	
	18G-40G	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	STBC 1+2	
Pol.	Horizontal	Vertical
Peak		
Avg		






Mode	35																																																																																																																																																																																																										
	30-1G																																																																																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																																																																																																										
ANT	STBC 1+2																																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																																				
Peak Avg																																																																																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read Level</th><th>CableAntenna Preamp</th><th>Loss Factor</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>32.91</td><td>24.45</td><td>-15.55</td><td>40.00</td><td>33.57</td><td>0.76</td><td>23.06</td><td>32.94</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>114.39</td><td>28.21</td><td>-15.29</td><td>43.50</td><td>42.58</td><td>1.61</td><td>16.88</td><td>32.86</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>191.02</td><td>29.34</td><td>-14.16</td><td>43.50</td><td>44.49</td><td>2.10</td><td>15.59</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>381.14</td><td>29.69</td><td>-16.31</td><td>46.00</td><td>38.37</td><td>2.98</td><td>21.21</td><td>32.87</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>702.21</td><td>33.73</td><td>-12.27</td><td>46.00</td><td>37.49</td><td>4.06</td><td>25.25</td><td>33.07</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>898.15</td><td>36.39</td><td>-9.61</td><td>46.00</td><td>36.97</td><td>4.58</td><td>26.67</td><td>31.83</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Over Limit	Limit	Read Level	CableAntenna Preamp	Loss Factor	Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg		1	32.91	24.45	-15.55	40.00	33.57	0.76	23.06	32.94	---	---	Peak	2	114.39	28.21	-15.29	43.50	42.58	1.61	16.88	32.86	---	---	Peak	3	191.02	29.34	-14.16	43.50	44.49	2.10	15.59	32.84	---	---	Peak	4	381.14	29.69	-16.31	46.00	38.37	2.98	21.21	32.87	---	---	Peak	5	702.21	33.73	-12.27	46.00	37.49	4.06	25.25	33.07	---	---	Peak	6	898.15	36.39	-9.61	46.00	36.97	4.58	26.67	31.83	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read Level</th><th>CableAntenna Preamp</th><th>Loss Factor</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>32.91</td><td>34.27</td><td>-5.73</td><td>40.00</td><td>43.39</td><td>0.76</td><td>23.06</td><td>32.94</td><td>100</td><td>0</td><td>Peak</td></tr><tr><td>2</td><td>152.22</td><td>26.36</td><td>-17.14</td><td>43.50</td><td>40.94</td><td>1.86</td><td>16.38</td><td>32.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>457.77</td><td>29.77</td><td>-16.23</td><td>46.00</td><td>36.84</td><td>3.27</td><td>22.70</td><td>33.04</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>534.40</td><td>30.63</td><td>-15.37</td><td>46.00</td><td>35.51</td><td>3.53</td><td>24.64</td><td>33.05</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>858.38</td><td>33.95</td><td>-12.05</td><td>46.00</td><td>35.16</td><td>4.47</td><td>26.60</td><td>32.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>902.03</td><td>39.06</td><td>-6.94</td><td>46.00</td><td>39.57</td><td>4.59</td><td>26.70</td><td>31.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over Limit	Limit	Read Level	CableAntenna Preamp	Loss Factor	Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg		1	32.91	34.27	-5.73	40.00	43.39	0.76	23.06	32.94	100	0	Peak	2	152.22	26.36	-17.14	43.50	40.94	1.86	16.38	32.82	---	---	Peak	3	457.77	29.77	-16.23	46.00	36.84	3.27	22.70	33.04	---	---	Peak	4	534.40	30.63	-15.37	46.00	35.51	3.53	24.64	33.05	---	---	Peak	5	858.38	33.95	-12.05	46.00	35.16	4.47	26.60	32.28	---	---	Peak	6	902.03	39.06	-6.94	46.00	39.57	4.59	26.70	31.80	---	---	Peak
		Freq	Level	Over Limit	Limit	Read Level	CableAntenna Preamp	Loss Factor	Factor	A/Pos	T/Pos	Remark																																																																																																																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																																	
1	32.91	24.45	-15.55	40.00	33.57	0.76	23.06	32.94	---	---	Peak																																																																																																																																																																																																
2	114.39	28.21	-15.29	43.50	42.58	1.61	16.88	32.86	---	---	Peak																																																																																																																																																																																																
3	191.02	29.34	-14.16	43.50	44.49	2.10	15.59	32.84	---	---	Peak																																																																																																																																																																																																
4	381.14	29.69	-16.31	46.00	38.37	2.98	21.21	32.87	---	---	Peak																																																																																																																																																																																																
5	702.21	33.73	-12.27	46.00	37.49	4.06	25.25	33.07	---	---	Peak																																																																																																																																																																																																
6	898.15	36.39	-9.61	46.00	36.97	4.58	26.67	31.83	---	---	Peak																																																																																																																																																																																																
	Freq	Level	Over Limit	Limit	Read Level	CableAntenna Preamp	Loss Factor	Factor	A/Pos	T/Pos	Remark																																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																																	
1	32.91	34.27	-5.73	40.00	43.39	0.76	23.06	32.94	100	0	Peak																																																																																																																																																																																																
2	152.22	26.36	-17.14	43.50	40.94	1.86	16.38	32.82	---	---	Peak																																																																																																																																																																																																
3	457.77	29.77	-16.23	46.00	36.84	3.27	22.70	33.04	---	---	Peak																																																																																																																																																																																																
4	534.40	30.63	-15.37	46.00	35.51	3.53	24.64	33.05	---	---	Peak																																																																																																																																																																																																
5	858.38	33.95	-12.05	46.00	35.16	4.47	26.60	32.28	---	---	Peak																																																																																																																																																																																																
6	902.03	39.06	-6.94	46.00	39.57	4.59	26.70	31.80	---	---	Peak																																																																																																																																																																																																





Mode	44																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																				
ANT	STBC 1+2																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5601.02</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>38.77</td><td>34.83</td><td>11.00</td><td>36.02</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>2 5655.00</td><td>49.44</td><td>71.92</td><td>-22.48</td><td>39.68</td><td>34.88</td><td>11.00</td><td>36.20</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>3 5701.80</td><td>50.45</td><td>105.80</td><td>-55.35</td><td>41.32</td><td>34.92</td><td>11.14</td><td>36.93</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>53.81</td><td>110.90</td><td>-57.09</td><td>44.92</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5601.02	48.58	68.20	-19.62	38.77	34.83	11.00	36.02	0.00	300	135	PEAK	2 5655.00	49.44	71.92	-22.48	39.68	34.88	11.00	36.20	0.00	300	135	PEAK	3 5701.80	50.45	105.80	-55.35	41.32	34.92	11.14	36.93	0.00	300	135	PEAK	4 5720.00	53.81	110.90	-57.09	44.92	34.94	11.17	37.22	0.00	300	135	PEAK	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>107.63</td><td>-----</td><td>-----</td><td>99.03</td><td>34.96</td><td>11.20</td><td>37.56</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	107.63	-----	-----	99.03	34.96	11.20	37.56	0.00	300	135	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5601.02	48.58	68.20	-19.62	38.77	34.83	11.00	36.02	0.00	300	135	PEAK																																																																																																																										
2 5655.00	49.44	71.92	-22.48	39.68	34.88	11.00	36.20	0.00	300	135	PEAK																																																																																																																										
3 5701.80	50.45	105.80	-55.35	41.32	34.92	11.14	36.93	0.00	300	135	PEAK																																																																																																																										
4 5720.00	53.81	110.90	-57.09	44.92	34.94	11.17	37.22	0.00	300	135	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5745.00	107.63	-----	-----	99.03	34.96	11.20	37.56	0.00	300	135	PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>100.79</td><td>-----</td><td>-----</td><td>92.21</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>300</td><td>135</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	100.79	-----	-----	92.21	34.96	11.20	37.58	0.00	300	135	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5745.00	100.79	-----	-----	92.21	34.96	11.20	37.58	0.00	300	135	AVERAGE																																																																																																																										





Mode	44																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	STBC 1+2																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5629.42</td><td>49.66</td><td>68.20</td><td>-18.54</td><td>39.73</td><td>34.86</td><td>11.04</td><td>35.97</td><td>0.00</td><td>300</td><td>210</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>48.34</td><td>68.37</td><td>-20.03</td><td>38.51</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>210</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>58.80</td><td>110.90</td><td>-52.10</td><td>49.91</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>210</td><td>PEAK</td></tr><tr><td>4</td><td>5720.22</td><td>59.39</td><td>111.41</td><td>-52.02</td><td>50.50</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>210</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5629.42	49.66	68.20	-18.54	39.73	34.86	11.04	35.97	0.00	300	210	PEAK	2	5650.22	48.34	68.37	-20.03	38.51	34.88	11.07	36.12	0.00	300	210	PEAK	3	5720.00	58.80	110.90	-52.10	49.91	34.94	11.17	37.22	0.00	300	210	PEAK	4	5720.22	59.39	111.41	-52.02	50.50	34.94	11.17	37.22	0.00	300	210	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.21</td><td>-----</td><td>-----</td><td>103.63</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>300</td><td>210</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.21	-----	-----	103.63	34.96	11.20	37.58	0.00	300	210
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5629.42	49.66	68.20	-18.54	39.73	34.86	11.04	35.97	0.00	300	210	PEAK																																																																																																																															
2	5650.22	48.34	68.37	-20.03	38.51	34.88	11.07	36.12	0.00	300	210	PEAK																																																																																																																															
3	5720.00	58.80	110.90	-52.10	49.91	34.94	11.17	37.22	0.00	300	210	PEAK																																																																																																																															
4	5720.22	59.39	111.41	-52.02	50.50	34.94	11.17	37.22	0.00	300	210	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	112.21	-----	-----	103.63	34.96	11.20	37.58	0.00	300	210	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.79</td><td>-----</td><td>-----</td><td>96.21</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>300</td><td>210</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.79	-----	-----	96.21	34.96	11.20	37.58	0.00	300	210	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	104.79	-----	-----	96.21	34.96	11.20	37.58	0.00	300	210	AVERAGE																																																																																																																															






Mode	44																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																							
ANT	STBC 1+2																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>53.02</td><td>74.00</td><td>-20.98</td><td>59.87</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>50.24</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td><td>194</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>48.93</td><td>68.20</td><td>-19.27</td><td>48.22</td><td>41.47</td><td>23.43</td><td>64.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>56.96</td><td>74.00</td><td>-17.04</td><td>63.81</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td><td>211</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>53.87</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td><td>211</td><td>AVERAGE</td></tr><tr><td>3</td><td>17233.30</td><td>55.23</td><td>68.20</td><td>-12.97</td><td>54.50</td><td>41.47</td><td>23.44</td><td>64.18</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	53.02	74.00	-20.98	59.87	38.30	18.74	63.89	0.00	100	194	PEAK	2	11490.00	43.39	54.00	-10.61	50.24	38.30	18.74	63.89	0.00	100	194	AVERAGE	3	17235.00	48.93	68.20	-19.27	48.22	41.47	23.43	64.19	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	56.96	74.00	-17.04	63.81	38.30	18.74	63.89	0.00	100	211	PEAK	2	11490.00	47.02	54.00	-6.98	53.87	38.30	18.74	63.89	0.00	100	211	AVERAGE	3	17233.30	55.23	68.20	-12.97	54.50	41.47	23.44	64.18	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	11490.00	53.02	74.00	-20.98	59.87	38.30	18.74	63.89	0.00	100	194	PEAK																																																																																																																																												
2	11490.00	43.39	54.00	-10.61	50.24	38.30	18.74	63.89	0.00	100	194	AVERAGE																																																																																																																																												
3	17235.00	48.93	68.20	-19.27	48.22	41.47	23.43	64.19	0.00	--	--	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	11490.00	56.96	74.00	-17.04	63.81	38.30	18.74	63.89	0.00	100	211	PEAK																																																																																																																																												
2	11490.00	47.02	54.00	-6.98	53.87	38.30	18.74	63.89	0.00	100	211	AVERAGE																																																																																																																																												
3	17233.30	55.23	68.20	-12.97	54.50	41.47	23.44	64.18	0.00	--	--	Peak																																																																																																																																												






		45																																																																												
Mode		Harmonic																																																																												
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																												
ANT		STBC 1+2																																																																												
Pol.		Horizontal						Vertical																																																																						
Peak Avg																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>45.55</td><td>74.00</td><td>-28.45</td><td>52.54</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17355.00</td><td>47.35</td><td>68.20</td><td>-20.85</td><td>46.46</td><td>41.40</td><td>23.51</td><td>64.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11570.00	45.55	74.00	-28.45	52.54	38.44	18.63	64.06	0.00	--	--	PEAK	2	17355.00	47.35	68.20	-20.85	46.46	41.40	23.51	64.02	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	11570.00	45.55	74.00	-28.45	52.54	38.44	18.63	64.06	0.00	--	--	PEAK																																																																		
2	17355.00	47.35	68.20	-20.85	46.46	41.40	23.51	64.02	0.00	--	--	PEAK																																																																		
																																																																														
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>54.05</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17355.00</td><td>48.92</td><td>68.20</td><td>-19.28</td><td>48.04</td><td>41.40</td><td>23.51</td><td>64.03</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11570.00	47.06	74.00	-26.94	54.05	38.44	18.63	64.06	0.00	--	--	PEAK	2	17355.00	48.92	68.20	-19.28	48.04	41.40	23.51	64.03	0.00	--	--	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	11570.00	47.06	74.00	-26.94	54.05	38.44	18.63	64.06	0.00	--	--	PEAK																																																																		
2	17355.00	48.92	68.20	-19.28	48.04	41.40	23.51	64.03	0.00	--	--	PEAK																																																																		





Mode	46																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	STBC 1+2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.22</td><td>52.65</td><td>112.67</td><td>-60.02</td><td>45.57</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>249</td><td>0° PEAK</td></tr><tr><td>2</td><td>5875.00</td><td>49.70</td><td>105.30</td><td>-55.60</td><td>42.56</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>249</td><td>0° PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>47.31</td><td>68.50</td><td>-21.19</td><td>40.00</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>249</td><td>0° PEAK</td></tr><tr><td>4</td><td>5940.22</td><td>47.73</td><td>68.20</td><td>-20.47</td><td>40.35</td><td>35.15</td><td>11.42</td><td>39.19</td><td>0.00</td><td>249</td><td>0° PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.22	52.65	112.67	-60.02	45.57	35.07	11.33	39.32	0.00	249	0° PEAK	2	5875.00	49.70	105.30	-55.60	42.56	35.09	11.35	39.30	0.00	249	0° PEAK	3	5924.60	47.31	68.50	-21.19	40.00	35.13	11.40	39.22	0.00	249	0° PEAK	4	5940.22	47.73	68.20	-20.47	40.35	35.15	11.42	39.19	0.00	249	0° PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.00</td><td>-----</td><td>-----</td><td>100.46</td><td>35.04</td><td>11.30</td><td>38.80</td><td>0.00</td><td>249</td><td>0° PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.00	-----	-----	100.46	35.04	11.30	38.80	0.00	249
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5854.22	52.65	112.67	-60.02	45.57	35.07	11.33	39.32	0.00	249	0° PEAK																																																																																																																									
2	5875.00	49.70	105.30	-55.60	42.56	35.09	11.35	39.30	0.00	249	0° PEAK																																																																																																																									
3	5924.60	47.31	68.50	-21.19	40.00	35.13	11.40	39.22	0.00	249	0° PEAK																																																																																																																									
4	5940.22	47.73	68.20	-20.47	40.35	35.15	11.42	39.19	0.00	249	0° PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5825.00	108.00	-----	-----	100.46	35.04	11.30	38.80	0.00	249	0° PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.26</td><td>-----</td><td>-----</td><td>91.72</td><td>35.04</td><td>11.30</td><td>38.80</td><td>0.00</td><td>249</td><td>0° AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.26	-----	-----	91.72	35.04	11.30	38.80	0.00	249	0° AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5825.00	99.26	-----	-----	91.72	35.04	11.30	38.80	0.00	249	0° AVERAGE																																																																																																																									






		46																																																																																													
Mode		Band Edge																																																																																													
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																													
ANT		STBC 1+2																																																																																													
Pol.		Vertical																																																																																													
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>53.26</td><td>110.90</td><td>-57.64</td><td>46.18</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>180</td><td>205 PEAK</td></tr><tr><td>2</td><td>5868.60</td><td>50.09</td><td>107.09</td><td>-57.00</td><td>42.97</td><td>35.08</td><td>11.35</td><td>39.31</td><td>0.00</td><td>180</td><td>205 PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>46.57</td><td>68.20</td><td>-21.63</td><td>39.26</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>180</td><td>205 PEAK</td></tr><tr><td>4</td><td>5931.00</td><td>48.79</td><td>68.20</td><td>-19.41</td><td>41.45</td><td>35.14</td><td>11.41</td><td>39.21</td><td>0.00</td><td>180</td><td>205 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5855.00	53.26	110.90	-57.64	46.18	35.07	11.34	39.33	0.00	180	205 PEAK	2	5868.60	50.09	107.09	-57.00	42.97	35.08	11.35	39.31	0.00	180	205 PEAK	3	5925.00	46.57	68.20	-21.63	39.26	35.13	11.40	39.22	0.00	180	205 PEAK	4	5931.00	48.79	68.20	-19.41	41.45	35.14	11.41	39.21	0.00	180
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5855.00	53.26	110.90	-57.64	46.18	35.07	11.34	39.33	0.00	180	205 PEAK																																																																																				
2	5868.60	50.09	107.09	-57.00	42.97	35.08	11.35	39.31	0.00	180	205 PEAK																																																																																				
3	5925.00	46.57	68.20	-21.63	39.26	35.13	11.40	39.22	0.00	180	205 PEAK																																																																																				
4	5931.00	48.79	68.20	-19.41	41.45	35.14	11.41	39.21	0.00	180	205 PEAK																																																																																				
Fundamental																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.94</td><td>-----</td><td>-----</td><td>103.40</td><td>35.04</td><td>11.30</td><td>38.80</td><td>0.00</td><td>180</td><td>205 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	110.94	-----	-----	103.40	35.04	11.30	38.80	0.00	180	205 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5825.00	110.94	-----	-----	103.40	35.04	11.30	38.80	0.00	180	205 PEAK																																																																																				
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.62</td><td>-----</td><td>-----</td><td>96.08</td><td>35.04</td><td>11.30</td><td>38.80</td><td>0.00</td><td>180</td><td>205 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.62	-----	-----	96.08	35.04	11.30	38.80	0.00	180	205 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5825.00	103.62	-----	-----	96.08	35.04	11.30	38.80	0.00	180	205 AVERAGE																																																																																				






Mode	46																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																																					
ANT	STBC 1+2																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																															
Peak Avg																																																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>50.73</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>103</td><td>69</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>42.58</td><td>54.00</td><td>-11.42</td><td>49.68</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>103</td><td>69</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>47.65</td><td>68.20</td><td>-20.55</td><td>46.51</td><td>41.47</td><td>23.56</td><td>63.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11650.00	51.63	74.00	-22.37	50.73	38.50	18.67	64.27	0.00	103	69	PEAK	2	11650.00	42.58	54.00	-11.42	49.68	38.50	18.67	64.27	0.00	103	69	AVERAGE	3	17475.00	47.65	68.20	-20.55	46.51	41.47	23.56	63.89	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>55.14</td><td>74.00</td><td>-18.86</td><td>62.24</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>200</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.29</td><td>54.00</td><td>-9.71</td><td>51.39</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>200</td><td>205</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>48.04</td><td>68.20</td><td>-20.16</td><td>46.83</td><td>41.48</td><td>23.60</td><td>63.87</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11650.00	55.14	74.00	-18.86	62.24	38.50	18.67	64.27	0.00	200	205	PEAK	2	11650.00	44.29	54.00	-9.71	51.39	38.50	18.67	64.27	0.00	200	205	AVERAGE	3	17475.00	48.04	68.20	-20.16	46.83	41.48	23.60	63.87	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																											
1	11650.00	51.63	74.00	-22.37	50.73	38.50	18.67	64.27	0.00	103	69	PEAK																																																																																																																																																										
2	11650.00	42.58	54.00	-11.42	49.68	38.50	18.67	64.27	0.00	103	69	AVERAGE																																																																																																																																																										
3	17475.00	47.65	68.20	-20.55	46.51	41.47	23.56	63.89	0.00	--	--	PEAK																																																																																																																																																										
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																											
1	11650.00	55.14	74.00	-18.86	62.24	38.50	18.67	64.27	0.00	200	205	PEAK																																																																																																																																																										
2	11650.00	44.29	54.00	-9.71	51.39	38.50	18.67	64.27	0.00	200	205	AVERAGE																																																																																																																																																										
3	17475.00	48.04	68.20	-20.16	46.83	41.48	23.60	63.87	0.00	--	--	PEAK																																																																																																																																																										





Mode	47																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																									
ANT	STBC 1+2																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5609.02</td><td>48.75</td><td>68.20</td><td>-19.45</td><td>38.89</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.35</td><td>68.20</td><td>-20.85</td><td>37.52</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>3</td><td>5719.80</td><td>61.76</td><td>110.84</td><td>-49.08</td><td>52.86</td><td>34.94</td><td>11.17</td><td>37.21</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>61.77</td><td>110.90</td><td>-49.13</td><td>52.88</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5609.02	48.75	68.20	-19.45	38.89	34.84	11.02	36.00	0.00	300	135	PEAK	2	5650.00	47.35	68.20	-20.85	37.52	34.88	11.07	36.12	0.00	300	135	PEAK	3	5719.80	61.76	110.84	-49.08	52.86	34.94	11.17	37.21	0.00	300	135	PEAK	4	5720.00	61.77	110.90	-49.13	52.88	34.94	11.17	37.22	0.00	300	135	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.70</td><td>-----</td><td>-----</td><td>101.12</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.70	-----	-----	101.12	34.96	11.20	37.58	0.00	300	135
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5609.02	48.75	68.20	-19.45	38.89	34.84	11.02	36.00	0.00	300	135	PEAK																																																																																																																														
2	5650.00	47.35	68.20	-20.85	37.52	34.88	11.07	36.12	0.00	300	135	PEAK																																																																																																																														
3	5719.80	61.76	110.84	-49.08	52.86	34.94	11.17	37.21	0.00	300	135	PEAK																																																																																																																														
4	5720.00	61.77	110.90	-49.13	52.88	34.94	11.17	37.22	0.00	300	135	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	109.70	-----	-----	101.12	34.96	11.20	37.58	0.00	300	135	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.31</td><td>-----</td><td>-----</td><td>91.73</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>300</td><td>135</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.31	-----	-----	91.73	34.96	11.20	37.58	0.00	300	135	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	100.31	-----	-----	91.73	34.96	11.20	37.58	0.00	300	135	AVERAGE																																																																																																																														





Mode	47																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																										
ANT	STBC 1+2																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue trace with a peak at 5721.00 MHz. The peak level is 71.04 dBuV/m. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.42</td><td>50.89</td><td>68.20</td><td>-17.31</td><td>41.00</td><td>34.87</td><td>11.07</td><td>36.05</td><td>0.00</td><td>300</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>5658.22</td><td>51.01</td><td>68.37</td><td>-17.36</td><td>41.18</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>205</td><td>PEAK</td></tr><tr><td>3</td><td>5719.00</td><td>63.62</td><td>110.62</td><td>-47.00</td><td>54.71</td><td>34.94</td><td>11.17</td><td>37.20</td><td>0.00</td><td>300</td><td>205</td><td>PEAK</td></tr><tr><td>4</td><td>5721.00</td><td>71.04</td><td>115.00</td><td>-43.96</td><td>62.17</td><td>34.94</td><td>11.17</td><td>37.24</td><td>0.00</td><td>300</td><td>205</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5645.42	50.89	68.20	-17.31	41.00	34.87	11.07	36.05	0.00	300	205	PEAK	2	5658.22	51.01	68.37	-17.36	41.18	34.88	11.07	36.12	0.00	300	205	PEAK	3	5719.00	63.62	110.62	-47.00	54.71	34.94	11.17	37.20	0.00	300	205	PEAK	4	5721.00	71.04	115.00	-43.96	62.17	34.94	11.17	37.24	0.00	300	205	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5745.00 MHz. The peak level is 111.15 dBuV/m. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>111.15</td><td>-----</td><td>-----</td><td>102.48</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>300</td><td>205</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	111.15	-----	-----	102.48	34.96	11.19	37.48	0.00	300	205	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5645.42	50.89	68.20	-17.31	41.00	34.87	11.07	36.05	0.00	300	205	PEAK																																																																																																																															
2	5658.22	51.01	68.37	-17.36	41.18	34.88	11.07	36.12	0.00	300	205	PEAK																																																																																																																															
3	5719.00	63.62	110.62	-47.00	54.71	34.94	11.17	37.20	0.00	300	205	PEAK																																																																																																																															
4	5721.00	71.04	115.00	-43.96	62.17	34.94	11.17	37.24	0.00	300	205	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	111.15	-----	-----	102.48	34.96	11.19	37.48	0.00	300	205	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5745.00 MHz. The peak level is 104.11 dBuV/m. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.11</td><td>-----</td><td>-----</td><td>95.53</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>300</td><td>205</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.11	-----	-----	95.53	34.96	11.20	37.58	0.00	300	205	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	104.11	-----	-----	95.53	34.96	11.20	37.58	0.00	300	205	AVERAGE																																																																																																																															






		47																																																																												
Mode		Harmonic																																																																												
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																												
ANT		STBC 1+2																																																																												
Pol.		Horizontal					Vertical																																																																							
Peak Avg																																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>52.94</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17235.00</td><td>48.01</td><td>68.20</td><td>-20.19</td><td>47.28</td><td>41.47</td><td>23.44</td><td>64.18</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.09	74.00	-27.91	52.94	38.30	18.74	63.89	0.00	--	PEAK	2	17235.00	48.01	68.20	-20.19	47.28	41.47	23.44	64.18	0.00	--	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	11490.00	46.09	74.00	-27.91	52.94	38.30	18.74	63.89	0.00	--	PEAK																																																																			
2	17235.00	48.01	68.20	-20.19	47.28	41.47	23.44	64.18	0.00	--	PEAK																																																																			
																																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>56.79</td><td>74.00</td><td>-17.21</td><td>63.64</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td><td>210 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.48</td><td>54.00</td><td>-8.52</td><td>52.33</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td><td>210 AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>47.32</td><td>68.20</td><td>-20.88</td><td>46.59</td><td>41.46</td><td>23.45</td><td>64.18</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	56.79	74.00	-17.21	63.64	38.30	18.74	63.89	0.00	100	210 PEAK	2	11490.00	45.48	54.00	-8.52	52.33	38.30	18.74	63.89	0.00	100	210 AVERAGE	3	17235.00	47.32	68.20	-20.88	46.59	41.46	23.45	64.18	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	11490.00	56.79	74.00	-17.21	63.64	38.30	18.74	63.89	0.00	100	210 PEAK																																																																			
2	11490.00	45.48	54.00	-8.52	52.33	38.30	18.74	63.89	0.00	100	210 AVERAGE																																																																			
3	17235.00	47.32	68.20	-20.88	46.59	41.46	23.45	64.18	0.00	--	PEAK																																																																			






		48																																																																																																																																																										
Mode		Harmonic																																																																																																																																																										
		U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																																										
ANT		STBC 1+2																																																																																																																																																										
Pol.		Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>49.79</td><td>74.00</td><td>-24.21</td><td>61.51</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>291</td><td>47</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>39.54</td><td>54.00</td><td>-14.46</td><td>51.26</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>291</td><td>47</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11570.00	49.79	74.00	-24.21	61.51	38.20	16.41	66.33	0.00	291	47	PEAK	2	11570.00	39.54	54.00	-14.46	51.26	38.20	16.41	66.33	0.00	291	47	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>50.01</td><td>74.00</td><td>-23.99</td><td>61.73</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>106</td><td>200</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>40.06</td><td>54.00</td><td>-13.94</td><td>51.78</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>106</td><td>200</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11570.00	50.01	74.00	-23.99	61.73	38.20	16.41	66.33	0.00	106	200	PEAK	2	11570.00	40.06	54.00	-13.94	51.78	38.20	16.41	66.33	0.00	106	200	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	11570.00	49.79	74.00	-24.21	61.51	38.20	16.41	66.33	0.00	291	47	PEAK																																																																																																																																																
2	11570.00	39.54	54.00	-14.46	51.26	38.20	16.41	66.33	0.00	291	47	AVERAGE																																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	11570.00	50.01	74.00	-23.99	61.73	38.20	16.41	66.33	0.00	106	200	PEAK																																																																																																																																																
2	11570.00	40.06	54.00	-13.94	51.78	38.20	16.41	66.33	0.00	106	200	AVERAGE																																																																																																																																																





Mode	49																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																				
ANT	STBC 1+2																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak	 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red limit line and a blue measured signal. Peaks are labeled 1, 2, 3, and 4. The signal is labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>49.53</td><td>110.90</td><td>-61.37</td><td>42.45</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>306</td><td>0 PEAK</td></tr><tr><td>2</td><td>5860.60</td><td>52.76</td><td>109.33</td><td>-56.57</td><td>45.67</td><td>35.07</td><td>11.34</td><td>39.32</td><td>0.00</td><td>306</td><td>0 PEAK</td></tr><tr><td>3</td><td>5922.60</td><td>47.52</td><td>69.97</td><td>-22.45</td><td>40.21</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>306</td><td>0 PEAK</td></tr><tr><td>4</td><td>5931.42</td><td>47.61</td><td>68.20</td><td>-20.59</td><td>40.26</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>306</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	49.53	110.90	-61.37	42.45	35.07	11.34	39.33	0.00	306	0 PEAK	2	5860.60	52.76	109.33	-56.57	45.67	35.07	11.34	39.32	0.00	306	0 PEAK	3	5922.60	47.52	69.97	-22.45	40.21	35.13	11.40	39.22	0.00	306	0 PEAK	4	5931.42	47.61	68.20	-20.59	40.26	35.14	11.41	39.20	0.00	306	0 PEAK	 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a red limit line and a blue measured signal. A peak is labeled 1. The signal is labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.40</td><td>-----</td><td>-----</td><td>99.86</td><td>35.04</td><td>11.30</td><td>38.80</td><td>0.00</td><td>306</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.40	-----	-----	99.86	35.04	11.30	38.80	0.00	306	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5855.00	49.53	110.90	-61.37	42.45	35.07	11.34	39.33	0.00	306	0 PEAK																																																																																																																										
2	5860.60	52.76	109.33	-56.57	45.67	35.07	11.34	39.32	0.00	306	0 PEAK																																																																																																																										
3	5922.60	47.52	69.97	-22.45	40.21	35.13	11.40	39.22	0.00	306	0 PEAK																																																																																																																										
4	5931.42	47.61	68.20	-20.59	40.26	35.14	11.41	39.20	0.00	306	0 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	107.40	-----	-----	99.86	35.04	11.30	38.80	0.00	306	0 PEAK																																																																																																																										
Avg	Blank						 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a red limit line and a blue measured signal. A peak is labeled 1. The signal is labeled U-NII-3(AVG). <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.69</td><td>-----</td><td>-----</td><td>91.15</td><td>35.04</td><td>11.30</td><td>38.80</td><td>0.00</td><td>306</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.69	-----	-----	91.15	35.04	11.30	38.80	0.00	306	0 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	98.69	-----	-----	91.15	35.04	11.30	38.80	0.00	306	0 AVERAGE																																																																																																																										







Mode	49																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																										
ANT	STBC 1+2																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. Four points are marked on the trace: 1 at 5853.80 MHz, 2 at 5855.42 MHz, 3 at 5925.00 MHz, and 4 at 5991.42 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.80</td><td>62.25</td><td>113.64</td><td>-51.39</td><td>55.16</td><td>35.07</td><td>11.33</td><td>39.31</td><td>0.00</td><td>179</td><td>204</td><td>PEAK</td></tr><tr><td>2</td><td>5855.42</td><td>63.79</td><td>110.78</td><td>-46.99</td><td>56.71</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>179</td><td>204</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>45.32</td><td>68.20</td><td>-22.88</td><td>38.01</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>179</td><td>204</td><td>PEAK</td></tr><tr><td>4</td><td>5991.42</td><td>47.53</td><td>68.20</td><td>-20.67</td><td>39.98</td><td>35.20</td><td>11.46</td><td>39.11</td><td>0.00</td><td>179</td><td>204</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.80	62.25	113.64	-51.39	55.16	35.07	11.33	39.31	0.00	179	204	PEAK	2	5855.42	63.79	110.78	-46.99	56.71	35.07	11.34	39.33	0.00	179	204	PEAK	3	5925.00	45.32	68.20	-22.88	38.01	35.13	11.40	39.22	0.00	179	204	PEAK	4	5991.42	47.53	68.20	-20.67	39.98	35.20	11.46	39.11	0.00	179	204	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. One point is marked on the trace: 1 at 5825.00 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>112.15</td><td>-----</td><td>-----</td><td>104.70</td><td>35.04</td><td>11.31</td><td>38.90</td><td>0.00</td><td>179</td><td>204</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.15	-----	-----	104.70	35.04	11.31	38.90	0.00	179	204	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5853.80	62.25	113.64	-51.39	55.16	35.07	11.33	39.31	0.00	179	204	PEAK																																																																																																																															
2	5855.42	63.79	110.78	-46.99	56.71	35.07	11.34	39.33	0.00	179	204	PEAK																																																																																																																															
3	5925.00	45.32	68.20	-22.88	38.01	35.13	11.40	39.22	0.00	179	204	PEAK																																																																																																																															
4	5991.42	47.53	68.20	-20.67	39.98	35.20	11.46	39.11	0.00	179	204	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	112.15	-----	-----	104.70	35.04	11.31	38.90	0.00	179	204	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. One point is marked on the trace: 1 at 5825.00 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.67</td><td>-----</td><td>-----</td><td>95.13</td><td>35.04</td><td>11.30</td><td>38.80</td><td>0.00</td><td>179</td><td>204</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.67	-----	-----	95.13	35.04	11.30	38.80	0.00	179	204	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	102.67	-----	-----	95.13	35.04	11.30	38.80	0.00	179	204	AVERAGE																																																																																																																															




		49																																																																																																																																																										
Mode		Harmonic																																																																																																																																																										
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																																										
ANT		STBC 1+2																																																																																																																																																										
Pol.		Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11650.00</td><td>50.22</td><td>74.00</td><td>-23.78</td><td>61.84</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>195</td><td>65</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>39.14</td><td>54.00</td><td>-14.86</td><td>50.76</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>195</td><td>65</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11650.00	50.22	74.00	-23.78	61.84	38.25	16.46	66.33	0.00	195	65	PEAK	2	11650.00	39.14	54.00	-14.86	50.76	38.25	16.46	66.33	0.00	195	65	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11650.00</td><td>51.62</td><td>74.00</td><td>-22.38</td><td>63.24</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>202</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>40.87</td><td>54.00</td><td>-13.13</td><td>52.49</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>202</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11650.00	51.62	74.00	-22.38	63.24	38.25	16.46	66.33	0.00	100	202	PEAK	2	11650.00	40.87	54.00	-13.13	52.49	38.25	16.46	66.33	0.00	100	202	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	11650.00	50.22	74.00	-23.78	61.84	38.25	16.46	66.33	0.00	195	65	PEAK																																																																																																																																																
2	11650.00	39.14	54.00	-14.86	50.76	38.25	16.46	66.33	0.00	195	65	AVERAGE																																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	11650.00	51.62	74.00	-22.38	63.24	38.25	16.46	66.33	0.00	100	202	PEAK																																																																																																																																																
2	11650.00	40.87	54.00	-13.13	52.49	38.25	16.46	66.33	0.00	100	202	AVERAGE																																																																																																																																																






Mode	50																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																									
ANT	STBC 1+2																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5609.07</td><td>50.34</td><td>68.20</td><td>-17.86</td><td>40.48</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>296</td><td>134</td><td>PEAK</td></tr><tr><td>2</td><td>5650.01</td><td>47.91</td><td>68.20</td><td>-20.29</td><td>38.08</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>296</td><td>134</td><td>PEAK</td></tr><tr><td>3</td><td>5701.45</td><td>56.18</td><td>105.71</td><td>-49.53</td><td>47.04</td><td>34.92</td><td>11.14</td><td>36.92</td><td>0.00</td><td>296</td><td>134</td><td>PEAK</td></tr><tr><td>4</td><td>5720.20</td><td>53.36</td><td>111.36</td><td>-58.00</td><td>44.47</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>296</td><td>134</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5609.07	50.34	68.20	-17.86	40.48	34.84	11.02	36.00	0.00	296	134	PEAK	2	5650.01	47.91	68.20	-20.29	38.08	34.88	11.07	36.12	0.00	296	134	PEAK	3	5701.45	56.18	105.71	-49.53	47.04	34.92	11.14	36.92	0.00	296	134	PEAK	4	5720.20	53.36	111.36	-58.00	44.47	34.94	11.17	37.22	0.00	296	134	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.91</td><td>-----</td><td>-----</td><td>97.40</td><td>34.97</td><td>11.21</td><td>37.67</td><td>0.00</td><td>296</td><td>134</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	105.91	-----	-----	97.40	34.97	11.21	37.67	0.00	296	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5609.07	50.34	68.20	-17.86	40.48	34.84	11.02	36.00	0.00	296	134	PEAK																																																																																																																														
2	5650.01	47.91	68.20	-20.29	38.08	34.88	11.07	36.12	0.00	296	134	PEAK																																																																																																																														
3	5701.45	56.18	105.71	-49.53	47.04	34.92	11.14	36.92	0.00	296	134	PEAK																																																																																																																														
4	5720.20	53.36	111.36	-58.00	44.47	34.94	11.17	37.22	0.00	296	134	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	105.91	-----	-----	97.40	34.97	11.21	37.67	0.00	296	134	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.99</td><td>-----</td><td>-----</td><td>89.48</td><td>34.97</td><td>11.21</td><td>37.67</td><td>0.00</td><td>296</td><td>134</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.99	-----	-----	89.48	34.97	11.21	37.67	0.00	296	134	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.99</td><td>-----</td><td>-----</td><td>89.48</td><td>34.97</td><td>11.21</td><td>37.67</td><td>0.00</td><td>296</td><td>134</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.99	-----	-----	89.48	34.97	11.21	37.67	0.00	296	134	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	97.99	-----	-----	89.48	34.97	11.21	37.67	0.00	296	134	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	97.99	-----	-----	89.48	34.97	11.21	37.67	0.00	296	134	AVERAGE																																																																																																																														




Mode	50																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																														
ANT	STBC 1+2																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.74</td><td>45.02</td><td>111.49</td><td>-66.47</td><td>37.94</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>296</td><td>134</td><td>PEAK</td></tr><tr><td>2</td><td>5874.64</td><td>45.19</td><td>105.40</td><td>-60.21</td><td>38.05</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>296</td><td>134</td><td>PEAK</td></tr><tr><td>3</td><td>5924.94</td><td>45.21</td><td>68.24</td><td>-23.03</td><td>37.90</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>296</td><td>134</td><td>PEAK</td></tr><tr><td>4</td><td>5940.55</td><td>47.03</td><td>68.20</td><td>-21.17</td><td>39.65</td><td>35.15</td><td>11.42</td><td>39.19</td><td>0.00</td><td>296</td><td>134</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.74	45.02	111.49	-66.47	37.94	35.07	11.34	39.33	0.00	296	134	PEAK	2	5874.64	45.19	105.40	-60.21	38.05	35.09	11.35	39.30	0.00	296	134	PEAK	3	5924.94	45.21	68.24	-23.03	37.90	35.13	11.40	39.22	0.00	296	134	PEAK	4	5940.55	47.03	68.20	-21.17	39.65	35.15	11.42	39.19	0.00	296	134	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.74	45.02	111.49	-66.47	37.94	35.07	11.34	39.33	0.00	296	134	PEAK																																																																																			
2	5874.64	45.19	105.40	-60.21	38.05	35.09	11.35	39.30	0.00	296	134	PEAK																																																																																			
3	5924.94	45.21	68.24	-23.03	37.90	35.13	11.40	39.22	0.00	296	134	PEAK																																																																																			
4	5940.55	47.03	68.20	-21.17	39.65	35.15	11.42	39.19	0.00	296	134	PEAK																																																																																			





Mode	50																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																				
ANT	STBC 1+2																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.56	51.99	68.20	-16.21	42.09	34.87	11.06	36.03	0.00	282	207	PEAK	2	5650.93	50.60	68.89	-18.29	40.78	34.88	11.07	36.13	0.00	282	207	PEAK	3	5700.53	58.15	105.45	-47.30	49.00	34.92	11.14	36.91	0.00	282	207	PEAK	4	5720.99	60.78	113.15	-52.37	51.90	34.94	11.17	37.23	0.00	282	207	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>111.00</td><td>-----</td><td>-----</td><td>103.38</td><td>34.97</td><td>11.22</td><td>37.77</td><td>0.00</td><td>282</td><td>207</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	111.00	-----	-----	103.38	34.97	11.22	37.77	0.00	282	207
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5644.56	51.99	68.20	-16.21	42.09	34.87	11.06	36.03	0.00	282	207	PEAK																																																																																																																									
2	5650.93	50.60	68.89	-18.29	40.78	34.88	11.07	36.13	0.00	282	207	PEAK																																																																																																																									
3	5700.53	58.15	105.45	-47.30	49.00	34.92	11.14	36.91	0.00	282	207	PEAK																																																																																																																									
4	5720.99	60.78	113.15	-52.37	51.90	34.94	11.17	37.23	0.00	282	207	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5755.00	111.00	-----	-----	103.38	34.97	11.22	37.77	0.00	282	207	PEAK																																																																																																																									
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.20</td><td>-----</td><td>-----</td><td>92.78</td><td>34.97</td><td>11.22</td><td>37.77</td><td>0.00</td><td>282</td><td>207</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.20	-----	-----	92.78	34.97	11.22	37.77	0.00	282	207	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5755.00	101.20	-----	-----	92.78	34.97	11.22	37.77	0.00	282	207	AVERAGE																																																																																																																									





Mode	50																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																														
ANT	STBC 1+2																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.21</td><td>47.62</td><td>112.70</td><td>-65.08</td><td>40.54</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>282</td><td>207</td><td>PEAK</td></tr><tr><td>2</td><td>5874.83</td><td>47.41</td><td>105.35</td><td>-57.94</td><td>40.27</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>282</td><td>207</td><td>PEAK</td></tr><tr><td>3</td><td>5924.56</td><td>46.52</td><td>68.52</td><td>-22.00</td><td>39.21</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>282</td><td>207</td><td>PEAK</td></tr><tr><td>4</td><td>5933.91</td><td>46.87</td><td>68.20</td><td>-21.33</td><td>39.52</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>282</td><td>207</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.21	47.62	112.70	-65.08	40.54	35.07	11.33	39.32	0.00	282	207	PEAK	2	5874.83	47.41	105.35	-57.94	40.27	35.09	11.35	39.30	0.00	282	207	PEAK	3	5924.56	46.52	68.52	-22.00	39.21	35.13	11.40	39.22	0.00	282	207	PEAK	4	5933.91	46.87	68.20	-21.33	39.52	35.14	11.41	39.20	0.00	282	207	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.21	47.62	112.70	-65.08	40.54	35.07	11.33	39.32	0.00	282	207	PEAK																																																																																			
2	5874.83	47.41	105.35	-57.94	40.27	35.09	11.35	39.30	0.00	282	207	PEAK																																																																																			
3	5924.56	46.52	68.52	-22.00	39.21	35.13	11.40	39.22	0.00	282	207	PEAK																																																																																			
4	5933.91	46.87	68.20	-21.33	39.52	35.14	11.41	39.20	0.00	282	207	PEAK																																																																																			




Mode	50																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																	
ANT	STBC 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>56.13</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	44.37	74.00	-29.63	56.13	38.20	16.37	66.33	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>56.68</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	44.92	74.00	-29.08	56.68	38.20	16.37	66.33	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11510.00	44.37	74.00	-29.63	56.13	38.20	16.37	66.33	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11510.00	44.92	74.00	-29.08	56.68	38.20	16.37	66.33	0.00	--	PEAK																																																																																							







		51																																																																																											
Mode		Band Edge - L																																																																																											
		U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																											
ANT		STBC 1+2																																																																																											
Pol.		Horizontal					Fundamental																																																																																						
Peak																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5633.02</td><td>49.40</td><td>68.20</td><td>-18.80</td><td>39.46</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>310</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5650.60</td><td>45.83</td><td>68.65</td><td>-22.82</td><td>36.01</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>310</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5711.00</td><td>53.58</td><td>108.38</td><td>-54.80</td><td>44.56</td><td>34.93</td><td>11.16</td><td>37.07</td><td>0.00</td><td>310</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.07</td><td>110.90</td><td>-60.83</td><td>41.18</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>310</td><td>0</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5633.02	49.40	68.20	-18.80	39.46	34.86	11.05	35.97	0.00	310	0	PEAK	2	5650.60	45.83	68.65	-22.82	36.01	34.88	11.07	36.13	0.00	310	0	PEAK	3	5711.00	53.58	108.38	-54.80	44.56	34.93	11.16	37.07	0.00	310	0	PEAK	4	5720.00	50.07	110.90	-60.83	41.18	34.94	11.17	37.22	0.00	310	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5633.02	49.40	68.20	-18.80	39.46	34.86	11.05	35.97	0.00	310	0	PEAK																																																																																	
2	5650.60	45.83	68.65	-22.82	36.01	34.88	11.07	36.13	0.00	310	0	PEAK																																																																																	
3	5711.00	53.58	108.38	-54.80	44.56	34.93	11.16	37.07	0.00	310	0	PEAK																																																																																	
4	5720.00	50.07	110.90	-60.83	41.18	34.94	11.17	37.22	0.00	310	0	PEAK																																																																																	
Avg		Blank																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.20</td><td>-----</td><td>-----</td><td>89.25</td><td>35.01</td><td>11.27</td><td>38.33</td><td>0.00</td><td>310</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	97.20	-----	-----	89.25	35.01	11.27	38.33	0.00	310	0	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5795.00	97.20	-----	-----	89.25	35.01	11.27	38.33	0.00	310	0	AVERAGE																																																																																	




Mode	51																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																									
ANT	STBC 1+2																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.02</td><td>55.35</td><td>115.41</td><td>-60.06</td><td>48.25</td><td>35.07</td><td>11.33</td><td>39.30</td><td>0.00</td><td>310</td><td>0 PEAK</td></tr><tr><td>2</td><td>5868.22</td><td>52.14</td><td>107.20</td><td>-55.06</td><td>45.02</td><td>35.08</td><td>11.35</td><td>39.31</td><td>0.00</td><td>310</td><td>0 PEAK</td></tr><tr><td>3</td><td>5923.80</td><td>47.64</td><td>69.09</td><td>-21.45</td><td>40.33</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>310</td><td>0 PEAK</td></tr><tr><td>4</td><td>5944.60</td><td>47.24</td><td>68.20</td><td>-20.96</td><td>39.85</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>310</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.02	55.35	115.41	-60.06	48.25	35.07	11.33	39.30	0.00	310	0 PEAK	2	5868.22	52.14	107.20	-55.06	45.02	35.08	11.35	39.31	0.00	310	0 PEAK	3	5923.80	47.64	69.09	-21.45	40.33	35.13	11.40	39.22	0.00	310	0 PEAK	4	5944.60	47.24	68.20	-20.96	39.85	35.15	11.42	39.18	0.00	310	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5853.02	55.35	115.41	-60.06	48.25	35.07	11.33	39.30	0.00	310	0 PEAK																																																																															
2	5868.22	52.14	107.20	-55.06	45.02	35.08	11.35	39.31	0.00	310	0 PEAK																																																																															
3	5923.80	47.64	69.09	-21.45	40.33	35.13	11.40	39.22	0.00	310	0 PEAK																																																																															
4	5944.60	47.24	68.20	-20.96	39.85	35.15	11.42	39.18	0.00	310	0 PEAK																																																																															





Mode	51																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																										
ANT	STBC 1+2																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.22</td><td>49.27</td><td>68.20</td><td>-18.93</td><td>39.33</td><td>34.87</td><td>11.06</td><td>35.99</td><td>0.00</td><td>169</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>5650.60</td><td>49.23</td><td>68.65</td><td>-19.42</td><td>39.41</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>169</td><td>205</td><td>PEAK</td></tr><tr><td>3</td><td>5782.60</td><td>52.36</td><td>106.03</td><td>-53.67</td><td>43.22</td><td>34.93</td><td>11.15</td><td>36.94</td><td>0.00</td><td>169</td><td>205</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.07</td><td>110.90</td><td>-57.83</td><td>44.18</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>169</td><td>205</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5642.22	49.27	68.20	-18.93	39.33	34.87	11.06	35.99	0.00	169	205	PEAK	2	5650.60	49.23	68.65	-19.42	39.41	34.88	11.07	36.13	0.00	169	205	PEAK	3	5782.60	52.36	106.03	-53.67	43.22	34.93	11.15	36.94	0.00	169	205	PEAK	4	5720.00	53.07	110.90	-57.83	44.18	34.94	11.17	37.22	0.00	169	205	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>109.33</td><td>-----</td><td>-----</td><td>101.46</td><td>35.01</td><td>11.28</td><td>38.42</td><td>0.00</td><td>169</td><td>205</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	109.33	-----	-----	101.46	35.01	11.28	38.42	0.00	169	205
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5642.22	49.27	68.20	-18.93	39.33	34.87	11.06	35.99	0.00	169	205	PEAK																																																																																																																															
2	5650.60	49.23	68.65	-19.42	39.41	34.88	11.07	36.13	0.00	169	205	PEAK																																																																																																																															
3	5782.60	52.36	106.03	-53.67	43.22	34.93	11.15	36.94	0.00	169	205	PEAK																																																																																																																															
4	5720.00	53.07	110.90	-57.83	44.18	34.94	11.17	37.22	0.00	169	205	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	109.33	-----	-----	101.46	35.01	11.28	38.42	0.00	169	205	PEAK																																																																																																																															
Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.47</td><td>-----</td><td>-----</td><td>93.52</td><td>35.01</td><td>11.27</td><td>38.33</td><td>0.00</td><td>169</td><td>205</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.47	-----	-----	93.52	35.01	11.27	38.33	0.00	169	205	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.47</td><td>-----</td><td>-----</td><td>93.52</td><td>35.01</td><td>11.27</td><td>38.33</td><td>0.00</td><td>169</td><td>205</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.47	-----	-----	93.52	35.01	11.27	38.33	0.00	169	205	AVERAGE																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	101.47	-----	-----	93.52	35.01	11.27	38.33	0.00	169	205	AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	101.47	-----	-----	93.52	35.01	11.27	38.33	0.00	169	205	AVERAGE																																																																																																																															






Mode	51																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																													
ANT	STBC 1+2																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.80</td><td>54.80</td><td>113.64</td><td>-58.84</td><td>47.71</td><td>35.07</td><td>11.33</td><td>39.31</td><td>0.00</td><td>169</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>5872.20</td><td>51.45</td><td>106.08</td><td>-54.63</td><td>44.31</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>169</td><td>205</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>45.02</td><td>68.20</td><td>-23.18</td><td>37.71</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>169</td><td>205</td><td>PEAK</td></tr><tr><td>4</td><td>5933.02</td><td>47.57</td><td>68.20</td><td>-20.63</td><td>40.22</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>169</td><td>205</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.80	54.80	113.64	-58.84	47.71	35.07	11.33	39.31	0.00	169	205	PEAK	2	5872.20	51.45	106.08	-54.63	44.31	35.09	11.35	39.30	0.00	169	205	PEAK	3	5925.00	45.02	68.20	-23.18	37.71	35.13	11.40	39.22	0.00	169	205	PEAK	4	5933.02	47.57	68.20	-20.63	40.22	35.14	11.41	39.20	0.00	169	205	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5853.80	54.80	113.64	-58.84	47.71	35.07	11.33	39.31	0.00	169	205	PEAK																																																																																		
2	5872.20	51.45	106.08	-54.63	44.31	35.09	11.35	39.30	0.00	169	205	PEAK																																																																																		
3	5925.00	45.02	68.20	-23.18	37.71	35.13	11.40	39.22	0.00	169	205	PEAK																																																																																		
4	5933.02	47.57	68.20	-20.63	40.22	35.14	11.41	39.20	0.00	169	205	PEAK																																																																																		




Mode	51																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																	
ANT	STBC 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>56.04</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	44.33	74.00	-29.67	56.04	38.20	16.42	66.33	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>55.70</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	43.99	74.00	-30.01	55.70	38.20	16.42	66.33	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11590.00	44.33	74.00	-29.67	56.04	38.20	16.42	66.33	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11590.00	43.99	74.00	-30.01	55.70	38.20	16.42	66.33	0.00	--	PEAK																																																																																							






		52																																																																																											
Mode		Band Edge - L																																																																																											
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																											
ANT		STBC 1+2																																																																																											
Pol.		Horizontal					Fundamental																																																																																						
Peak																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.02</td><td>53.86</td><td>68.20</td><td>-14.34</td><td>43.91</td><td>34.87</td><td>11.06</td><td>35.98</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>52.54</td><td>68.37</td><td>-15.83</td><td>42.71</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>3</td><td>5710.60</td><td>67.00</td><td>108.27</td><td>-41.27</td><td>57.98</td><td>34.93</td><td>11.16</td><td>37.07</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>64.83</td><td>110.90</td><td>-46.07</td><td>55.94</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5641.02	53.86	68.20	-14.34	43.91	34.87	11.06	35.98	0.00	300	135	PEAK	2	5650.22	52.54	68.37	-15.83	42.71	34.88	11.07	36.12	0.00	300	135	PEAK	3	5710.60	67.00	108.27	-41.27	57.98	34.93	11.16	37.07	0.00	300	135	PEAK	4	5720.00	64.83	110.90	-46.07	55.94	34.94	11.17	37.22	0.00	300	135
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5641.02	53.86	68.20	-14.34	43.91	34.87	11.06	35.98	0.00	300	135	PEAK																																																																																	
2	5650.22	52.54	68.37	-15.83	42.71	34.88	11.07	36.12	0.00	300	135	PEAK																																																																																	
3	5710.60	67.00	108.27	-41.27	57.98	34.93	11.16	37.07	0.00	300	135	PEAK																																																																																	
4	5720.00	64.83	110.90	-46.07	55.94	34.94	11.17	37.22	0.00	300	135	PEAK																																																																																	
Avg																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.88</td><td>-----</td><td>-----</td><td>93.21</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	101.88	-----	-----	93.21	34.96	11.19	37.48	0.00	300	135	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5775.00	101.88	-----	-----	93.21	34.96	11.19	37.48	0.00	300	135	PEAK																																																																																	
Blank																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.20</td><td>-----</td><td>-----</td><td>84.53</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>300</td><td>135</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	93.20	-----	-----	84.53	34.96	11.19	37.48	0.00	300	135	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5775.00	93.20	-----	-----	84.53	34.96	11.19	37.48	0.00	300	135	AVERAGE																																																																																	




Mode	52																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																														
ANT	STBC 1+2																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.22</td><td>60.32</td><td>112.67</td><td>-52.35</td><td>53.24</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>5861.00</td><td>60.70</td><td>106.99</td><td>-46.29</td><td>53.60</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>45.31</td><td>68.20</td><td>-22.89</td><td>38.00</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>4</td><td>5931.00</td><td>48.08</td><td>68.20</td><td>-20.12</td><td>40.74</td><td>35.14</td><td>11.41</td><td>39.21</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.22	60.32	112.67	-52.35	53.24	35.07	11.33	39.32	0.00	300	135	PEAK	2	5861.00	60.70	106.99	-46.29	53.60	35.08	11.34	39.32	0.00	300	135	PEAK	3	5925.00	45.31	68.20	-22.89	38.00	35.13	11.40	39.22	0.00	300	135	PEAK	4	5931.00	48.08	68.20	-20.12	40.74	35.14	11.41	39.21	0.00	300	135	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.22	60.32	112.67	-52.35	53.24	35.07	11.33	39.32	0.00	300	135	PEAK																																																																																			
2	5861.00	60.70	106.99	-46.29	53.60	35.08	11.34	39.32	0.00	300	135	PEAK																																																																																			
3	5925.00	45.31	68.20	-22.89	38.00	35.13	11.40	39.22	0.00	300	135	PEAK																																																																																			
4	5931.00	48.08	68.20	-20.12	40.74	35.14	11.41	39.21	0.00	300	135	PEAK																																																																																			





Mode	52																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																										
ANT	STBC 1+2																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot includes a red limit line and a blue test signal. Four peaks are marked with numbers 1, 2, 3, and 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5617.42</td><td>57.09</td><td>68.20</td><td>-11.11</td><td>47.21</td><td>34.84</td><td>11.03</td><td>35.99</td><td>0.00</td><td>300</td><td>208</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>56.18</td><td>69.54</td><td>-13.36</td><td>46.38</td><td>34.88</td><td>11.07</td><td>36.15</td><td>0.00</td><td>300</td><td>208</td><td>PEAK</td></tr><tr><td>3</td><td>5717.78</td><td>75.04</td><td>110.28</td><td>-35.24</td><td>66.11</td><td>34.94</td><td>11.17</td><td>37.18</td><td>0.00</td><td>300</td><td>208</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>69.13</td><td>110.90</td><td>-41.77</td><td>60.24</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>208</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5617.42	57.09	68.20	-11.11	47.21	34.84	11.03	35.99	0.00	300	208	PEAK	2	5651.00	56.18	69.54	-13.36	46.38	34.88	11.07	36.15	0.00	300	208	PEAK	3	5717.78	75.04	110.28	-35.24	66.11	34.94	11.17	37.18	0.00	300	208	PEAK	4	5720.00	69.13	110.90	-41.77	60.24	34.94	11.17	37.22	0.00	300	208	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue test signal. A single peak is marked with number 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>105.99</td><td>-----</td><td>-----</td><td>97.81</td><td>34.99</td><td>11.24</td><td>38.05</td><td>0.00</td><td>300</td><td>208</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	105.99	-----	-----	97.81	34.99	11.24	38.05	0.00	300	208	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5617.42	57.09	68.20	-11.11	47.21	34.84	11.03	35.99	0.00	300	208	PEAK																																																																																																																															
2	5651.00	56.18	69.54	-13.36	46.38	34.88	11.07	36.15	0.00	300	208	PEAK																																																																																																																															
3	5717.78	75.04	110.28	-35.24	66.11	34.94	11.17	37.18	0.00	300	208	PEAK																																																																																																																															
4	5720.00	69.13	110.90	-41.77	60.24	34.94	11.17	37.22	0.00	300	208	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	105.99	-----	-----	97.81	34.99	11.24	38.05	0.00	300	208	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue test signal. A single peak is marked with number 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.42</td><td>-----</td><td>-----</td><td>88.32</td><td>35.00</td><td>11.25</td><td>38.15</td><td>0.00</td><td>300</td><td>208</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	96.42	-----	-----	88.32	35.00	11.25	38.15	0.00	300	208	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	96.42	-----	-----	88.32	35.00	11.25	38.15	0.00	300	208	AVERAGE																																																																																																																															






Mode	52																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																														
ANT	STBC 1+2																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.22</td><td>65.62</td><td>112.67</td><td>-47.05</td><td>58.54</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>300</td><td>200</td><td>Peak</td></tr><tr><td>2</td><td>5859.98</td><td>61.46</td><td>109.50</td><td>-48.04</td><td>54.37</td><td>35.07</td><td>11.34</td><td>39.32</td><td>0.00</td><td>300</td><td>200</td><td>Peak</td></tr><tr><td>3</td><td>5924.96</td><td>46.02</td><td>68.23</td><td>-22.21</td><td>38.71</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>200</td><td>PEAK</td></tr><tr><td>4</td><td>5934.60</td><td>47.25</td><td>68.20</td><td>-20.95</td><td>39.90</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>300</td><td>200</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.22	65.62	112.67	-47.05	58.54	35.07	11.33	39.32	0.00	300	200	Peak	2	5859.98	61.46	109.50	-48.04	54.37	35.07	11.34	39.32	0.00	300	200	Peak	3	5924.96	46.02	68.23	-22.21	38.71	35.13	11.40	39.22	0.00	300	200	PEAK	4	5934.60	47.25	68.20	-20.95	39.90	35.14	11.41	39.20	0.00	300	200	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.22	65.62	112.67	-47.05	58.54	35.07	11.33	39.32	0.00	300	200	Peak																																																																																			
2	5859.98	61.46	109.50	-48.04	54.37	35.07	11.34	39.32	0.00	300	200	Peak																																																																																			
3	5924.96	46.02	68.23	-22.21	38.71	35.13	11.40	39.22	0.00	300	200	PEAK																																																																																			
4	5934.60	47.25	68.20	-20.95	39.90	35.14	11.41	39.20	0.00	300	200	PEAK																																																																																			






Mode	52																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																	
ANT	STBC 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>43.83</td><td>74.00</td><td>-30.17</td><td>55.57</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	43.83	74.00	-30.17	55.57	38.20	16.39	66.33	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>55.94</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	44.20	74.00	-29.80	55.94	38.20	16.39	66.33	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11550.00	43.83	74.00	-30.17	55.57	38.20	16.39	66.33	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11550.00	44.20	74.00	-29.80	55.94	38.20	16.39	66.33	0.00	--	PEAK																																																																																							






		53																																																																																																																																																
Mode		Band Edge																																																																																																																																																
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																																
ANT		STBC 1+2																																																																																																																																																
Pol.	Horizontal										Fundamental																																																																																																																																							
Peak																																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.00</td><td>49.16</td><td>68.20</td><td>-19.04</td><td>39.27</td><td>34.87</td><td>11.07</td><td>36.05</td><td>0.00</td><td>107</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>46.73</td><td>68.37</td><td>-21.64</td><td>36.90</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>107</td><td>356</td><td>PEAK</td></tr><tr><td>3</td><td>5701.02</td><td>47.25</td><td>105.59</td><td>-58.34</td><td>38.11</td><td>34.92</td><td>11.14</td><td>36.92</td><td>0.00</td><td>107</td><td>356</td><td>PEAK</td></tr><tr><td>4</td><td>5720.22</td><td>47.17</td><td>111.41</td><td>-64.24</td><td>38.28</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>107</td><td>356</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.00	49.16	68.20	-19.04	39.27	34.87	11.07	36.05	0.00	107	356	PEAK	2	5650.22	46.73	68.37	-21.64	36.90	34.88	11.07	36.12	0.00	107	356	PEAK	3	5701.02	47.25	105.59	-58.34	38.11	34.92	11.14	36.92	0.00	107	356	PEAK	4	5720.22	47.17	111.41	-64.24	38.28	34.94	11.17	37.22	0.00	107	356	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.63</td><td>-----</td><td>-----</td><td>103.88</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>107</td><td>356</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.63	-----	-----	103.88	34.95	11.19	37.39	0.00	107	356
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	5645.00	49.16	68.20	-19.04	39.27	34.87	11.07	36.05	0.00	107	356	PEAK																																																																																																																																						
2	5650.22	46.73	68.37	-21.64	36.90	34.88	11.07	36.12	0.00	107	356	PEAK																																																																																																																																						
3	5701.02	47.25	105.59	-58.34	38.11	34.92	11.14	36.92	0.00	107	356	PEAK																																																																																																																																						
4	5720.22	47.17	111.41	-64.24	38.28	34.94	11.17	37.22	0.00	107	356	PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	5745.00	112.63	-----	-----	103.88	34.95	11.19	37.39	0.00	107	356	PEAK																																																																																																																																						
Avg	Blank																																																																																																																																																	
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.79</td><td>-----</td><td>-----</td><td>93.04</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>107</td><td>356</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.79	-----	-----	93.04	34.95	11.19	37.39	0.00	107	356	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	5745.00	101.79	-----	-----	93.04	34.95	11.19	37.39	0.00	107	356	AVERAGE																																																																																																																																						






		53																																																																																																																																																								
Mode		Band Edge																																																																																																																																																								
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																																								
ANT		STBC 1+2																																																																																																																																																								
Pol.	Vertical											Fundamental																																																																																																																																														
Peak																																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.22</td><td>49.08</td><td>68.20</td><td>-19.12</td><td>39.19</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>100</td><td>154</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>45.99</td><td>68.20</td><td>-22.21</td><td>36.16</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>100</td><td>154</td><td>PEAK</td></tr><tr><td>3</td><td>5702.60</td><td>48.66</td><td>106.03</td><td>-57.37</td><td>39.52</td><td>34.93</td><td>11.15</td><td>36.94</td><td>0.00</td><td>100</td><td>154</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>47.10</td><td>110.90</td><td>-63.80</td><td>38.21</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>100</td><td>154</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5618.22	49.08	68.20	-19.12	39.19	34.85	11.03	35.99	0.00	100	154	PEAK	2	5650.00	45.99	68.20	-22.21	36.16	34.88	11.07	36.12	0.00	100	154	PEAK	3	5702.60	48.66	106.03	-57.37	39.52	34.93	11.15	36.94	0.00	100	154	PEAK	4	5720.00	47.10	110.90	-63.80	38.21	34.94	11.17	37.22	0.00	100	154	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.15</td><td>-----</td><td>-----</td><td>102.40</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>100</td><td>154</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.15	-----	-----	102.40	34.95	11.19	37.39	0.00	100	154	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	5618.22	49.08	68.20	-19.12	39.19	34.85	11.03	35.99	0.00	100	154	PEAK																																																																																																																																														
2	5650.00	45.99	68.20	-22.21	36.16	34.88	11.07	36.12	0.00	100	154	PEAK																																																																																																																																														
3	5702.60	48.66	106.03	-57.37	39.52	34.93	11.15	36.94	0.00	100	154	PEAK																																																																																																																																														
4	5720.00	47.10	110.90	-63.80	38.21	34.94	11.17	37.22	0.00	100	154	PEAK																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	5745.00	111.15	-----	-----	102.40	34.95	11.19	37.39	0.00	100	154	PEAK																																																																																																																																														
Avg	Blank																																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.09</td><td>-----</td><td>-----</td><td>94.34</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>100</td><td>154</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.09	-----	-----	94.34	34.95	11.19	37.39	0.00	100	154	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.09</td><td>-----</td><td>-----</td><td>94.34</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>100</td><td>154</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.09	-----	-----	94.34	34.95	11.19	37.39	0.00	100	154	AVERAGE																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	5745.00	103.09	-----	-----	94.34	34.95	11.19	37.39	0.00	100	154	AVERAGE																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	5745.00	103.09	-----	-----	94.34	34.95	11.19	37.39	0.00	100	154	AVERAGE																																																																																																																																														






Mode	54																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																										
ANT	STBC 1+2																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>44.96</td><td>110.90</td><td>-65.94</td><td>37.88</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>100</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>5870.22</td><td>46.78</td><td>106.64</td><td>-59.86</td><td>39.65</td><td>35.08</td><td>11.35</td><td>39.30</td><td>0.00</td><td>100</td><td>356</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>44.96</td><td>68.20</td><td>-23.24</td><td>37.65</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>356</td><td>PEAK</td></tr><tr><td>4</td><td>5968.22</td><td>47.49</td><td>68.20</td><td>-20.71</td><td>40.01</td><td>35.18</td><td>11.44</td><td>39.14</td><td>0.00</td><td>100</td><td>356</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	44.96	110.90	-65.94	37.88	35.07	11.34	39.33	0.00	100	356	PEAK	2	5870.22	46.78	106.64	-59.86	39.65	35.08	11.35	39.30	0.00	100	356	PEAK	3	5925.00	44.96	68.20	-23.24	37.65	35.13	11.40	39.22	0.00	100	356	PEAK	4	5968.22	47.49	68.20	-20.71	40.01	35.18	11.44	39.14	0.00	100	356	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.24</td><td>-----</td><td>-----</td><td>98.87</td><td>35.05</td><td>11.31</td><td>38.99</td><td>0.00</td><td>100</td><td>356</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.24	-----	-----	98.87	35.05	11.31	38.99	0.00	100	356	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5855.00	44.96	110.90	-65.94	37.88	35.07	11.34	39.33	0.00	100	356	PEAK																																																																																																																															
2	5870.22	46.78	106.64	-59.86	39.65	35.08	11.35	39.30	0.00	100	356	PEAK																																																																																																																															
3	5925.00	44.96	68.20	-23.24	37.65	35.13	11.40	39.22	0.00	100	356	PEAK																																																																																																																															
4	5968.22	47.49	68.20	-20.71	40.01	35.18	11.44	39.14	0.00	100	356	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	106.24	-----	-----	98.87	35.05	11.31	38.99	0.00	100	356	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.19</td><td>-----</td><td>-----</td><td>90.82</td><td>35.05</td><td>11.31</td><td>38.99</td><td>0.00</td><td>100</td><td>356</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.19	-----	-----	90.82	35.05	11.31	38.99	0.00	100	356	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	98.19	-----	-----	90.82	35.05	11.31	38.99	0.00	100	356	AVERAGE																																																																																																																															






Mode	54																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																										
ANT	STBC 1+2																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. The peak level is 110.28 dBuV/m. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>46.76</td><td>110.90</td><td>-64.14</td><td>39.68</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>118</td><td>159</td><td>PEAK</td></tr><tr><td>2</td><td>5872.60</td><td>46.48</td><td>105.97</td><td>-59.49</td><td>39.34</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>118</td><td>159</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>44.74</td><td>68.20</td><td>-23.46</td><td>37.43</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>118</td><td>159</td><td>PEAK</td></tr><tr><td>4</td><td>5989.42</td><td>46.73</td><td>68.20</td><td>-21.47</td><td>39.18</td><td>35.20</td><td>11.46</td><td>39.11</td><td>0.00</td><td>118</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	46.76	110.90	-64.14	39.68	35.07	11.34	39.33	0.00	118	159	PEAK	2	5872.60	46.48	105.97	-59.49	39.34	35.09	11.35	39.30	0.00	118	159	PEAK	3	5925.00	44.74	68.20	-23.46	37.43	35.13	11.40	39.22	0.00	118	159	PEAK	4	5989.42	46.73	68.20	-21.47	39.18	35.20	11.46	39.11	0.00	118	159	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. The peak level is 110.28 dBuV/m. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>110.28</td><td>-----</td><td>-----</td><td>102.91</td><td>35.05</td><td>11.31</td><td>38.99</td><td>0.00</td><td>118</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.28	-----	-----	102.91	35.05	11.31	38.99	0.00	118	159	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5855.00	46.76	110.90	-64.14	39.68	35.07	11.34	39.33	0.00	118	159	PEAK																																																																																																																															
2	5872.60	46.48	105.97	-59.49	39.34	35.09	11.35	39.30	0.00	118	159	PEAK																																																																																																																															
3	5925.00	44.74	68.20	-23.46	37.43	35.13	11.40	39.22	0.00	118	159	PEAK																																																																																																																															
4	5989.42	46.73	68.20	-21.47	39.18	35.20	11.46	39.11	0.00	118	159	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	110.28	-----	-----	102.91	35.05	11.31	38.99	0.00	118	159	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. The peak level is 101.36 dBuV/m. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.36</td><td>-----</td><td>-----</td><td>93.99</td><td>35.05</td><td>11.31</td><td>38.99</td><td>0.00</td><td>118</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.36	-----	-----	93.99	35.05	11.31	38.99	0.00	118	159	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	101.36	-----	-----	93.99	35.05	11.31	38.99	0.00	118	159	AVERAGE																																																																																																																															






		55																																																																																																																																																	
Mode		Band Edge																																																																																																																																																	
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																																	
ANT		STBC 1+2																																																																																																																																																	
Pol.		Horizontal					Fundamental																																																																																																																																												
Peak																																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.60</td><td>50.21</td><td>68.20</td><td>-17.99</td><td>40.27</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>110</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.91</td><td>68.20</td><td>-21.29</td><td>37.08</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>110</td><td>356</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>47.20</td><td>105.30</td><td>-58.10</td><td>38.04</td><td>34.92</td><td>11.14</td><td>36.90</td><td>0.00</td><td>110</td><td>356</td><td>PEAK</td></tr><tr><td>4</td><td>5720.60</td><td>50.13</td><td>112.27</td><td>-62.14</td><td>41.24</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>110</td><td>356</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.60	50.21	68.20	-17.99	40.27	34.86	11.05	35.97	0.00	110	356	PEAK	2	5650.00	46.91	68.20	-21.29	37.08	34.88	11.07	36.12	0.00	110	356	PEAK	3	5700.00	47.20	105.30	-58.10	38.04	34.92	11.14	36.90	0.00	110	356	PEAK	4	5720.60	50.13	112.27	-62.14	41.24	34.94	11.17	37.22	0.00	110	356	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.09</td><td>-----</td><td>-----</td><td>100.42</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>110</td><td>356</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.09	-----	-----	100.42	34.96	11.19	37.48	0.00	110	356
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																									
1	5634.60	50.21	68.20	-17.99	40.27	34.86	11.05	35.97	0.00	110	356	PEAK																																																																																																																																							
2	5650.00	46.91	68.20	-21.29	37.08	34.88	11.07	36.12	0.00	110	356	PEAK																																																																																																																																							
3	5700.00	47.20	105.30	-58.10	38.04	34.92	11.14	36.90	0.00	110	356	PEAK																																																																																																																																							
4	5720.60	50.13	112.27	-62.14	41.24	34.94	11.17	37.22	0.00	110	356	PEAK																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	5745.00	109.09	-----	-----	100.42	34.96	11.19	37.48	0.00	110	356	PEAK																																																																																																																																							
Avg	Blank																																																																																																																																																		
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.71</td><td>-----</td><td>-----</td><td>93.04</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>110</td><td>356</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.71	-----	-----	93.04	34.96	11.19	37.48	0.00	110	356	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	5745.00	101.71	-----	-----	93.04	34.96	11.19	37.48	0.00	110	356	AVERAGE																																																																																																																																							






		55																																																																																													
Mode	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																														
ANT	STBC 1+2																																																																																														
Pol.	Vertical																																																																																														
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5629.42</td><td>49.56</td><td>68.20</td><td>-18.64</td><td>39.63</td><td>34.86</td><td>11.04</td><td>35.97</td><td>0.00</td><td>142</td><td>153</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>48.54</td><td>68.37</td><td>-19.83</td><td>38.71</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>142</td><td>153</td><td>PEAK</td></tr><tr><td>3</td><td>5706.22</td><td>51.39</td><td>107.04</td><td>-55.65</td><td>42.31</td><td>34.93</td><td>11.15</td><td>37.00</td><td>0.00</td><td>142</td><td>153</td><td>PEAK</td></tr><tr><td>4</td><td>5721.42</td><td>53.75</td><td>114.14</td><td>-60.39</td><td>44.88</td><td>34.94</td><td>11.17</td><td>37.24</td><td>0.00</td><td>142</td><td>153</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5629.42	49.56	68.20	-18.64	39.63	34.86	11.04	35.97	0.00	142	153	PEAK	2	5650.22	48.54	68.37	-19.83	38.71	34.88	11.07	36.12	0.00	142	153	PEAK	3	5706.22	51.39	107.04	-55.65	42.31	34.93	11.15	37.00	0.00	142	153	PEAK	4	5721.42	53.75	114.14	-60.39	44.88	34.94	11.17	37.24	0.00	142	153
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5629.42	49.56	68.20	-18.64	39.63	34.86	11.04	35.97	0.00	142	153	PEAK																																																																																			
2	5650.22	48.54	68.37	-19.83	38.71	34.88	11.07	36.12	0.00	142	153	PEAK																																																																																			
3	5706.22	51.39	107.04	-55.65	42.31	34.93	11.15	37.00	0.00	142	153	PEAK																																																																																			
4	5721.42	53.75	114.14	-60.39	44.88	34.94	11.17	37.24	0.00	142	153	PEAK																																																																																			
Fundamental																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>114.43</td><td>-----</td><td>-----</td><td>105.68</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>142</td><td>153</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.43	-----	-----	105.68	34.95	11.19	37.39	0.00	142	153	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	114.43	-----	-----	105.68	34.95	11.19	37.39	0.00	142	153	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.44</td><td>-----</td><td>-----</td><td>95.77</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>142</td><td>153</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.44	-----	-----	95.77	34.96	11.19	37.48	0.00	142	153	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	104.44	-----	-----	95.77	34.96	11.19	37.48	0.00	142	153	AVERAGE																																																																																			






Mode	56																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																										
ANT	STBC 1+2																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.60</td><td>46.79</td><td>111.81</td><td>-65.02</td><td>39.71</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>100</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>5874.60</td><td>47.82</td><td>105.41</td><td>-57.59</td><td>40.68</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>100</td><td>356</td><td>PEAK</td></tr><tr><td>3</td><td>5922.60</td><td>46.48</td><td>69.97</td><td>-23.49</td><td>39.17</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>356</td><td>PEAK</td></tr><tr><td>4</td><td>5931.42</td><td>47.62</td><td>68.20</td><td>-20.58</td><td>40.27</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>100</td><td>356</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.60	46.79	111.81	-65.02	39.71	35.07	11.34	39.33	0.00	100	356	PEAK	2	5874.60	47.82	105.41	-57.59	40.68	35.09	11.35	39.30	0.00	100	356	PEAK	3	5922.60	46.48	69.97	-23.49	39.17	35.13	11.40	39.22	0.00	100	356	PEAK	4	5931.42	47.62	68.20	-20.58	40.27	35.14	11.41	39.20	0.00	100	356	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>108.91</td><td>-----</td><td>-----</td><td>101.46</td><td>35.04</td><td>11.31</td><td>38.90</td><td>0.00</td><td>100</td><td>356</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.91	-----	-----	101.46	35.04	11.31	38.90	0.00	100	356	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5854.60	46.79	111.81	-65.02	39.71	35.07	11.34	39.33	0.00	100	356	PEAK																																																																																																																															
2	5874.60	47.82	105.41	-57.59	40.68	35.09	11.35	39.30	0.00	100	356	PEAK																																																																																																																															
3	5922.60	46.48	69.97	-23.49	39.17	35.13	11.40	39.22	0.00	100	356	PEAK																																																																																																																															
4	5931.42	47.62	68.20	-20.58	40.27	35.14	11.41	39.20	0.00	100	356	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	108.91	-----	-----	101.46	35.04	11.31	38.90	0.00	100	356	PEAK																																																																																																																															
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.07</td><td>-----</td><td>-----</td><td>92.62</td><td>35.04</td><td>11.31</td><td>38.90</td><td>0.00</td><td>100</td><td>356</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.07	-----	-----	92.62	35.04	11.31	38.90	0.00	100	356	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	100.07	-----	-----	92.62	35.04	11.31	38.90	0.00	100	356	AVERAGE																																																																																																																															






		56																																																																																																																																																							
Mode		Band Edge																																																																																																																																																							
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																																							
ANT		STBC 1+2																																																																																																																																																							
Pol.	Vertical											Fundamental																																																																																																																																													
Peak																																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.60</td><td>47.26</td><td>111.81</td><td>-64.55</td><td>40.18</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>138</td><td>151</td><td>PEAK</td></tr><tr><td>2</td><td>5868.22</td><td>48.93</td><td>107.20</td><td>-58.27</td><td>41.81</td><td>35.08</td><td>11.35</td><td>39.31</td><td>0.00</td><td>138</td><td>151</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>45.39</td><td>68.20</td><td>-22.81</td><td>38.08</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>138</td><td>151</td><td>PEAK</td></tr><tr><td>4</td><td>5942.22</td><td>46.98</td><td>68.20</td><td>-21.22</td><td>39.60</td><td>35.15</td><td>11.42</td><td>39.19</td><td>0.00</td><td>138</td><td>151</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.60	47.26	111.81	-64.55	40.18	35.07	11.34	39.33	0.00	138	151	PEAK	2	5868.22	48.93	107.20	-58.27	41.81	35.08	11.35	39.31	0.00	138	151	PEAK	3	5925.00	45.39	68.20	-22.81	38.08	35.13	11.40	39.22	0.00	138	151	PEAK	4	5942.22	46.98	68.20	-21.22	39.60	35.15	11.42	39.19	0.00	138	151	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.75</td><td>-----</td><td>-----</td><td>103.30</td><td>35.04</td><td>11.31</td><td>38.90</td><td>0.00</td><td>138</td><td>151</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	110.75	-----	-----	103.30	35.04	11.31	38.90	0.00	138	151
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	5854.60	47.26	111.81	-64.55	40.18	35.07	11.34	39.33	0.00	138	151	PEAK																																																																																																																																													
2	5868.22	48.93	107.20	-58.27	41.81	35.08	11.35	39.31	0.00	138	151	PEAK																																																																																																																																													
3	5925.00	45.39	68.20	-22.81	38.08	35.13	11.40	39.22	0.00	138	151	PEAK																																																																																																																																													
4	5942.22	46.98	68.20	-21.22	39.60	35.15	11.42	39.19	0.00	138	151	PEAK																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	5825.00	110.75	-----	-----	103.30	35.04	11.31	38.90	0.00	138	151	PEAK																																																																																																																																													
Avg	Blank																																																																																																																																																								
												<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.40</td><td>-----</td><td>-----</td><td>94.95</td><td>35.04</td><td>11.31</td><td>38.90</td><td>0.00</td><td>138</td><td>151</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.40	-----	-----	94.95	35.04	11.31	38.90	0.00	138	151	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	5825.00	102.40	-----	-----	94.95	35.04	11.31	38.90	0.00	138	151	AVERAGE																																																																																																																																													






Mode	57																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																										
ANT	STBC 1+2																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5632.22</td><td>51.10</td><td>68.20</td><td>-17.10</td><td>41.16</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>108</td><td>344</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>49.04</td><td>68.20</td><td>-19.16</td><td>39.21</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>108</td><td>344</td><td>PEAK</td></tr><tr><td>3</td><td>5717.80</td><td>55.54</td><td>110.28</td><td>-54.74</td><td>46.61</td><td>34.94</td><td>11.17</td><td>37.18</td><td>0.00</td><td>108</td><td>344</td><td>PEAK</td></tr><tr><td>4</td><td>5721.80</td><td>59.62</td><td>115.00</td><td>-55.38</td><td>50.75</td><td>34.94</td><td>11.17</td><td>37.24</td><td>0.00</td><td>108</td><td>344</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.22	51.10	68.20	-17.10	41.16	34.86	11.05	35.97	0.00	108	344	PEAK	2	5650.00	49.04	68.20	-19.16	39.21	34.88	11.07	36.12	0.00	108	344	PEAK	3	5717.80	55.54	110.28	-54.74	46.61	34.94	11.17	37.18	0.00	108	344	PEAK	4	5721.80	59.62	115.00	-55.38	50.75	34.94	11.17	37.24	0.00	108	344	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>113.48</td><td>-----</td><td>-----</td><td>104.81</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>108</td><td>344</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.48	-----	-----	104.81	34.96	11.19	37.48	0.00	108	344	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5632.22	51.10	68.20	-17.10	41.16	34.86	11.05	35.97	0.00	108	344	PEAK																																																																																																																															
2	5650.00	49.04	68.20	-19.16	39.21	34.88	11.07	36.12	0.00	108	344	PEAK																																																																																																																															
3	5717.80	55.54	110.28	-54.74	46.61	34.94	11.17	37.18	0.00	108	344	PEAK																																																																																																																															
4	5721.80	59.62	115.00	-55.38	50.75	34.94	11.17	37.24	0.00	108	344	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	113.48	-----	-----	104.81	34.96	11.19	37.48	0.00	108	344	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>101.94</td><td>-----</td><td>-----</td><td>93.19</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>108</td><td>344</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.94	-----	-----	93.19	34.95	11.19	37.39	0.00	108	344	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	101.94	-----	-----	93.19	34.95	11.19	37.39	0.00	108	344	AVERAGE																																																																																																																															



Mode	57																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																										
ANT	STBC 1+2																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measurement line. Four peaks are marked with vertical lines and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5620.60</td><td>49.75</td><td>68.20</td><td>-18.45</td><td>39.86</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>49.52</td><td>68.20</td><td>-18.68</td><td>39.69</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr><tr><td>3</td><td>5713.42</td><td>55.22</td><td>109.06</td><td>-53.84</td><td>46.23</td><td>34.94</td><td>11.16</td><td>37.11</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr><tr><td>4</td><td>5721.00</td><td>58.48</td><td>115.00</td><td>-56.52</td><td>49.61</td><td>34.94</td><td>11.17</td><td>37.24</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5620.60	49.75	68.20	-18.45	39.86	34.85	11.03	35.99	0.00	144	152	PEAK	2	5650.00	49.52	68.20	-18.68	39.69	34.88	11.07	36.12	0.00	144	152	PEAK	3	5713.42	55.22	109.06	-53.84	46.23	34.94	11.16	37.11	0.00	144	152	PEAK	4	5721.00	58.48	115.00	-56.52	49.61	34.94	11.17	37.24	0.00	144	152	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measurement line. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>114.40</td><td>-----</td><td>-----</td><td>105.73</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	114.40	-----	-----	105.73	34.96	11.19	37.48	0.00	144	152	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5620.60	49.75	68.20	-18.45	39.86	34.85	11.03	35.99	0.00	144	152	PEAK																																																																																																																															
2	5650.00	49.52	68.20	-18.68	39.69	34.88	11.07	36.12	0.00	144	152	PEAK																																																																																																																															
3	5713.42	55.22	109.06	-53.84	46.23	34.94	11.16	37.11	0.00	144	152	PEAK																																																																																																																															
4	5721.00	58.48	115.00	-56.52	49.61	34.94	11.17	37.24	0.00	144	152	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	114.40	-----	-----	105.73	34.96	11.19	37.48	0.00	144	152	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measurement line. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.83</td><td>-----</td><td>-----</td><td>96.16</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>144</td><td>152</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.83	-----	-----	96.16	34.96	11.19	37.48	0.00	144	152	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	104.83	-----	-----	96.16	34.96	11.19	37.48	0.00	144	152	AVERAGE																																																																																																																															





Mode	58																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																										
ANT	STBC 1+2																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>47.59</td><td>110.90</td><td>-63.31</td><td>40.51</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>100</td><td>357</td><td>PEAK</td></tr><tr><td>2</td><td>5874.22</td><td>48.33</td><td>105.52</td><td>-57.19</td><td>41.19</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>100</td><td>357</td><td>PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>48.03</td><td>68.50</td><td>-20.47</td><td>40.72</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>357</td><td>PEAK</td></tr><tr><td>4</td><td>5956.22</td><td>48.63</td><td>68.20</td><td>-19.57</td><td>41.20</td><td>35.16</td><td>11.43</td><td>39.16</td><td>0.00</td><td>100</td><td>357</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	47.59	110.90	-63.31	40.51	35.07	11.34	39.33	0.00	100	357	PEAK	2	5874.22	48.33	105.52	-57.19	41.19	35.09	11.35	39.30	0.00	100	357	PEAK	3	5924.60	48.03	68.50	-20.47	40.72	35.13	11.40	39.22	0.00	100	357	PEAK	4	5956.22	48.63	68.20	-19.57	41.20	35.16	11.43	39.16	0.00	100	357	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>108.81</td><td>-----</td><td>-----</td><td>101.36</td><td>35.04</td><td>11.31</td><td>38.90</td><td>0.00</td><td>100</td><td>357</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.81	-----	-----	101.36	35.04	11.31	38.90	0.00	100	357	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5855.00	47.59	110.90	-63.31	40.51	35.07	11.34	39.33	0.00	100	357	PEAK																																																																																																																															
2	5874.22	48.33	105.52	-57.19	41.19	35.09	11.35	39.30	0.00	100	357	PEAK																																																																																																																															
3	5924.60	48.03	68.50	-20.47	40.72	35.13	11.40	39.22	0.00	100	357	PEAK																																																																																																																															
4	5956.22	48.63	68.20	-19.57	41.20	35.16	11.43	39.16	0.00	100	357	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	108.81	-----	-----	101.36	35.04	11.31	38.90	0.00	100	357	PEAK																																																																																																																															
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.96</td><td>-----</td><td>-----</td><td>92.51</td><td>35.04</td><td>11.31</td><td>38.90</td><td>0.00</td><td>100</td><td>357</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.96	-----	-----	92.51	35.04	11.31	38.90	0.00	100	357	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	99.96	-----	-----	92.51	35.04	11.31	38.90	0.00	100	357	AVERAGE																																																																																																																															





Mode	58																																																																																														
	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																														
ANT	STBC 1+2																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5855.00</td><td>50.23</td><td>110.90</td><td>-60.67</td><td>43.15</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>138</td><td>150 PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>48.82</td><td>107.09</td><td>-58.27</td><td>41.70</td><td>35.08</td><td>11.35</td><td>39.31</td><td>0.00</td><td>138</td><td>150 PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>46.40</td><td>68.20</td><td>-21.80</td><td>39.09</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>138</td><td>150 PEAK</td></tr><tr><td>4</td><td>5927.00</td><td>47.14</td><td>68.20</td><td>-21.06</td><td>39.81</td><td>35.14</td><td>11.40</td><td>39.21</td><td>0.00</td><td>138</td><td>150 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5855.00	50.23	110.90	-60.67	43.15	35.07	11.34	39.33	0.00	138	150 PEAK	2	5868.00	48.82	107.09	-58.27	41.70	35.08	11.35	39.31	0.00	138	150 PEAK	3	5925.00	46.40	68.20	-21.80	39.09	35.13	11.40	39.22	0.00	138	150 PEAK	4	5927.00	47.14	68.20	-21.06	39.81	35.14	11.40	39.21	0.00	138
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5855.00	50.23	110.90	-60.67	43.15	35.07	11.34	39.33	0.00	138	150 PEAK																																																																																				
2	5868.00	48.82	107.09	-58.27	41.70	35.08	11.35	39.31	0.00	138	150 PEAK																																																																																				
3	5925.00	46.40	68.20	-21.80	39.09	35.13	11.40	39.22	0.00	138	150 PEAK																																																																																				
4	5927.00	47.14	68.20	-21.06	39.81	35.14	11.40	39.21	0.00	138	150 PEAK																																																																																				
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5825.00</td><td>102.37</td><td>-----</td><td>-----</td><td>94.92</td><td>35.04</td><td>11.31</td><td>38.90</td><td>0.00</td><td>138</td><td>150 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	102.37	-----	-----	94.92	35.04	11.31	38.90	0.00	138	150 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5825.00	102.37	-----	-----	94.92	35.04	11.31	38.90	0.00	138	150 AVERAGE																																																																																				





		59																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																							
ANT		STBC 1+2																																																							
Pol.		Horizontal																																																							
Peak Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>50.29</td><td>74.00</td><td>-23.71</td><td>62.25</td><td>38.08</td><td>16.32</td><td>66.36</td></tr><tr><td>2</td><td>11440.00</td><td>40.36</td><td>54.00</td><td>-13.64</td><td>52.32</td><td>38.08</td><td>16.32</td><td>66.36</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	50.29	74.00	-23.71	62.25	38.08	16.32	66.36	2	11440.00	40.36	54.00	-13.64	52.32	38.08	16.32	66.36
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																	
1	11440.00	50.29	74.00	-23.71	62.25	38.08	16.32	66.36																																																	
2	11440.00	40.36	54.00	-13.64	52.32	38.08	16.32	66.36																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>50.29</td><td>74.00</td><td>-23.71</td><td>62.25</td><td>38.08</td><td>16.32</td><td>66.36</td></tr><tr><td>2</td><td>11440.00</td><td>40.36</td><td>54.00</td><td>-13.64</td><td>52.32</td><td>38.08</td><td>16.32</td><td>66.36</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	50.29	74.00	-23.71	62.25	38.08	16.32	66.36	2	11440.00	40.36	54.00	-13.64	52.32	38.08	16.32	66.36	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																	
1	11440.00	50.29	74.00	-23.71	62.25	38.08	16.32	66.36																																																	
2	11440.00	40.36	54.00	-13.64	52.32	38.08	16.32	66.36																																																	

		Vertical																																																							
Peak Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>55.89</td><td>74.00</td><td>-18.11</td><td>67.85</td><td>38.08</td><td>16.32</td><td>66.36</td></tr><tr><td>2</td><td>11440.00</td><td>44.78</td><td>54.00</td><td>-9.22</td><td>56.74</td><td>38.08</td><td>16.32</td><td>66.36</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	55.89	74.00	-18.11	67.85	38.08	16.32	66.36	2	11440.00	44.78	54.00	-9.22	56.74	38.08	16.32	66.36
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																	
1	11440.00	55.89	74.00	-18.11	67.85	38.08	16.32	66.36																																																	
2	11440.00	44.78	54.00	-9.22	56.74	38.08	16.32	66.36																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>55.89</td><td>74.00</td><td>-18.11</td><td>67.85</td><td>38.08</td><td>16.32</td><td>66.36</td></tr><tr><td>2</td><td>11440.00</td><td>44.78</td><td>54.00</td><td>-9.22</td><td>56.74</td><td>38.08</td><td>16.32</td><td>66.36</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	55.89	74.00	-18.11	67.85	38.08	16.32	66.36	2	11440.00	44.78	54.00	-9.22	56.74	38.08	16.32	66.36	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																	
1	11440.00	55.89	74.00	-18.11	67.85	38.08	16.32	66.36																																																	
2	11440.00	44.78	54.00	-9.22	56.74	38.08	16.32	66.36																																																	



Mode	60																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																																													
ANT	STBC 1+2																																																																																																																													
Pol.	Horizontal										Vertical																																																																																																																			
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>50.32</td><td>74.00</td><td>-23.68</td><td>62.28</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>100</td><td>190 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>39.22</td><td>54.00</td><td>-14.78</td><td>51.18</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>100</td><td>190 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	50.32	74.00	-23.68	62.28	38.08	16.32	66.36	0.00	100	190 PEAK	2	11440.00	39.22	54.00	-14.78	51.18	38.08	16.32	66.36	0.00	100	190 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>53.84</td><td>74.00</td><td>-20.16</td><td>65.80</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>100</td><td>195 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>41.79</td><td>54.00</td><td>-12.21</td><td>53.75</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>100</td><td>195 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	53.84	74.00	-20.16	65.80	38.08	16.32	66.36	0.00	100	195 PEAK	2	11440.00	41.79	54.00	-12.21	53.75	38.08	16.32	66.36	0.00	100	195 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11440.00	50.32	74.00	-23.68	62.28	38.08	16.32	66.36	0.00	100	190 PEAK																																																																																																																			
2	11440.00	39.22	54.00	-14.78	51.18	38.08	16.32	66.36	0.00	100	190 AVERAGE																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11440.00	53.84	74.00	-20.16	65.80	38.08	16.32	66.36	0.00	100	195 PEAK																																																																																																																			
2	11440.00	41.79	54.00	-12.21	53.75	38.08	16.32	66.36	0.00	100	195 AVERAGE																																																																																																																			



		61																																																																				
Mode		Harmonic																																																																				
		U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																				
ANT		STBC 1+2																																																																				
Pol.		Horizontal						Vertical																																																														
Peak Avg																																																																						
																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>57.68</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.66	74.00	-28.34	57.68	38.04	16.31	66.37	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11420.00	45.66	74.00	-28.34	57.68	38.04	16.31	66.37	0.00	--	--	PEAK																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>60.99</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>100</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>38.95</td><td>54.00</td><td>-15.05</td><td>50.97</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>100</td><td>194</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	48.97	74.00	-25.03	60.99	38.04	16.31	66.37	0.00	100	194	PEAK	2	11420.00	38.95	54.00	-15.05	50.97	38.04	16.31	66.37	0.00	100	194	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11420.00	48.97	74.00	-25.03	60.99	38.04	16.31	66.37	0.00	100	194	PEAK																																																										
2	11420.00	38.95	54.00	-15.05	50.97	38.04	16.31	66.37	0.00	100	194	AVERAGE																																																										