

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 1 of 163

TEST REPORT

Application No.: FYCR2204000074AT

Applicant: Wyze Labs, Inc.

Address of Applicant: 5808 Lake Washington Blvd NE Ste 300, Kirkland, Washington 98033,

United States

Manufacturer: Wyze Labs, Inc.

Address of Manufacturer: 5808 Lake Washington Blvd NE Ste 300, Kirkland, Washington 98033,

United States

Equipment Under Test (EUT):

EUT Name: Wyze Cam Floodlight Pro **Model No.:** WYZECFLP, WYZECFLPBL

Please refer to section 2 of this report which indicates which model was

actually tested and which were electrically identical.

Trade Mark: WYZE

FCC ID: 2AUIUWYZECFLP

Standard(s): 47 CFR Part 15, Subpart C 15.247

Date of Receipt: 2022-04-14

Date of Test: 2022-04-29 to 2022-05-12

Date of Issue: 2022-05-17

Test Result: Pass*

Winkey Wang
Winkey Wang
EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents as subject to Terms and Conditions (Terms-and-Conditions) Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.And for the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction document does not exonerate and the document does not exonerate and the document does not exonerate and the docu

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 2 of 163

	Revision Record						
Version	Chapter	Date	Modifier	Remark			
01		2022-05-17		Original			

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	
	WinkeyWarg	
	Winkey Wang/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAP Doccheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 3 of 163

2 Test Summary

Radio Spectrum Technical Requirement						
Item	Standard	Method	Requirement	Result		
Antenna Requirement	47 CFR Part 15, Subpart C 15.247	N/A	47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)	Pass		

Radio Spectrum Matter Part						
Item	Standard	Method	Requirement	Result		
Conducted Emissions at AC Power Line (150kHz-30MHz)		ANSI C63.10 (2013) Section 6.2	47 CFR Part 15, Subpart C 15.207	Pass		
Conducted Peak Output Power		ANSI C63.10 (2013) Section 11.9.2	47 CFR Part 15, Subpart C 15.247(b)(3)	Pass		
Minimum 6dB Bandwidth		ANSI C63.10 (2013) Section 11.8.1	47 CFR Part 15, Subpart C 15.247a(2)	Pass		
Power Spectrum Density		ANSI C63.10 (2013) Section 11.10.2	47 CFR Part 15, Subpart C 15.247(e)	Pass		
Conducted Band Edges Measurement	47 CFR Part 15,	ANSI C63.10 (2013) Section 11.13.3.2	47 CFR Part 15, Subpart C 15.247(d)	Pass		
Conducted Spurious Emissions	Subpart C 15.247	ANSI C63.10 (2013) Section 11.11	47 CFR Part 15, Subpart C 15.247(d)	Pass		
Radiated Emissions which fall in the restricted bands		ANSI C63.10 (2013) Section 6.10.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass		
Radiated Spurious Emissions Below 1GHz		ANSI C63.10 (2013) Section 6.4,6.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass		
Radiated Spurious Emissions Above 1GHz		ANSI C63.10 (2013) Section 6.6	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass		

Declaration of EUT Family Grouping:

Model No.: WYZECFLP, WYZECFLPBL

Only the model WYZECFLP was tested, since according to the declaration from the applicant, the electrical circuit design, PCB layout, components used, internal wiring and functions were identical for all the above models, with only difference on model No. and enclosure color.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 4 of 163

3 Contents

		Page
1	COVER PAGE	1
2	2 TEST SUMMARY	3
_		•••••••••••••••••••••••••••••••••••••••
3	CONTENTS	4
4	GENERAL INFORMATION	6
4		
	4.1 DETAILS OF E.U.T.	
	4.2 DESCRIPTION OF SUPPORT UNITS	
	4.4 TEST LOCATION	
	4.6 DEVIATION FROM STANDARDS	
	4.7 ABNORMALITIES FROM STANDARD CONDITIONS	
5	EQUIPMENT LIST	8
6	RADIO SPECTRUM TECHNICAL REQUIREMENT	1.4
O		
	6.1 ANTENNA REQUIREMENT	
	6.1.1 Test Requirement:	
	6.1.2 Conclusion	14
7	RADIO SPECTRUM MATTER TEST RESULTS	15
	7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz)	15
	7.1.1 E.U.T. Operation	15
	7.1.2 Test Mode Description	
	7.1.3 Test Setup Diagram	16
	7.1.4 Measurement Procedure and Data	
	7.2 CONDUCTED PEAK OUTPUT POWER	19
	7.2.1 E.U.T. Operation	19
	7.2.2 Test Mode Description	
	7.2.3 Test Setup Diagram	
	7.2.4 Measurement Procedure and Data	
	7.3 MINIMUM 6DB BANDWIDTH	
	7.3.1 E.U.T. Operation	
	7.3.2 Test Mode Description	
	7.3.3 Test Setup Diagram	
	7.3.4 Measurement Procedure and Data	
	7.4 POWER SPECTRUM DENSITY	
	7.4.1 E.U.T. Operation7.4.2 Test Mode Description	
	7.4.3 Test Setup Diagram	
	7.4.4 Measurement Procedure and Data	
	7.5 CONDUCTED BAND EDGES MEASUREMENT	
	7.5.1 E.U.T. Operation	
	7.5.7 2.5.7. Oporation	20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD Doccheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

8

9

Report No.: FYCR220400007402

Page: 5 of 163

7.5.	2 Test Mode Description	23
7.5.		
7.5.	4 Measurement Procedure and Data	24
7.6	CONDUCTED SPURIOUS EMISSIONS	25
7.6.	1 E.U.T. Operation	25
7.6.		
7.6.	3 Test Setup Diagram	26
7.6.		
7.7	RADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS	27
7.7.	1 E.U.T. Operation	27
7.7.	2 Test Mode Description	27
7.7.		
7.7.	4 Measurement Procedure and Data	28
7.8	RADIATED Spurious Emissions Below 1GHz	61
7.8.	1 E.U.T. Operation	61
7.8.	2 Test Mode Description	61
7.8.		
7.8.	4 Measurement Procedure and Data	62
7.9	RADIATED SPURIOUS EMISSIONS ABOVE 1GHZ	
7.9.	1 E.U.T. Operation	65
7.9.	2 Test Mode Description	65
7.9.	3 Test Setup Diagram	65
7.9.	4 Measurement Procedure and Data	66
8 TES	T SETUP PHOTO	91
9 EUT	CONSTRUCTIONAL DETAILS (EUT PHOTOS)	91
10 APF	PENDIX	92



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 6 of 163

4 General Information

4.1 Details of E.U.T.

Power Supply:	AC 120V 50/60Hz 0.61A	
Cable(s):	AC Cable 181cm unshielded	
Operation Frequency:	802.11b/g/n(HT20): 2412MHz to 2462MHz;802.11n(HT40): 2422MHz to 2452MHz	
Modulation Type:	802.11b: DSSS (CCK, DQPSK, DBPSK);802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK)	
Number of Channels:	802.11b/g/n(HT20):11;802.11n(HT40):7	
Channel Spacing:	5MHz	
Antenna Type:	Integral Antenna	
Antenna Gain:	Antenna 1: 2.87dBi, Antenna 2: 2.39dBi, Directional gain: 5.64dBi.	

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.			
		-	-			
The EUT has been tested as an independent unit.						

4.3 Measurement Uncertainty

no modernome oncortainty	
Test Item	Measurement Uncertainty
Conducted Emissions at AC Power Line (150kHz-30MHz)	± 2.1 dB (9kHz to 30MHz)
Conducted Peak Output Power	± 0.8dB
Minimum 6dB Bandwidth	± 0.3%
Power Spectrum Density	± 0.4dB
Conducted Band Edges Measurement	± 2.7dB
Conducted Spurious Emissions	± 2.7dB
Radiated Emissions which fall in the restricted bands	± 4.4dB (Above 1GHz)
Radiated Spurious Emissions Below 1GHz	± 3.1dB (Below 1GHz)
Radiated Spurious Emissions Above 1GHz	± 4.4dB (Above 1GHz)

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispt/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAP Doccheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 7 of 163

4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 8 of 163

5 Equipment List

Conducted Emissions at AC Power Line (150kHz-30MHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Shielding Room	CRT	N/A	SEM001-14	2021/7/13	2024/7/12
EMI Test Receiver(9kHz-3GHz)	Rohde & Schwarz	ESCI	SEM004-01	2021/7/13	2022/7/12
Two-Line V- Network(9kHz-30MHz)	Rohde & Schwarz	ENV216	SEM007-16	2021/7/13	2022/7/12
Two-Line V- Network(9kHz-30MHz)	Rohde & Schwarz	ESH3-Z5	SEM007-22	2021/7/13	2022/7/12
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A

Conducted Peak Output Power					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2021/7/13	2022/7/12
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2021/7/13	2022/7/12
Attenuator(18GHz, 20dB, 2W)	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2021/7/13	2022/7/12

Minimum 6dB Bandwidth						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2021/7/13	2022/7/12	
MXA Signal Analyzer(10Hz- 26.5GHz)	Agilent	N9020A	SEM004-20	2021/7/13	2022/7/12	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx.and. for electronic Documents and the full this process. Company for the second of the document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excert parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attantion: To check the authernicity of testing finspection report & certificate, please contact us at telephone: (86-75) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 9 of 163

Signal Generator(9kHz- 40GHz)	Agilent	N5173B	SEM006-05	2021/7/13	2022/7/12
ESG Vector Signal Generator(250kHz- 6GHz)	Agilent	E4438C	SEM006-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2021/7/13	2022/7/12
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-08	2021/7/13	2022/7/12
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2021/7/13	2022/7/12
Attenuator(18GHz, 20dB, 2W)	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2021/7/13	2022/7/12
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Power Spectrum Densit	у				
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2021/7/13	2022/7/12
MXA Signal Analyzer(10Hz- 26.5GHz)	Agilent	N9020A	SEM004-20	2021/7/13	2022/7/12
Signal Generator(9kHz- 40GHz)	Agilent	N5173B	SEM006-05	2021/7/13	2022/7/12
ESG Vector Signal Generator(250kHz- 6GHz)	Agilent	E4438C	SEM006-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2021/7/13	2022/7/12
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-08	2021/7/13	2022/7/12
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2021/7/13	2022/7/12
Attenuator(18GHz, 20dB, 2W)	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2021/7/13	2022/7/12
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ysgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ysgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the auther facility of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 10 of 163

Conducted Band Edges Measurement					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2021/7/13	2022/7/12
MXA Signal Analyzer(10Hz- 26.5GHz)	Agilent	N9020A	SEM004-20	2021/7/13	2022/7/12
Signal Generator(9kHz- 40GHz)	Agilent	N5173B	SEM006-05	2021/7/13	2022/7/12
ESG Vector Signal Generator(250kHz- 6GHz)	Agilent	E4438C	SEM006-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2021/7/13	2022/7/12
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-08	2021/7/13	2022/7/12
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2021/7/13	2022/7/12
Attenuator(18GHz, 20dB, 2W)	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2021/7/13	2022/7/12
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Conducted Spurious Emissions					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2021/7/13	2022/7/12
MXA Signal Analyzer(10Hz- 26.5GHz)	Agilent	N9020A	SEM004-20	2021/7/13	2022/7/12
Signal Generator(9kHz- 40GHz)	Agilent	N5173B	SEM006-05	2021/7/13	2022/7/12
ESG Vector Signal Generator(250kHz- 6GHz)	Agilent	E4438C	SEM006-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2021/7/13	2022/7/12
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2021/7/13	2022/7/12
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-08	2021/7/13	2022/7/12
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2021/7/13	2022/7/12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, resmit. CAP Recheck-Means e.m.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 11 of 163

Attenuator(18GHz, 20dB, 2W)	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2021/7/13	2022/7/12
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Radiated Emissions wh	Radiated Emissions which fall in the restricted bands					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
Trilog-Broadband Antenna(25MHz-2GHz)	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24	
Biconical Antenna(150MHz-1GHz)	Schwarzbeck	VUBA9117	SEM003-35	2021/12/26	2024/12/25	
Loop Antenna(9kHz- 30MHz)	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25	
MXE EMI receiver(20Hz- 8.4GHz)	Agilent	N9038A	SEM004-05	2021/7/13	2022/7/12	
Pre-amplifier (0.1- 1.3GHz)	HP	8447D	SEM005-02	2021/7/13	2022/7/12	
Broad-Band Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10	
Broad-Band Horn Antenna (1-18GHz)	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25	
Double-ridged waveguide horn (1- 18GHz)	ETS-LINDGREN	3117	SEM003-34	2021/9/25	2024/9/24	
Spectrum Analyzer(20Hz-43GHz)	Rohde & Schwarz	101288	SEM004-08	2021/7/13	2022/7/12	
Low Noise Amplifier(100MHz- 18GHz)	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2021/7/13	2022/7/12	
Pre-amplifier(26GHz- 40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2021/7/13	2022/7/12	
Pre-amplifier(18GHz- 26GHz)	Rohde & Schwarz	CH14-H052	SEM005-17	2021/7/13	2022/7/12	

Radiated Spurious Emis	sions Below 1GHz				
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Trilog-Broadband Antenna(25MHz-2GHz)	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24
Biconical Antenna(150MHz-1GHz)	Schwarzbeck	VUBA9117	SEM003-35	2021/12/26	2024/12/25
Loop Antenna(9kHz- 30MHz)	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25
MXE EMI receiver(20Hz-	Agilent	N9038A	SEM004-05	2021/7/13	2022/7/12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ysgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ysgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the auther facility of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 12 of 163

8.4GHz)					
Pre-amplifier (0.1- 1.3GHz)	HP	8447D	SEM005-02	2021/7/13	2022/7/12
Broad-Band Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10
Broad-Band Horn Antenna (1-18GHz)	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25
Double-ridged waveguide horn (1- 18GHz)	ETS-LINDGREN	3117	SEM003-34	2021/9/25	2024/9/24
Spectrum Analyzer(20Hz-43GHz)	Rohde & Schwarz	101288	SEM004-08	2021/7/13	2022/7/12
Low Noise Amplifier(100MHz- 18GHz)	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2021/7/13	2022/7/12
Pre-amplifier(26GHz- 40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2021/7/13	2022/7/12
Pre-amplifier(18GHz- 26GHz)	Rohde & Schwarz	CH14-H052	SEM005-17	2021/7/13	2022/7/12
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A

Radiated Spurious Emis	Radiated Spurious Emissions Above 1GHz				
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Trilog-Broadband Antenna(25MHz-2GHz)	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24
Biconical Antenna(150MHz-1GHz)	Schwarzbeck	VUBA9117	SEM003-35	2021/12/26	2024/12/25
Loop Antenna(9kHz- 30MHz)	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25
MXE EMI receiver(20Hz- 8.4GHz)	Agilent	N9038A	SEM004-05	2021/7/13	2022/7/12
Pre-amplifier (0.1- 1.3GHz)	HP	8447D	SEM005-02	2021/7/13	2022/7/12
Broad-Band Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10
Broad-Band Horn Antenna (1-18GHz)	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25
Double-ridged waveguide horn (1- 18GHz)	ETS-LINDGREN	3117	SEM003-34	2021/9/25	2024/9/24
Spectrum Analyzer(20Hz-43GHz)	Rohde & Schwarz	101288	SEM004-08	2021/7/13	2022/7/12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 13 of 163

Low Noise Amplifier(100MHz- 18GHz)	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2021/7/13	2022/7/12
Pre-amplifier(26GHz- 40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2021/7/13	2022/7/12
Pre-amplifier(18GHz- 26GHz)	Rohde & Schwarz	CH14-H052	SEM005-17	2021/7/13	2022/7/12
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A

General used equipment	t				
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2021/7/13	2022/7/12
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2021/7/13	2022/7/12
Barometer	DUMAI	DYM3	SEM002-24	2021/7/13	2022/7/12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 14 of 163

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is Antenna 1: 2.87dBi, Antenna 2: 2.39dBi.

Directional Gain= $10\log [(10^{G1/20} + 10^{G2/20})^2/N_{ANT}] = 10\log [(10^{2.87/20} + 10^{2.39/20})^2/2] = 5.64dBi$.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 15 of 163

7 Radio Spectrum Matter Test Results

7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

Fraguency of emission (MUT)	Conducted limit(dBμV)				
Frequency of emission(MHz)	Quasi-peak	Average			
0.15-0.5	66 to 56*	56 to 46*			
0.5-5	56	46			
5-30 60 50					
*Decreases with the logarithm of the frequency.					
Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz					

7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.8 °C Humidity: 51.4 % RH Atmospheric Pressure: 1020 mbar

7.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CA. Doccheck@sas.com

Company: CA. Doccheck@sas.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 16 of 163

7.1.3 Test Setup Diagram



7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a $50 \text{ohm}/50 \mu\text{H} + 5 \text{ohm}$ linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane.
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 17 of 163

Test Mode: 02; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00074AT

Test mode: 02

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
								
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.16	0.09	0.18	38.21	38.48	55.69	-17.21	Average
2	0.16	0.09	0.18	50.49	50.76		-14.93	_
3	0.16	0.09	0.17	36.63	36.89			Äverage
4	0.16	0.09	0.17	49.59	49.85	65.30	-15.45	QP
5	0.22	0.09	0.15	36.33	36.57	52.74	-16.17	Average
6	0.22	0.09	0.15	47.96	48.20	62.74	-14.54	QP
7	0.28	0.08	0.15	28.54	28.77	50.90	-22.13	Average
8	0.28	0.08	0.15	42.40	42.63	60.90	-18.27	QP
9	0.39	0.06	0.16	29.87	30.09	48.12	-18.03	Average
10	0.39	0.06	0.16	42.54	42.76	58.12	-15.36	QP
11	0.50	0.10	0.16	24.33	24.59	46.01	-21.42	Average
12	0.50	0.10	0.16	36.47	36.73	56.01	-19.28	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email. CAD Doccheck-Massa som




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 18 of 163

Test Mode: 02; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00074AT

Test mode: 02

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17	0.09	0.19	33.80	34.08	55.21	-21.13	Average
2	0.17	0.09	0.19	50.17	50.45	65.21	-14.76	QP
3	0.22	0.09	0.18	33.91	34.18	52.74	-18.56	Average
4	0.22	0.09	0.18	45.52	45.79	62.74	-16.95	QP
5	0.28	0.08	0.18	25.40	25.66	50.85	-25.19	Average
6	0.28	0.08	0.18	40.90	41.16	60.85	-19.69	QP
7	0.33	0.07	0.19	24.13	24.39	49.35	-24.96	Average
8	0.33	0.07	0.19	37.67	37.93	59.35	-21.42	QP
9	0.39	0.06	0.19	27.54	27.79	48.12	-20.33	Average
10	0.39	0.06	0.19	38.47	38.72	58.12	-19.40	QP
11	0.56	0.09	0.14	22.61	22.84	46.00	-23.16	Average
12	0.56	0.09	0.14	33.55	33.78	56.00	-22.22	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-75) 8307 1443, or emails CND Doccheck@ass.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 19 of 163

7.2 Conducted Peak Output Power

Test Requirement 47 CFR Part 15, Subpart C 15.247(b)(3)
Test Method: ANSI C63.10 (2013) Section 11.9.2

Limit:

Frequency range(MHz)	Output power of the intentional radiator(watt)				
	1 for ≥50 hopping channels				
902-928	0.25 for 25≤ hopping channels <50				
	1 for digital modulation				
	1 for ≥75 non-overlapping hopping channels				
2400-2483.5	0.125 for all other frequency hopping systems				
	1 for digital modulation				
5725-5850	1 for frequency hopping systems and digital modulation				

7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email. CAD Doccheck-Massa som




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 20 of 163

7.2.3 Test Setup Diagram



7.2.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 21 of 163

7.3 Minimum 6dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.247a(2)
Test Method: ANSI C63.10 (2013) Section 11.8.1

Limit:

≥500 kHz

7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40). Only the data of worst case is recorded in the report.

7.3.3 Test Setup Diagram



Ground Reference Plane

7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Con



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 22 of 163

7.4 Power Spectrum Density

Test Requirement 47 CFR Part 15, Subpart C 15.247(e)
Test Method: ANSI C63.10 (2013) Section 11.10.2

Limit:

≤8dBm in any 3 kHz band during any time interval of continuous transmission

7.4.1 E.U.T. Operation


Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar

7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40). Only the data of worst case is recorded in the report.

7.4.3 Test Setup Diagram



7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 23 of 163

7.5 Conducted Band Edges Measurement

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.13.3.2

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.5.1 E.U.T. Operation

Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar

7.5.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 24 of 163

7.5.3 Test Setup Diagram



Ground Reference Plane

7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 25 of 163

7.6 Conducted Spurious Emissions

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.11

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar

7.6.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 26 of 163

7.6.3 Test Setup Diagram



7.6.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 27 of 163

7.7 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.10.5

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.7.1 E.U.T. Operation

Operating Environment:

Temperature: 23.5 °C Humidity: 56.3 % RH Atmospheric Pressure: 1020 mbar

7.7.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Conditions.aspx.and-Condition





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 28 of 163

7.7.3 Test Setup Diagram





Above 1GHz

7.7.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.
- Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents after the transparent of the Imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authernicity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 29 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	2335.763	5.01	27.03	46.49	70.23	55.78	74.00	-18.22	peak	
)	2390.000	5.05	27.16	46.52	68.63	54.32	74.00	-19.68	peak	
;	. 2412.000	5.07	27.21	46.53	120.94	106.69	74.00	32.69	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 30 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	2386.219	5.05	27.15	46.52	58.12	43.80	54.00	-10.20	Average	
)	2390.000	5.05	27.16	46.52	57.07	42.76	54.00	-11.24	Average	
	. 2412.000	5.07	27.21	46.53	117.23	102.98	54.00	48.98	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 31 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2412 Band edge Note : 2.4G WIFI 11B

						Limit			
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		-
2389.847	5.05	27.16	46.52	69.87	55.56	74.00	-18.44	Peak	
2390.000	5.05	27.16	46.52	68.13	53.82	74.00	-20.18	Peak	
2412.000	5.07	27.21	46.53	122.85	108.60	74.00	34.60	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 32 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2412 Band edge Note : 2.4G WIFI 11B

	Cable	Ant	Preamp	Read		Limit	0ver		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
									_
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
2386.944	5.05	27.15	46.52	58.88	44.56	54.00	-9.44	Average	
2390.000	5.05	27.16	46.52	57.51	43.20	54.00	-10.80	Average	
2412.000	5.07	27.21	46.53	119.96	105.71	54.00	51.71	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full light extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, respective for the company in the certificate of the company in the certificate of the company in the certificate of the certificate of




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 33 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11B

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	. 2462.000	5.10	27.32	46.56	119.58	105.44	74.00	31.44	peak
2	2483.500	5.12	27.36	46.57	69.11	55.02	74.00	-18.98	peak
3	2494.198	5.13	27.39	46.57	69.35	55.30	74.00	-18.70	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-75) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 34 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1 .	. 2462.000	5.10	27.32	46.56	115.95	101.81	54.00	47.81	Average	
2	2483.500	5.12	27.36	46.57	56.97	42.88	54.00	-11.12	Average	
3	2487.656	5.12	27.37	46.57	57.11	43.03	54.00	-10.97	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 35 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2462 Band edge Note : 2.4G WIFI 11B

oce	. 2	+O MII	1 110							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1.	2462.000	5.10	27.32	46.56	123.58	109.44	74.00	35.44	Peak	
2	2483.500	5.12	27.36	46.57	69.05	54.96	74.00	-19.04	Peak	
3	2486.501	5.12	27.37	46.57	71.10	57.02	74.00	-16.98	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, or sensile CAD Docebeck-Massa Som




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 36 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2462 Band edge Note : 2.4G WIFI 11B

OCC	. 2	TO WILL	1 110							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1.	2462.000	5.10	27.32	46.56	120.85	106.71	54.00	52.71	Average	
2	2483.500	5.12	27.36	46.57	58.88	44.79	54.00	-9.21	Average	
3	2486.853	5.12	27.37	46.57	59.52	45.44	54.00	-8.56	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 37 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11G

	Freq					Level			Remark
	MHz	dB	dB/m	——dB	dBuV	dBuV/m	dBuV/m	——dB	
1	2386.703	5.05	27.15	46.52	69.67	55.35	74.00	-18.65	peak
2	2390.000	5.05	27.16	46.52	68.05	53.74	74.00	-20.26	peak
3	. 2412.000	5.07	27.21	46.53	116.45	102.20	74.00	28.20	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this occument does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 38 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11G

	Cable	Ant	Preamp	Read		Limit	0ver		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
2389.121	5.05	27.16	46.52	56.47	42.16	54.00	-11.84	Average	
2390.000								_	
2412.000								_	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email. CAD Doccheck-Massa som




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 39 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2412 Band edge Note : 2.4G WIFI 11G

Frea						Limit Line		Remark
 MHz						dBuV/m		
2389.726	5.05	27.16	46.52	69.89	55.58	74.00	-18.42	Peak
2390.000	5.05	27.16	46.52	68.96	54.65	74.00	-19.35	Peak
2412.000	5.07	27.21	46.53	118.89	104.64	74.00	30.64	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Con




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 40 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2412 Band edge Note : 2.4G WIFI 11G

_									
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
	2389.726	5.05	27.16	46.52	57.21	42.90	54.00	-11.10	Average
	2390.000	5.05	27.16	46.52	57.20	42.89	54.00	-11.11	Average
	2/12 000	5 07	27 21	46 53	110 1/	95 89	5/ 00	/11 20	Λνορασο



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this occument does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 41 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11G

	Cable	Ant	Preamp	Read		Limit	0ver		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
2462.000	5.10	27.32	46.56	116.85	102.71	74.00	28.71	peak	
2483.500	5.12	27.36	46.57	70.05	55.96	74.00	-18.04	peak	
2484.191	5.12	27.37	46.57	73.52	59.44	74.00	-14.56	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, or sensile CAD Docebeck-Massa Som




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 42 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	. 2462.000	5.10	27.32	46.56	107.19	93.05	54.00	39.05	Average	
)	2483.500	5.12	27.36	46.57	56.31	42.22	54.00	-11.78	Average	
,	2484.392	5.12	27.37	46.57	56.27	42.19	54.00	-11.81	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 43 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2462 Band edge Note : 2.4G WIFI 11G

Freq		Ant Factor						Remark
MHz	dB	dB/m	——dB	dBuV	dBuV/m	dBuV/m	——dB	
2462.000								
2483.500 2484.442								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 44 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2462 Band edge Note : 2.4G WIFI 11G

Freq						Limit Line		Remark	
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
2462.000								_	
2483.500 2483.790								_	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full light except of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, Parallel (Marchaer except).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 45 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11N20

							Limit			
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
						-ID- V//-				
	MHz	ав	aB/m	ав	abuv	aBuv/m	dBuV/m	dB		
	2386.944	5.05	27.15	46.52	69.40	55.08	74.00	-18.92	peak	
2	2390.000								•	
;	2412.000	5.07	27.21	46.53	112.83	98.58	74.00	24.58	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this occument does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 46 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11N20

	Cable	Ant	Preamp	Read		Limit	0ver		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
2389.242	5.05	27.16	46.52	56.02	41.71	54.00	-12.29	Average	
2390.000	5.05	27.16	46.52	55.97	41.66	54.00	-12.34	Average	
2412.000	5.07	27.21	46.53	103.11	88.86	54.00	34.86	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this occument does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 47 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2412 Band edge Note : 2.4G WIFI 11N20

	Freq					Level			Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2388.516	5.05	27.15	46.52	69.42	55.10	74.00	-18.90	Peak
2	2390.000	5.05	27.16	46.52	68.13	53.82	74.00	-20.18	Peak
3.	2412.000	5.07	27.21	46.53	116.81	102.56	74.00	28.56	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full light except of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, Parallel (Marchaer except).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 48 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2412 Band edge Note : 2.4G WIFI 11N20

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.605	5.05	27.16	46.52	57.92	43.61	54.00	-10.39	Average
2	2390.000	5.05	27.16	46.52	57.82	43.51	54.00	-10.49	Average
3	. 2412.000	5.07	27.21	46.53	107.95	93.70	54.00	39.70	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Con




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 49 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

2

3

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT Mode : 2462 Band edge : 2.4G WIFI 11N20 Note

Cable Ant Preamp Limit Read 0ver Loss Factor Factor Level Level Freq Line Limit Remark MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 1 . 2462.000 5.10 27.32 46.56 114.13 99.99 74.00 25.99 peak 2483.500 5.12 27.36 46.57 70.22 56.13 74.00 -17.87 peak 2488.511 5.12 27.38 46.57 69.58 55.51 74.00 -18.49 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 50 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1 .	. 2462.000	5.10	27.32	46.56	104.38	90.24	54.00	36.24	Average	
2	2483.500	5.12	27.36	46.57	56.18	42.09	54.00	-11.91	Average	
3	2484.392	5.12	27.37	46.57	56.17	42.09	54.00	-11.91	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 51 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2462 Band edge Note : 2.4G WIFI 11N20

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1.	2462.000	5.10	27.32	46.56	117.76	103.62	74.00	29.62	Peak
2	2483.500	5.12	27.36	46.57	69.59	55.50	74.00	-18.50	Peak
3	2483.940	5.12	27.37	46.57	71.88	57.80	74.00	-16.20	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 52 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2462 Band edge Note : 2.4G WIFI 11N20

Le	. 2.	+G MTL	T TIME	0						
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		_
	2462.000	5.10	27.32	46.56	109.21	95.07	54.00	41.07	Average	
2	2483.500	5.12	27.36	46.57	57.88	43.79	54.00	-10.21	Average	
}	2484.241	5.12	27.37	46.57	57.71	43.63	54.00	-10.37	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, P




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 53 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2422 Band edge
Note : 2.4G WIFI 11N40

	Cable	Ant	Preamp	Read		Limit	0ver		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
2387.423	5.05	27.15	46.52	69.23	54.91	74.00	-19.09	peak	
2390.000								•	
2422.000								•	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 54 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2422 Band edge
Note : 2.4G WIFI 11N40

	Cable	Ant	Preamp	Read		Limit	0ver		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
2389.827	5.05	27.16	46.52	56.74	42.43	54.00	-11.57	Average	
2390.000								_	
2422.000								_	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 55 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2422 Band edge Note : 2.4G WIFI 11N40

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.827	5.05	27.16	46.52	70.75	56.44	74.00	-17.56	Peak
2	2390.000	5.05	27.16	46.52	70.80	56.49	74.00	-17.51	Peak
3.	2422.000	5.08	27.23	46.54	113.20	98.97	74.00	24.97	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full light except of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, Parallel (Marchaer except).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 56 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2422 Band edge Note : 2.4G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	2389.526	5.05	27.16	46.52	57.91	43.60	54.00	-10.40	Average	
)	2390.000	5.05	27.16	46.52	57.75	43.44	54.00	-10.56	Average	
,	. 2422.000	5.08	27.23	46.54	102.87	88.64	54.00	34.64	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 57 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2452 Band edge
Note : 2.4G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	2452.000	5.10	27.30	46.55	113.22	99.07	74.00	25.07	peak	
	2483.500	5.12	27.36	46.57	71.42	57.33	74.00	-16.67	peak	
}	2490.221	5.12	27.38	46.57	71.75	57.68	74.00	-16.32	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please contact us at telephone: (8e-755




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 58 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2452 Band edge
Note : 2.4G WIFI 11N40

			Cable	Ant	Preamp	Read		Limit	0ver		
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	_										_
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1		2452.000	5.10	27.30	46.55	103.86	89.71	54.00	35.71	Average	
2		2483.500	5.12	27.36	46.57	56.18	42.09	54.00	-11.91	Average	
3		2490.504	5.12	27.38	46.57	56.50	42.43	54.00	-11.57	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full light except of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, Parallel (Marchaer except).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 59 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2452 Band edge Note : 2.4G WIFI 11N40

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1.	2452.000	5.10	27.30	46.55	115.56	101.41	74.00	27.41	Peak
2	2483.500	5.12	27.36	46.57	73.82	59.73	74.00	-14.27	Peak
3	2483.865	5.12	27.37	46.57	76.05	61.97	74.00	-12.03	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755) 8307 1443, **Certificate, Please Contact us at telephone: (8e-755




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 60 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

1 2 3

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 2452 Band edge Note : 2.4G WIFI 11N40

_	. 2	TO WILL	T TT14-							
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
	2452.000	5.10	27.30	46.55	106.28	92.13	54.00	38.13	Average	
2	2483.500	5.12	27.36	46.57	57.16	43.07	54.00	-10.93	Average	
	2484.076	5.12	27.37	46.57	57.48	43.40	54.00	-10.60	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 61 of 163

7.8 Radiated Spurious Emissions Below 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.4,6.5

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
960-1000	500	3

7.8.1 E.U.T. Operation

Operating Environment:

Temperature: 20.1 °C Humidity: 45.1 % RH Atmospheric Pressure: 1020 mbar

7.8.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40). Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 62 of 163

7.8.3 Test Setup Diagram





Below 30MHz

30MHz-1GHz

7.8.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 63 of 163

Test Mode: 02; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00074AT

Mode : 02

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
									
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	116 0405	0 02	15 /2	25 51	/1 9A	22 62	42 EQ	10 97	OD
1									-
2	186.4409	0.67	15.74	25.56	37.37	28.22	43.50	-15.28	QP
3	266.6089	0.89	17.09	25.59	37.06	29.45	46.00	-16.55	QP
4	396.2415	1.70	20.65	25.65	33.85	30.55	46.00	-15.45	QP
5	699.3046	1.67	25.62	25.70	35.11	36.70	46.00	-9.30	QP
6	P 958.7943	2.17	29.34	25.46	36.69	42.74	46.00	-3.26	OP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, or sensile CAD Docebeck-Massa Som




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 64 of 163

Test Mode: 02; Polarity: Vertical



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT

Mode : 02

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
			47.00						
1	43.6586	0.21	17.28	24.93	40.//	33.33	40.00	-6.6/	QР
2	52.9453	0.23	17.28	24.89	41.48	34.10	40.00	-5.90	QP
3	P 138.3873	0.91	17.31	25.53	47.76	40.45	43.50	-3.05	QP
4	499.4247	1.41	22.84	25.70	39.04	37.59	46.00	-8.41	QP
5	699.3046	1.67	25.62	25.70	36.21	37.80	46.00	-8.20	QP
6	958.7943	2.17	29.34	25.46	36.86	42.91	46.00	-3.09	OP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email. CAD Doccheck-Massa som



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 65 of 163

7.9 Radiated Spurious Emissions Above 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.6

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
Above 1000	500	3

7.9.1 E.U.T. Operation


Operating Environment:

Temperature: 23.5 °C Humidity: 56.3 % RH Atmospheric Pressure: 1020 mbar

7.9.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40). Only the data of worst case is recorded in the report.

7.9.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 66 of 163

7.9.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete. Remark:
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 1GHz to 25GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 67 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 2412 TX RSE

: 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1672.779	4.14	24.95	46.38	57.93	40.64	74.00	-33.36	peak
2	4417.841	7.47	30.09	46.33	59.67	50.90	74.00	-23.10	peak
3	4824.000	8.02	30.99	46.81	59.18	51.38	74.00	-22.62	peak
4	6954.852	8.15	35.70	46.69	55.30	52.46	74.00	-21.54	peak
5	7236.000	8.31	36.09	46.48	54.56	52.48	74.00	-21.52	peak
6	9648.000	11.38	37.62	47.16	50.93	52.77	74.00	-21.23	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email. CAD Doccheck-Massa som




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 68 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT

Mode : 2412 TX RSE

: 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver					
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark				
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB					
1	1658.337	4.11	24.92	46.38	60.63	43.28	74.00	-30.72	peak				
2	4430.628	7.47	30.11	46.35	59.72	50.95	74.00	-23.05	peak				
3	4824.000	8.02	30.99	46.81	58.43	50.63	74.00	-23.37	peak				
4	5915.516	7.74	32.43	46.54	58.99	52.62	74.00	-21.38	peak				
5	7236.000	8.31	36.09	46.48	54.53	52.45	74.00	-21.55	peak				
6	9648,000	11.38	37 62	47 16	50 66	52 50	74 99	-21 50	neak				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 69 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 2437 TX RSE

: 2.4G WIFI 11B

	. 2	TO WILL	1 110						
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1692.231	4.18	24.99	46.37	57.37	40.17	74.00	-33.83	peak
2	4242.641	7.48	29.85	46.12	58.91	50.12	74.00	-23.88	peak
3	4874.000	8.10	31.11	46.86	56.77	49.12	74.00	-24.88	peak
4	6954.852	8.15	35.70	46.69	55.33	52.49	74.00	-21.51	peak
5	7311.000	8.34	36.18	46.41	54.18	52.29	74.00	-21.71	peak
6	9748.000	11.30	37.84	47.23	50.82	52.73	74.00	-21.27	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 70 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT

Mode : 2437 TX RSE

: 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1682.477	4.16	24.97	46.37	57.52	40.28	74.00	-33.72	peak
2	4367.058	7.48	30.02	46.27	58.55	49.78	74.00	-24.22	peak
3	4874.000	8.10	31.11	46.86	58.57	50.92	74.00	-23.08	peak
4	6934.778	8.13	35.65	46.69	55.59	52.68	74.00	-21.32	peak
5	7311.000	8.34	36.18	46.41	54.23	52.34	74.00	-21.66	peak
6	9748 000	11.30	37.84	47.23	50 79	52 70	74 99	-21 30	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email. CAD Doccheck-Massa som




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 71 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 2462 TX RSE

: 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1658.337	4.11	24.92	46.38	55.86	38.51	74.00	-35.49	peak
2	4291.977	7.48	29.92	46.18	59.32	50.54	74.00	-23.46	peak
3	4924.000	8.18	31.23	46.92	57.64	50.13	74.00	-23.87	peak
4	5949.811	7.70	32.42	46.52	58.65	52.25	74.00	-21.75	peak
5	7386.000	8.38	36.27	46.34	53.94	52.25	74.00	-21.75	peak
6	9848.000	11.23	38.07	47.30	50.56	52.56	74.00	-21.44	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 72 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT

Mode : 2462 TX RSE

: 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
	4663 437		04.00	46.30	F6 06	20.62	74.00	24.27	
1	1663.137	4.12	24.93	46.38	56.96	39.63	74.00	-34.3/	peak
2	4430.628	7.47	30.11	46.35	58.82	50.05	74.00	-23.95	peak
3	4924.000	8.18	31.23	46.92	56.33	48.82	74.00	-25.18	peak
4	6795.879	7.99	35.32	46.66	55.47	52.12	74.00	-21.88	peak
5	7386.000	8.38	36.27	46.34	54.39	52.70	74.00	-21.30	peak
6	9848.000	11.23	38.07	47.30	50.11	52.11	74.00	-21.89	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 73 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 2412 TX RSE

: 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1634.543	4.06	24.87	46.39	57.84	40.38	74.00	-33.62	peak
2	4354.454	7.48	30.00	46.26	59.48	50.70	74.00	-23.30	peak
3	4824.000	8.02	30.99	46.81	57.72	49.92	74.00	-24.08	peak
4	5932.638	7.72	32.43	46.53	59.21	52.83	74.00	-21.17	peak
5	7236.000	8.31	36.09	46.48	55.01	52.93	74.00	-21.07	peak
6	9648,000	11.38	37.62	47.16	51.15	52.99	74.00	-21.01	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 74 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT

Mode : 2412 TX RSE

: 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
	4670 770		24.05	46.30	F7 00	40.60	74.00	22.40	
1	1672.779	4.14	24.95	46.38	57.89	40.60	74.00	-33.40	peak
2	4456.315	7.47	30.14	46.38	59.04	50.27	74.00	-23.73	peak
3	4824.000	8.02	30.99	46.81	57.94	50.14	74.00	-23.86	peak
4	6995.172	8.19	35.79	46.70	55.00	52.28	74.00	-21.72	peak
5	7236.000	8.31	36.09	46.48	55.02	52.94	74.00	-21.06	peak
6	9648,000	11.38	37.62	47.16	50.21	52.05	74.00	-21.95	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 75 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 2437 TX RSE

: 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1653.550	4.10	24.91	46.38	56.59	39.22	74.00	-34.78	peak
2	4304.400	7.48	29.94	46.19	58.45	49.68	74.00	-24.32	peak
3	4874.000	8.10	31.11	46.86	56.09	48.44	74.00	-25.56	peak
4	6934.778	8.13	35.65	46.69	55.70	52.79	74.00	-21.21	peak
5	7311.000	8.34	36.18	46.41	54.68	52.79	74.00	-21.21	peak
	9748,000	11.30	37.84	47.23	50.33	52.24	74.00	-21.76	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 76 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT

Mode : 2437 TX RSE

: 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1682.477	4.16	24.97	46.37	56.90	39.66	74.00	-34.34	peak
2	4392.376	7.47	30.06	46.30	59.60	50.83	74.00	-23.17	peak
3	4874.000	8.10	31.11	46.86	56.49	48.84	74.00	-25.16	peak
4	6954.852	8.15	35.70	46.69	54.85	52.01	74.00	-21.99	peak
5	7311.000	8.34	36.18	46.41	54.80	52.91	74.00	-21.09	peak
6	9748.000	11.30	37.84	47.23	50.71	52.62	74.00	-21.38	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 77 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 2462 TX RSE

: 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1687.347	4.17	24.98	46.37	55.91	38.69	74.00	-35.31	peak
2	3890.255	7.39	29.33	45.90	59.60	50.42	74.00	-23.58	peak
3	4924.000	8.18	31.23	46.92	58.35	50.84	74.00	-23.16	peak
4	6954.852	8.15	35.70	46.69	55.83	52.99	74.00	-21.01	peak
5	7386.000	8.38	36.27	46.34	53.61	51.92	74.00	-22.08	peak
6	9848,000	11.23	38.07	47.30	50 58	52 58	74 99	-21 42	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 78 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT

Mode : 2462 TX RSE

: 2.4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1667.951	4.13	24.94	46.38	56.43	39.12	74.00	-34.88	peak
2	4242.641	7.48	29.85	46.12	58.60	49.81	74.00	-24.19	peak
3	4924.000	8.18	31.23	46.92	58.80	51.29	74.00	-22.71	peak
4	6583.209	7.78	34.81	46.62	56.86	52.83	74.00	-21.17	peak
5	7386.000	8.38	36.27	46.34	54.50	52.81	74.00	-21.19	peak
6	9848.000	11.23	38.07	47.30	50.68	52.68	74.00	-21.32	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 79 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 2412 TX RSE

: 2.4G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1697.129	4.19	25.00	46.37	56.85	39.67	74.00	-34.33	peak
2	4193.872	7.48	29.78	46.05	59.09	50.30	74.00	-23.70	peak
3	4824.000	8.02	30.99	46.81	57.68	49.88	74.00	-24.12	peak
4	6934.778	8.13	35.65	46.69	55.85	52.94	74.00	-21.06	peak
5	7236.000	8.31	36.09	46.48	54.52	52.44	74.00	-21.56	peak
6	9648.000	11.38	37.62	47.16	51.00	52.84	74.00	-21.16	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 80 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT

Mode : 2412 TX RSE

: 2.4G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1677.621	4.15	24.96	46.38	57.31	40.04	74.00	-33.96	peak
2	4206.011	7.48	29.80	46.07	58.54	49.75	74.00	-24.25	peak
3	4824.000	8.02	30.99	46.81	57.37	49.57	74.00	-24.43	peak
4	6874.906	8.07	35.51	46.68	55.58	52.48	74.00	-21.52	peak
5	7236.000	8.31	36.09	46.48	54.11	52.03	74.00	-21.97	peak
6	9648 000	11 38	37 62	47 16	50 25	52 09	74 99	-21 91	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 81 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 2437 TX RSE

: 2.4G WIFI 11N20

				_					
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1672.779	4.14	24.95	46.38	56.77	39.48	74.00	-34.52	peak
2	4405.090	7.47	30.07	46.32	59.64	50.86	74.00	-23.14	peak
3	4874.000	8.10	31.11	46.86	57.40	49.75	74.00	-24.25	peak
4	6974.982	8.17	35.74	46.70	55.39	52.60	74.00	-21.40	peak
5	7311.000	8.34	36.18	46.41	54.48	52.59	74.00	-21.41	peak
6	9748 000	11.30	37.84	47.23	50 60	52 51	74 99	-21 49	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 82 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT

Mode : 2437 TX RSE

: 2.4G WIFI 11N20

				_					
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1667.951	4.13	24.94	46.38	58.65	41.34	74.00	-32.66	peak
2	4329.354	7.48	29.97	46.23	59.70	50.92	74.00	-23.08	peak
3	4874.000	8.10	31.11	46.86	56.76	49.11	74.00	-24.89	peak
4	6934.778	8.13	35.65	46.69	55.79	52.88	74.00	-21.12	peak
5	7311.000	8.34	36.18	46.41	54.28	52.39	74.00	-21.61	peak
6	9748.000	11.30	37.84	47.23	50.65	52.56	74.00	-21.44	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email. CAD Doccheck-Massa scom.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 83 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 2462 TX RSE

: 2.4G WIFI 11N20

				_					
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1653.550	4.10	24.91	46.38	56.94	39.57	74.00	-34.43	peak
2	4181.768	7.48	29.76	46.04	58.45	49.65	74.00	-24.35	peak
3	4924.000	8.18	31.23	46.92	57.30	49.79	74.00	-24.21	peak
4	5847.517	7.83	32.46	46.57	59.08	52.80	74.00	-21.20	peak
5	7386.000	8.38	36.27	46.34	54.60	52.91	74.00	-21.09	peak
6	9848 000	11.23	38 07	47 30	50 64	52 64	74 99	-21 36	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 84 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT

Mode : 2462 TX RSE

: 2.4G WIFI 11N20

				_					
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1663.137	4.12	24.93	46.38	57.34	40.01	74.00	-33.99	peak
2	4050.904	7.49	29.58	45.87	58.58	49.78	74.00	-24.22	peak
3	4924.000	8.18	31.23	46.92	57.40	49.89	74.00	-24.11	peak
4	6974.982	8.17	35.74	46.70	55.06	52.27	74.00	-21.73	peak
5	7386.000	8.38	36.27	46.34	53.51	51.82	74.00	-22.18	peak
6	9848.000	11.23	38.07	47.30	50.54	52.54	74.00	-21.46	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 85 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 2422 TX RSE

: 2.4G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1677.621	4.15	24.96	46.38	57.08	39.81	74.00	-34.19	peak	
2	4254.921	7.48	29.87	46.13	58.65	49.87	74.00	-24.13	peak	
3	4844.000	8.05	31.04	46.83	56.10	48.36	74.00	-25.64	peak	
4	6815.551	8.01	35.37	46.67	55.92	52.63	74.00	-21.37	peak	
5	7266.000	8.32	36.12	46.45	54.64	52.63	74.00	-21.37	peak	
6	9688,000	11.35	37 71	47 19	50 39	52 26	74 99	-21 74	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 86 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT

Mode : 2422 TX RSE

: 2.4G WIFI 11N40

				_					
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1658.337	4.11	24.92	46.38	56.24	38.89	74.00	-35.11	peak
2	4181.768	7.48	29.76	46.04	59.02	50.22	74.00	-23.78	peak
3	4844.000	8.05	31.04	46.83	57.51	49.77	74.00	-24.23	peak
4	6974.982	8.17	35.74	46.70	54.81	52.02	74.00	-21.98	peak
5	7266.000	8.32	36.12	46.45	54.33	52.32	74.00	-21.68	peak
6	9688,000	11.35	37.71	47.19	50 41	52 28	74 99	-21 72	neak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 87 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 2437 TX RSE

: 2.4G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1677.621	4.15	24.96	46.38	56.68	39.41	74.00	-34.59	peak	
2	4417.841	7.47	30.09	46.33	58.71	49.94	74.00	-24.06	peak	
3	4874.000	8.10	31.11	46.86	55.91	48.26	74.00	-25.74	peak	
4	6934.778	8.13	35.65	46.69	55.21	52.30	74.00	-21.70	peak	
5	7311.000	8.34	36.18	46.41	54.05	52.16	74.00	-21.84	peak	
6	9748 000	11.30	37.84	47.23	51.09	53 00	74 99	-21 00	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 88 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT

Mode : 2437 TX RSE

: 2.4G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1687.347	4.17	24.98	46.37	57.08	39.86	74.00	-34.14	peak	
2	4267.237	7.48	29.88	46.15	58.03	49.24	74.00	-24.76	peak	
3	4874.000	8.10	31.11	46.86	57.04	49.39	74.00	-24.61	peak	
4	6583.209	7.78	34.81	46.62	56.47	52.44	74.00	-21.56	peak	
5	7311.000	8.34	36.18	46.41	54.45	52.56	74.00	-21.44	peak	
6	9748,000	11.30	37.84	47 23	50 79	52 70	74 99	-21 30	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 89 of 163

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 2452 TX RSE

: 2.4G WIFI 11N40

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1672.779	4.14	24.95	46.38	57.03	39.74	74.00	-34.26	peak	
2	4316.859	7.48	29.95	46.21	59.21	50.43	74.00	-23.57	peak	
3	4904.000	8.15	31.18	46.90	57.07	49.50	74.00	-24.50	peak	
4	5915.516	7.74	32.43	46.54	58.43	52.06	74.00	-21.94	peak	
5	7356.000	8.36	36.23	46.37	54.94	53.16	74.00	-20.84	peak	
6	9808,000	11.26	37.98	47 27	50 11	52 08	74 99	-21 92	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-and-Conditions/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en/Terms-en




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 90 of 163

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT

Mode : 2452 TX RSE

: 2.4G WIFI 11N40

	. 21 10 1121 221110									
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	1677.621	4.15	24.96	46.38	56.79	39.52	74.00	-34.48	peak	
2	4417.841	7.47	30.09	46.33	58.69	49.92	74.00	-24.08	peak	
3	4904.000	8.15	31.18	46.90	57.14	49.57	74.00	-24.43	peak	
4	6526.373	7.73	34.67	46.61	56.71	52.50	74.00	-21.50	peak	
5	7356.000	8.36	36.23	46.37	54.31	52.53	74.00	-21.47	peak	
6	9808,000	11.26	37.98	47.27	50.18	52.15	74.00	-21.85	neak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 91 of 163

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2204000074AT.

9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for FYCR2204000074AT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 92 of 163

10 Appendix

1. Duty Cycle

1.1 Ant1

1.1.1 Test Result

	Ant1										
Mode TX Type		Frequency (MHz)	T_on (ms)	Period Duty Cycle (ms) (%)		Duty Cycle Correction Factor (dB)	Max. DC Variation (%)				
		2412	12.420	12.876	96.46	0.16	0.81				
802.11b	SISO	2437	12.423	12.890	96.38	0.16	0.88				
		2462	12.420	12.897	96.30	0.16	0.83				
	SISO	2412	2.066	2.286	90.38	0.44	4.83				
802.11g		2437	2.065	2.294	90.02	0.46	4.41				
		2462	2.066	2.287	90.34	0.44	5.29				
000.44		2412	1.921	2.150	89.35	0.49	5.16				
802.11n (HT20)	MIMO	2437	1.921	2.124	90.44	0.44	4.84				
(11120)		2462	1.922	2.142	89.73	0.47	5.20				
000.44	MIMO	2422	0.946	1.148	82.40	0.84	7.78				
802.11n (HT40)		2437	0.946	1.130	83.72	0.77	7.23				
(1140)		2452	0.946	1.148	82.40	0.84	7.74				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 93 of 163

1.1.2 Test Graph



Time (ms)



-60


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ysgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ysgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 94 of 163





0.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ysgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ysgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-C

Time (ms)

Fuyong lab. Xining TechnoPark, Fenglang Road, Fuyong Subdishict, Bao'an, Sherazhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


24.0



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 95 of 163






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 96 of 163





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ysgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ysgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-C


Time (ms)



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 97 of 163






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 98 of 163





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 99 of 163

2. Bandwidth

2.1 OBW

2.1.1 Test Result

Mode	TX	Frequency	ANT	99% Occupied Bandwidth (MHz)	Verdict	
iviode	Type	(MHz)		Result	verdict	
		2412	1	15.114	Pass	
802.11b	SISO	2437	1	15.084	Pass	
		2462	1	15.127	Pass	
		2412	1	17.417	Pass	
802.11g	SISO	2437	1	17.446	Pass	
		2462	1	17.265	Pass	
	MIMO	2412	1	18.418	Pass	
802.11n (HT20)		2437	1	18.428	Pass	
(11120)		2462	1	18.417	Pass	
000.44	MIMO	2422	1	36.626	Pass	
802.11n (HT40)		2437	1	36.606	Pass	
(1140)		2452	1	36.431	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ysgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ysgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the auther facility of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 100 of 163

2.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, resmit. CAP Descheck-Processes com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 101 of 163







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, resmit. CAP Descheck-Processes com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 102 of 163







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPD Roccheck/Bass com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 103 of 163



802.11n(HT20)_MCH_2437MHz_Ant1 (MIMO)_NTNV





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Roccheck/Gass com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 104 of 163



802.11n(HT40)_LCH_2422MHz_Ant1 (MIMO)_NTNV





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, resmit CAP Roccheck/Passa com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 105 of 163







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 106 of 163

2.2 6dB BW

2.2.1 Test Result

Mode	TX	Frequency	ANT	6dB Bandv	vidth (MHz)	Verdict	
Mode	Type	(MHz)	(MHz) ANT		Limit	verdict	
		2412	1	10.144	>=0.5	Pass	
802.11b	SISO	2437	1	10.148	>=0.5	Pass	
		2462	1	10.147	>=0.5	Pass	
	SISO	2412	1	15.712	>=0.5	Pass	
802.11g		2437	1	15.808	>=0.5	Pass	
		2462	1	15.667	>=0.5	Pass	
000.44		2412	1	15.948	>=0.5	Pass	
802.11n (HT20)	MIMO	2437	1	16.026	>=0.5	Pass	
(11120)		2462	1	15.478	>=0.5	Pass	
000 44		2422	1	35.468	>=0.5	Pass	
802.11n (HT40)	MIMO	2437	1	35.201	>=0.5	Pass	
(H140)		2452	1	35.197	>=0.5	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions.aspx.and. for electronic Documents and the full this process. Company for the second of the document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excert parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attantion: To check the authernicity of testing finspection report & certificate, please contact us at telephone: (86-75) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 107 of 163

2.2.2 Test Graph






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 108 of 163





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Roccheck/Gass com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 109 of 163







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPD Roccheck/Bass com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 110 of 163







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 111 of 163







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPD Roccheck/Bass com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 112 of 163





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Roccheck/Gass com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 113 of 163

3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximun	\/ordiot			
			ANT1	ANT2	MIMO	Limit	Verdict
802.11b	SISO	2412	18.87	18.69	/	<=30	Pass
		2437	18.20	18.06	/	<=30	Pass
		2462	18.69	18.82	/	<=30	Pass
802.11g	SISO	2412	18.48	18.07	/	<=30	Pass
		2437	19.15	18.38	/	<=30	Pass
		2462	18.86	18.66	/	<=30	Pass
802.11n (HT20)	МІМО	2412	17.78	17.12	20.47	<=30	Pass
		2437	17.54	17.46	20.51	<=30	Pass
		2462	17.59	17.37	20.49	<=30	Pass
802.11n (HT40)	МІМО	2422	16.76	16.78	19.78	<=30	Pass
		2437	16.25	16.17	19.22	<=30	Pass
		2452	16.28	16.44	19.37	<=30	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate** (All Poscheck Pos



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 114 of 163

4. Maximum Power Spectral Density

4.1 PSD

4.1.1 Test Result

Mode	TX	Frequency (MHz)	Maximum PSD (dBm/3kHz)				\/ordiot
	Type		ANT1	ANT2	MIMO	Limit	Verdict
802.11b	SISO	2412	-7.86	-9.22	/	<=8	Pass
		2437	-7.26	-9.55	/	<=8	Pass
		2462	-8.42	-8.85	/	<=8	Pass
802.11g	SISO	2412	-16.25	-17.87	/	<=8	Pass
		2437	-16.40	-18.88	/	<=8	Pass
		2462	-15.37	-17.86	/	<=8	Pass
802.11n (HT20)	MIMO	2412	-16.84	-19.45	-15.45	<=8	Pass
		2437	-16.93	-18.35	-15.84	<=8	Pass
		2462	-16.62	-17.22	-15.01	<=8	Pass
802.11n (HT40)	MIMO	2422	-20.22	-20.71	-17.53	<=8	Pass
		2437	-20.69	-21.02	-17.84	<=8	Pass
		2452	-20.76	-21.27	-18.00	<=8	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partles to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (86-755) 8307 1443, respective for the company is certificate, please contact us at telephone: (




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 115 of 163

4.1.2 Test Graph






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ysgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ysgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 116 of 163





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Roccheck/Gass com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 117 of 163





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 118 of 163







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 119 of 163







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 120 of 163








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 121 of 163








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 122 of 163



802.11n(HT20)_MCH_2437MHz_Ant1 (MIMO)_NTNV






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 123 of 163



802.11n(HT20)_MCH_2437MHz_MIMO_NTNV






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 124 of 163







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPD Roccheck/Bass com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007402

Page: 125 of 163







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms