



1. Duty Cycle

1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
GFSK	SISO	2413	0.214	0.325	65.85	1.81	1.71
		2444	0.214	0.325	65.85	1.81	0.19
		2472	0.213	0.324	65.74	1.82	1.67

1.2 Test Graph





2. Bandwidth

2.1 Test Result

2.1.1 OBW


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
GFSK	SISO	2413	1	1.064	/	Pass
		2444	1	1.066	/	Pass
		2472	1	1.067	/	Pass


2.1.2 6dB BW

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
GFSK	SISO	2413	1	0.534	≥ 0.5	Pass
		2444	1	0.541	≥ 0.5	Pass
		2472	1	0.538	≥ 0.5	Pass


2.2 Test Graph


2.2.1 OBW





2.2.2 6dB BW







3. Maximum Conducted Output Power

3.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
GFSK	SISO	2413	-1.09	<=30	Pass
		2444	-1.31	<=30	Pass
		2472	-1.34	<=30	Pass

3.2 Test Graph







4. Maximum Power Spectral Density

4.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
GFSK	SISO	2413	-6.12	<=8	Pass
		2444	-6.15	<=8	Pass
		2472	-6.29	<=8	Pass

4.2 Test Graph





5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
GFSK	SISO	2413	1	-1.70
		2444	1	-1.87
		2472	1	-1.91


5.1.2 CSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2413	1	-1.70	-21.70	Pass
		2444	1	-1.70	-21.70	Pass
		2472	1	-1.70	-21.70	Pass


5.2 Test Graph

5.2.1 Ref







5.2.2 CSE




GFSK_MCH_2444MHz_Ant1_NTNV



GFSK_HCH_2472MHz_Ant1_NTNV





-----End-----