




1.4.4.3 Channel 5 @Ant 0



Data: 129



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

		Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor			Remark	Pol/Pha
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp 2389.94	44.07	-29.93	74.00	0.00	0.00	0.00	400	360	Peak	HORIZON



Data: 130

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

		Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor			Remark	Pol/Pha
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp 2389.80	36.01	-17.99	54.00	0.00	0.00	0.00	400	360	Average	HORIZON



Data: 133

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

		Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
	Freq	Level	Limit	Line	Factor	Loss	Factor		Remark	Pol/Pha
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1	pp 2345.14	46.06	-27.94	74.00	0.00	0.00	0.00	100	0 Peak	VERTICA
2	2389.94	44.44	-29.56	74.00	0.00	0.00	0.00	100	0 Peak	VERTICA



Data: 134

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


		Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor			Remark	Pol/Pha
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp 2389.94	35.30	-18.70	54.00	0.00	0.00	0.00	100	0	Average	VERTICAL

1.4.4.4 Channel 6 @Ant 0



Data: 139

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1	2483.50	43.38	-30.62	74.00	0.00	0.00	0.00	400	360	Peak
2 pp	2485.72	45.43	-28.57	74.00	0.00	0.00	0.00	400	360	Peak



Data: 140

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

		Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor			Remark	Pol/Pha
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp 2483.50	35.60	-18.40	54.00	0.00	0.00	0.00	400	360	Average	HORIZON



Data: 143

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1	2483.50	43.61	-30.39	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL
2 pp	2489.92	45.22	-28.78	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL



Data: 144

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


		Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor			Remark	Pol/Pha
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp 2483.50	35.98	-18.02	54.00	0.00	0.00	0.00	100	0	Average	VERTICAL

1.4.4.5 Channel 7 @Ant 0



Data: 147

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Limit	Antenna Line Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m		dB	dB/m	dB	dB	cm	deg		
1	2483.50	46.00	-28.00	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL
2 pp	2483.97	49.16	-24.84	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL



Data: 148

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

		Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor			Remark	Pol/Pha
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp 2483.62	37.68	-16.32	54.00	0.00	0.00	0.00	400	360	Average	HORIZON



Data: 153

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1	2483.50	43.78	-30.22	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL
2 pp	2498.88	45.49	-28.51	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL



Data: 154

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


		Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor			Remark	Pol/Pha
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp 2483.50	35.51	-18.49	54.00	0.00	0.00	0.00	100	0	Average	VERTICAL

1.4.4.6 Channel 8 @Ant 0



Data: 157

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1	2483.50	43.48	-30.52	74.00	0.00	0.00	0.00	400	360	Peak
2 pp	2485.79	45.99	-28.01	74.00	0.00	0.00	0.00	400	360	Peak



Data: 158

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

		Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor			Remark	Pol/Pha
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp 2483.83	36.12	-17.88	54.00	0.00	0.00	0.00	400	360	Average	HORIZON



Data: 161

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1	2483.50	43.29	-30.71	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL
2 pp	2485.51	45.95	-28.05	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL



Data: 162

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


		Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor			Remark	Pol/Pha
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp 2483.50	35.48	-18.52	54.00	0.00	0.00	0.00	100	0	Average	VERTICAL

1.4.4.7 Channel 9 @Ant 0



Data: 165

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Limit	Over Limit	Antenna Line	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark	Pol/Phi
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1	2483.50	43.44	-30.56	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL
2 pp	2484.60	46.49	-27.51	74.00	0.00	0.00	0.00	400	360	Peak	HORIZONTAL



Data: 166

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

		Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor			Remark	Pol/Pha
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp 2483.50	35.77	-18.23	54.00	0.00	0.00	0.00	400	360	Average	HORIZON



Data: 171

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	
1	2483.50	43.23	-30.77	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL
2 pp	2486.77	45.54	-28.46	74.00	0.00	0.00	0.00	100	0 Peak	VERTICAL



Data: 172

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


		Over	Limit	Antenna	Cable	Preamp	A/Pos	T/Pos		
Freq	Level	Limit	Line	Factor	Loss	Factor			Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		
1 pp 2483.50	35.29	-18.71	54.00	0.00	0.00	0.00	100	0	Average	VERTICAL

1.4.4.8 Channel 3 @Ant 1



Data: 85

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

			Over	Limit	Antenna	Cable	Preamp		
Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB			
1 pp 2389.94	43.92	-30.08	74.00	0.00	0.00	0.00	Peak	HORIZONTAL	



Data: 86

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	35.93	-18.07	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 89

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1	2329.60	46.13	-27.87	74.00	0.00	0.00	0.00 Peak	VERTICAL
2	2389.94	44.00	-30.00	74.00	0.00	0.00	0.00 Peak	VERTICAL



Data: 90

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	35.77	-18.23	54.00	0.00	0.00	0.00 Average	VERTICAL

1.4.4.9 Channel 4 @Ant 1



Data: 93

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	44.59	-29.41	74.00	0.00	0.00	0.00 Peak	HORIZONTAL



Data: 94

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	35.70	-18.30	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 97

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

			Over	Limit	Antenna	Cable	Preamp		
Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB			
1 pp	2357.04	46.10	-27.90	74.00	0.00	0.00	0.00	Peak	VERTICAL
2	2389.94	42.81	-31.19	74.00	0.00	0.00	0.00	Peak	VERTICAL



Data: 98

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz

Over LimitAntenna Cable Preamp

Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		


1 pp	2389.94	35.71	-18.29	54.00	0.00	0.00	0.00	Average	VERTICAL
------	---------	-------	--------	-------	------	------	------	---------	----------

1.4.4.10 Channel 5 @Ant 1



Data: 101

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

			Over	Limit	Antenna	Cable	Preamp		
Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB			
1 pp	2366.28	46.39	-27.61	74.00	0.00	0.00	0.00	Peak	HORIZONTAL
2	2389.94	43.75	-30.25	74.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 102

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	36.07	-17.93	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 105

Date: 2018-09-27



Site : site

Condition : PEAK_BE_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz

Over LimitAntenna Cable Preamp


Freq	Level	Limit	Over	Limit	Antenna	Cable	Preamp	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB		

1	pp	2389.94	43.18	-30.82	74.00	0.00	0.00	0.00	Peak	VERTICAL
---	----	---------	-------	--------	-------	------	------	------	------	----------



Data: 106

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	35.58	-18.42	54.00	0.00	0.00	0.00 Average	VERTICAL



1.4.4.11 Channel 6 @Ant 1



Data: 111



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Limit	Over Limit		Antenna	Cable	Preamp	Remark	Pol/Phase
			Line	Factor					
MHz	dBuV/m	dB	dBuV/m	dB/m		dB	dB		
1 pp 2483.50	44.26	-29.74	74.00	0.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 112

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL

: RBW:1000.000KHz VBW:1.000KHz

Over LimitAntenna Cable Preamp

Freq Level Limit Line Factor Loss Factor Remark Pol/Phase


MHz dBuV/m dB dBuV/m dB/m dB dB

1 pp 2483.50 35.68 -18.32 54.00 0.00 0.00 0.00 Average HORIZONTAL



Data: 115

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 2483.50	42.52	-31.48	74.00	0.00	0.00	0.00 Peak	VERTICAL
2 pp 2492.16	45.64	-28.36	74.00	0.00	0.00	0.00 Peak	VERTICAL



Data: 116

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz

Over LimitAntenna Cable Preamp

Freq Level Limit Line Factor Loss Factor Remark Pol/Phase

MHz dBuV/m dB dBuV/m dB/m dB dB


1 pp 2483.50 35.53 -18.47 54.00 0.00 0.00 0.00 Average VERTICAL

1.4.4.12 Channel 7 @Ant 1



Data: 121

Date: 2018-09-27



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Limit	Over Limit		Antenna	Cable	Preamp	Remark	Pol/Phase
			Line	Factor					
MHz	dBuV/m	dB	dBuV/m	dB/m		dB	dB		
1 pp 2483.50	45.23	-28.77	74.00	0.00		0.00	0.00	Peak	HORIZONTAL



Data: 122

Date: 2018-09-27



Site : 03CH01-SZ


Condition : AVG_BE_54 3m HORIZONTAL

: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.50	37.21	-16.79	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 125



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz


Over LimitAntenna Cable Preamp

Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.50	46.51	-27.49	74.00	0.00	0.00	0.00	Peak	VERTICAL



Data: 126

Date: 2018-09-27



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz

Over LimitAntenna Cable Preamp

Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		


1	pp	2483.50	38.83	-15.17	54.00	0.00	0.00	0.00	Average	VERTICAL
---	----	---------	-------	--------	-------	------	------	------	---------	----------

1.4.4.13 Channel 8 @Ant 1



Data: 127

Date: 2018-09-28



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1	2483.52	44.23	-29.77	74.00	0.00	0.00	0.00	Peak	HORIZONTAL
2 pp	2486.56	47.56	-26.44	74.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 128

Date: 2018-09-28



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.60	37.18	-16.82	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 131

Date: 2018-09-28



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1	2483.52	43.88	-30.12	74.00	0.00	0.00	0.00 Peak	VERTICAL
2 pp	2498.44	47.49	-26.51	74.00	0.00	0.00	0.00 Peak	VERTICAL



Data: 132

Date: 2018-09-28



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.52	36.82	-17.18	54.00	0.00	0.00	0.00 Average	VERTICAL

1.4.4.14 Channel 9 @Ant 1



Data: 135

Date: 2018-09-28



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
MHz	dBUV/m	dB	dBUV/m	dB/m	dB	dB		
1 pp 2483.76	47.22	-26.78	74.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 136

Date: 2018-09-28



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2483.52	36.86	-17.14	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 139

Date: 2018-09-28



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz


Over LimitAntenna Cable Preamp

Freq	Level	Over	Limit	Antenna	Cable	Preamp	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.52	44.40	-29.60	74.00	0.00	0.00	0.00	Peak	VERTICAL



Data: 140

Date: 2018-09-28



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Limit	Antenna Line Factor	Cable Loss	Preamp Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.52	36.56	-17.44	54.00	0.00	0.00	0.00	Average	VERTICAL

1.4.4.15 Channel 3 @ MIMO



Data: 73

Date: 2018-09-28



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL

: RBW:1000.000KHz VBW:3000.000KHz


Over LimitAntenna Cable Preamp

	Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1	pp 2330.58	47.28	-26.72	74.00	0.00	0.00	0.00	Peak	HORIZONTAL
2	2389.94	44.06	-29.94	74.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 74

Date: 2018-09-28



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.80	37.42	-16.58	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 77

Date: 2018-09-28



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz

Over LimitAntenna Cable Preamp


Freq	Level	Over	Limit	Antenna	Cable	Preamp	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		

1 pp	2389.94	44.46	-29.54	74.00	0.00	0.00	0.00	Peak	VERTICAL
------	---------	-------	--------	-------	------	------	------	------	----------



Data: 78

Date: 2018-09-28



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	36.64	-17.36	54.00	0.00	0.00	0.00 Peak	VERTICAL

1.4.4.16 Channel 4 @ MIMO



Data: 81

Date: 2018-09-28



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Limit	Over	Limit	Antenna	Cable	Preamp	Remark	Pol/Phase
			Line	Factor	Loss	Factor	dB		
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB		
1 pp 2389.94	45.97	-28.03	74.00	0.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 82

Date: 2018-09-28



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.38	37.78	-16.22	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 85

Date: 2018-09-28



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

			Over	Limit	Antenna	Cable	Preamp		
Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB			
1 pp	2325.26	47.13	-26.87	74.00	0.00	0.00	0.00	Peak	VERTICAL
2	2389.94	44.10	-29.90	74.00	0.00	0.00	0.00	Peak	VERTICAL



Data: 86

Date: 2018-09-28



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


			Over	Limit	Antenna	Cable	Preamp		
Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB			
1 pp	2324.00	37.17	-16.83	54.00	0.00	0.00	0.00	Average	VERTICAL
2	2389.94	36.72	-17.28	54.00	0.00	0.00	0.00	Average	VERTICAL

1.4.4.17 Channel 5 @ MIMO



Data: 89

Date: 2018-09-28



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL

: RBW:1000.000KHz VBW:3000.000KHz

Over LimitAntenna Cable Preamp


Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		

1 pp	2389.94	45.13	-28.87	74.00	0.00	0.00	0.00	Peak	HORIZONTAL
------	---------	-------	--------	-------	------	------	------	------	------------



Data: 90

Date: 2018-09-28



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	37.56	-16.44	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 93

Date: 2018-09-28



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz


Over LimitAntenna Cable Preamp

Freq	Level	Limit	Over	Limit	Antenna	Cable	Preamp	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB		
1 pp 2389.94	44.23	-29.77	74.00	0.00	0.00	0.00	0.00	Peak	VERTICAL



Data: 94

Date: 2018-09-28



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz


Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.94	36.51	-17.49	54.00	0.00	0.00	0.00	Average VERTICAL

1.4.4.18 Channel 6 @ MIMO



Data: 97

Date: 2018-09-28




Site : 03CH01-SZ
Condition : PEAK_BE_74 3m HORIZONTAL
: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over	Limit	Antenna	Cable	Preamp		
	MHz	dBuV/m	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
			dB	dBuV/m	dB/m	dB	dB		
1	pp 2349.48	47.02	-26.98	74.00	0.00	0.00	0.00	Peak	HORIZONTAL
2	2389.94	44.73	-29.27	74.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 98

Date: 2018-09-28



Site : 03CH01-SZ


Condition : AVG_BE_54 3m HORIZONTAL

: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 pp 2389.66	37.45	-16.55	54.00	0.00	0.00	0.00 Average	HORIZONTAL



Data: 103



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz


Over LimitAntenna Cable Preamp

Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.50	44.87	-29.13	74.00	0.00	0.00	0.00	Peak	VERTICAL



Data: 104

Date: 2018-09-28



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz

Over LimitAntenna Cable Preamp

Freq Level Limit Line Factor Loss Factor Remark Pol/Phase


MHz dBuV/m dB dBuV/m dB/m dB dB

1 pp 2483.50 36.60 -17.40 54.00 0.00 0.00 0.00 Average VERTICAL

1.4.4.19 Channel 7 @ MIMO



Data: 107



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

		Over	Limit	Antenna	Cable	Preamp		
Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1	2483.50	44.64	-29.36	74.00	0.00	0.00	0.00 Peak	HORIZONTAL
2 pp	2486.42	47.64	-26.36	74.00	0.00	0.00	0.00 Peak	HORIZONTAL



Data: 108

Date: 2018-09-29



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL

: RBW:1000.000KHz VBW:1.000KHz

Over LimitAntenna Cable Preamp


Freq Level Limit Line Factor Loss Factor Remark Pol/Phase

MHz dBuV/m dB dBuV/m dB/m dB dB

1 pp 2483.55 37.01 -16.99 54.00 0.00 0.00 0.00 Average HORIZONTAL



Data: 113



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Over Limit		Antenna		Cable		Preamp	Remark	Pol/Phase
		dB	dBuV/m	dB/m	dB	dB	dB			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB			
1 pp 2483.50	45.79	-28.21	74.00	0.00	0.00	0.00	0.00	Peak		VERTICAL



Data: 114

Date: 2018-09-29



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz

Over LimitAntenna Cable Preamp

Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		


1 pp	2483.62	37.56	-16.44	54.00	0.00	0.00	0.00	Average	VERTICAL
------	---------	-------	--------	-------	------	------	------	---------	----------

1.4.4.20 Channel 8 @ MIMO



Data: 117

Date: 2018-09-29



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL


: RBW:1000.000KHz VBW:3000.000KHz

	Freq	Level	Over Limit	Limit	Antenna Line Factor	Cable Loss	Preamp Factor	Remark	Pol/Phase
	MHz	dBuV/m		dB	dBuV/m	dB/m	dB	dB	
1	2483.50	44.25	-29.75	74.00	0.00	0.00	0.00	Peak	HORIZONTAL
2 pp	2492.37	46.01	-27.99	74.00	0.00	0.00	0.00	Peak	HORIZONTAL



Data: 118

Date: 2018-09-29



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1	2483.50	36.21	-17.79	54.00	0.00	0.00	0.00	Average	HORIZONTAL
2 pp	2484.88	36.57	-17.43	54.00	0.00	0.00	0.00	Average	HORIZONTAL



Data: 123

Date: 2018-09-29



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL


: RBW:1000.000KHz VBW:3000.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	
1 2483.50	44.24	-29.76	74.00	0.00	0.00	0.00 Peak	VERTICAL
2 pp 2496.43	47.07	-26.93	74.00	0.00	0.00	0.00 Peak	VERTICAL



Data: 124

Date: 2018-09-29



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz

	Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1	2483.50	36.22	-17.78	54.00	0.00	0.00	0.00	Average	VERTICAL
2 pp	2484.46	36.58	-17.42	54.00	0.00	0.00	0.00	Average	VERTICAL




1.4.4.21 Channel 9 @ MIMO



Data: 129

Date: 2018-09-29



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m HORIZONTAL

: RBW:1000.000KHz VBW:3000.000KHz

Over LimitAntenna Cable Preamp


Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		

1 pp	2483.50	44.56	-29.44	74.00	0.00	0.00	0.00	Peak	HORIZONTAL
------	---------	-------	--------	-------	------	------	------	------	------------



Data: 130

Date: 2018-09-29



Site : 03CH01-SZ

Condition : AVG_BE_54 3m HORIZONTAL


: RBW:1000.000KHz VBW:1.000KHz

Freq	Level	Over Limit	Antenna Line	Cable Factor	Preamp Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.50	36.22	-17.78	54.00	0.00	0.00	0.00	Average	HORIZONTAL



Data: 135

Date: 2018-09-29



Site : 03CH01-SZ

Condition : PEAK_BE_74 3m VERTICAL

: RBW:1000.000KHz VBW:3000.000KHz


Over LimitAntenna Cable Preamp

Freq	Level	Limit	Over	LimitAntenna	Cable	Preamp	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.50	43.38	-30.62	74.00	0.00	0.00	0.00	Peak	VERTICAL



Data: 136

Date: 2018-09-29



Site : 03CH01-SZ

Condition : AVG_BE_54 3m VERTICAL

: RBW:1000.000KHz VBW:1.000KHz

		Over	Limit	Antenna	Cable	Preamp		
Freq	Level	Limit	Line	Factor	Loss	Factor	Remark	Pol/Phase
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB		
1 pp 2483.62	36.39	-17.61	54.00	0.00	0.00	0.00	Average	VERTICAL

Note2:

1, Level =Reading level by receiver + Transd (Antenna factor + cable loss – preamplifier gain)

The reading level is calculated by software which is not shown in the sheet.

2, Margin=Limit - Level


1.4 Part 4: Testing Range of “3 GHz to 18 GHz”

- Note 1: The test results and plot for testing range of “3 GHz to 18 GHz” showed as below is the worst case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.
- Note 2: The testing range of “3 GHz to 18 GHz” is for checking radiated emissions located in restricted bands faraway from the EUT operating bands.
- Note 3: Two limits are required in the testing range above 1 GHz, that is Peak limit (74 dB μ V/m) and Average Limit (54 dB μ V/m).




Data: 27

Date: 2018-10-09




1.5 Part 5: Testing Range of “18 GHz to 26.5 GHz”

- Note 1: The test results and plot for testing range of “18 GHz to 26.5 GHz” showed as below is the WORST case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.
- Note 2: The testing range of “18 GHz to 26.5 GHz” is for checking radiated emissions located in restricted bands faraway from the EUT operating bands.
- Note 3: Two limits are required in the testing range above 1 GHz, that is Peak limit (74 dB μ V/m) and Average Limit (54 dB μ V/m).



Appendix I: Conducted Emission at Power Port

Note: RBW =9 kHz, VBW = 30 kHz



MEASUREMENT RESULT: AV Detector

Frequency (MHz)	Level (dBμV)	Limit (dBμV)	Transd. (dB)	Margin (dB)	Line	PE
0.185754	53.64	64.22	9.7	10.58	L1	FLO
0.237328	40.16	62.19	9.7	22.03	N	FLO
2.923148	35.83	56.00	9.8	20.17	L1	FLO
4.006337	34.08	56.00	9.8	21.92	L1	FLO
12.353297	35.21	60.00	10.0	24.79	N	FLO
17.486641	36.80	60.00	10.1	23.20	N	FLO

MEASUREMENT RESULT: PK Detector

Frequency (MHz)	Level (dBμV)	Limit (dBμV)	Transd. (dB)	Margin (dB)	Line	PE
0.18231	33.39	54.38	9.7	20.99	L1	FLO
0.240419	24.17	52.08	9.7	27.91	N	FLO



0.305042	22.90	50.10	9.7	27.20	L1	FLO
5.582653	26.04	50.00	9.8	23.96	N	FLO
12.603859	28.81	50.00	10.0	21.19	L1	FLO
17.36374	30.70	50.00	10.1	19.30	N	FLO

Note

1, Level = Reading level by receiver + Transd (Antenna factor + cable loss – preamplifier gain)

The reading level is calculated by software which is not shown in the sheet.

2, Margin = Limit - Level

END