

# The Photos of SAR test

## No. I20Z61602-SEM03

#### For

Wingtech Group (Hong Kong) Limited

**4G Mobile Broadband Router** 

**Model Name: TMOHS1** 

With

Hardware Version: 89527 1 11

Software Version: TMOHS1 0.01.15

**FCC ID: 2APXW-TMOHS1** 



#### Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S.Government.

#### **Test Laboratory:**

CTTL, Telecommunication Technology Labs, CAICT

No. 51, Xueyuan Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: cttl\_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample

### Test positions for body:

The Body SAR is tested at the following 17 test positions all with the distance =0/10/15/19/21mm between the EUT and the phantom bottom:




Picture 2: Front with 15mm



Picture 3: Front with 10mm



Picture 4: Front with 0mm




Picture 5: Rear with 21mm




Picture 6: Rear with 15mm



Picture 7: Rear with 10mm



Picture 8: Rear with 0mm




Picture 9: Left with 15mm



Picture 10: Left with 10mm




Picture 11: Left with 0mm




Picture 12: Right with 15mm




Picture 13: Right with 10mm




Picture 14: Right with 0mm



Picture 15: Top edge with 19mm



Picture 16: Top edge with 10mm



Picture 17: Bottom edge with 15mm



Picture 18: Bottom edge with 10mm