



Conducted Spurs Peak, 5775 MHz, Non HT80 Duplicate, 6 to 54 Mbps







Antenna A Antenna B



Conducted Spurs Peak, 5775 MHz, Non HT80 Duplicate, 6 to 54 Mbps





Antenna A


Antenna B




Antenna C



Conducted Spurs Peak, 5775 MHz, Non HT80 Duplicate, 6 to 54 Mbps







Antenna B



Antenna C


Antenna D






Antenna A










Antenna A Antenna B








Antenna B



Antenna C











Antenna B




Antenna C

Antenna D










Antenna A Antenna B













Antenna C










Antenna B




Antenna C


Antenna D








Antenna B



Antenna C











Antenna B




Antenna C

Antenna D










Antenna B





Antenna C

Antenna D



Conducted Spurs Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 1ss







Antenna A Antenna B




Conducted Spurs Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 1ss





Antenna A


Antenna B



Antenna C





Conducted Spurs Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 1ss













Antenna C

Antenna D



Conducted Spurs Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 2ss







Antenna A Antenna B




Conducted Spurs Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 2ss





Antenna A


Antenna B





Antenna C




Conducted Spurs Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 2ss







Antenna B





Antenna C

Antenna D




Conducted Spurs Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 3ss





Antenna A


Antenna B





Antenna C




Conducted Spurs Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 3ss







Antenna B





Antenna C

Antenna D




Conducted Spurs Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 4ss













Antenna C

Antenna D








Antenna A Antenna B








Antenna A


Antenna B



Antenna C










Antenna B



Antenna C


Antenna D







Antenna A










Antenna B








Antenna C




Antenna B







Antenna A



Antenna C




Antenna B




Antenna D



Conducted Spurs Peak, 5785 MHz, 6 to 54 Mbps Beam Forming







Antenna A Antenna B



Conducted Spurs Peak, 5785 MHz, 6 to 54 Mbps Beam Forming





Antenna A


Antenna B





Antenna C



Conducted Spurs Peak, 5785 MHz, 6 to 54 Mbps Beam Forming







Antenna B




Antenna C


Antenna D












Antenna A Antenna B








Antenna A


Antenna B



Antenna C










Antenna B




Antenna C


Antenna D
















Antenna B




Antenna C










Antenna B




Antenna C

Antenna D








Antenna A


Antenna B




Antenna C









Antenna B




Antenna C


Antenna D



Conducted Spurs Peak, 5785 MHz, VHT20, M0 to M9 4ss



| April | Apri



Antenna B




Antenna C

Antenna D



Conducted Spurs Peak, 5785 MHz, HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss









Conducted Spurs Peak, 5785 MHz, HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss





Antenna A

Antenna B




Antenna C




Conducted Spurs Peak, 5785 MHz, HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss







Antenna B




Antenna C

Antenna D



Conducted Spurs Peak, 5785 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss









Conducted Spurs Peak, 5785 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss





Antenna A

Antenna B





Antenna C




Conducted Spurs Peak, 5785 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss







Antenna B





Antenna C

Antenna D




Conducted Spurs Peak, 5785 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss





Antenna A

Antenna B




Antenna C




Conducted Spurs Peak, 5785 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss







Antenna B





Antenna C


Antenna D



Conducted Spurs Peak, 5785 MHz, VHT20 Beam Forming, M0 to M9 4ss







Antenna B




Antenna C

Antenna D



Conducted Spurs Peak, 5785 MHz, HT/VHT20 STBC, M0 to M7









Conducted Spurs Peak, 5785 MHz, HT/VHT20 STBC, M0 to M7





Antenna B





Antenna C



Conducted Spurs Peak, 5785 MHz, HT/VHT20 STBC, Mo to M7







Antenna B



Antenna C


Antenna D




















Antenna B



Antenna C









Antenna A








Antenna C


Antenna D




















Antenna A


Antenna B



Antenna C










Antenna B




Antenna C


Antenna D
















Antenna B




Antenna C







Antenna A



#VBW 3.0 MHz




Antenna C


Antenna D

Freq Offse

Antenna B









Antenna B



Antenna C









Antenna B




Antenna C

Antenna D



Conducted Spurs Peak, 5795 MHz, VHT40, M0 to M9 4ss




7 8 9 10 11

Antenna A



Antenna B





ast --- Trig: Free Run

Antenna C


Antenna D















Antenna A


Antenna B




Antenna C










Antenna B





Antenna C

Antenna D




Conducted Spurs Peak, 5795 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss









Conducted Spurs Peak, 5795 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss





Antenna A


Antenna B




Antenna C



Conducted Spurs Peak, 5795 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss







Antenna B





Antenna C

Antenna D




Conducted Spurs Peak, 5795 MHz, HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss






Antenna B




Antenna C



Conducted Spurs Peak, 5795 MHz, HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss







Antenna B





Antenna C

Antenna D



Conducted Spurs Peak, 5795 MHz, VHT40 Beam Forming, M0 to M9 4ss







Antenna B





Antenna C

Antenna D



Conducted Spurs Peak, 5795 MHz, HT/VHT40 STBC, M0 to M7







Antenna A Antenna B



Conducted Spurs Peak, 5795 MHz, HT/VHT40 STBC, M0 to M7






Antenna B




Antenna C



Conducted Spurs Peak, 5795 MHz, HT/VHT40 STBC, Mo to M7







Antenna B



Antenna C

Antenna D






Antenna A


















Antenna C



Antenna B








Antenna C




Antenna B




Antenna D



Conducted Spurs Peak, 5825 MHz, 6 to 54 Mbps Beam Forming







Antenna A Antenna B




Conducted Spurs Peak, 5825 MHz, 6 to 54 Mbps Beam Forming






Antenna B




Antenna C




Conducted Spurs Peak, 5825 MHz, 6 to 54 Mbps Beam Forming








Antenna B



Antenna C


Antenna D












Antenna A Antenna B









Antenna B




Antenna C










Antenna B




Antenna C

Antenna D








Antenna A Antenna B








Antenna B




Antenna C










Antenna B




Antenna C


Antenna D








Antenna B




Antenna C










Antenna B



Antenna C


Antenna D



Conducted Spurs Peak, 5825 MHz, VHT20, M0 to M9 4ss







Antenna B




Antenna C

Antenna D









Antenna A Antenna B









Antenna A


Antenna B



Antenna C















Antenna C

Antenna D



Conducted Spurs Peak, 5825 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss







Antenna A Antenna B




Conducted Spurs Peak, 5825 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss





Antenna A


Antenna B





Antenna C




Conducted Spurs Peak, 5825 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss







Antenna B




Antenna C

Antenna D



Conducted Spurs Peak, 5825 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss





Antenna B




Antenna C





Conducted Spurs Peak, 5825 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss












Antenna C


Antenna D




Conducted Spurs Peak, 5825 MHz, VHT20 Beam Forming, M0 to M9 4ss







Antenna B




Antenna C

Antenna D



Conducted Spurs Peak, 5825 MHz, HT/VHT20 STBC, M0 to M7






Antenna A Antenna B



Conducted Spurs Peak, 5825 MHz, HT/VHT20 STBC, M0 to M7





Antenna B




Antenna C




Conducted Spurs Peak, 5825 MHz, HT/VHT20 STBC, M0 to M7











Antenna C

Antenna D



Conducted Bandedge

15.407: For transmitters operating in the 5.725-5.85 GHz band: All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of −17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of −27 dBm/MHz.

As specified in § 15.407(b), emissions above 1000 MHz that are outside of the restricted bands are subject to a maximum emission limit of -27 dBm/MHz (or -17 dBm/MHz as specified in § 15.407(b)(4)). However, an out-of-band emission that complies with both the peak and average limits of § 15.209 is not required to satisfy the -27 dBm/MHz or -17 dBm/MHz maximum emission limit.

Connect the antenna port(s) to the spectrum analyzer input. Place the radio in continuous transmit mode. Be sure to enter all losses between the transmitter output and the spectrum analyzer.

Reference Level: 10 dBm Attenuation: 4 dB Sweep Time: Coupled Resolution Bandwidth: 1 MHz

Video Bandwidth: 1 kHz for average

Detector: Peak

Save 2 plots: 1) Average Plot (Vertical and Horizontal), Limit= -41.25 dBm eirp (54dBuV @3m)

2) Peak plot (Vertical and Horizontal), Limit = -21.25 dBm eirp (74dBuV @3m)

Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands.

The "measure-and-sum technique" is used for measuring in-band transmit power of a device. In the measure-and-sum approach, the conducted emission level is measured at each antenna port. The measured results at the various antenna ports are then summed mathematically to determine the total emission level from the device. Summing is performed in linear power units.

This report represents the worst case data for all supported operating modes and antennas.

Page No: 710 of 1013



Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Bandedge Level (dBm)	Tx 2 Bandedge Level (dBm)	Tx 3 Bandedge Level (dBm)	Tx 4 Bandedge Level (dBm)	Total Tx Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
	6 to 54 Mbps	1	6	-48.3				-42.3	-41.25	1.1
	6 to 54 Mbps	2	6	-49.6	-51.6			-41.5	-41.25	0.2
	6 to 54 Mbps	3	6	-52.3	-53.8	-52.5		-42.0	-41.25	0.8
	6 to 54 Mbps	4	6	-53.4	-55.1	-54.1	-53.3	-41.9	-41.25	0.6
	6 to 54 Mbps Beam Forming	2	9	-53.4	-55.1			-42.2	-41.25	0.9
	6 to 54 Mbps Beam Forming	3	11	-57.3	-57.9	-57.2		-41.9	-41.25	0.6
	6 to 54 Mbps Beam Forming	4	12	-60.1	-60.3	-59.7	-60.4	-42.1	-41.25	0.8
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-48.0				-42.0	-41.25	0.8
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-50.4	-52.4			-42.3	-41.25	1.0
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-51.6	-53.7	-52.7		-41.8	-41.25	0.6
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-53.0	-54.9	-53.9	-53.6	-41.8	-41.25	0.5
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-50.4	-52.4			-42.3	-41.25	1.0
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-51.6	-53.7	-52.7		-41.8	-41.25	0.6
10	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-53.0	-54.9	-53.9	-53.6	-41.8	-41.25	0.5
5745	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-51.6	-53.7	-52.7		-41.8	-41.25	0.6
73	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-53.0	-54.9	-53.9	-53.6	-41.8	-41.25	0.5
	VHT20, M0 to M9 4ss	4	6	-53.0	-54.9	-53.9	-53.6	-41.8	-41.25	0.5
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-53.0	-54.9			-41.8	-41.25	0.6
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-57.0	-57.8	-56.5		-41.5	-41.25	0.2
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-60.2	-59.8	-59.6	-60.7	-42.0	-41.25	0.8
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-50.4	-52.4			-42.3	-41.25	1.0
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-53.0	-54.9	-53.9		-41.3	-41.25	0.0
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-57.0	-57.8	-56.5	-57.4	-42.1	-41.25	0.9
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-51.6	-53.7	-52.7		-41.8	-41.25	0.6
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-55.4	-56.1	-55.4	-55.6	-42.4	-41.25	1.1
	VHT20 Beam Forming, M0 to M9 4ss	4	6	-53.0	-54.9	-53.9	-53.6	-41.8	-41.25	0.5
	HT/VHT20 STBC, M0 to M7	2	6	-50.4	-52.4			-42.3	-41.25	1.0
	HT/VHT20 STBC, M0 to M7	3	6	-51.6	-53.7	-52.7		-41.8	-41.25	0.6
	HT/VHT20 STBC, M0 to M7	4	6	-53.0	-54.9	-53.9	-53.6	-41.8	-41.25	0.5

Page No: 711 of 1013

Non HT40 Duplicate, 6 to 54 Mbps											
Non HT40 Duplicate, 6 to 54 Mbps		Non HT40 Duplicate, 6 to 54 Mbps	1	6	-48.1				-42.1	-41.25	0.9
Non HT40 Duplicate, 6 to 54 Mbps		Non HT40 Duplicate, 6 to 54 Mbps	2	6	-50.7	-52.9			-42.7	-41.25	1.4
HT/VHT40, M0 to M7, M0 to M9 iss		Non HT40 Duplicate, 6 to 54 Mbps	3	6	-52.0	-53.9	-53.1		-42.2	-41.25	0.9
HT/VHT40, M0 to M7, M0 to M9 1ss 2 6 -50.3 -52.5 -52.6 -42.3 -41.25 1.0		Non HT40 Duplicate, 6 to 54 Mbps	4	6	-54.0	-55.2	-53.7	-54.3	-42.2	-41.25	1.0
HT/VHT40, M0 to M7, M0 to M9 1ss		HT/VHT40, M0 to M7, M0 to M9 1ss	1	6	-47.6				-41.6	-41.25	0.4
HT/VHT40, M0 to M7, M0 to M9 1ss		HT/VHT40, M0 to M7, M0 to M9 1ss	2	6	-50.3	-52.5			-42.3	-41.25	1.0
HT/VHT40, M8 to M15, M0 to M9 2ss		HT/VHT40, M0 to M7, M0 to M9 1ss	3	6	-51.2	-53.3	-52.4		-41.4	-41.25	0.2
HT/VHT40, M8 to M15, M0 to M9 2ss		HT/VHT40, M0 to M7, M0 to M9 1ss	4	6	-53.0	-54.6	-53.6	-53.5	-41.6	-41.25	0.4
HT/VHT40, M8 to M15, M0 to M9 2ss		HT/VHT40, M8 to M15, M0 to M9 2ss	2	6	-50.3	-52.5			-42.3	-41.25	1.0
HT/VHT40, M16 to M23, M0 to M9 3ss		HT/VHT40, M8 to M15, M0 to M9 2ss	3	6	-51.2	-53.3	-52.4		-41.4	-41.25	0.2
HT/VHT40, M16 to M23, M0 to M9 3ss		HT/VHT40, M8 to M15, M0 to M9 2ss	4	6	-53.0	-54.6	-53.6	-53.5	-41.6	-41.25	0.4
VHT40, M0 to M9 4ss		HT/VHT40, M16 to M23, M0 to M9 3ss	3	6	-51.2	-53.3	-52.4		-41.4	-41.25	0.2
HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	55	HT/VHT40, M16 to M23, M0 to M9 3ss	4	6	-53.0	-54.6	-53.6	-53.5	-41.6	-41.25	0.4
HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	57	VHT40, M0 to M9 4ss	4	6	-53.0	-54.6	-53.6	-53.5	-41.6	-41.25	0.4
HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss		HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-53.0	-54.6			-41.7	-41.25	0.5
HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss		HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-58.3	-58.5	-58.0		-42.7	-41.25	1.4
HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss		HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-60.2	-60.3	-59.7	-60.5	-42.1	-41.25	0.9
HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss		HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-50.3	-52.5			-42.3	-41.25	1.0
HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss		HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-54.7	-56.0	-55.2		-42.7	-41.25	1.4
HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss		HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-56.5	-57.0	-56.3	-57.1	-41.7	-41.25	0.4
VHT40 Beam Forming, M0 to M9 4ss 4 6 -53.0 -54.6 -53.5 -41.6 -41.25 0.4 HT/VHT40 STBC, M0 to M7 2 6 -50.3 -52.5 -42.3 -41.25 1.0 HT/VHT40 STBC, M0 to M7 3 6 -51.2 -53.3 -52.4 -41.4 -41.25 0.2 HT/VHT40 STBC, M0 to M7 4 6 -53.0 -54.6 -53.5 -41.6 -41.25 0.4 Non HT80 Duplicate, 6 to 54 Mbps 1 6 -48.2 -42.2 -42.2 -41.25 1.0 Non HT80 Duplicate, 6 to 54 Mbps 3 6 -51.1 -54.4 -53.4 -42.0 -41.25 0.7 Non HT80 Duplicate, 6 to 54 Mbps 3 6 -51.1 -54.4 -53.4 -42.0 -41.25 0.7 Non HT80 Duplicate, 6 to 54 Mbps 4 6 -52.1 -55.2 -54.4 -52.5 -41.3 -41.25 0.1 VHT80, M0 to M9 1ss 1 6 -48.5 -42.5		HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-51.2	-53.3	-52.4		-41.4	-41.25	0.2
HT/VHT40 STBC, M0 to M7 HT/VHT40 STBC, M0 to M9 to 54 Mbps HT/VHT40 STBC, M0 to M9 to 54 Mbps HT/VHT40 STBC, M0 to M4 to 54 Mbps HT/VHT40 STBC, M0 to M4 to 54 Mbps HT/VHT40 STBC, M0 to M9 1ss HT/VH180 M0 to M9 3ss HT/H180		HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-54.7	-56.0	-55.2	-55.3	-42.1	-41.25	0.8
HT/VHT40 STBC, M0 to M7 HT/VHT40 STBC, M0 to M9 HT/VH140 STBC, M0 to		VHT40 Beam Forming, M0 to M9 4ss	4	6	-53.0	-54.6	-53.6	-53.5	-41.6	-41.25	0.4
Non HT80 Duplicate, 6 to 54 Mbps		HT/VHT40 STBC, M0 to M7	2	6	-50.3	-52.5			-42.3	-41.25	1.0
Non HT80 Duplicate, 6 to 54 Mbps 1 6 -48.2		HT/VHT40 STBC, M0 to M7	3	6	-51.2	-53.3	-52.4		-41.4	-41.25	0.2
Non HT80 Duplicate, 6 to 54 Mbps Non HT80 Duplicate, 6 to 54 Mbps 3 6 -51.1 -54.4 -53.4 -42.0 -41.25 0.7 Non HT80 Duplicate, 6 to 54 Mbps 4 6 -52.1 -55.2 -54.4 -52.5 -41.3 -41.25 0.1 VHT80, M0 to M9 1ss 1 6 -48.5 -42.5 -41.25 1.3 VHT80, M0 to M9 1ss 2 6 -49.4 -52.8 -41.8 -41.25 0.5 VHT80, M0 to M9 1ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 2ss VHT80, M0 to M9 3ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.5 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1		HT/VHT40 STBC, M0 to M7	4	6	-53.0	-54.6	-53.6	-53.5	-41.6	-41.25	0.4
Non HT80 Duplicate, 6 to 54 Mbps Non HT80 Duplicate, 6 to 54 Mbps 3 6 -51.1 -54.4 -53.4 -42.0 -41.25 0.7 Non HT80 Duplicate, 6 to 54 Mbps 4 6 -52.1 -55.2 -54.4 -52.5 -41.3 -41.25 0.1 VHT80, M0 to M9 1ss 1 6 -48.5 -42.5 -41.25 1.3 VHT80, M0 to M9 1ss 2 6 -49.4 -52.8 -41.8 -41.25 0.5 VHT80, M0 to M9 1ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 2ss VHT80, M0 to M9 3ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.5 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1											
Non HT80 Duplicate, 6 to 54 Mbps 3 6 -51.1 -54.4 -53.4 -42.0 -41.25 0.7 Non HT80 Duplicate, 6 to 54 Mbps 4 6 -52.1 -55.2 -54.4 -52.5 -41.3 -41.25 0.1 VHT80, M0 to M9 1ss 1 6 -48.5 -42.5 -41.25 1.3 VHT80, M0 to M9 1ss 2 6 -49.4 -52.8 -41.8 -41.25 0.5 VHT80, M0 to M9 1ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 2ss VHT80, M0 to M9 2ss 2 6 -49.4 -52.8 -41.4 -41.25 0.5 VHT80, M0 to M9 2ss 2 6 -49.4 -52.8 -41.4 -41.25 0.5 VHT80, M0 to M9 2ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.5 VHT80, M0 to M9 2ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 2ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1		Non HT80 Duplicate, 6 to 54 Mbps	1	6	-48.2				-42.2	-41.25	1.0
Non HT80 Duplicate, 6 to 54 Mbps 4 6 -52.1 -55.2 -54.4 -52.5 -41.3 -41.25 0.1 VHT80, M0 to M9 1ss 1 6 -48.5 -42.5 -41.25 1.3 VHT80, M0 to M9 1ss 2 6 -49.4 -52.8 -41.8 -41.25 0.5 VHT80, M0 to M9 1ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 2ss VHT80, M0 to M9 2ss 2 6 -49.4 -52.8 -41.4 -41.25 0.2 VHT80, M0 to M9 2ss 2 6 -49.4 -52.8 -41.4 -41.25 0.5 VHT80, M0 to M9 2ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.5 VHT80, M0 to M9 2ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 2ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 3ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1		Non HT80 Duplicate, 6 to 54 Mbps	2	6	-50.0	-53.2			-42.3	-41.25	1.1
VHT80, M0 to M9 1ss 1 6 -48.5 —42.5 -41.25 1.3 VHT80, M0 to M9 1ss 2 6 -49.4 -52.8 —41.8 -41.25 0.5 VHT80, M0 to M9 1ss 3 6 -50.7 -53.8 -52.6 —41.4 -41.25 0.2 VHT80, M0 to M9 1ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 0.2 VHT80, M0 to M9 2ss 2 6 -49.4 -52.8 —41.8 -41.25 0.5 VHT80, M0 to M9 2ss 3 6 -50.7 -53.8 -52.6 —41.4 -41.25 0.2 VHT80, M0 to M9 2ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 0.2 VHT80, M0 to M9 3ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 <td></td> <td>Non HT80 Duplicate, 6 to 54 Mbps</td> <td>3</td> <td>6</td> <td>-51.1</td> <td>-54.4</td> <td>-53.4</td> <td></td> <td>-42.0</td> <td>-41.25</td> <td>0.7</td>		Non HT80 Duplicate, 6 to 54 Mbps	3	6	-51.1	-54.4	-53.4		-42.0	-41.25	0.7
VHT80, M0 to M9 1ss 2 6 -49.4 -52.8		Non HT80 Duplicate, 6 to 54 Mbps	4	6	-52.1	-55.2	-54.4	-52.5	-41.3	-41.25	0.1
VHT80, M0 to M9 1ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 1ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 2ss 2 6 -49.4 -52.8 -52.6 -41.8 -41.25 0.5 VHT80, M0 to M9 2ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 0.2 VHT80, M0 to M9 3ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 3ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1		VHT80, M0 to M9 1ss	1	6	-48.5				-42.5	-41.25	1.3
VHT80, M0 to M9 2ss 2 6 -49.4 -52.8 -41.8 -41.25 0.5 VHT80, M0 to M9 2ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 2ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 3ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1		VHT80, M0 to M9 1ss	2	6	-49.4	-52.8			-41.8	-41.25	0.5
VHT80, M0 to M9 2ss 2 6 -49.4 -52.8 -41.8 -41.25 0.5 VHT80, M0 to M9 2ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 2ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 3ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1	75	VHT80, M0 to M9 1ss	3	6	-50.7	-53.8	-52.6		-41.4	-41.25	0.2
VHT80, M0 to M9 2ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 2ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 3ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1	57	VHT80, M0 to M9 1ss	4	6	-53.5	-55.5	-55.0	-53.8	-42.4	-41.25	1.1
VHT80, M0 to M9 2ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80, M0 to M9 3ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1		VHT80, M0 to M9 2ss	2	6	-49.4	-52.8			-41.8	-41.25	0.5
VHT80, M0 to M9 3ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.2 VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1		VHT80, M0 to M9 2ss	3	6	-50.7	-53.8	-52.6		-41.4	-41.25	0.2
VHT80, M0 to M9 3ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1		VHT80, M0 to M9 2ss	4	6	-53.5	-55.5	-55.0	-53.8	-42.4	-41.25	1.1
		VHT80, M0 to M9 3ss	3	6	-50.7	-53.8	-52.6		-41.4	-41.25	0.2
VHT80, M0 to M9 4ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1		VHT80, M0 to M9 3ss	4	6	-53.5	-55.5	-55.0	-53.8	-42.4	-41.25	1.1
		VHT80, M0 to M9 4ss	4	6	-53.5	-55.5	-55.0	-53.8	-42.4	-41.25	1.1

Page No: 712 of 1013



\text{VHT80 Beam Forming, M0 to M9 1ss} 2 9 - 53.5 - 55.5 - 5.5 - 42.4 - 41.25 1.1 \\ \text{VHT80 Beam Forming, M0 to M9 1ss} 4 12 - 60.9 - 61.2 - 61.0 - 61.0 - 43.0 - 41.25 1.8 \\ \text{VHT80 Beam Forming, M0 to M9 2ss} 2 6 4 - 49.4 - 52.8 - 42.1 - 41.25 0.9 \\ \text{VHT80 Beam Forming, M0 to M9 2ss} 3 8 - 53.5 - 55.5 - 55.0 - 42.0 - 41.25 0.8 \\ \text{VHT80 Beam Forming, M0 to M9 2ss} 4 9 - 56.4 - 57.4 - 56.1 - 56.4 - 41.5 - 41.25 0.8 \\ \text{VHT80 Beam Forming, M0 to M9 2ss} 4 9 - 56.4 - 57.4 - 56.1 - 56.4 - 41.5 - 41.25 0.3 \\ \text{VHT80 Beam Forming, M0 to M9 2ss} 3 6 - 50.7 - 53.8 - 52.6 - 41.4 - 41.25 0.3 \\ \text{VHT80 Beam Forming, M0 to M9 3ss} 4 4 7 - 54.8 - 56.5 - 55.5 - 55.0 - 53.8 - 42.2 - 41.25 1.0 \\ \text{VHT80 Beam Forming, M0 to M9 3ss} 4 4 6 - 53.5 - 55.5 - 55.0 - 53.8 - 42.2 - 41.25 1.0 \\ \text{VHT80 Beam Forming, M0 to M9 4ss} 4 6 - 53.5 - 55.5 - 55.0 - 53.8 - 42.4 - 41.25 1.1 \\ \text{VHT80 STBC, M0 to M9 2ss} 3 6 - 50.7 - 53.8 - 52.6 - 41.4 - 41.25 0.5 \\ \text{VHT80 STBC, M0 to M9 2ss} 3 6 - 50.7 - 53.8 - 52.6 - 41.4 - 41.25 0.5 \\ \text{VHT80 STBC, M0 to M9 2ss} 3 6 - 50.7 - 53.8 - 52.6 - 41.4 - 41.25 0.5 \\ \text{VHT80 STBC, M0 to M9 2ss} 3 6 - 50.7 - 53.8 - 52.6 - 41.4 - 41.25 0.5 \\ \text{VHT80 STBC, M0 to M9 2ss} 3 6 - 50.3 - 55.5 - 55.0 - 53.8 - 42.4 - 41.25 1.1 \\ \text{Non HT40 Duplicate, 6 to 54 Mbps} 1 6 - 56.3 - 55.3 - 55.0 - 53.8 - 42.4 - 41.25 1.1 \\ \text{Non HT40 Duplicate, 6 to 54 Mbps} 3 6 - 56.3 - 55.3 - 55.2 - 55.0 - 33.8 - 42.4 - 41.25 1.3 \\ \text{Non HT40 Duplicate, 6 to 54 Mbps} 3 6 - 56.3 - 55.3 - 55.4 - 55.3 - 40.8 - 41.25 1.3 \\ \text{HTWHT40, M0 to M7, M0 to M9 1ss} 1 6 - 56.5 - 55.7 - 53.4 - 40.2 - 41.25 1.3 \\ \text{HTWHT40, M0 to M7, M0 to M9 1ss} 1 6 - 56.5 - 55.7 - 53.4 - 40.2 - 41.25 1.3 \\ \text{HTWHT40, M0 to M7, M0 to M9 1ss} 3 6 - 56.5 - 55.7 - 53.4 - 40.2 - 41.25 1.0 \\ \text{HTWHT410, M8 to M15, M0 to M9 2ss} 3 6 - 56.5 - 55.7 - 53.4 - 40.2 - 41.25 1.0 \\ \text{HTWHT40, M8 to M15, M0 to M9 2ss} 3 6 - 56.5 - 55.7 - 53.4 - 56.0 - 43.2 - 41.25 1.0											
VHT80 Beam Forming, M0 to M9 1ss		VHT80 Beam Forming, M0 to M9 1ss	_	9	-53.5	-55.5			-42.4	-41.25	1.1
VHT80 Beam Forming, M0 to M9 2ss		VHT80 Beam Forming, M0 to M9 1ss	3	11	-57.5	-58.2	-57.5		-42.1	-41.25	0.9
VHT80 Beam Forming, M0 to M9 2ss		VHT80 Beam Forming, M0 to M9 1ss	4	12	-60.9	-61.2	-61.0	-61.0	-43.0	-41.25	1.8
VHT80 Beam Forming, M0 to M9 2ss		VHT80 Beam Forming, M0 to M9 2ss	2	6	-49.4	-52.8			-41.8	-41.25	0.5
VHT80 Beam Forming, M0 to M9 3ss		VHT80 Beam Forming, M0 to M9 2ss	3	8	-53.5	-55.5	-55.0		-42.0	-41.25	0.8
VHT80 Beam Forming, M0 to M9 3ss		VHT80 Beam Forming, M0 to M9 2ss	4	9	-56.4	-57.4	-56.1	-56.4	-41.5	-41.25	0.3
VHT80 Beam Forming, M0 to M9 4ss 4 6 -53.5 -55.5 -55.0 -53.8 -42.4 -41.25 1.1 VHT80 STBC, M0 to M9 2ss 2 6 -49.4 -52.8 41.8 -41.25 0.5 VHT80 STBC, M0 to M9 2ss 3 6 -50.7 -53.8 -52.6 -41.4 -41.25 0.5 VHT80 STBC, M0 to M9 2ss 4 6 -55.5 -55.0 -53.8 -42.4 -41.25 0.5 Non HT40 Duplicate, 6 to 54 Mbps 1 6 -56.3 -55.3 -52.4 -43.6 -41.25 2.3 Non HT40 Duplicate, 6 to 54 Mbps 2 6 -56.3 -55.3 -52.4 -43.6 -41.25 2.3 Non HT40 Duplicate, 6 to 54 Mbps 4 6 -56.3 -55.3 -52.4 -43.6 -41.25 2.3 Non HT40 Duplicate, 6 to 54 Mbps 4 6 -56.3 -55.3 -52.4 -43.6 -41.25 2.3 HT/VHT40, M0 to M0 7, M0 to M9 1ss 1 6 -56.5<		VHT80 Beam Forming, M0 to M9 3ss	3	6	-50.7	-53.8	-52.6		-41.4	-41.25	0.2
VHT80 STBC, M0 to M9 2ss VHT80 STBC, M0 to M9 3ss VHT80 STBC, M0 to M7, M0 to M9 3ss VHT80 STBC, M0 to M7, M0 to M9 3ss VHT80 STBC, M0 to M7 VHT80 STBC, M0 to M		VHT80 Beam Forming, M0 to M9 3ss	4	7	-54.8	-56.5	-55.6	-55.1	-42.2	-41.25	1.0
NHT80 STBC, M0 to M9 2ss		VHT80 Beam Forming, M0 to M9 4ss	4	6	-53.5	-55.5	-55.0	-53.8	-42.4	-41.25	1.1
Non HT40 Duplicate, 6 to 54 Mbps		VHT80 STBC, M0 to M9 2ss	2	6	-49.4	-52.8			-41.8	-41.25	0.5
Non HT40 Duplicate, 6 to 54 Mbps 1 6 -56.3 -55.3 -55.3 -46.8 -41.25 5.5 Non HT40 Duplicate, 6 to 54 Mbps 2 6 -56.3 -55.3 -52.4 -43.6 -41.25 5.5 Non HT40 Duplicate, 6 to 54 Mbps 3 6 -56.3 -55.3 -52.4 -43.6 -41.25 1.3 Non HT40 Duplicate, 6 to 54 Mbps 4 6 -56.3 -55.3 -52.4 -55.3 -42.5 -41.25 1.3 HT/VHT40, M0 to M7, M0 to M9 1ss 1 6 -56.5 -55.7 -53.4 -42.5 -41.25 1.3 HT/VHT40, M0 to M7, M0 to M9 1ss 2 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0 HT/VHT40, M0 to M7, M0 to M9 1ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M0 to M7, M0 to M9 2ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M8 to M15, M0 to M9 2ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M8 to M15, M0 to M9 2ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M16 to M23, M0 to M9 3ss 3 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M16 to M23, M0 to M9 3ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M16 to M23, M0 to M9 3ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M16 to M23, M0 to M9 3ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M16 to M23, M0 to M9 3ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M16 to M23, M0 to M9 3ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 4 11 -59.0 -57.5 -55.3 -54.4 -56.0 -43.2 -41.25 0.0 HT/VHT40 Beam Forming, M0 to M7, M0 to M9 2ss HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss HT/VHT40 Beam Forming, M8 to M15, M0 to M9 3ss 4 6 -56.5 -55.7 -53.4 -56.0 -42.4 -41.25 0.0 HT/VHT40 Beam Forming, M0 to M7, M0 to M9 3ss 4 6 -56.5 -55.7 -53.4 -56.0 -42.4 -41.25 0.0 HT/VHT40 Beam Forming, M0 to M7, M0 to M9 3ss 4 6 -56.5 -55.7 -53.4 -56.0 -42.4 -41.25 0.0 HT/VHT40 Beam Forming, M0 to M3, M0 to M9 3ss 4 6 -56.5 -55.7 -53.4 -56.0 -42.2 -41.25 0.0 HT/VHT40 Beam Forming, M0		VHT80 STBC, M0 to M9 2ss	3	6	-50.7	-53.8	-52.6		-41.4	-41.25	0.2
Non HT40 Duplicate, 6 to 54 Mbps		VHT80 STBC, M0 to M9 2ss	4	6	-53.5	-55.5	-55.0	-53.8	-42.4	-41.25	1.1
Non HT40 Duplicate, 6 to 54 Mbps					_				_		
Non HT40 Duplicate, 6 to 54 Mbps		Non HT40 Duplicate, 6 to 54 Mbps	1	6	-56.3				-50.3	-41.25	9.1
Non HT40 Duplicate, 6 to 54 Mbps		Non HT40 Duplicate, 6 to 54 Mbps	2	6	-56.3	-55.3			-46.8	-41.25	5.5
HT/VHT40, M0 to M7, M0 to M9 1ss		Non HT40 Duplicate, 6 to 54 Mbps	3	6	-56.3	-55.3	-52.4		-43.6	-41.25	2.3
HT/VHT40, M0 to M7, M0 to M9 1ss 2 6 -56.5 -55.7 -53.4 -41.25 5.8 HT/VHT40, M0 to M7, M0 to M9 1ss 3 6 -56.5 -55.7 -53.4 -41.25 3.0 HT/VHT40, M8 to M15, M0 to M9 2ss 2 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0 HT/VHT40, M8 to M15, M0 to M9 2ss 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0 HT/VHT40, M8 to M15, M0 to M9 2ss 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0 HT/VHT40, M8 to M15, M0 to M9 2ss 3 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M8 to M15, M0 to M9 2ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M16 to M23, M0 to M9 3ss 3 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M16 to M23, M0 to M9 3ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 2.0 HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 2 9 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 2.0 HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 3 11 -59.0 -57.5 -55.3 -44.1 -41.25 0.2 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 2 6 -56.5 -55.7 -55.3 -41.4 -41.25 0.2 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 2 6 -56.5 -55.7 -53.4 -47.1 -41.25 5.8 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 3 8 -56.5 -55.7 -53.4 -42.4 -41.25 0.2 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 3 8 -56.5 -55.7 -53.4 -47.1 -41.25 5.8 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 4 9 -59.0 -57.5 -53.4 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 4 9 -59.0 -57.5 -53.4 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M0 to M9 4ss 4 6 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M0 to M9 4ss 4 6 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M0 to M9 4ss 4 6 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M0 to M9 4ss 4 6 -56.5 -55.7 -53.4 -56.0 -42.0		Non HT40 Duplicate, 6 to 54 Mbps	4	6	-56.3	-55.3	-52.4	-55.3	-42.5	-41.25	1.3
HT/VHT40, M0 to M7, M0 to M9 1ss 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0 HT/VHT40, M0 to M7, M0 to M9 1ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 2.0 HT/VHT40, M8 to M15, M0 to M9 2ss 2 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0 HT/VHT40, M8 to M15, M0 to M9 2ss 3 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M8 to M15, M0 to M9 2ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M16 to M23, M0 to M9 3ss 3 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 3.0 HT/VHT40, M16 to M23, M0 to M9 3ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 2.0 HT/VHT40, M16 to M23, M0 to M9 3ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 2.0 HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 2 9 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 2.8 HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 3 11 -59.0 -57.5 -55.3 -41.4 -41.25 0.2 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 4 12 -61.2 -61.0 -57.0 -59.4 -41.3 -41.25 0.0 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 4 12 -61.2 -61.0 -57.0 -59.4 -41.3 -41.25 0.0 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 3 8 -56.5 -55.7 -53.4 -42.4 -41.25 1.2 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 4 9 -59.0 -57.5 -55.3 -57.1 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss		HT/VHT40, M0 to M7, M0 to M9 1ss	1	6	-56.5				-50.5	-41.25	9.3
HT/VHT40, M0 to M7, M0 to M9 1ss		HT/VHT40, M0 to M7, M0 to M9 1ss	2	6	-56.5	-55.7			-47.1	-41.25	5.8
HT/VHT40, M8 to M15, M0 to M9 2ss		HT/VHT40, M0 to M7, M0 to M9 1ss	3	6	-56.5	-55.7	-53.4		-44.2	-41.25	3.0
HT/VHT40, M8 to M15, M0 to M9 2ss		HT/VHT40, M0 to M7, M0 to M9 1ss	4	6	-56.5	-55.7	-53.4	-56.0	-43.2	-41.25	2.0
HT/VHT40, M8 to M15, M0 to M9 2ss		HT/VHT40, M8 to M15, M0 to M9 2ss	2	6	-56.5	-55.7			-47.1	-41.25	5.8
HT/VHT40, M16 to M23, M0 to M9 3ss		HT/VHT40, M8 to M15, M0 to M9 2ss	3	6	-56.5	-55.7	-53.4		-44.2	-41.25	3.0
HT/VHT40, M16 to M23, M0 to M9 3ss		HT/VHT40, M8 to M15, M0 to M9 2ss	4	6	-56.5	-55.7	-53.4	-56.0	-43.2	-41.25	2.0
VHT40, M0 to M9 4ss HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss HT/VHT40 STBC, M0 to M7 2 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 5.8 HT/VHT40 STBC, M0 to M7 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0		HT/VHT40, M16 to M23, M0 to M9 3ss	3	6	-56.5	-55.7	-53.4		-44.2	-41.25	3.0
HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 2 9 -56.5 -55.7 -55.3 -44.1 -41.25 2.8 HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 3 11 -59.0 -57.5 -55.3 -41.4 -41.25 0.2 HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 4 12 -61.2 -61.0 -57.0 -59.4 -41.3 -41.25 0.0 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 2 6 -56.5 -55.7 -47.1 -41.25 5.8 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 3 8 -56.5 -55.7 -53.4 -42.4 -41.25 1.2 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 4 9 -59.0 -57.5 -55.3 -57.1 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 3 6 -56.5 -55.7 -53.4 -42.2 -41.25 3.0 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 VHT40 Beam Forming, M0 to M9 4ss 4 6 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 5.8 HT/VHT40 STBC, M0 to M7 2 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0	95	HT/VHT40, M16 to M23, M0 to M9 3ss	4	6	-56.5	-55.7	-53.4	-56.0	-43.2	-41.25	2.0
HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 3 11 -59.0 -57.5 -55.3 -41.4 -41.25 0.2 HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 4 12 -61.2 -61.0 -57.0 -59.4 -41.3 -41.25 0.0 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 2 6 -56.5 -55.7 -53.4 -47.1 -41.25 5.8 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 3 8 -56.5 -55.7 -53.4 -42.4 -41.25 1.2 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 4 9 -59.0 -57.5 -55.3 -57.1 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 VHT40 Beam Forming, M0 to M9 4ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 2.0 HT/VHT40 STBC, M0 to M7 2 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0	57	VHT40, M0 to M9 4ss	4	6	-56.5	-55.7	-53.4	-56.0	-43.2	-41.25	2.0
HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss		HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-56.5	-55.7			-44.1	-41.25	2.8
HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 2 6 -56.5 -55.7 -53.4 -47.1 -41.25 5.8 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 3 8 -56.5 -55.7 -53.4 -42.4 -41.25 1.2 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 4 9 -59.0 -57.5 -55.3 -57.1 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 VHT40 Beam Forming, M0 to M9 4ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 2.0 HT/VHT40 STBC, M0 to M7 2 6 -56.5 -55.7 -53.4 -56.0 -42.2 -41.25 5.8 HT/VHT40 STBC, M0 to M7 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0		HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-59.0	-57.5	-55.3		-41.4	-41.25	0.2
HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 3 8 -56.5 -55.7 -53.4 -42.4 -41.25 1.2 HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 4 9 -59.0 -57.5 -55.3 -57.1 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 3 6 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 3.0 VHT40 Beam Forming, M0 to M9 4ss 4 6 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 HT/VHT40 STBC, M0 to M7 2 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 5.8 HT/VHT40 STBC, M0 to M7 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0		HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-61.2	-61.0	-57.0	-59.4	-41.3	-41.25	0.0
HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 4 9 -59.0 -57.5 -55.3 -57.1 -42.0 -41.25 0.8 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 VHT40 Beam Forming, M0 to M9 4ss 4 6 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 2.0 HT/VHT40 STBC, M0 to M7 2 6 -56.5 -55.7 -53.4 -47.1 -41.25 5.8 HT/VHT40 STBC, M0 to M7 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0		HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-56.5	-55.7			-47.1	-41.25	5.8
HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0 HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 VHT40 Beam Forming, M0 to M9 4ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 2.0 HT/VHT40 STBC, M0 to M7 2 6 -56.5 -55.7 -53.4 -47.1 -41.25 5.8 HT/VHT40 STBC, M0 to M7 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0		HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-56.5	-55.7	-53.4		-42.4	-41.25	1.2
HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -56.5 -55.7 -53.4 -56.0 -42.0 -41.25 0.8 VHT40 Beam Forming, M0 to M9 4ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 2.0 HT/VHT40 STBC, M0 to M7 2 6 -56.5 -55.7 -53.4 -47.1 -41.25 5.8 HT/VHT40 STBC, M0 to M7 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0		HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-59.0	-57.5	-55.3	-57.1	-42.0	-41.25	0.8
VHT40 Beam Forming, M0 to M9 4ss 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 2.0 HT/VHT40 STBC, M0 to M7 2 6 -56.5 -55.7 -47.1 -41.25 5.8 HT/VHT40 STBC, M0 to M7 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0		HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-56.5	-55.7	-53.4		-44.2	-41.25	3.0
HT/VHT40 STBC, M0 to M7 2 6 -56.5 -55.7 -47.1 -41.25 5.8 HT/VHT40 STBC, M0 to M7 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0		HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-56.5	-55.7	-53.4	-56.0	-42.0	-41.25	0.8
HT/VHT40 STBC, M0 to M7 3 6 -56.5 -55.7 -53.4 -44.2 -41.25 3.0		VHT40 Beam Forming, M0 to M9 4ss	4	6	-56.5	-55.7	-53.4	-56.0	-43.2	-41.25	2.0
		HT/VHT40 STBC, M0 to M7	2	6	-56.5	-55.7			-47.1	-41.25	5.8
		HT/VHT40 STBC, M0 to M7	3	6	-56.5	-55.7	-53.4		-44.2	-41.25	3.0
HT/VHT40 STBC, M0 to M7 4 6 -56.5 -55.7 -53.4 -56.0 -43.2 -41.25 2.0		HT/VHT40 STBC, M0 to M7	4	6	-56.5	-55.7	-53.4	-56.0	-43.2	-41.25	2.0

Page No: 713 of 1013



	6 to 54 Mbps	1	6	-53.6				-47.6	-41.25	6.4
	6 to 54 Mbps	2	6	-53.6	-54.0			-44.8	-41.25	3.5
	6 to 54 Mbps	3	6	-53.6	-54.0	-53.0		-42.7	-41.25	1.5
	6 to 54 Mbps	4	6	-53.6	-54.0	-53.0	-53.9	-41.6	-41.25	0.3
	6 to 54 Mbps Beam Forming	2	9	-53.6	-54.0			-41.8	-41.25	0.5
	6 to 54 Mbps Beam Forming	3	11	-58.1	-58.5	-56.4		-42.0	-41.25	0.7
	6 to 54 Mbps Beam Forming	4	12	-60.2	-60.5	-58.6	-59.1	-41.5	-41.25	0.3
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-52.4				-46.4	-41.25	5.2
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-52.4	-53.1			-43.7	-41.25	2.5
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-52.4	-53.1	-51.6		-41.6	-41.25	0.3
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-53.8	-55.6	-52.7	-53.8	-41.8	-41.25	0.6
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-52.4	-53.1			-43.7	-41.25	2.5
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-52.4	-53.1	-51.6		-41.6	-41.25	0.3
10	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-53.8	-55.6	-52.7	-53.8	-41.8	-41.25	0.6
5825	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-52.4	-53.1	-51.6		-41.6	-41.25	0.3
ц)	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-53.8	-55.6	-52.7	-53.8	-41.8	-41.25	0.6
	VHT20, M0 to M9 4ss	4	6	-53.8	-55.6	-52.7	-53.8	-41.8	-41.25	0.6
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-53.8	-55.6			-42.6	-41.25	1.3
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-57.1	-58.1	-56.7		-41.7	-41.25	0.4
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-60.0	-60.4	-58.6	-59.2	-41.5	-41.25	0.2
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-52.4	-53.1			-43.7	-41.25	2.5
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-53.8	-55.6	-52.7		-41.3	-41.25	0.1
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-57.1	-58.1	-56.7	-56.8	-42.1	-41.25	0.9
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-52.4	-53.1	-51.6		-41.6	-41.25	0.3
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-55.6	-56.3	-54.3	-55.0	-42.0	-41.25	0.8
	VHT20 Beam Forming, M0 to M9 4ss	4	6	-53.8	-55.6	-52.7	-53.8	-41.8	-41.25	0.6
	HT/VHT20 STBC, M0 to M7	2	6	-52.4	-53.1			-43.7	-41.25	2.5
	HT/VHT20 STBC, M0 to M7	3	6	-52.4	-53.1	-51.6		-41.6	-41.25	0.3
	HT/VHT20 STBC, M0 to M7	4	6	-53.8	-55.6	-52.7	-53.8	-41.8	-41.25	0.6



		1								
Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Bandedge Level (dBm)	Tx 2 Bandedge Level (dBm)	Tx 3 Bandedge Level (dBm)	Tx 4 Bandedge Level (dBm)	Total Tx Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
	6 to 54 Mbps	1	6	-32.5				-26.5	-21.25	5.3
	6 to 54 Mbps	2	6	-32.7	-36.9			-25.3	-21.25	4.1
	6 to 54 Mbps	3	6	-32.5	-38.1	-30.2		-21.8	-21.25	0.5
	6 to 54 Mbps	4	6	-33.0	-38.7	-35.7	-31.7	-22.0	-21.25	0.8
	6 to 54 Mbps Beam Forming	2	9	-33.0	-38.7			-23.0	-21.25	1.7
	6 to 54 Mbps Beam Forming	3	11	-38.8	-40.9	-35.5		-22.3	-21.25	1.0
	6 to 54 Mbps Beam Forming	4	12	-42.8	-48.1	-42.1	-41.8	-25.1	-21.25	3.8
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-33.1				-27.1	-21.25	5.9
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-32.5	-37.7			-25.4	-21.25	4.1
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-33.2	-39.0	-34.5		-24.2	-21.25	2.9
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-33.8	-39.7	-35.0	-38.0	-24.0	-21.25	2.8
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-32.5	-37.7			-25.4	-21.25	4.1
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-33.2	-39.0	-34.5		-24.2	-21.25	2.9
	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-33.8	-39.7	-35.0	-38.0	-24.0	-21.25	2.8
5745	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-33.2	-39.0	-34.5		-24.2	-21.25	2.9
5	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-33.8	-39.7	-35.0	-38.0	-24.0	-21.25	2.8
	VHT20, M0 to M9 4ss	4	6	-33.8	-39.7	-35.0	-38.0	-24.0	-21.25	2.8
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-33.8	-39.7			-23.8	-21.25	2.6
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-39.6	-41.6	-36.0		-22.9	-21.25	1.6
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-42.6	-46.6	-42.3	-42.2	-25.1	-21.25	3.8
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-32.5	-37.7			-25.4	-21.25	4.1
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-33.8	-39.7	-35.0		-23.0	-21.25	1.7
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-39.6	-41.6	-36.0	-38.5	-23.4	-21.25	2.2
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-33.2	-39.0	-34.5		-24.2	-21.25	2.9
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-39.6	-41.0	-35.0	-37.8	-24.5	-21.25	3.3
	VHT20 Beam Forming, M0 to M9 4ss	4	6	-33.8	-39.7	-35.0	-38.0	-24.0	-21.25	2.8
	HT/VHT20 STBC, M0 to M7	2	6	-32.5	-37.7			-25.4	-21.25	4.1
	HT/VHT20 STBC, M0 to M7	3	6	-33.2	-39.0	-34.5		-24.2	-21.25	2.9
	HT/VHT20 STBC, M0 to M7	4	6	-33.8	-39.7	-35.0	-38.0	-24.0	-21.25	2.8
		_								

Page No: 715 of 1013