


802.11ax HE40

CH179 (Horizontal) Peak

CH179 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5635.06	61.33	70.69	-9.36	88.20	-26.87	188	90	Peak	Horizontal		
2 *	6845.00	107.82	116.22	-8.40	88.20	19.62	188	90	Peak	Horizontal		
3	7168.73	61.26	69.80	-8.54	88.20	-26.94	188	90	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5774.68	61.31	70.38	-9.07	88.20	-26.89	207	32	Peak	Vertical		
2 *	6845.00	108.13	116.53	-8.40	88.20	19.93	207	32	Peak	Vertical		
3	7180.19	60.76	69.29	-8.53	88.20	-27.44	207	32	Peak	Vertical		


802.11ax HE40

CH179 (Horizontal) RMS

CH179 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5779.69	48.95	58.81	-9.06	68.20	-19.25	188	90 RMS	Horizontal	
2 *	6845.00	99.33	107.73	-8.40	68.20	31.13	188	90 RMS	Horizontal	
3	7150.12	49.18	57.73	-8.55	68.20	-19.02	188	90 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5790.43	48.59	57.62	-9.03	68.20	-19.61	207	32 RMS	Vertical	
2 *	6845.00	98.79	107.19	-8.40	68.20	30.59	207	32 RMS	Vertical	
3	7198.81	49.15	57.67	-8.52	68.20	-19.05	207	32 RMS	Vertical	


802.11ax HE40

CH187 (Horizontal) Peak

CH187 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5822.38	69.88	69.91	-9.03	88.20	-27.32	189	119	Peak	Horizontal		
2 *	6885.00	107.10	115.61	-8.51	88.20	18.90	189	119	Peak	Horizontal		
3	7175.54	60.87	69.40	-8.53	88.20	-27.33	189	119	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5688.57	61.70	71.19	-9.49	88.20	-26.50	219	36	Peak	Vertical		
2 *	6885.00	108.53	117.04	-8.51	88.20	28.83	219	36	Peak	Vertical		
3	7227.80	60.98	69.49	-8.51	88.20	-27.22	219	36	Peak	Vertical		


802.11ax HE40

CH187 (Horizontal) RMS

CH187 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5779.74	48.81	57.99	-9.09	68.20	-19.39	189	119 RMS	Horizontal	
2 *	6885.00	97.97	106.48	-8.51	68.20	29.77	189	119 RMS	Horizontal	
3	7173.75	49.18	57.71	-8.53	68.20	-19.02	189	119 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5774.68	48.83	57.99	-9.07	68.20	-19.37	219	36 RMS	Vertical	
2 *	6885.00	98.56	107.07	-8.51	68.20	39.36	219	36 RMS	Vertical	
3	7194.87	49.21	57.73	-8.52	68.20	-18.99	219	36 RMS	Vertical	


802.11ax HE80

CH135 (Horizontal) Peak

CH135 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5798.79	61.28	70.31	-9.03	88.20	-26.92	185	298	Peak	Horizontal		
2 *	6625.00	107.04	115.35	-8.31	88.20	18.84	185	298	Peak	Horizontal		
3	7136.16	61.94	70.50	-8.56	88.20	-26.26	185	298	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5669.84	61.22	70.53	-9.31	88.20	-26.98	298	22	Peak	Vertical		
2 *	6625.00	108.83	117.14	-8.31	88.20	28.93	298	22	Peak	Vertical		
3	7147.25	60.99	69.54	-8.55	88.20	-27.21	298	22	Peak	Vertical		


802.11ax HE80

CH135 (Horizontal) RMS

CH135 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5895.30	49.15	58.21	-9.06	68.20	-19.05	185	298	RMS	Horizontal		
2 *	6625.00	97.79	108.10	-8.31	68.20	29.59	185	298	RMS	Horizontal		
3	7191.29	49.61	58.13	-8.52	68.20	-18.59	185	298	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5895.22	49.03	58.11	-9.08	68.20	-19.17	298	22	RMS	Vertical		
2 *	6625.00	99.79	108.10	-8.31	68.20	31.59	298	22	RMS	Vertical		
3	7200.60	49.58	58.10	-8.52	68.20	-18.62	298	22	RMS	Vertical		


802.11ax HE80

CH151 (Horizontal) Peak

CH151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5818.36	61.28	70.31	-9.03	88.20	-26.92	100	246 Peak	Horizontal	
2 *	6705.00	108.20	116.52	-8.32	88.20	28.00	100	246 Peak	Horizontal	
3	7127.92	61.47	70.03	-8.56	88.20	-26.73	100	246 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5850.94	61.98	71.06	-9.08	88.20	-26.22	297	21 Peak	Vertical	
2 *	6705.00	108.31	116.63	-8.32	88.20	28.11	297	21 Peak	Vertical	
3	7180.55	62.30	70.83	-8.53	88.20	-25.90	297	21 Peak	Vertical	


802.11ax HE80

CH151 (Horizontal) RMS

CH151 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5781.84	49.26	58.32	-9.06	68.20	-18.94	100	246 RMS	Horizontal
2 *	6785.08	98.07	100.39	-8.32	68.20	29.87	100	246 RMS	Horizontal
3	7198.81	49.81	58.33	-8.52	68.20	-18.39	100	246 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5796.16	49.13	58.15	-9.02	68.20	-19.07	297	21 RMS	Vertical
2 *	6785.08	99.68	107.92	-8.32	68.20	31.48	297	21 RMS	Vertical
3	7188.07	49.55	58.07	-8.52	68.20	-18.65	297	21 RMS	Vertical


802.11ax HE80

CH167 (Horizontal) Peak

CH167 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5818.12	63.05	72.07	-9.02	88.20	-25.15		100	299	Peak	Horizontal	
2 *	6785.00	107.87	116.20	-8.33	88.20	19.67	100	299	Peak	Horizontal		
3	7147.25	63.75	72.30	-8.55	88.20	-24.45		100	299	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5555.59	61.35	70.81	-9.46	88.20	-26.85		287	22	Peak	Vertical	
2 *	6785.00	109.07	117.40	-8.33	88.20	29.87	287	22	Peak	Vertical		
3	7135.44	61.89	70.45	-8.56	88.20	-26.31		287	22	Peak	Vertical	


802.11ax HE80

CH167 (Horizontal) RMS

CH167 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5923.97	49.31	58.24	-8.93	68.20	-18.89	100	299 RMS	Horizontal	
2 *	6785.00	97.16	105.49	-8.33	68.20	28.96	100	299 RMS	Horizontal	
3	7199.16	49.87	58.39	-8.52	68.20	-18.33	100	299 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5739.24	49.19	58.37	-9.18	68.20	-19.01	287	22 RMS	Vertical	
2 *	6785.00	99.67	108.00	-8.33	68.20	31.47	287	22 RMS	Vertical	
3	7196.66	49.68	58.20	-8.52	68.20	-18.52	287	22 RMS	Vertical	


802.11ax HE80

CH183 (Horizontal) Peak

CH183 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5798.31	62.07	71.08	-9.01	88.20	-26.13	100	247 Peak	Horizontal	
2 *	6865.00	107.22	115.68	-8.46	88.20	19.02	100	247 Peak	Horizontal	
3	7126.49	62.07	70.63	-8.56	88.20	-26.13	100	247 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5830.17	61.76	70.81	-9.05	88.20	-26.44	219	36 Peak	Vertical	
2 *	6865.00	107.56	116.02	-8.46	88.20	19.36	219	36 Peak	Vertical	
3	7165.87	62.03	70.57	-8.54	88.20	-26.17	219	36 Peak	Vertical	


802.11ax HE80

CH183 (Horizontal) RMS

CH183 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5783.27	49.13	58.18	-9.05	68.20	-19.07	100	247	RMS	Horizontal		
2 *	6865.00	96.91	105.37	-8.46	68.20	26.71	100	247	RMS	Horizontal		
3	7199.52	49.69	58.21	-8.52	68.20	-18.51	100	247	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5728.50	49.23	58.46	-9.23	68.20	-18.97	219	36	RMS	Vertical		
2 *	6865.00	98.70	107.16	-8.46	68.20	39.50	219	36	RMS	Vertical		
3	7190.93	49.67	58.19	-8.52	68.20	-18.53	219	36	RMS	Vertical		

802.11ax HE160

CH143 (Horizontal) Peak

CH143 (Vertical) Peak




802.11ax HE160

CH143 (Horizontal) RMS

CH143 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5991.06	49.22	58.27	-9.05	68.20	-18.98	100	296	RMS	Horizontal	
2	6665.00	98.85	99.20	-8.35	68.20	22.65	100	296	RMS	Horizontal	
3	7157.99	49.85	58.39	-8.54	68.20	-18.35	100	296	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5642.58	49.15	58.47	-9.32	68.20	-19.05	258	12	RMS	Vertical	
2	6665.00	92.81	101.16	-8.35	68.20	24.61	258	12	RMS	Vertical	
3	7157.64	49.99	58.53	-8.54	68.20	-18.21	258	12	RMS	Vertical	


802.11ax HE160

CH175 (Horizontal) Peak

CH175 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5754.99	62.75	71.88	-9.13	88.20	-25.45	100	233	Peak	Horizontal		
2 *	6825.00	106.68	115.23	-8.55	88.20	18.62	100	233	Peak	Horizontal		
3	7176.61	62.26	70.79	-8.53	88.20	-25.94	100	233	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5732.00	61.71	70.92	-9.21	88.20	-26.49	288	15	Peak	Vertical		
2 *	6825.00	108.22	116.57	-8.35	88.20	28.92	288	15	Peak	Vertical		
3	7127.21	61.92	70.48	-8.56	88.20	-26.28	288	15	Peak	Vertical		


802.11ax HE160

CH175 (Horizontal) RMS

CH175 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5753.20	49.24	58.37	-9.13	68.20	-18.96	100	233	RMS	Horizontal		
2	6825.00	90.05	98.40	-8.35	68.20	21.85	100	233	RMS	Horizontal		
3	7159.07	50.31	58.85	-8.54	68.20	-17.89	100	233	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5654.39	49.01	58.32	-9.31	68.20	-19.19	288	15	RMS	Vertical		
2	6825.00	92.61	100.96	-8.35	68.20	24.41	288	15	RMS	Vertical		
3	7151.19	50.07	58.62	-8.55	68.20	-18.13	288	15	RMS	Vertical		

U-NII-8

802.11ax HE20

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




802.11ax HE20

CH189 (Horizontal) RMS

CH189 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5795.45	48.95	57.97	-9.02	68.20	-19.25	190	245 RMS		Horizontal		
2 *	6895.00	98.24	106.78	-8.54	68.20	38.04	190	245 RMS		Horizontal		
3	7192.00	49.62	58.14	-8.52	68.20	-18.58	190	245 RMS		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5785.42	48.91	57.96	-9.05	68.20	-19.29	218	36 RMS		Vertical		
2 *	6895.00	99.25	107.79	-8.54	68.20	31.05	218	36 RMS		Vertical		
3	7197.73	49.47	57.99	-8.52	68.20	-18.73	218	36 RMS		Vertical		


802.11ax HE20

CH209 (Horizontal) Peak

CH209 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5749.98	69.89	70.82	-9.13	88.20	-27.31	190	247	Peak	Horizontal		
2	6995.00	108.07	116.67	-8.60	88.20	19.87	190	247	Peak	Horizontal		
3	7224.58	61.57	70.08	-8.51	88.20	-26.63	190	247	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5558.45	61.09	70.56	-9.47	88.20	-27.11	100	34	Peak	Vertical		
2	6995.00	107.87	116.47	-8.60	88.20	19.67	100	34	Peak	Vertical		
3	7138.66	62.54	71.09	-8.55	88.20	-25.66	100	34	Peak	Vertical		


802.11ax HE20

CH209 (Horizontal) RMS

CH209 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5891.17	48.93	57.94	-9.01	68.20	-19.27	190	247 RMS	Horizontal	
2 *	6995.00	98.10	106.70	-8.60	68.20	29.90	190	247 RMS	Horizontal	
3	7190.57	49.63	58.15	-8.52	68.20	-18.57	190	247 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5778.62	48.99	58.05	-9.06	68.20	-19.21	100	34 RMS	Vertical	
2 *	6995.00	99.12	107.72	-8.60	68.20	30.92	100	34 RMS	Vertical	
3	7215.99	49.54	58.06	-8.52	68.20	-18.66	100	34 RMS	Vertical	

802.11ax HE20

CH233 (Horizontal) Peak



CH233 (Vertical) Peak



802.11ax HE20

CH233 (Horizontal) RMS

CH233 (Vertical) RMS




802.11ax HE40

CH195 (Horizontal) Peak

CH195 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5672.20	62.56	71.88	-9.32	88.20	-25.64	196	289	Peak	Horizontal		
2 *	6925.00	107.35	115.87	-8.52	88.20	19.15	196	289	Peak	Horizontal		
3	7195.23	61.01	69.53	-8.52	88.20	-27.19	196	289	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5804.40	60.95	69.96	-9.01	88.20	-27.25	225	36	Peak	Vertical		
2 *	6925.00	108.04	117.46	-9.52	88.20	29.74	225	36	Peak	Vertical		
3	7129.71	61.12	69.68	-8.56	88.20	-27.08	225	36	Peak	Vertical		


802.11ax HE40

CH195 (Horizontal) RMS

CH195 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5822.30	48.75	57.78	-9.03	68.20	-19.45	196	289 RMS	Horizontal	
2	6925.00	97.15	105.67	-8.52	68.20	26.95	196	289 RMS	Horizontal	
3	7154.06	49.24	57.78	-8.54	68.20	-18.96	196	289 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5877.07	48.75	57.81	-9.06	68.20	-19.45	225	36 RMS	Vertical	
2	6925.00	99.22	107.74	-8.52	68.20	31.02	225	36 RMS	Vertical	
3	7199.88	49.32	57.84	-8.52	68.20	-18.88	225	36 RMS	Vertical	

802.11ax HE40

CH211 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5896.76	61.15	70.20	-9.05	88.20	-27.05		223	242	Peak	Horizontal	
2	7005.00	108.36	116.97	-8.61	88.20	28.77		223	242	Peak	Horizontal	
3	7174.10	62.30	70.83	-8.53	88.20	-25.90		223	242	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5896.76	61.11	70.16	-9.05	88.20	-27.09		212	32	Peak	Vertical	
2	7005.00	108.06	116.67	-8.61	88.20	28.47		212	32	Peak	Vertical	
3	7217.06	60.90	69.42	-8.52	88.20	-27.30		212	32	Peak	Vertical	


802.11ax HE40

CH211 (Horizontal) RMS

CH211 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5737.45	48.83	58.02	-9.19	68.20	-19.37		223	242 RMS	Horizontal		
2	7005.00	97.69	106.39	-8.61	68.20	29.49		223	242 RMS	Horizontal		
3	7153.34	49.44	57.98	-8.54	68.20	-18.76		223	242 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5737.45	48.83	57.90	-9.07	68.20	-19.37		212	32 RMS	Vertical		
2	7005.00	99.00	107.69	-8.61	68.20	39.88		212	32 RMS	Vertical		
3	7189.50	49.17	57.69	-8.52	68.20	-19.03		212	32 RMS	Vertical		


802.11ax HE40

CH227 (Horizontal) Peak

CH227 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5643.65	61.02	70.34	-9.32	88.20	-27.18		228	242	Peak	Horizontal	
2	7985.00	109.40	118.03	-8.55	88.20	21.20		228	242	Peak	Horizontal	
3	7127.21	74.50	83.06	-8.56	88.20	-13.70		228	242	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5841.27	61.16	70.22	-9.06	88.20	-27.04		218	10	Peak	Vertical	
2	7985.00	109.17	117.72	-8.55	88.20	20.97		218	10	Peak	Vertical	
3	7130.79	80.64	89.20	-8.56	88.20	-7.56		218	10	Peak	Vertical	


802.11ax HE40

CH227 (Horizontal) RMS

CH227 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5749.26	48.82	57.95	-9.13	68.20	-19.38	228	242	RMS	Horizontal		
2 *	7085.00	97.72	106.27	-8.55	68.20	29.52	228	242	RMS	Horizontal		
3	7125.13	61.33	69.89	-8.56	68.20	-6.87	228	242	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5778.26	48.71	57.77	-9.06	68.20	-19.49	218	10	RMS	Vertical		
2 *	7085.00	98.95	107.50	-8.55	68.20	39.75	218	10	RMS	Vertical		
3 !	7125.77	67.08	75.64	-8.56	68.20	-1.12	218	10	RMS	Vertical		


802.11ax HE80

CH199 (Horizontal) Peak

CH199 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5775.04	61.26	70.33	-9.07	88.20	-26.94	196	244	Peak	Horizontal		
2	6945.00	106.47	114.97	-8.50	88.20	18.27	196	244	Peak	Horizontal		
3	7126.85	61.86	70.42	-8.56	88.20	-26.34	196	244	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5775.04	61.42	70.49	-9.07	88.20	-26.78	100	35	Peak	Vertical		
2	6945.00	108.51	117.01	-8.50	88.20	28.31	100	35	Peak	Vertical		
3	7141.53	61.42	69.97	-8.55	88.20	-26.78	100	35	Peak	Vertical		

802.11ax HE80

CH199 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5775.04	49.15	58.22	-9.07	68.20	-19.05	196	244 RMS	Horizontal	
2 *	6945.00	96.90	105.48	-8.58	68.20	28.78	196	244 RMS	Horizontal	
3	7133.65	49.81	58.37	-8.56	68.20	-18.39	196	244 RMS	Horizontal	

CH199 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5725.99	49.13	58.38	-9.25	68.20	-19.07	100	35 RMS	Vertical	
2 *	6945.00	99.00	107.58	-8.58	68.20	39.88	100	35 RMS	Vertical	
3	7125.42	50.31	58.87	-8.56	68.20	-17.89	100	35 RMS	Vertical	


802.11ax HE80

CH215 (Horizontal) Peak

CH215 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5782.92	63.20	72.25	-9.05	88.20	-25.00	192	246 Peak	Horizontal	
2 *	7025.00	106.13	114.68	-8.55	88.20	17.93	192	246 Peak	Horizontal	
3	7125.77	67.70	76.26	-8.56	88.20	-20.50	192	246 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Over					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5869.55	69.99	70.06	-9.07	88.20	-27.21	203	34 Peak	Vertical	
2 *	7025.00	108.91	117.46	-8.55	88.20	29.71	203	34 Peak	Vertical	
3	7128.64	71.16	79.72	-8.56	88.20	-17.04	203	34 Peak	Vertical	


802.11ax HE80

CH215 (Horizontal) RMS

CH215 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5665.49	49.14	58.46	-9.32	68.20	-19.06	192	246 RMS	Horizontal	
2 *	7025.00	97.11	105.66	-8.55	68.20	28.91	192	246 RMS	Horizontal	
3	7125.42	57.47	66.03	-8.56	68.20	-10.73	192	246 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5757.50	49.23	58.35	-9.12	68.20	-18.97	203	34 RMS	Vertical	
2 *	7025.00	99.11	107.66	-8.55	68.20	39.91	203	34 RMS	Vertical	
3	7128.28	60.62	69.18	-8.56	68.20	-7.58	203	34 RMS	Vertical	

802.11ax HE160

CH207 (Horizontal) Peak

CH207 (Vertical) Peak




802.11ax HE160

CH207 (Horizontal) RMS

CH207 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5853.44	49.19	56.27	-9.08	68.20	-19.01	224	103	RMS	Horizontal	
2 *	6985.00	91.26	99.84	-8.58	88.20	3.06	224	103	RMS	Horizontal	
3 !	7137.95	62.31	70.86	-8.55	68.20	-5.89	224	103	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5781.13	49.13	56.19	-9.06	68.20	-19.07	218	31	RMS	Vertical	
2 *	6985.00	92.30	100.96	-8.58	88.20	4.18	218	31	RMS	Vertical	
3 !	7129.71	66.22	74.78	-8.56	68.20	-1.98	218	31	RMS	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11ax HE20

CH233 Channel 9kHz~150kHz(Open)

CH233 Channel 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	69.80	41.68	19.12	118.42	-57.62	100	250 Peak	Open	
2	0.04	57.56	38.39	19.17	116.21	-58.65	100	251 Peak	Open	
3	0.06	49.42	30.65	18.77	111.40	-61.98	100	269 Peak	Open	
4	0.07	46.50	27.94	18.56	110.29	-63.79	100	249 Peak	Open	
5	0.09	38.39	20.30	18.09	108.22	-69.83	100	264 Peak	Open	
6	0.12	37.57	19.54	18.03	105.74	-68.17	100	268 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4.72	32.38	12.87	19.51	69.50	-37.12	100	169 Peak	Open	
2	8.54	33.98	13.82	20.96	69.50	-35.52	100	290 Peak	Open	
3	11.88	35.84	14.15	21.69	69.50	-33.66	100	238 Peak	Open	
4	15.73	34.93	12.98	21.95	69.50	-34.57	100	96 Peak	Open	
5	22.51	35.85	13.59	22.26	69.50	-33.65	100	317 Peak	Open	
6	25.82	35.56	13.27	22.29	69.50	-33.94	100	2 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11ax HE20

CH233 Channel (Horizontal)

CH233 Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	78.74	27.24	37.27	-10.03	40.00	-12.76	390	275 Peak	Horizontal	
2	154.16	23.01	30.45	-7.44	43.50	-20.49	280	102 Peak	Horizontal	
3	384.05	41.31	46.07	-4.76	46.00	-4.69	100	88 Peak	Horizontal	
4	460.68	38.11	41.36	-3.25	46.00	-7.89	203	360 Peak	Horizontal	
5	661.47	34.63	34.16	0.47	46.00	-11.37	100	341 Peak	Horizontal	
6	768.17	38.37	35.98	2.39	46.00	-7.63	100	302 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	46.49	36.15	43.37	-7.22	40.00	-3.85	100	167 QP	Vertical	
2	115.36	29.07	39.45	-10.38	43.50	-14.43	100	136 Peak	Vertical	
3	194.90	27.24	37.15	-9.91	43.50	-16.26	100	307 Peak	Vertical	
4	384.05	41.73	46.49	-4.76	46.00	-4.27	200	95 Peak	Vertical	
5	539.25	39.62	41.66	-2.04	46.00	-6.38	100	126 Peak	Vertical	
6	576.11	38.94	40.01	-1.07	46.00	-7.06	100	319 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-5


802.11ax HE20

CH01 (Horizontal)

CH01 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit	cm	deg			
1	11918.00	41.21	43.13	-1.92	54.00	-12.79	490	176 Average	Horizontal	
2	11918.00	55.96	57.88	-1.92	74.00	-18.04	490	176 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit	cm	deg			
1	11918.00	41.53	43.45	-1.92	54.00	-12.47	490	128 Average	Vertical	
2	11918.00	56.15	58.07	-1.92	74.00	-17.85	490	128 Peak	Vertical	


802.11ax HE20

CH45 (Horizontal)

CH45 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12350.00	39.89	41.23	-1.34	54.00	-14.11	100	293 Average	Horizontal	
2	12350.00	48.43	49.77	-1.34	74.00	-25.57	100	293 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12350.00	37.71	39.05	-1.34	54.00	-16.29	100	195 Average	Vertical	
2	12350.00	47.41	48.75	-1.34	74.00	-26.59	100	195 Peak	Vertical	


802.11ax HE20

CH93 (Horizontal)

CH93 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12830.00	48.50	49.56	-1.06	88.20	-39.70	153	360	Peak	Horizontal		
2	12830.00	35.70	36.76	-1.06	68.20	-32.50	153	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12830.00	49.03	50.09	-1.06	88.20	-39.17	300	222	Peak	Vertical		
2	12830.00	40.45	41.51	-1.06	68.20	-27.75	300	222	RMS	Vertical		

802.11ax HE40

CH03 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11930.00	38.29	40.16	-1.87	54.00	-15.71	114	154	Average	Horizontal		
2	11930.00	50.20	52.07	-1.87	74.00	-23.80	114	154	Peak	Horizontal		

CH03 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11930.00	38.40	40.27	-1.87	54.00	-15.60	396	143	Average	Vertical		
2	11930.00	52.05	54.52	-1.87	74.00	-21.35	396	143	Peak	Vertical		


802.11ax HE40

CH43 (Horizontal)

CH43 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12330.00	39.40	40.73	-1.33	54.00	-14.60	100	293	Average	Horizontal		
2	12330.00	48.20	49.53	-1.33	74.00	-25.80	100	293	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12330.00	36.37	37.70	-1.33	54.00	-17.63	100	195	Average	Vertical		
2	12330.00	47.03	48.36	-1.33	74.00	-26.97	100	195	Peak	Vertical		

802.11ax HE40

CH91 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12810.00	46.31	47.33	-1.02	66.20	-41.89	118	192	Peak	Horizontal		
2	12810.00	39.84	40.86	-1.02	66.20	-26.36	118	192	RMS	Horizontal		

CH91 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12810.00	46.25	47.27	-1.02	66.20	-41.95	100	198	Peak	Vertical		
2	12810.00	38.64	39.66	-1.02	66.20	-29.56	100	198	RMS	Vertical		


802.11ax HE80

CH07 (Horizontal)

CH07 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11970.00	39.12	40.89	-1.77	54.00	-14.88	116	154	Average	Horizontal		
2	11970.00	47.12	48.89	-1.77	74.00	-26.88	116	154	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11970.00	37.24	39.01	-1.77	54.00	-16.76	235	103	Average	Vertical		
2	11970.00	49.31	51.08	-1.77	74.00	-24.69	235	103	Peak	Vertical		


802.11ax HE80

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12290.00	39.28	40.61	-1.33	54.00	-14.72	290	183	Average	Horizontal		
2	12290.00	48.24	49.57	-1.33	74.00	-25.76	280	183	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12290.00	37.57	38.90	-1.33	54.00	-16.43	400	97	Average	Vertical		
2	12290.00	45.86	47.21	-1.33	74.00	-28.12	400	97	Peak	Vertical		


802.11ax HE80

CH87 (Horizontal)

CH87 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12778.00	45.21	46.20	-0.99	88.20	-42.99	390	246	Peak	Horizontal		
2	12778.00	38.81	39.80	-0.99	68.20	-29.39	300	246	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12778.00	45.82	46.81	-0.99	88.20	-42.38	100	189	Peak	Vertical		
2	12778.00	37.74	38.73	-0.99	68.20	-30.46	100	189	RMS	Vertical		

802.11ax HE160

CH15 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12050.00	48.04	41.66	-1.62	54.00	-13.96	120	153	Average	Horizontal		
2	12050.00	47.38	49.00	-1.62	74.00	-26.62	120	153	Peak	Horizontal		

CH15 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12050.00	36.76	38.38	-1.62	54.00	-17.24	100	316	Average	Vertical		
2	12050.00	45.46	47.08	-1.62	74.00	-28.54	100	316	Peak	Vertical		

802.11ax HE160

CH47 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12370.00	39.55	40.90	-1.35	54.00	-14.45	400	138	Average	Horizontal		
2	12370.00	48.98	50.33	-1.35	74.00	-25.02	400	138	Peak	Horizontal		

CH47 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12370.00	36.81	38.16	-1.35	54.00	-17.19	400	32	Average	Vertical		
2	12370.00	47.62	48.97	-1.35	74.00	-26.38	400	32	Peak	Vertical		


802.11ax HE160

CH79 (Horizontal)

CH79 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12698.00	35.54	36.51	-0.97	54.00	-18.46	390	206	Average	Horizontal		
2	12698.00	47.66	48.63	-0.97	74.00	-26.34	390	206	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12698.00	36.77	37.74	-0.97	54.00	-17.23	100	115	Average	Vertical		
2	12698.00	47.51	48.48	-0.97	74.00	-26.49	100	115	Peak	Vertical		

U-NII-6


802.11ax HE20

CH97 (Horizontal)

CH97 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12870.00	48.31	49.47	-1.16	88.20	-39.89	300	293	Peak	Horizontal		
2	12870.00	35.30	36.46	-1.16	68.20	-32.90	300	293	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12870.00	47.33	48.49	-1.16	88.20	-40.87	300	219	Peak	Vertical		
2	12870.00	35.75	36.91	-1.16	68.20	-32.45	300	219	RMS	Vertical		

802.11ax HE20

CH105 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12950.00	46.92	48.21	-1.29	68.20	-41.28	300	182	Peak	Horizontal		
2	12950.00	34.66	35.95	-1.29	68.20	-33.54	300	182	RMS	Horizontal		

CH105 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12950.00	46.74	48.03	-1.29	68.20	-41.46	300	227	Peak	Vertical		
2	12950.00	32.83	34.12	-1.29	68.20	-35.37	300	227	RMS	Vertical		


802.11ax HE20

CH113 (Horizontal)

CH113 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13839.00	47.10	48.47	-1.37	88.20	-41.10	400	235	Peak	Horizontal	
2	13839.00	36.94	38.32	-1.38	68.20	-31.26	400	235	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13839.00	47.01	48.38	-1.37	88.20	-41.10	400	252	Peak	Vertical	
2	13839.00	36.10	37.48	-1.38	68.20	-32.10	400	252	RMS	Vertical	


802.11ax HE40

CH99 (Horizontal)

CH99 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12890.00	45.04	46.24	-1.20	88.20	-43.16	100	192	Peak	Horizontal	
2	12890.00	38.17	39.37	-1.20	68.20	-30.03	100	192	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12890.00	44.78	45.98	-1.20	88.20	-43.42	300	77	Peak	Vertical	
2	12890.00	37.57	38.77	-1.20	68.20	-30.63	300	77	RMS	Vertical	


802.11ax HE40

CH107 (Horizontal)

CH107 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12970.00	44.42	45.74	-1.32	88.20	-43.78	100	315	Peak	Horizontal		
2	12970.00	38.40	39.72	-1.32	68.20	-29.80	100	315	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12970.00	44.50	45.82	-1.32	88.20	-43.70	300	226	Peak	Vertical		
2	12970.00	39.04	40.36	-1.32	68.20	-29.16	300	226	RMS	Vertical		


802.11ax HE40

CH115 (Horizontal)

CH115 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

