




5800SMOKE V – Internal pics



Antenna trace built into PCB.  
Bottom Side View





FCC ID: CFS8DLS800SMOKEV IC: 573F-5800SMOKEV HVIN: 5800SMOKEV. This device complies with Part 15 of FCC rules and RSS-247 of Industry Canada. Operation is subject to the following conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. Cet appareil est conforme à la partie 15 des règles de la FCC & de RSS-247 des Industries Canada. Son fonctionnement est soumis aux conditions suivantes: (1) Cet appareil ne doit pas causer d'interférences nuisibles. (2) Cet appareil doit accepter toute interférence reçue y compris les interférences causant une réception indésirable.

**Model: 5800SMOKEV**  
Multi-Criteria Smoke Detector



## WARNING

Please see Quick Installation Guide (R800-26634A) for important information about maintenance and battery life. Do not install in locations where temperature exceeds 100°F. Constant use at high or low temperature or high humidity may reduce battery life. Use only batteries specified, the use of other batteries may have a detrimental effect on alarm operation. Maintenance: Clean Alarm yearly by gently vacuuming the openings in the exterior of the Alarm.

**Low Battery:** 1 beep + 1 yellow flash every 48 sec  
**Alarm:** 3 long beeps, repeating with flashing red LED  
**End Of Life:** 3 beeps with 3 yellow flashes  
**Alarm Silence:** 1 red flash every 8 sec  
**Sensitivity:** = 1.82 to 2.92 % / ft Obsc.

R800-26682A  
2/21 Rev A

Conforms to: UL STD 268  
Certified to: ULC STD S529

For Servicing, return to:  
Resideo Technologies / Ademco Inc.  
12226 Royce Dr, Suite 100  
Resideo Dept.  
El Paso, TX 79906

EN FRANÇAIS

A055 - 0516  
FW V1.1.4

A055 - 0516

PULL THIS TAB

Antenna trace built into the PCB.  
Top and bottom side of PCB

