







Mode	16																																																																									
	Band Edge - L																																																																									
	2400-2483.5_802.11n_HT40_CH06_2437MHz																																																																									
ANT	8																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-01-02 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.88</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>46.41</td><td>32.26</td><td>7.76</td><td>32.08</td><td>184 85 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2389.88	54.35	74.00	-19.65	46.41	32.26	7.76	32.08	184 85 PEAK	Level (dBuV/m) Date: 2024-01-02 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2437.00</td><td>98.99</td><td>-----</td><td>-----</td><td>90.89</td><td>32.36</td><td>7.83</td><td>32.09</td><td>184 85 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2437.00	98.99	-----	-----	90.89	32.36	7.83	32.09	184 85 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2389.88	54.35	74.00	-19.65	46.41	32.26	7.76	32.08	184 85 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2437.00	98.99	-----	-----	90.89	32.36	7.83	32.09	184 85 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-01-02 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.76</td><td>42.03</td><td>54.00</td><td>-11.97</td><td>34.09</td><td>32.26</td><td>7.76</td><td>32.08</td><td>184 85 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2389.76	42.03	54.00	-11.97	34.09	32.26	7.76	32.08	184 85 AVERAGE	Level (dBuV/m) Date: 2024-01-02 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2437.00</td><td>92.45</td><td>-----</td><td>-----</td><td>84.35</td><td>32.36</td><td>7.83</td><td>32.09</td><td>184 85 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2437.00	92.45	-----	-----	84.35	32.36	7.83	32.09	184 85 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2389.76	42.03	54.00	-11.97	34.09	32.26	7.76	32.08	184 85 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2437.00	92.45	-----	-----	84.35	32.36	7.83	32.09	184 85 AVERAGE																																																																		



Mode	18																																																																																										
	Band Edge - L																																																																																										
	Co-location_802.11n HT40_CH03_2422MHz+ LTE Band 13																																																																																										
ANT	8																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.63</td><td>63.54</td><td>74.00</td><td>-10.46</td><td>55.60</td><td>32.26</td><td>7.76</td><td>32.08</td><td>400 29 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.63	63.54	74.00	-10.46	55.60	32.26	7.76	32.08	400 29 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>96.27</td><td>-----</td><td>88.23</td><td>32.31</td><td>7.81</td><td>32.08</td><td>400</td><td>29 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	96.27	-----	88.23	32.31	7.81	32.08	400	29 PEAK	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.63	63.54	74.00	-10.46	55.60	32.26	7.76	32.08	400 29 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2422.00	96.27	-----	88.23	32.31	7.81	32.08	400	29 PEAK																																																																																		
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.63</td><td>48.21</td><td>54.00</td><td>-5.79</td><td>40.27</td><td>32.26</td><td>7.76</td><td>32.08</td><td>400</td><td>29 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.63	48.21	54.00	-5.79	40.27	32.26	7.76	32.08	400	29 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>88.43</td><td>-----</td><td>80.40</td><td>32.30</td><td>7.81</td><td>32.08</td><td>400</td><td>29 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	88.43	-----	80.40	32.30	7.81	32.08	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2389.63	48.21	54.00	-5.79	40.27	32.26	7.76	32.08	400	29 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2422.00	88.43	-----	80.40	32.30	7.81	32.08	400	29 AVERAGE																																																																																		



Mode	18																																									
	Band Edge - R																																									
	Co-location_802.11n HT40_CH03_2422MHz+ LTE Band 13																																									
ANT	8																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2024-01-14 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.68</td><td>49.30</td><td>74.00</td><td>-24.70</td><td>41.05</td><td>32.47</td><td>7.88</td><td>32.10</td><td>400 29 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.68	49.30	74.00	-24.70	41.05	32.47	7.88	32.10	400 29 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2487.68	49.30	74.00	-24.70	41.05	32.47	7.88	32.10	400 29 PEAK																																	
Avg	Date: 2024-01-14 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2490.25</td><td>40.73</td><td>54.00</td><td>-13.27</td><td>32.47</td><td>32.48</td><td>7.88</td><td>32.10</td><td>400 29 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2490.25	40.73	54.00	-13.27	32.47	32.48	7.88	32.10	400 29 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2490.25	40.73	54.00	-13.27	32.47	32.48	7.88	32.10	400 29 AVERAGE																																	



Mode	18																																									
	Band Edge - L																																									
	Co-location_802.11n HT40_CH03_2422MHz+ LTE Band 13																																									
ANT	8																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-01-14 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2389.86</td><td>59.77</td><td>74.00</td><td>-14.23</td><td>51.83</td><td>32.26</td><td>7.76</td><td>32.08</td><td>192</td><td>63 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2389.86	59.77	74.00	-14.23	51.83	32.26	7.76	32.08	192	63 PEAK	Level (dBuV/m) Date: 2024-01-14 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2422.00</td><td>94.72</td><td>-----</td><td>-----</td><td>86.64</td><td>32.34</td><td>7.82</td><td>32.08</td><td>192</td><td>63 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2422.00	94.72	-----	-----	86.64	32.34	7.82	32.08	192	63 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 2389.86	59.77	74.00	-14.23	51.83	32.26	7.76	32.08	192	63 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2422.00	94.72	-----	-----	86.64	32.34	7.82	32.08	192	63 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-01-14 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2389.41</td><td>45.53</td><td>54.00</td><td>-8.47</td><td>37.59</td><td>32.26</td><td>7.76</td><td>32.08</td><td>192</td><td>63 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2389.41	45.53	54.00	-8.47	37.59	32.26	7.76	32.08	192	63 AVERAGE	Level (dBuV/m) Date: 2024-01-14 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2422.00</td><td>86.85</td><td>-----</td><td>-----</td><td>78.78</td><td>32.33</td><td>7.82</td><td>32.08</td><td>192</td><td>63 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2422.00	86.85	-----	-----	78.78	32.33	7.82	32.08	192	63 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2389.41	45.53	54.00	-8.47	37.59	32.26	7.76	32.08	192	63 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2422.00	86.85	-----	-----	78.78	32.33	7.82	32.08	192	63 AVERAGE																																	



Mode	18																																													
	Band Edge - R																																													
	Co-location_802.11n HT40_CH03_2422MHz+ LTE Band 13																																													
ANT	8																																													
Pol.	Vertical					Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-01-14 PEAK_BE_74 Frequency (MHz)					Blank																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.86</td><td>49.58</td><td>74.00</td><td>-24.42</td><td>41.32</td><td>32.48</td><td>7.88</td><td>32.10</td><td>192</td><td>63</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2489.86	49.58	74.00	-24.42	41.32
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	2489.86	49.58	74.00	-24.42	41.32	32.48	7.88	32.10	192	63	PEAK																																			
Avg	Level (dBuV/m) Date: 2024-01-14 AVG_BE_54 Frequency (MHz)					Blank																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.26</td><td>40.05</td><td>54.00</td><td>-13.95</td><td>31.80</td><td>32.47</td><td>7.88</td><td>32.10</td><td>192</td><td>63</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2485.26	40.05	54.00	-13.95	31.80
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	2485.26	40.05	54.00	-13.95	31.80	32.47	7.88	32.10	192	63	AVERAGE																																			




Mode	18										
	Harmonic										
	Co-location_802.11n HT40_CH03_2422MHz+ LTE Band 13										
ANT	8										
Pol.	Horizontal										Vertical
Peak Avg	Data: 1 Level (dBuV/m)										

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	97.36	1.391	0.719	1KHz
802.11n HT20	97.30	1.307	0.765	1KHz
802.11n HT40	95.32	0.649	1.540	3KHz

802.11b




Date: 25.DEC.2023 11:12:50

802.11g




Date: 28.DEC.2023 14:17:59

802.11n HT20



Date: 28.DEC.2023 13:49:29

802.11n HT 40



Date: 25.DEC.2023 19:42:55