













11ax160MIMO-Ant1-6665-Low-6590-Minimal



11ax160MIMO-Ant1-6665-Low-6590-Minimal




11ax160MIMO-Ant1-6665-Center-6665-Minimal



11ax160MIMO-Ant1-6665-Center-6665-Minimal



11ax160MIMO-Ant1-6665-High-6740-Minimal




11ax160MIMO-Ant1-6665-High-6740-Minimal

Radiated Spurious Emissions

Test Result


Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	5955
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7480.95	27.89	18.98	46.87	54.00	7.13	Horizontal	PASS
2	11325.33	36.01	4.97	40.98	54.00	13.02	Horizontal	PASS
3	17838.00	32.68	13.70	46.38	54.00	7.62	Horizontal	PASS
4	7416.55	35.76	18.95	54.71	74.00	19.29	Horizontal	PASS
5	11432.67	42.77	5.17	47.94	74.00	26.06	Horizontal	PASS
6	17934.00	39.55	13.50	53.05	74.00	20.95	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	5955
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7398.00	27.27	18.97	46.24	54.00	7.76	Vertical	PASS
2	11597.33	35.93	5.53	41.46	54.00	12.54	Vertical	PASS
3	17865.00	32.72	13.76	46.48	54.00	7.52	Vertical	PASS
4	7424.25	36.59	18.93	55.52	74.00	18.48	Vertical	PASS
5	11571.00	42.44	5.28	47.72	74.00	26.28	Vertical	PASS
6	17846.00	39.37	13.91	53.28	74.00	20.72	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6175
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7480.60	27.57	18.98	46.55	54.00	7.45	Horizontal	PASS
2	12034.67	35.31	5.60	40.91	54.00	13.09	Horizontal	PASS
3	17991.33	32.89	13.98	46.87	54.00	7.13	Horizontal	PASS
4	7455.40	36.22	18.89	55.11	74.00	18.89	Horizontal	PASS
5	12090.00	43.24	5.11	48.35	74.00	25.65	Horizontal	PASS
6	17842.33	39.64	13.81	53.45	74.00	20.55	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6175
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7514.20	28.07	19.06	47.13	54.00	6.87	Vertical	PASS
2	11592.00	35.48	5.48	40.96	54.00	13.04	Vertical	PASS
3	17850.33	32.83	14.01	46.84	54.00	7.16	Vertical	PASS
4	7514.55	35.74	19.06	54.80	74.00	19.20	Vertical	PASS
5	11483.67	43.01	5.04	48.05	74.00	25.95	Vertical	PASS
6	17926.33	39.93	13.43	53.36	74.00	20.64	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6415
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7478.15	28.15	18.98	47.13	54.00	6.87	Horizontal	PASS
2	10985.33	36.14	5.05	41.19	54.00	12.81	Horizontal	PASS
3	17850.67	33.35	14.01	47.36	54.00	6.64	Horizontal	PASS
4	7581.75	36.22	18.80	55.02	74.00	18.98	Horizontal	PASS
5	10985.00	43.43	5.04	48.47	74.00	25.53	Horizontal	PASS
6	17861.33	39.41	13.82	53.23	74.00	20.77	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6415
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7483.75	27.88	18.99	46.87	54.00	7.13	Vertical	PASS
2	12038.67	35.08	5.63	40.71	54.00	13.29	Vertical	PASS
3	17861.67	32.62	13.82	46.44	54.00	7.56	Vertical	PASS
4	7560.40	35.39	18.99	54.38	74.00	19.62	Vertical	PASS
5	12031.00	43.41	5.59	49.00	74.00	25.00	Vertical	PASS
6	17886.33	41.02	13.40	54.42	74.00	19.58	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6535
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7706.00	27.70	19.41	47.11	54.00	6.89	Horizontal	PASS
2	11586.67	35.77	5.43	41.20	54.00	12.80	Horizontal	PASS
3	17865.00	33.11	13.76	46.87	54.00	7.13	Horizontal	PASS
4	7655.95	35.40	19.34	54.74	74.00	19.26	Horizontal	PASS
5	11437.67	42.62	5.11	47.73	74.00	26.27	Horizontal	PASS
6	17856.67	39.40	13.90	53.30	74.00	20.70	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6535
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7434.40	27.91	18.81	46.72	54.00	7.28	Vertical	PASS
2	12397.33	35.90	5.98	41.88	54.00	12.12	Vertical	PASS
3	17858.33	33.68	13.88	47.56	54.00	6.44	Vertical	PASS
4	7445.95	35.82	18.79	54.61	74.00	19.39	Vertical	PASS
5	12252.67	42.41	5.29	47.70	74.00	26.30	Vertical	PASS
6	17863.33	39.45	13.80	53.25	74.00	20.75	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6695
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7464.15	28.07	18.79	46.86	54.00	7.14	Horizontal	PASS
2	12401.00	35.43	6.02	41.45	54.00	12.55	Horizontal	PASS
3	17859.67	33.24	13.86	47.10	54.00	6.90	Horizontal	PASS
4	7443.50	36.30	18.80	55.10	74.00	18.90	Horizontal	PASS
5	12500.00	43.16	5.64	48.80	74.00	25.20	Horizontal	PASS
6	17850.00	39.87	14.02	53.89	74.00	20.11	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6695
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7481.65	27.83	18.79	46.62	54.00	7.38	Vertical	PASS
2	12407.00	35.50	5.89	41.39	54.00	12.61	Vertical	PASS
3	17872.00	32.63	13.64	46.27	54.00	7.73	Vertical	PASS
4	7453.65	35.92	18.78	54.70	74.00	19.30	Vertical	PASS
5	12420.67	43.71	5.58	49.29	74.00	24.71	Vertical	PASS
6	17856.67	39.72	13.90	53.62	74.00	20.38	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6855
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7699.70	27.34	19.39	46.73	54.00	7.27	Horizontal	PASS
2	11309.67	36.01	4.72	40.73	54.00	13.27	Horizontal	PASS
3	17845.33	32.99	13.89	46.88	54.00	7.12	Horizontal	PASS
4	7704.95	35.37	19.41	54.78	74.00	19.22	Horizontal	PASS
5	11352.00	42.80	5.38	48.18	74.00	25.82	Horizontal	PASS
6	17844.67	39.53	13.88	53.41	74.00	20.59	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6855
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 2.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7654.55	27.69	19.34	47.03	54.00	6.97	Vertical	PASS
2	11447.00	35.67	5.03	40.70	54.00	13.30	Vertical	PASS
3	17996.00	32.38	14.00	46.38	54.00	7.62	Vertical	PASS
4	7489.70	35.63	18.80	54.43	74.00	19.57	Vertical	PASS
5	11574.67	42.59	5.32	47.91	74.00	26.09	Vertical	PASS
6	17851.00	39.72	14.00	53.72	74.00	20.28	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6875
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -4		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	6866.00	39.42	18.98	58.40	-	-	Horizontal	NA
2	7473.60	27.76	18.80	46.56	54.00	7.44	Horizontal	PASS
3	12066.33	35.54	5.46	41.00	54.00	13.00	Horizontal	PASS
4	17865.00	33.73	13.76	47.49	54.00	6.51	Horizontal	PASS
5	6865.65	46.34	18.98	65.32	-	-	Horizontal	NA
6	7404.30	35.86	18.81	54.67	74.00	19.33	Horizontal	PASS
7	12094.00	43.51	5.04	48.55	74.00	25.45	Horizontal	PASS
8	17864.67	39.60	13.77	53.37	74.00	20.63	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6875
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -4		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6866.35	50.21	18.99	69.20	-	-	Vertical	NA
2	7463.80	28.15	18.77	46.92	54.00	7.08	Vertical	PASS
3	11605.67	35.61	5.44	41.05	54.00	12.95	Vertical	PASS
4	17837.67	33.12	13.69	46.81	54.00	7.19	Vertical	PASS
5	6866.35	57.40	18.99	76.39	-	-	Vertical	NA
6	7491.45	36.01	18.85	54.86	74.00	19.14	Vertical	PASS
7	11408.00	42.44	5.39	47.83	74.00	26.17	Vertical	PASS
8	17838.67	39.44	13.71	53.15	74.00	20.85	Vertical	PASS

Project Information

Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	6165
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 4		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7481.30	27.60	18.98	46.58	54.00	7.42	Horizontal	PASS
2	12032.00	35.02	5.59	40.61	54.00	13.39	Horizontal	PASS
3	17851.33	32.51	13.99	46.50	54.00	7.50	Horizontal	PASS
4	7526.80	35.66	19.06	54.72	74.00	19.28	Horizontal	PASS
5	11994.67	42.75	5.34	48.09	74.00	25.91	Horizontal	PASS
6	17849.67	39.72	14.01	53.73	74.00	20.27	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	6165
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 4		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7626.55	28.20	18.94	47.14	54.00	6.86	Vertical	PASS
2	11368.67	36.12	5.41	41.53	54.00	12.47	Vertical	PASS
3	17861.33	32.90	13.82	46.72	54.00	7.28	Vertical	PASS
4	7569.85	35.20	18.91	54.11	74.00	19.89	Vertical	PASS
5	11501.33	42.56	5.06	47.62	74.00	26.38	Vertical	PASS
6	17856.67	39.96	13.90	53.86	74.00	20.14	Vertical	PASS

Project Information

Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	6565
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 4		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7568.45	27.86	18.77	46.63	54.00	7.37	Horizontal	PASS
2	12037.33	36.09	5.63	41.72	54.00	12.28	Horizontal	PASS
3	17851.33	32.34	13.99	46.33	54.00	7.67	Horizontal	PASS
4	7481.65	35.73	18.79	54.52	74.00	19.48	Horizontal	PASS
5	12080.67	43.24	5.25	48.49	74.00	25.51	Horizontal	PASS
6	17846.67	39.08	13.93	53.01	74.00	20.99	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	6565
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 4		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7458.55	27.82	18.79	46.61	54.00	7.39	Vertical	PASS
2	12507.00	35.80	5.51	41.31	54.00	12.69	Vertical	PASS
3	17844.00	32.89	13.86	46.75	54.00	7.25	Vertical	PASS
4	7553.05	35.20	18.92	54.12	74.00	19.88	Vertical	PASS
5	12427.67	43.49	5.42	48.91	74.00	25.09	Vertical	PASS
6	17860.00	39.99	13.85	53.84	74.00	20.16	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	/
Bandwidth	80MHz	Channel	6145
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7744.85	27.62	19.57	47.19	54.00	6.81	Horizontal	PASS
2	12502.67	35.56	5.59	41.15	54.00	12.85	Horizontal	PASS
3	17987.00	32.44	13.94	46.38	54.00	7.62	Horizontal	PASS
4	7656.65	35.86	19.19	55.05	74.00	18.95	Horizontal	PASS
5	12404.67	43.01	5.94	48.95	74.00	25.05	Horizontal	PASS
6	17989.33	39.20	13.96	53.16	74.00	20.84	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	/
Bandwidth	80MHz	Channel	6145
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7522.25	27.99	19.06	47.05	54.00	6.95	Vertical	PASS
2	12012.67	35.51	5.47	40.98	54.00	13.02	Vertical	PASS
3	17863.67	33.54	13.79	47.33	54.00	6.67	Vertical	PASS
4	7399.40	35.43	18.99	54.42	74.00	19.58	Vertical	PASS
5	12030.00	42.42	5.58	48.00	74.00	26.00	Vertical	PASS
6	17863.33	40.40	13.80	54.20	74.00	19.80	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	/
Bandwidth	80MHz	Channel	6625
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7448.75	27.68	18.79	46.47	54.00	7.53	Horizontal	PASS
2	11593.33	35.45	5.50	40.95	54.00	13.05	Horizontal	PASS
3	17864.67	33.14	13.77	46.91	54.00	7.09	Horizontal	PASS
4	7482.35	35.31	18.79	54.10	74.00	19.90	Horizontal	PASS
5	11611.67	43.00	5.31	48.31	74.00	25.69	Horizontal	PASS
6	17857.67	39.44	13.89	53.33	74.00	20.67	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	/
Bandwidth	80MHz	Channel	6625
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 8		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7747.30	27.42	19.57	46.99	54.00	7.01	Vertical	PASS
2	11990.67	35.51	5.29	40.80	54.00	13.20	Vertical	PASS
3	17933.33	33.23	13.49	46.72	54.00	7.28	Vertical	PASS
4	7692.35	35.58	19.38	54.96	74.00	19.04	Vertical	PASS
5	11983.33	43.28	5.21	48.49	74.00	25.51	Vertical	PASS
6	17993.00	39.30	13.98	53.28	74.00	20.72	Vertical	PASS

Project Information

Mode:	802.11ax160	Band:	/
Bandwidth	160MHz	Channel	6345
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6491.15	37.81	18.05	55.86	-	-	Horizontal	NA
2	7479.90	28.11	18.98	47.09	54.00	6.91	Horizontal	PASS
3	12405.33	35.24	5.92	41.16	54.00	12.84	Horizontal	PASS
4	17851.00	32.48	14.00	46.48	54.00	7.52	Horizontal	PASS
5	6490.80	45.13	18.04	63.17	-	-	Horizontal	NA
6	7402.55	35.35	18.98	54.33	74.00	19.67	Horizontal	PASS
7	12408.67	42.00	5.84	47.84	74.00	26.16	Horizontal	PASS
8	17844.33	39.87	13.87	53.74	74.00	20.26	Horizontal	PASS

Project Information

Mode:	802.11ax160	Band:	/
Bandwidth	160MHz	Channel	6345
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	6489.75	49.50	18.04	67.54	-	-	Vertical	NA
2	7646.85	27.66	19.16	46.82	54.00	7.18	Vertical	PASS
3	12398.00	35.88	6.00	41.88	54.00	12.12	Vertical	PASS
4	17972.67	32.75	13.83	46.58	54.00	7.42	Vertical	PASS
5	6489.40	55.74	18.04	73.78	-	-	Vertical	NA
6	7595.75	36.05	18.68	54.73	74.00	19.27	Vertical	PASS
7	12401.33	42.40	6.01	48.41	74.00	25.59	Vertical	PASS
8	17841.67	39.68	13.79	53.47	74.00	20.53	Vertical	PASS

Project Information

Mode:	802.11ax160	Band:	/
Bandwidth	160MHz	Channel	6665
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7399.40	28.20	18.86	47.06	54.00	6.94	Horizontal	PASS
2	12399.00	35.30	6.02	41.32	54.00	12.68	Horizontal	PASS
3	17841.67	33.15	13.79	46.94	54.00	7.06	Horizontal	PASS
4	7486.90	36.02	18.79	54.81	74.00	19.19	Horizontal	PASS
5	12041.00	42.11	5.65	47.76	74.00	26.24	Horizontal	PASS
6	17867.00	39.58	13.73	53.31	74.00	20.69	Horizontal	PASS

Project Information

Mode:	802.11ax160	Band:	/
Bandwidth	160MHz	Channel	6665
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	6475.40	39.06	17.66	56.72	-	-	Vertical	NA
2	7446.65	27.71	18.78	46.49	54.00	7.51	Vertical	PASS
3	12398.67	35.34	6.02	41.36	54.00	12.64	Vertical	PASS
4	17825.33	33.67	13.35	47.02	54.00	6.98	Vertical	PASS
5	6486.60	45.40	17.68	63.08	-	-	Vertical	NA
6	7490.75	35.71	18.79	54.50	74.00	19.50	Vertical	PASS
7	12398.33	42.73	6.01	48.74	74.00	25.26	Vertical	PASS
8	17825.00	40.29	13.34	53.63	74.00	20.37	Vertical	PASS

Project Information

Mode:	802.11ax160	Band:	/
Bandwidth	160MHz	Channel	6825
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	6898.55	56.00	18.66	74.66	-	-	Horizontal	NA
2	7482.70	27.89	18.80	46.69	54.00	7.31	Horizontal	PASS
3	11522.67	36.08	5.07	41.15	54.00	12.85	Horizontal	PASS
4	17844.00	32.72	13.86	46.58	54.00	7.42	Horizontal	PASS
5	6896.45	63.80	18.66	82.46	-	-	Horizontal	NA
6	7536.95	35.59	18.91	54.50	74.00	19.50	Horizontal	PASS
7	11492.33	42.55	5.05	47.60	74.00	26.40	Horizontal	PASS
8	17848.33	39.46	13.98	53.44	74.00	20.56	Horizontal	PASS

Project Information

Mode:	802.11ax160	Band:	/
Bandwidth	160MHz	Channel	6825
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6897.85	66.94	18.66	85.60	-	-	Vertical	NA
2	7388.90	28.26	18.75	47.01	54.00	6.99	Vertical	PASS
3	11423.67	35.71	5.25	40.96	54.00	13.04	Vertical	PASS
4	17859.00	32.81	13.87	46.68	54.00	7.32	Vertical	PASS
5	6899.25	75.10	18.67	93.77	-	-	Vertical	NA
6	7428.80	35.65	18.81	54.46	74.00	19.54	Vertical	PASS
7	11317.67	42.82	4.84	47.66	74.00	26.34	Vertical	PASS
8	17955.33	39.88	13.69	53.57	74.00	20.43	Vertical	PASS

Project Information

Mode:	802.11ax20 26t-0	Band:	U-NII-5
Bandwidth	20MHz	Channel	5955
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7485.15	27.94	19.00	46.94	54.00	7.06	Horizontal	PASS
2	12002.00	35.12	5.41	40.53	54.00	13.47	Horizontal	PASS
3	17996.67	32.42	14.02	46.44	54.00	7.56	Horizontal	PASS
4	7409.55	35.43	18.97	54.40	74.00	19.60	Horizontal	PASS
5	11992.67	42.79	5.32	48.11	74.00	25.89	Horizontal	PASS
6	17862.33	40.20	13.81	54.01	74.00	19.99	Horizontal	PASS

Project Information

Mode:	802.11ax20 26t-0	Band:	U-NII-5
Bandwidth	20MHz	Channel	5955
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -6		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7436.85	27.87	18.90	46.77	54.00	7.23	Vertical	PASS
2	12413.67	35.74	5.73	41.47	54.00	12.53	Vertical	PASS
3	17858.33	32.73	13.88	46.61	54.00	7.39	Vertical	PASS
4	7480.60	35.72	18.98	54.70	74.00	19.30	Vertical	PASS
5	12395.33	42.91	5.94	48.85	74.00	25.15	Vertical	PASS
6	17934.67	39.82	13.50	53.32	74.00	20.68	Vertical	PASS

Project Information			
Mode:	802.11ax20 26t-0	Band:	U-NII-5
Bandwidth	20MHz	Channel	6175
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -6		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7569.85	28.16	18.91	47.07	54.00	6.93	Horizontal	PASS
2	12020.67	35.17	5.52	40.69	54.00	13.31	Horizontal	PASS
3	17848.67	32.44	13.99	46.43	54.00	7.57	Horizontal	PASS
4	7432.65	35.63	18.91	54.54	74.00	19.46	Horizontal	PASS
5	11871.67	43.00	5.25	48.25	74.00	25.75	Horizontal	PASS
6	17848.67	39.32	13.99	53.31	74.00	20.69	Horizontal	PASS

Project Information

Mode:	802.11ax20 26t-0	Band:	U-NII-5
Bandwidth	20MHz	Channel	6175
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7493.55	27.63	19.03	46.66	54.00	7.34	Vertical	PASS
2	12399.00	35.13	6.02	41.15	54.00	12.85	Vertical	PASS
3	17829.33	33.15	13.46	46.61	54.00	7.39	Vertical	PASS
4	7507.90	35.46	19.06	54.52	74.00	19.48	Vertical	PASS
5	12394.33	42.23	5.92	48.15	74.00	25.85	Vertical	PASS
6	17999.33	39.90	14.04	53.94	74.00	20.06	Vertical	PASS

Project Information

Mode:	802.11ax20 26t-8	Band:	U-NII-5
Bandwidth	20MHz	Channel	6415
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7487.60	27.66	19.01	46.67	54.00	7.33	Horizontal	PASS
2	11466.33	35.50	5.02	40.52	54.00	13.48	Horizontal	PASS
3	17861.00	33.19	13.83	47.02	54.00	6.98	Horizontal	PASS
4	7486.55	36.35	19.00	55.35	74.00	18.65	Horizontal	PASS
5	11616.67	43.12	5.20	48.32	74.00	25.68	Horizontal	PASS
6	17860.67	39.58	13.84	53.42	74.00	20.58	Horizontal	PASS

Project Information

Mode:	802.11ax20 26t-8	Band:	U-NII-5
Bandwidth	20MHz	Channel	6415
SN:	D1A24K70R000097	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -6		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7432.30	27.93	18.91	46.84	54.00	7.16	Vertical	PASS
2	12470.00	35.86	5.21	41.07	54.00	12.93	Vertical	PASS
3	17845.00	33.44	13.88	47.32	54.00	6.68	Vertical	PASS
4	7538.70	35.74	19.08	54.82	74.00	19.18	Vertical	PASS
5	12405.00	42.93	5.93	48.86	74.00	25.14	Vertical	PASS
6	17844.67	39.81	13.88	53.69	74.00	20.31	Vertical	PASS

Project Information			
Mode:	802.11ax20 106t-53	Band:	U-NII-5
Bandwidth	20MHz	Channel	6415
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -6		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7532.40	27.13	19.06	46.19	54.00	7.81	Horizontal	PASS
2	11485.67	35.42	5.04	40.46	54.00	13.54	Horizontal	PASS
3	17848.00	31.80	13.97	45.77	54.00	8.23	Horizontal	PASS
4	7625.85	34.70	18.93	53.63	74.00	20.37	Horizontal	PASS
5	11419.00	42.65	5.29	47.94	74.00	26.06	Horizontal	PASS
6	17861.00	39.55	13.83	53.38	74.00	20.62	Horizontal	PASS

Project Information

Mode:	802.11ax20 106t-53	Band:	U-NII-5
Bandwidth	20MHz	Channel	6415
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -6		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7517.35	26.99	19.06	46.05	54.00	7.95	Vertical	PASS
2	12050.67	34.41	5.69	40.10	54.00	13.90	Vertical	PASS
3	17934.33	32.73	13.50	46.23	54.00	7.77	Vertical	PASS
4	7463.10	35.14	18.92	54.06	74.00	19.94	Vertical	PASS
5	12098.67	42.54	4.98	47.52	74.00	26.48	Vertical	PASS
6	17984.33	39.54	13.92	53.46	74.00	20.54	Vertical	PASS

Project Information			
Mode:	802.11ax40 242t-61	Band:	U-NII-5
Bandwidth	40MHz	Channel	6405
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -3		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7498.80	26.91	19.05	45.96	54.00	8.04	Horizontal	PASS
2	11432.00	35.09	5.17	40.26	54.00	13.74	Horizontal	PASS
3	17843.00	32.07	13.83	45.90	54.00	8.10	Horizontal	PASS
4	7575.80	35.02	18.85	53.87	74.00	20.13	Horizontal	PASS
5	11529.67	41.96	5.07	47.03	74.00	26.97	Horizontal	PASS
6	17890.00	39.76	13.34	53.10	74.00	20.90	Horizontal	PASS

Project Information

Mode:	802.11ax40 242t-61	Band:	U-NII-5
Bandwidth	40MHz	Channel	6405
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7484.10	27.12	18.99	46.11	54.00	7.89	Vertical	PASS
2	12092.00	35.32	5.08	40.40	54.00	13.60	Vertical	PASS
3	17862.33	32.07	13.81	45.88	54.00	8.12	Vertical	PASS
4	7481.30	35.39	18.98	54.37	74.00	19.63	Vertical	PASS
5	12027.00	41.27	5.57	46.84	74.00	27.16	Vertical	PASS
6	17931.00	39.86	13.46	53.32	74.00	20.68	Vertical	PASS

Project Information

Mode:	802.11ax80 484t-65	Band:	U-NII-5
Bandwidth	80MHz	Channel	6385
SN:	D1A24J40A000043	Engineer:	Shen Zhuang
Remark:	Polarity: X Power: -1		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	7482.00	27.17	18.98	46.15	54.00	7.85	Horizontal	PASS
2	12009.33	34.63	5.46	40.09	54.00	13.91	Horizontal	PASS
3	17860.67	32.36	13.84	46.20	54.00	7.80	Horizontal	PASS
4	7484.80	35.23	19.00	54.23	74.00	19.77	Horizontal	PASS
5	12093.00	42.54	5.06	47.60	74.00	26.40	Horizontal	PASS
6	17841.00	39.15	13.77	52.92	74.00	21.08	Horizontal	PASS