



Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6405
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5091.85	27.49	14.19	41.68	54.00	12.32	Vertical	PASS
2	11348.33	35.20	5.34	40.54	54.00	13.46	Vertical	PASS
3	17977.33	32.33	13.86	46.19	54.00	7.81	Vertical	PASS
4	5085.90	35.52	14.11	49.63	74.00	24.37	Vertical	PASS
5	11348.00	42.61	5.34	47.95	74.00	26.05	Vertical	PASS
6	17850.67	39.10	14.01	53.11	74.00	20.89	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	5985
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5095.70	27.86	14.24	42.10	54.00	11.90	Horizontal	PASS
2	11569.33	35.64	5.27	40.91	54.00	13.09	Horizontal	PASS
3	17854.33	32.96	13.95	46.91	54.00	7.09	Horizontal	PASS
4	5110.40	34.71	14.30	49.01	74.00	24.99	Horizontal	PASS
5	11605.67	42.19	5.44	47.63	74.00	26.37	Horizontal	PASS
6	17862.67	38.95	13.81	52.76	74.00	21.24	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	5985
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5099.90	26.99	14.30	41.29	54.00	12.71	Vertical	PASS
2	12065.67	36.48	5.47	41.95	54.00	12.05	Vertical	PASS
3	17844.33	32.23	13.87	46.10	54.00	7.90	Vertical	PASS
4	5090.80	35.19	14.18	49.37	74.00	24.63	Vertical	PASS
5	11980.33	42.91	5.18	48.09	74.00	25.91	Vertical	PASS
6	17924.33	39.59	13.41	53.00	74.00	21.00	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6145
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4913.35	27.93	13.18	41.11	54.00	12.89	Horizontal	PASS
2	11307.33	36.81	4.68	41.49	54.00	12.51	Horizontal	PASS
3	17997.67	32.02	14.02	46.04	54.00	7.96	Horizontal	PASS
4	4977.75	35.25	13.38	48.63	74.00	25.37	Horizontal	PASS
5	11523.33	43.11	5.07	48.18	74.00	25.82	Horizontal	PASS
6	17980.33	39.23	13.89	53.12	74.00	20.88	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6145
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5091.50	27.07	14.18	41.25	54.00	12.75	Vertical	PASS
2	11536.67	35.62	5.07	40.69	54.00	13.31	Vertical	PASS
3	17842.00	32.37	13.80	46.17	54.00	7.83	Vertical	PASS
4	5093.60	34.84	14.22	49.06	74.00	24.94	Vertical	PASS
5	11397.67	42.81	5.46	48.27	74.00	25.73	Vertical	PASS
6	17886.33	39.88	13.40	53.28	74.00	20.72	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6385
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5006.10	27.52	13.53	41.05	54.00	12.95	Horizontal	PASS
2	11428.33	35.83	5.20	41.03	54.00	12.97	Horizontal	PASS
3	17863.33	32.18	13.80	45.98	54.00	8.02	Horizontal	PASS
4	4990.00	34.97	13.46	48.43	74.00	25.57	Horizontal	PASS
5	11381.00	42.20	5.43	47.63	74.00	26.37	Horizontal	PASS
6	17942.67	39.22	13.58	52.80	74.00	21.20	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6385
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5098.15	28.04	14.28	42.32	54.00	11.68	Vertical	PASS
2	12014.00	35.63	5.48	41.11	54.00	12.89	Vertical	PASS
3	17862.00	32.77	13.81	46.58	54.00	7.42	Vertical	PASS
4	5097.80	34.85	14.28	49.13	74.00	24.87	Vertical	PASS
5	12013.67	42.47	5.48	47.95	74.00	26.05	Vertical	PASS
6	17849.00	39.06	13.99	53.05	74.00	20.95	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6025
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4996.30	28.11	13.49	41.60	54.00	12.40	Horizontal	PASS
2	11604.33	35.61	5.47	41.08	54.00	12.92	Horizontal	PASS
3	17849.67	32.31	14.01	46.32	54.00	7.68	Horizontal	PASS
4	5006.80	35.15	13.54	48.69	74.00	25.31	Horizontal	PASS
5	11554.67	42.46	5.13	47.59	74.00	26.41	Horizontal	PASS
6	17998.67	39.40	14.02	53.42	74.00	20.58	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6025
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5002.95	28.03	13.53	41.56	54.00	12.44	Vertical	PASS
2	11428.67	35.79	5.20	40.99	54.00	13.01	Vertical	PASS
3	17845.00	32.10	13.88	45.98	54.00	8.02	Vertical	PASS
4	4992.45	35.58	13.47	49.05	74.00	24.95	Vertical	PASS
5	11399.67	42.39	5.47	47.86	74.00	26.14	Vertical	PASS
6	17847.33	38.97	13.94	52.91	74.00	21.09	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6185
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5064.90	27.51	13.84	41.35	54.00	12.65	Horizontal	PASS
2	11417.67	35.65	5.30	40.95	54.00	13.05	Horizontal	PASS
3	17834.67	32.88	13.60	46.48	54.00	7.52	Horizontal	PASS
4	5096.40	35.03	14.25	49.28	74.00	24.72	Horizontal	PASS
5	11574.00	42.84	5.31	48.15	74.00	25.85	Horizontal	PASS
6	17932.33	39.47	13.48	52.95	74.00	21.05	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6185
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5003.30	27.68	13.53	41.21	54.00	12.79	Vertical	PASS
2	11512.33	36.07	5.06	41.13	54.00	12.87	Vertical	PASS
3	17945.33	33.04	13.60	46.64	54.00	7.36	Vertical	PASS
4	4988.25	35.70	13.45	49.15	74.00	24.85	Vertical	PASS
5	11398.67	42.25	5.47	47.72	74.00	26.28	Vertical	PASS
6	17965.00	40.07	13.77	53.84	74.00	20.16	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6345
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4939.25	28.02	13.20	41.22	54.00	12.78	Horizontal	PASS
2	11427.67	35.52	5.21	40.73	54.00	13.27	Horizontal	PASS
3	17862.00	32.74	13.81	46.55	54.00	7.45	Horizontal	PASS
4	4991.05	35.29	13.46	48.75	74.00	25.25	Horizontal	PASS
5	11434.67	42.99	5.15	48.14	74.00	25.86	Horizontal	PASS
6	17860.33	39.07	13.84	52.91	74.00	21.09	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6345
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5096.75	27.17	14.25	41.42	54.00	12.58	Vertical	PASS
2	11488.67	35.93	5.05	40.98	54.00	13.02	Vertical	PASS
3	17934.33	32.67	13.50	46.17	54.00	7.83	Vertical	PASS
4	5092.20	35.35	14.19	49.54	74.00	24.46	Vertical	PASS
5	11411.67	43.67	5.36	49.03	74.00	24.97	Vertical	PASS
6	17855.67	38.89	13.92	52.81	74.00	21.19	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6435
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5110.05	26.71	14.11	40.82	54.00	13.18	Horizontal	PASS
2	11494.67	35.97	5.06	41.03	54.00	12.97	Horizontal	PASS
3	17857.67	32.69	13.89	46.58	54.00	7.42	Horizontal	PASS
4	5110.05	34.86	14.11	48.97	74.00	25.03	Horizontal	PASS
5	11351.00	42.38	5.37	47.75	74.00	26.25	Horizontal	PASS
6	17860.00	39.65	13.85	53.50	74.00	20.50	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6435
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4823.75	27.79	13.19	40.98	54.00	13.02	Vertical	PASS
2	11456.00	35.71	5.00	40.71	54.00	13.29	Vertical	PASS
3	17864.33	32.79	13.78	46.57	54.00	7.43	Vertical	PASS
4	4816.40	36.06	13.20	49.26	74.00	24.74	Vertical	PASS
5	11496.67	42.31	5.05	47.36	74.00	26.64	Vertical	PASS
6	17983.33	39.15	13.91	53.06	74.00	20.94	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6475
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4637.20	27.52	13.22	40.74	54.00	13.26	Horizontal	PASS
2	12094.67	36.05	5.03	41.08	54.00	12.92	Horizontal	PASS
3	17860.33	32.56	13.84	46.40	54.00	7.60	Horizontal	PASS
4	4648.05	35.72	13.38	49.10	74.00	24.90	Horizontal	PASS
5	12046.00	43.56	5.68	49.24	74.00	24.76	Horizontal	PASS
6	17847.67	39.21	13.96	53.17	74.00	20.83	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6475
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4750.60	27.42	13.15	40.57	54.00	13.43	Vertical	PASS
2	12031.67	35.67	5.59	41.26	54.00	12.74	Vertical	PASS
3	17853.00	31.96	13.97	45.93	54.00	8.07	Vertical	PASS
4	4747.10	35.74	13.11	48.85	74.00	25.15	Vertical	PASS
5	12014.67	42.25	5.48	47.73	74.00	26.27	Vertical	PASS
6	17889.67	39.77	13.35	53.12	74.00	20.88	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6515
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4827.95	27.48	13.18	40.66	54.00	13.34	Horizontal	PASS
2	12379.00	35.27	5.61	40.88	54.00	13.12	Horizontal	PASS
3	17850.00	32.47	14.02	46.49	54.00	7.51	Horizontal	PASS
4	4829.35	35.54	13.18	48.72	74.00	25.28	Horizontal	PASS
5	12401.33	42.35	6.01	48.36	74.00	25.64	Horizontal	PASS
6	17862.67	39.80	13.81	53.61	74.00	20.39	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6515
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5046.00	28.09	13.65	41.74	54.00	12.26	Vertical	PASS
2	11496.00	35.85	5.05	40.90	54.00	13.10	Vertical	PASS
3	17975.67	32.72	13.85	46.57	54.00	7.43	Vertical	PASS
4	5127.90	35.31	14.24	49.55	74.00	24.45	Vertical	PASS
5	11484.67	42.88	5.05	47.93	74.00	26.07	Vertical	PASS
6	17838.00	39.90	13.70	53.60	74.00	20.40	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6435
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4821.30	27.77	13.20	40.97	54.00	13.03	Horizontal	PASS
2	11497.67	35.62	5.05	40.67	54.00	13.33	Horizontal	PASS
3	17989.00	32.35	13.96	46.31	54.00	7.69	Horizontal	PASS
4	4819.55	36.10	13.20	49.30	74.00	24.70	Horizontal	PASS
5	11545.00	43.27	5.08	48.35	74.00	25.65	Horizontal	PASS
6	17844.67	39.78	13.88	53.66	74.00	20.34	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6435
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4967.25	27.39	13.18	40.57	54.00	13.43	Vertical	PASS
2	11581.67	35.80	5.38	41.18	54.00	12.82	Vertical	PASS
3	17848.33	32.36	13.98	46.34	54.00	7.66	Vertical	PASS
4	4947.30	35.93	13.13	49.06	74.00	24.94	Vertical	PASS
5	11484.33	43.54	5.05	48.59	74.00	25.41	Vertical	PASS
6	17966.33	39.10	13.78	52.88	74.00	21.12	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6475
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5104.45	27.19	14.08	41.27	54.00	12.73	Horizontal	PASS
2	12047.33	35.85	5.69	41.54	54.00	12.46	Horizontal	PASS
3	17849.33	32.28	14.00	46.28	54.00	7.72	Horizontal	PASS
4	5041.10	35.17	13.61	48.78	74.00	25.22	Horizontal	PASS
5	12012.67	42.28	5.47	47.75	74.00	26.25	Horizontal	PASS
6	17844.00	40.59	13.86	54.45	74.00	19.55	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6475
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4644.20	27.64	13.32	40.96	54.00	13.04	Vertical	PASS
2	12038.33	35.18	5.63	40.81	54.00	13.19	Vertical	PASS
3	17890.67	32.87	13.33	46.20	54.00	7.80	Vertical	PASS
4	4630.90	35.63	13.14	48.77	74.00	25.23	Vertical	PASS
5	12086.00	42.79	5.17	47.96	74.00	26.04	Vertical	PASS
6	17877.67	39.36	13.55	52.91	74.00	21.09	Vertical	PASS


Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6515
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5108.65	27.45	14.10	41.55	54.00	12.45	Horizontal	PASS
2	12021.00	35.45	5.53	40.98	54.00	13.02	Horizontal	PASS
3	17864.33	32.59	13.78	46.37	54.00	7.63	Horizontal	PASS
4	5092.55	35.62	13.99	49.61	74.00	24.39	Horizontal	PASS
5	12063.67	42.50	5.49	47.99	74.00	26.01	Horizontal	PASS
6	17842.00	39.14	13.80	52.94	74.00	21.06	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6515
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5076.80	27.47	13.87	41.34	54.00	12.66	Vertical	PASS
2	12046.67	35.03	5.68	40.71	54.00	13.29	Vertical	PASS
3	17849.00	32.31	13.99	46.30	54.00	7.70	Vertical	PASS
4	5071.90	35.01	13.84	48.85	74.00	25.15	Vertical	PASS
5	12021.67	42.59	5.53	48.12	74.00	25.88	Vertical	PASS
6	17847.00	39.29	13.93	53.22	74.00	20.78	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6445
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5012.05	27.45	13.36	40.81	54.00	13.19	Horizontal	PASS
2	11488.67	36.23	5.05	41.28	54.00	12.72	Horizontal	PASS
3	17851.67	32.81	13.99	46.80	54.00	7.20	Horizontal	PASS
4	4999.45	35.98	13.25	49.23	74.00	24.77	Horizontal	PASS
5	11412.33	42.79	5.36	48.15	74.00	25.85	Horizontal	PASS
6	17842.67	39.74	13.83	53.57	74.00	20.43	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6445
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5109.35	28.04	14.11	42.15	54.00	11.85	Vertical	PASS
2	12005.67	35.63	5.44	41.07	54.00	12.93	Vertical	PASS
3	17861.33	32.90	13.82	46.72	54.00	7.28	Vertical	PASS
4	5103.40	36.23	14.06	50.29	74.00	23.71	Vertical	PASS
5	12047.00	42.38	5.69	48.07	74.00	25.93	Vertical	PASS
6	17843.33	39.59	13.84	53.43	74.00	20.57	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6485
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.70	27.41	14.37	41.78	54.00	12.22	Horizontal	PASS
2	12044.67	36.14	5.66	41.80	54.00	12.20	Horizontal	PASS
3	17843.67	32.77	13.85	46.62	54.00	7.38	Horizontal	PASS
4	5117.05	35.00	14.17	49.17	74.00	24.83	Horizontal	PASS
5	12113.67	44.42	4.82	49.24	74.00	24.76	Horizontal	PASS
6	17862.67	39.39	13.81	53.20	74.00	20.80	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6485
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5063.50	27.33	13.79	41.12	54.00	12.88	Vertical	PASS
2	12034.33	35.54	5.60	41.14	54.00	12.86	Vertical	PASS
3	17855.67	32.82	13.92	46.74	54.00	7.26	Vertical	PASS
4	5028.85	36.44	13.50	49.94	74.00	24.06	Vertical	PASS
5	12035.33	42.71	5.62	48.33	74.00	25.67	Vertical	PASS
6	17858.00	40.15	13.89	54.04	74.00	19.96	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6465
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5060.35	27.41	13.76	41.17	54.00	12.83	Horizontal	PASS
2	11543.00	36.07	5.08	41.15	54.00	12.85	Horizontal	PASS
3	17987.33	32.62	13.94	46.56	54.00	7.44	Horizontal	PASS
4	5060.00	34.92	13.76	48.68	74.00	25.32	Horizontal	PASS
5	11434.00	43.19	5.15	48.34	74.00	25.66	Horizontal	PASS
6	17856.67	39.57	13.90	53.47	74.00	20.53	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6465
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5105.50	27.27	14.08	41.35	54.00	12.65	Vertical	PASS
2	11417.67	35.94	5.30	41.24	54.00	12.76	Vertical	PASS
3	17839.67	33.22	13.74	46.96	54.00	7.04	Vertical	PASS
4	5081.35	35.19	13.91	49.10	74.00	24.90	Vertical	PASS
5	11346.00	43.02	5.30	48.32	74.00	25.68	Vertical	PASS
6	17839.33	39.54	13.73	53.27	74.00	20.73	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6545
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5139.45	27.36	14.33	41.69	54.00	12.31	Horizontal	PASS
2	6556.60	63.62	18.08	81.70	-	-	Horizontal	NA
3	12061.00	35.75	5.54	41.29	54.00	12.71	Horizontal	PASS
4	17841.67	32.61	13.79	46.40	54.00	7.60	Horizontal	PASS
5	5109.35	34.58	14.11	48.69	74.00	25.31	Horizontal	PASS
6	6559.40	70.09	18.07	88.16	-	-	Horizontal	NA
7	12005.00	42.95	5.44	48.39	74.00	25.61	Horizontal	PASS
8	17985.67	40.08	13.93	54.01	74.00	19.99	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6545
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5056.85	27.63	13.73	41.36	54.00	12.64	Vertical	PASS
2	6557.65	68.47	18.08	86.55	-	-	Vertical	NA
3	11417.33	35.93	5.30	41.23	54.00	12.77	Vertical	PASS
4	17847.67	32.48	13.96	46.44	54.00	7.56	Vertical	PASS
5	5099.90	34.88	14.04	48.92	74.00	25.08	Vertical	PASS
6	6549.95	75.86	18.12	93.98	-	-	Vertical	NA
7	11489.00	43.18	5.05	48.23	74.00	25.77	Vertical	PASS
8	17864.67	39.67	13.77	53.44	74.00	20.56	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6505
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5113.55	27.42	14.14	41.56	54.00	12.44	Horizontal	PASS
2	6559.40	62.18	18.07	80.25	-	-	Horizontal	NA
3	12056.67	35.38	5.60	40.98	54.00	13.02	Horizontal	PASS
4	17852.00	32.56	13.98	46.54	54.00	7.46	Horizontal	PASS
5	5127.55	34.75	14.24	48.99	74.00	25.01	Horizontal	PASS
6	6570.95	70.04	18.01	88.05	-	-	Horizontal	NA
7	12054.00	42.32	5.64	47.96	74.00	26.04	Horizontal	PASS
8	17981.67	39.18	13.90	53.08	74.00	20.92	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6505
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4748.50	27.87	13.13	41.00	54.00	13.00	Vertical	PASS
2	6574.80	66.76	17.98	84.74	-	-	Vertical	NA
3	12057.67	35.88	5.59	41.47	54.00	12.53	Vertical	PASS
4	17839.33	33.07	13.73	46.80	54.00	7.20	Vertical	PASS
5	4805.20	36.02	13.21	49.23	74.00	24.77	Vertical	PASS
6	6555.90	74.82	18.09	92.91	-	-	Vertical	NA
7	12069.33	42.40	5.41	47.81	74.00	26.19	Vertical	PASS
8	17851.67	39.19	13.99	53.18	74.00	20.82	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6535
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5067.00	27.66	13.64	41.30	54.00	12.70	Horizontal	PASS
2	11414.00	35.68	5.34	41.02	54.00	12.98	Horizontal	PASS
3	17996.00	32.79	14.00	46.79	54.00	7.21	Horizontal	PASS
4	5068.75	34.94	13.66	48.60	74.00	25.40	Horizontal	PASS
5	11570.33	42.77	5.27	48.04	74.00	25.96	Horizontal	PASS
6	17863.33	39.84	13.80	53.64	74.00	20.36	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6535
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4689.35	28.20	12.54	40.74	54.00	13.26	Vertical	PASS
2	12404.33	35.30	5.94	41.24	54.00	12.76	Vertical	PASS
3	17865.00	33.08	13.76	46.84	54.00	7.16	Vertical	PASS
4	4689.00	36.82	12.54	49.36	74.00	24.64	Vertical	PASS
5	12404.00	42.50	5.95	48.45	74.00	25.55	Vertical	PASS
6	17878.33	40.06	13.54	53.60	74.00	20.40	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6695
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5062.80	28.02	13.61	41.63	54.00	12.37	Horizontal	PASS
2	12009.00	35.36	5.46	40.82	54.00	13.18	Horizontal	PASS
3	17858.33	32.63	13.88	46.51	54.00	7.49	Horizontal	PASS
4	5018.70	35.74	13.32	49.06	74.00	24.94	Horizontal	PASS
5	12067.33	43.27	5.45	48.72	74.00	25.28	Horizontal	PASS
6	17858.00	39.40	13.89	53.29	74.00	20.71	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6695
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5059.65	27.69	13.57	41.26	54.00	12.74	Vertical	PASS
2	12401.67	35.61	6.01	41.62	54.00	12.38	Vertical	PASS
3	17846.67	32.57	13.93	46.50	54.00	7.50	Vertical	PASS
4	5075.75	35.14	13.73	48.87	74.00	25.13	Vertical	PASS
5	12401.67	42.05	6.01	48.06	74.00	25.94	Vertical	PASS
6	17836.67	39.48	13.65	53.13	74.00	20.87	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6855
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5060.00	27.42	13.58	41.00	54.00	13.00	Horizontal	PASS
2	12006.33	36.38	5.44	41.82	54.00	12.18	Horizontal	PASS
3	17844.33	33.37	13.87	47.24	54.00	6.76	Horizontal	PASS
4	5059.65	36.04	13.57	49.61	74.00	24.39	Horizontal	PASS
5	12013.67	42.93	5.48	48.41	74.00	25.59	Horizontal	PASS
6	17857.33	39.64	13.89	53.53	74.00	20.47	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6855
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5096.05	27.30	13.92	41.22	54.00	12.78	Vertical	PASS
2	12403.33	35.08	5.96	41.04	54.00	12.96	Vertical	PASS
3	17847.00	32.73	13.93	46.66	54.00	7.34	Vertical	PASS
4	5050.90	35.34	13.49	48.83	74.00	25.17	Vertical	PASS
5	12377.00	43.04	5.56	48.60	74.00	25.40	Vertical	PASS
6	17848.33	39.52	13.98	53.50	74.00	20.50	Vertical	PASS


Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6535
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4956.40	27.45	13.14	40.59	54.00	13.41	Horizontal	PASS
2	12046.67	35.39	5.68	41.07	54.00	12.93	Horizontal	PASS
3	17967.67	32.77	13.79	46.56	54.00	7.44	Horizontal	PASS
4	4942.75	35.87	13.06	48.93	74.00	25.07	Horizontal	PASS
5	12046.33	43.35	5.68	49.03	74.00	24.97	Horizontal	PASS
6	17889.00	40.25	13.36	53.61	74.00	20.39	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6535
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5143.65	27.86	14.08	41.94	54.00	12.06	Vertical	PASS
2	11492.33	35.59	5.05	40.64	54.00	13.36	Vertical	PASS
3	17846.67	32.73	13.93	46.66	54.00	7.34	Vertical	PASS
4	5140.50	35.50	14.07	49.57	74.00	24.43	Vertical	PASS
5	11407.00	43.31	5.40	48.71	74.00	25.29	Vertical	PASS
6	17874.00	40.16	13.61	53.77	74.00	20.23	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6695
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5016.95	27.65	13.31	40.96	54.00	13.04	Horizontal	PASS
2	12366.33	35.48	5.34	40.82	54.00	13.18	Horizontal	PASS
3	17988.67	32.82	13.95	46.77	54.00	7.23	Horizontal	PASS
4	4977.40	36.01	13.17	49.18	74.00	24.82	Horizontal	PASS
5	12386.00	42.93	5.75	48.68	74.00	25.32	Horizontal	PASS
6	17844.67	39.44	13.88	53.32	74.00	20.68	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6695
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4787.35	27.77	13.11	40.88	54.00	13.12	Vertical	PASS
2	12405.33	35.44	5.92	41.36	54.00	12.64	Vertical	PASS
3	17941.00	32.62	13.56	46.18	54.00	7.82	Vertical	PASS
4	4746.05	36.03	12.71	48.74	74.00	25.26	Vertical	PASS
5	12418.33	43.01	5.63	48.64	74.00	25.36	Vertical	PASS
6	17845.67	39.89	13.90	53.79	74.00	20.21	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6855
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4974.25	28.11	13.18	41.29	54.00	12.71	Horizontal	PASS
2	12426.67	35.85	5.45	41.30	54.00	12.70	Horizontal	PASS
3	17825.00	33.64	13.34	46.98	54.00	7.02	Horizontal	PASS
4	5095.35	35.31	13.91	49.22	74.00	24.78	Horizontal	PASS
5	12426.33	43.36	5.46	48.82	74.00	25.18	Horizontal	PASS
6	17877.00	40.48	13.56	54.04	74.00	19.96	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6855
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5096.05	27.67	13.92	41.59	54.00	12.41	Vertical	PASS
2	11588.00	35.79	5.45	41.24	54.00	12.76	Vertical	PASS
3	17854.00	32.50	13.95	46.45	54.00	7.55	Vertical	PASS
4	5087.65	35.49	13.85	49.34	74.00	24.66	Vertical	PASS
5	11567.67	42.60	5.25	47.85	74.00	26.15	Vertical	PASS
6	17851.67	39.63	13.99	53.62	74.00	20.38	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6525
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4788.75	28.32	13.12	41.44	54.00	12.56	Horizontal	PASS
2	6506.90	46.62	17.73	64.35	-	-	Horizontal	NA
3	11934.00	36.24	4.99	41.23	54.00	12.77	Horizontal	PASS
4	17855.67	33.02	13.92	46.94	54.00	7.06	Horizontal	PASS
5	4823.75	35.33	13.10	48.43	74.00	25.57	Horizontal	PASS
6	6507.25	52.68	17.73	70.41	-	-	Horizontal	NA
7	11989.33	42.71	5.28	47.99	74.00	26.01	Horizontal	PASS
8	17890.00	40.05	13.34	53.39	74.00	20.61	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6525
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4780.00	27.49	13.03	40.52	54.00	13.48	Vertical	PASS
2	6507.25	51.81	17.73	69.54	-	-	Vertical	NA
3	12015.33	35.37	5.50	40.87	54.00	13.13	Vertical	PASS
4	17877.67	33.54	13.55	47.09	54.00	6.91	Vertical	PASS
5	4775.80	36.56	12.99	49.55	74.00	24.45	Vertical	PASS
6	6506.55	59.42	17.73	77.15	-	-	Vertical	NA
7	12079.67	42.92	5.26	48.18	74.00	25.82	Vertical	PASS
8	17977.00	39.41	13.86	53.27	74.00	20.73	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6565
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5021.15	27.51	13.33	40.84	54.00	13.16	Horizontal	PASS
2	12060.67	35.66	5.54	41.20	54.00	12.80	Horizontal	PASS
3	17841.67	33.32	13.79	47.11	54.00	6.89	Horizontal	PASS
4	4970.75	35.65	13.17	48.82	74.00	25.18	Horizontal	PASS
5	12046.33	42.55	5.68	48.23	74.00	25.77	Horizontal	PASS
6	17841.33	40.88	13.78	54.66	74.00	19.34	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6565
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5096.40	27.31	13.92	41.23	54.00	12.77	Vertical	PASS
2	12365.33	36.57	5.33	41.90	54.00	12.10	Vertical	PASS
3	17935.33	33.66	13.51	47.17	54.00	6.83	Vertical	PASS
4	5094.30	35.59	13.91	49.50	74.00	24.50	Vertical	PASS
5	12360.67	43.14	5.23	48.37	74.00	25.63	Vertical	PASS
6	17997.00	39.15	14.02	53.17	74.00	20.83	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6685
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5049.50	27.76	13.48	41.24	54.00	12.76	Horizontal	PASS
2	12407.33	34.90	5.88	40.78	54.00	13.22	Horizontal	PASS
3	17998.00	33.29	14.02	47.31	54.00	6.69	Horizontal	PASS
4	5054.75	35.42	13.53	48.95	74.00	25.05	Horizontal	PASS
5	12379.67	42.96	5.62	48.58	74.00	25.42	Horizontal	PASS
6	17855.00	39.23	13.93	53.16	74.00	20.84	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6685
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5104.45	27.15	13.97	41.12	54.00	12.88	Vertical	PASS
2	12377.00	35.41	5.56	40.97	54.00	13.03	Vertical	PASS
3	17853.67	33.02	13.96	46.98	54.00	7.02	Vertical	PASS
4	5087.65	35.95	13.85	49.80	74.00	24.20	Vertical	PASS
5	12403.33	42.71	5.96	48.67	74.00	25.33	Vertical	PASS
6	17998.00	39.45	14.02	53.47	74.00	20.53	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6845
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5080.30	27.62	13.77	41.39	54.00	12.61	Horizontal	PASS
2	12402.33	36.26	5.99	42.25	54.00	11.75	Horizontal	PASS
3	17861.67	33.02	13.82	46.84	54.00	7.16	Horizontal	PASS
4	5065.25	35.67	13.63	49.30	74.00	24.70	Horizontal	PASS
5	12033.67	42.80	5.60	48.40	74.00	25.60	Horizontal	PASS
6	17835.00	40.47	13.61	54.08	74.00	19.92	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6845
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5139.80	27.35	14.07	41.42	54.00	12.58	Vertical	PASS
2	12124.00	36.08	4.71	40.79	54.00	13.21	Vertical	PASS
3	17852.00	32.69	13.98	46.67	54.00	7.33	Vertical	PASS
4	5109.35	35.79	13.99	49.78	74.00	24.22	Vertical	PASS
5	12123.67	43.63	4.72	48.35	74.00	25.65	Vertical	PASS
6	17857.67	39.50	13.89	53.39	74.00	20.61	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6625
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5071.90	27.57	13.69	41.26	54.00	12.74	Horizontal	PASS
2	12378.67	35.25	5.60	40.85	54.00	13.15	Horizontal	PASS
3	17852.67	33.22	13.98	47.20	54.00	6.80	Horizontal	PASS
4	5068.40	35.03	13.66	48.69	74.00	25.31	Horizontal	PASS
5	12400.00	41.57	6.04	47.61	74.00	26.39	Horizontal	PASS
6	17854.00	39.60	13.95	53.55	74.00	20.45	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6625
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5078.55	27.73	13.76	41.49	54.00	12.51	Vertical	PASS
2	11419.33	35.66	5.29	40.95	54.00	13.05	Vertical	PASS
3	17853.67	32.99	13.96	46.95	54.00	7.05	Vertical	PASS
4	5027.10	36.35	13.36	49.71	74.00	24.29	Vertical	PASS
5	11416.67	42.98	5.31	48.29	74.00	25.71	Vertical	PASS
6	17448.00	41.88	12.44	54.32	68.20	13.88	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6705
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4981.60	28.30	13.18	41.48	54.00	12.52	Horizontal	PASS
2	11364.67	35.43	5.40	40.83	54.00	13.17	Horizontal	PASS
3	17849.67	32.13	14.01	46.14	54.00	7.86	Horizontal	PASS
4	5021.85	35.41	13.33	48.74	74.00	25.26	Horizontal	PASS
5	11425.67	43.03	5.22	48.25	74.00	25.75	Horizontal	PASS
6	17998.33	38.76	14.02	52.78	74.00	21.22	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6705
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7691.30	27.04	19.38	46.42	54.00	7.58	Vertical	PASS
2	12414.67	36.37	5.71	42.08	54.00	11.92	Vertical	PASS
3	17861.67	32.87	13.82	46.69	54.00	7.31	Vertical	PASS
4	7596.45	35.98	18.48	54.46	74.00	19.54	Vertical	PASS
5	12436.67	42.69	5.23	47.92	74.00	26.08	Vertical	PASS
6	17810.00	40.74	12.93	53.67	74.00	20.33	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6785
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7480.95	27.66	18.79	46.45	54.00	7.55	Horizontal	PASS
2	12429.00	35.64	5.39	41.03	54.00	12.97	Horizontal	PASS
3	17845.67	32.53	13.90	46.43	54.00	7.57	Horizontal	PASS
4	7416.90	35.26	18.84	54.10	74.00	19.90	Horizontal	PASS
5	12377.00	43.74	5.56	49.30	74.00	24.70	Horizontal	PASS
6	17991.67	39.91	13.98	53.89	74.00	20.11	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6785
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7448.40	28.11	18.79	46.90	54.00	7.10	Vertical	PASS
2	12015.33	35.65	5.50	41.15	54.00	12.85	Vertical	PASS
3	17942.00	33.40	13.58	46.98	54.00	7.02	Vertical	PASS
4	7554.80	35.33	18.90	54.23	74.00	19.77	Vertical	PASS
5	12045.67	42.09	5.68	47.77	74.00	26.23	Vertical	PASS
6	17865.67	40.03	13.75	53.78	74.00	20.22	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6665
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7734.70	27.37	19.52	46.89	54.00	7.11	Horizontal	PASS
2	12397.00	34.91	5.97	40.88	54.00	13.12	Horizontal	PASS
3	17850.67	32.45	14.01	46.46	54.00	7.54	Horizontal	PASS
4	7676.60	35.93	19.36	55.29	74.00	18.71	Horizontal	PASS
5	12417.33	42.22	5.66	47.88	74.00	26.12	Horizontal	PASS
6	17859.00	39.87	13.87	53.74	74.00	20.26	Horizontal	PASS

Project Information			
Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6665
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7431.60	27.71	18.81	46.52	54.00	7.48	Vertical	PASS
2	12387.67	35.23	5.79	41.02	54.00	12.98	Vertical	PASS
3	17852.33	32.29	13.98	46.27	54.00	7.73	Vertical	PASS
4	7446.30	35.72	18.78	54.50	74.00	19.50	Vertical	PASS
5	12391.67	42.19	5.87	48.06	74.00	25.94	Vertical	PASS
6	17988.33	39.88	13.95	53.83	74.00	20.17	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6875
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6867.75	41.84	18.99	60.83	-	-	Horizontal	NA
2	7402.90	27.66	18.82	46.48	54.00	7.52	Horizontal	PASS
3	11426.67	35.95	5.22	41.17	54.00	12.83	Horizontal	PASS
4	17831.00	32.87	13.50	46.37	54.00	7.63	Horizontal	PASS
5	6867.05	47.32	18.99	66.31	-	-	Horizontal	NA
6	7476.40	35.20	18.80	54.00	74.00	20.00	Horizontal	PASS
7	11351.33	42.56	5.37	47.93	74.00	26.07	Horizontal	PASS
8	17931.67	40.03	13.48	53.51	74.00	20.49	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6875
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6867.75	48.40	18.99	67.39	-	-	Vertical	NA
2	7552.70	27.48	18.73	46.21	54.00	7.79	Vertical	PASS
3	11400.33	36.06	5.47	41.53	54.00	12.47	Vertical	PASS
4	17859.00	32.51	13.87	46.38	54.00	7.62	Vertical	PASS
5	6867.40	54.39	18.99	73.38	-	-	Vertical	NA
6	7543.25	35.12	18.77	53.89	74.00	20.11	Vertical	PASS
7	11464.00	43.28	5.02	48.30	74.00	25.70	Vertical	PASS
8	17968.33	40.08	13.79	53.87	74.00	20.13	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6895
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7481.30	27.97	18.82	46.79	54.00	7.21	Horizontal	PASS
2	12032.67	35.59	5.59	41.18	54.00	12.82	Horizontal	PASS
3	17847.67	32.24	13.96	46.20	54.00	7.80	Horizontal	PASS
4	7550.60	35.10	18.74	53.84	74.00	20.16	Horizontal	PASS
5	12147.67	43.52	4.47	47.99	74.00	26.01	Horizontal	PASS
6	17864.67	39.42	13.77	53.19	74.00	20.81	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6895
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7644.40	27.50	18.86	46.36	54.00	7.64	Vertical	PASS
2	12404.67	35.15	5.94	41.09	54.00	12.91	Vertical	PASS
3	17964.33	33.35	13.76	47.11	54.00	6.89	Vertical	PASS
4	7552.00	35.25	18.73	53.98	74.00	20.02	Vertical	PASS
5	12387.33	42.71	5.77	48.48	74.00	25.52	Vertical	PASS
6	17855.00	39.07	13.93	53.00	74.00	21.00	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6995
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7439.30	28.14	18.74	46.88	54.00	7.12	Horizontal	PASS
2	12039.00	35.95	5.64	41.59	54.00	12.41	Horizontal	PASS
3	17870.67	32.92	13.67	46.59	54.00	7.41	Horizontal	PASS
4	7482.35	35.08	18.82	53.90	74.00	20.10	Horizontal	PASS
5	12063.67	42.55	5.49	48.04	74.00	25.96	Horizontal	PASS
6	17842.67	39.67	13.83	53.50	74.00	20.50	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	6995
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6996.90	32.17	19.31	51.48	-	-	Vertical	NA
2	7472.55	28.01	18.80	46.81	54.00	7.19	Vertical	PASS
3	12347.00	36.33	5.00	41.33	54.00	12.67	Vertical	PASS
4	17859.67	32.69	13.86	46.55	54.00	7.45	Vertical	PASS
5	6996.55	38.41	19.31	57.72	-	-	Vertical	NA
6	7500.90	35.35	18.88	54.23	74.00	19.77	Vertical	PASS
7	12381.00	42.02	5.65	47.67	74.00	26.33	Vertical	PASS
8	17847.33	39.53	13.94	53.47	74.00	20.53	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	7115
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7112.75	29.43	19.46	48.89	-	-	Horizontal	NA
2	7433.00	27.67	18.76	46.43	54.00	7.57	Horizontal	PASS
3	12046.67	35.93	5.68	41.61	54.00	12.39	Horizontal	PASS
4	17833.33	32.87	13.57	46.44	54.00	7.56	Horizontal	PASS
5	7113.80	36.31	19.47	55.78	-	-	Horizontal	NA
6	7462.75	35.66	18.77	54.43	74.00	19.57	Horizontal	PASS
7	11939.00	43.15	4.94	48.09	74.00	25.91	Horizontal	PASS
8	17947.67	39.88	13.63	53.51	74.00	20.49	Horizontal	PASS