




OBW NVNT 802.11ac20 5240MHz Ant1




OBW NVNT 802.11ac40 5190MHz Ant2




OBW NVNT 802.11ac40 5230MHz Ant1




OBW NVNT 802.11ac80 5210MHz Ant3




OBW NVNT 802.11n(HT20) 5180MHz Ant1




OBW NVNT 802.11n(HT20) 5200MHz Ant1




OBW NVNT 802.11n(HT20) 5240MHz Ant1



OBW NVNT 802.11n(HT40) 5190MHz Ant1




OBW NVNT 802.11n(HT40) 5230MHz Ant3




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	802.11a	5180	Ant 1	1.258	11	Pass
NVNT	802.11a	5200	Ant 1	0.773	11	Pass
NVNT	802.11a	5240	Ant 1	-0.883	11	Pass
NVNT	802.11ac20	5180	Ant 1	-2.013	11	Pass
NVNT	802.11ac20	5200	Ant 1	-1.812	11	Pass
NVNT	802.11ac20	5240	Ant 1	-1.826	11	Pass
NVNT	802.11ac40	5190	Ant 1	-5.444	11	Pass
NVNT	802.11ac40	5230	Ant 1	-3.63	11	Pass
NVNT	802.11ac80	5210	Ant 1	-8.224	11	Pass
NVNT	802.11n(HT20)	5180	Ant 1	0.436	11	Pass
NVNT	802.11n(HT20)	5200	Ant 1	-0.111	11	Pass
NVNT	802.11n(HT20)	5240	Ant 1	-0.579	11	Pass
NVNT	802.11n(HT40)	5190	Ant 1	-0.603	11	Pass
NVNT	802.11n(HT40)	5230	Ant 1	-3.881	11	Pass


PSD NVNT 802.11a 5180MHz Ant1




PSD NVNT 802.11a 5200MHz Ant1




PSD NVNT 802.11a 5240MHz Ant1




PSD NVNT 802.11ac20 5180MHz Ant1




PSD NVNT 802.11ac20 5200MHz Ant1




PSD NVNT 802.11ac20 5240MHz Ant1




PSD NVNT 802.11ac40 5190MHz Ant1




PSD NVNT 802.11ac40 5230MHz Ant1




PSD NVNT 802.11ac80 5210MHz Ant1




PSD NVNT 802.11n(HT20) 5180MHz Ant1




PSD NVNT 802.11n(HT20) 5200MHz Ant1




PSD NVNT 802.11n(HT20) 5240MHz Ant1



PSD NVNT 802.11n(HT40) 5190MHz Ant1



PSD NVNT 802.11n(HT40) 5230MHz Ant1




Appendix A – 5.3G Wi-Fi

Frequency Stability


Condition	Mode	Frequency (MHz)	Measured Frequency (MHz)	Deviation (ppm)	Limit	Verdict
HVNT	802.11a	5260	5260.02	3.8	within the band	Pass
LVNT	802.11a	5260	5259.98	3.8		Pass
NVHT	802.11a	5260	5260.02	3.8		Pass
NVLT	802.11a	5260	5260.02	3.8		Pass
NVNT	802.11a	5260	5260.02	3.8		Pass
HVNT	802.11ac80	5290	5289.92	15.12		Pass
LVNT	802.11ac80	5290	5290	0		Pass
NVHT	802.11ac80	5290	5290.08	15.12		Pass
NVLT	802.11ac80	5290	5289.92	15.12		Pass
NVNT	802.11ac80	5290	5290	0		Pass
HVNT	802.11n(HT40)	5270	5270	0		Pass
LVNT	802.11n(HT40)	5270	5270	0		Pass
NVHT	802.11n(HT40)	5270	5270.04	7.59		Pass
NVLT	802.11n(HT40)	5270	5270.04	7.59		Pass
NVNT	802.11n(HT40)	5270	5270	0		Pass

Remark: “NTNV” means Normal Temperature Normal Voltage, “HVNT” means High Voltage Normal Temperature, “LVNT” means Low Voltage Normal Temperature, “NVHT” means Normal Voltage High Temperature, “NVLT” means Normal Voltage Low Temperature


Freq. Stability HVNT 802.11a 5260MHz




Freq. Stability LVNT 802.11a 5260MHz




Freq. Stability NVHT 802.11a 5260MHz




Freq. Stability NVLT 802.11a 5260MHz




Freq. Stability NVNT 802.11a 5260MHz




Freq. Stability HVNT 802.11ac80 5290MHz




Freq. Stability LVNT 802.11ac80 5290MHz




Freq. Stability NVHT 802.11ac80 5290MHz




Freq. Stability NVLT 802.11ac80 5290MHz




Freq. Stability NVNT 802.11ac80 5290MHz




Freq. Stability HVNT 802.11n(HT40) 5270MHz




Freq. Stability LVNT 802.11n(HT40) 5270MHz




Freq. Stability NVHT 802.11n(HT40) 5270MHz



Freq. Stability NVLT 802.11n(HT40) 5270MHz




Freq. Stability NVNT 802.11n(HT40) 5270MHz




Duty Cycle

Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)
NVNT	802.11a	5260	55.73	2.54
NVNT	802.11a	5300	55.61	2.55
NVNT	802.11a	5320	55.57	2.55
NVNT	802.11ac20	5260	51.6	2.87
NVNT	802.11ac20	5300	51.65	2.87
NVNT	802.11ac20	5320	51.62	2.87
NVNT	802.11ac40	5270	40.56	3.92
NVNT	802.11ac40	5310	40.67	3.91
NVNT	802.11ac80	5290	34.44	4.63
NVNT	802.11n(HT20)	5260	54.24	2.66
NVNT	802.11n(HT20)	5300	54.48	2.64
NVNT	802.11n(HT20)	5320	54.23	2.66
NVNT	802.11n(HT40)	5270	42.59	3.71
NVNT	802.11n(HT40)	5310	42.4	3.73


Duty Cycle NVNT 802.11a 5260MHz




Duty Cycle NVNT 802.11a 5300MHz




Duty Cycle NVNT 802.11a 5320MHz




Duty Cycle NVNT 802.11ac20 5260MHz




Duty Cycle NVNT 802.11ac20 5300MHz




Duty Cycle NVNT 802.11ac20 5320MHz




Duty Cycle NVNT 802.11ac40 5270MHz




Duty Cycle NVNT 802.11ac40 5310MHz




Duty Cycle NVNT 802.11ac80 5290MHz




Duty Cycle NVNT 802.11n(HT20) 5260MHz




Duty Cycle NVNT 802.11n(HT20) 5300MHz




Duty Cycle NVNT 802.11n(HT20) 5320MHz



Duty Cycle NVNT 802.11n(HT40) 5270MHz




Duty Cycle NVNT 802.11n(HT40) 5310MHz




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	802.11a	5260	Ant 1	10.328	2.54	12.868	24	Pass
NVNT	802.11a	5300	Ant 1	9.832	2.55	12.382	24	Pass
NVNT	802.11a	5320	Ant 1	9.319	2.55	11.869	24	Pass
NVNT	802.11ac20	5260	Ant 1	8.707	2.87	11.577	24	Pass
NVNT	802.11ac20	5300	Ant 1	8.898	2.87	11.768	24	Pass
NVNT	802.11ac20	5320	Ant 1	8.267	2.87	11.137	24	Pass
NVNT	802.11ac40	5270	Ant 1	7.654	3.92	11.574	24	Pass
NVNT	802.11ac40	5310	Ant 1	7.7	3.91	11.61	24	Pass
NVNT	802.11ac80	5290	Ant 1	6.742	4.63	11.372	24	Pass
NVNT	802.11n(HT20)	5260	Ant 1	10.104	2.66	12.764	24	Pass
NVNT	802.11n(HT20)	5300	Ant 1	9.996	2.64	12.636	24	Pass
NVNT	802.11n(HT20)	5320	Ant 1	9.648	2.66	12.308	24	Pass
NVNT	802.11n(HT40)	5270	Ant 1	9.602	3.71	13.312	24	Pass
NVNT	802.11n(HT40)	5310	Ant 1	9.169	3.73	12.899	24	Pass


Power NVNT 802.11a 5260MHz Ant1




Power NVNT 802.11a 5300MHz Ant1




Power NVNT 802.11a 5320MHz Ant1




Power NVNT 802.11ac20 5260MHz Ant1




Power NVNT 802.11ac20 5300MHz Ant1




Power NVNT 802.11ac20 5320MHz Ant1




Power NVNT 802.11ac40 5270MHz Ant1




Power NVNT 802.11ac40 5310MHz Ant1




Power NVNT 802.11ac80 5290MHz Ant1




Power NVNT 802.11n(HT20) 5260MHz Ant1




Power NVNT 802.11n(HT20) 5300MHz Ant1




Power NVNT 802.11n(HT20) 5320MHz Ant1



Power NVNT 802.11n(HT40) 5270MHz Ant1




Power NVNT 802.11n(HT40) 5310MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	-26 dB Bandwidth (MHz)
NVNT	802.11a	5260	Ant 1	16.5924	19.33
NVNT	802.11a	5300	Ant 1	16.5032	19.26
NVNT	802.11a	5320	Ant 1	16.4985	19.19
NVNT	802.11ac20	5260	Ant 1	17.5412	19.58
NVNT	802.11ac20	5300	Ant 1	17.6893	19.9
NVNT	802.11ac20	5320	Ant 1	17.6636	19.67
NVNT	802.11ac40	5270	Ant 1	36.3882	40.44
NVNT	802.11ac40	5310	Ant 1	36.4714	40
NVNT	802.11ac80	5290	Ant 1	75.6057	81.27
NVNT	802.11n(HT20)	5260	Ant 1	17.6389	19.87
NVNT	802.11n(HT20)	5300	Ant 1	17.6607	19.72
NVNT	802.11n(HT20)	5320	Ant 1	17.5734	19.27
NVNT	802.11n(HT40)	5270	Ant 1	36.372	40.02
NVNT	802.11n(HT40)	5310	Ant 1	36.4004	39.7


OBW NVNT 802.11a 5260MHz Ant1




OBW NVNT 802.11a 5300MHz Ant1




OBW NVNT 802.11a 5320MHz Ant1




OBW NVNT 802.11ac20 5260MHz Ant1




OBW NVNT 802.11ac20 5300MHz Ant1




OBW NVNT 802.11ac20 5320MHz Ant1




OBW NVNT 802.11ac40 5270MHz Ant1




OBW NVNT 802.11ac40 5310MHz Ant1




OBW NVNT 802.11ac80 5290MHz Ant1




OBW NVNT 802.11n(HT20) 5260MHz Ant1




OBW NVNT 802.11n(HT20) 5300MHz Ant1




OBW NVNT 802.11n(HT20) 5320MHz Ant1



OBW NVNT 802.11n(HT40) 5270MHz Ant1




OBW NVNT 802.11n(HT40) 5310MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	802.11a	5260	Ant 1	1.679	11	Pass
NVNT	802.11a	5300	Ant 1	1.214	11	Pass
NVNT	802.11a	5320	Ant 1	-0.215	11	Pass
NVNT	802.11ac20	5260	Ant 1	-0.943	11	Pass
NVNT	802.11ac20	5300	Ant 1	0.39	11	Pass
NVNT	802.11ac20	5320	Ant 1	-1.366	11	Pass
NVNT	802.11ac40	5270	Ant 1	-5.009	11	Pass
NVNT	802.11ac40	5310	Ant 1	-3.433	11	Pass
NVNT	802.11ac80	5290	Ant 1	-8.753	11	Pass
NVNT	802.11n(HT20)	5260	Ant 1	0.113	11	Pass
NVNT	802.11n(HT20)	5300	Ant 1	-0.346	11	Pass
NVNT	802.11n(HT20)	5320	Ant 1	-0.449	11	Pass
NVNT	802.11n(HT40)	5270	Ant 1	-1.937	11	Pass
NVNT	802.11n(HT40)	5310	Ant 1	-2.599	11	Pass


PSD NVNT 802.11a 5260MHz Ant1




PSD NVNT 802.11a 5300MHz Ant1




PSD NVNT 802.11a 5320MHz Ant1




PSD NVNT 802.11ac20 5260MHz Ant1




PSD NVNT 802.11ac20 5300MHz Ant1




PSD NVNT 802.11ac20 5320MHz Ant1




PSD NVNT 802.11ac40 5270MHz Ant1




PSD NVNT 802.11ac40 5310MHz Ant1




PSD NVNT 802.11ac80 5290MHz Ant1




PSD NVNT 802.11n(HT20) 5260MHz Ant1




PSD NVNT 802.11n(HT20) 5300MHz Ant1




PSD NVNT 802.11n(HT20) 5320MHz Ant1



PSD NVNT 802.11n(HT40) 5270MHz Ant1



PSD NVNT 802.11n(HT40) 5310MHz Ant1




Appendix A – 5.6G Wi-Fi

Frequency Stability


Condition	Mode	Frequency (MHz)	Measured Frequency (MHz)	Deviation (ppm)	Limit	Verdict
HVNT	802.11a	5500	5500.04	7.27	within the band	Pass
LVNT	802.11a	5500	5500.04	7.27		Pass
NVHT	802.11a	5500	5500.04	7.27		Pass
NVLT	802.11a	5500	5500.04	7.27		Pass
NVNT	802.11a	5500	5500.02	3.64		Pass
HVNT	802.11ac80	5530	5530.08	14.47		Pass
LVNT	802.11ac80	5530	5530	0		Pass
NVHT	802.11ac80	5530	5530	0		Pass
NVLT	802.11ac80	5530	5530	0		Pass
NVNT	802.11ac80	5530	5529.92	14.47		Pass
HVNT	802.11n(HT40)	5510	5510	0		Pass
LVNT	802.11n(HT40)	5510	5510.04	7.26		Pass
NVHT	802.11n(HT40)	5510	5510	0		Pass
NVLT	802.11n(HT40)	5510	5510	0		Pass
NVNT	802.11n(HT40)	5510	5510.04	7.26		Pass

Remark: “NTNV” means Normal Temperature Normal Voltage, “HVNT” means High Voltage Normal Temperature, “LVNT” means Low Voltage Normal Temperature, “NVHT” means Normal Voltage High Temperature, “NVLT” means Normal Voltage Low Temperature


Freq. Stability HVNT 802.11a 5500MHz




Freq. Stability LVNT 802.11a 5500MHz




Freq. Stability NVHT 802.11a 5500MHz




Freq. Stability NVLT 802.11a 5500MHz




Freq. Stability NVNT 802.11a 5500MHz




Freq. Stability HVNT 802.11ac80 5530MHz




Freq. Stability LVNT 802.11ac80 5530MHz




Freq. Stability NVHT 802.11ac80 5530MHz




Freq. Stability NVLT 802.11ac80 5530MHz




Freq. Stability NVNT 802.11ac80 5530MHz




Freq. Stability HVNT 802.11n(HT40) 5510MHz




Freq. Stability LVNT 802.11n(HT40) 5510MHz




Freq. Stability NVHT 802.11n(HT40) 5510MHz



Freq. Stability NVLT 802.11n(HT40) 5510MHz




Freq. Stability NVNT 802.11n(HT40) 5510MHz




Duty Cycle

Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)
NVNT	802.11a	5500	55.7	2.54
NVNT	802.11a	5600	55.6	2.55
NVNT	802.11a	5700	55.62	2.55
NVNT	802.11ac20	5500	51.54	2.88
NVNT	802.11ac20	5600	51.64	2.87
NVNT	802.11ac20	5700	51.76	2.86
NVNT	802.11ac40	5510	40.56	3.92
NVNT	802.11ac40	5590	40.57	3.92
NVNT	802.11ac40	5670	40.48	3.93
NVNT	802.11ac80	5530	34.41	4.63
NVNT	802.11ac80	5610	34.5	4.62
NVNT	802.11n(HT20)	5500	54.18	2.66
NVNT	802.11n(HT20)	5600	54.36	2.65
NVNT	802.11n(HT20)	5700	54.45	2.64
NVNT	802.11n(HT40)	5510	42.53	3.71
NVNT	802.11n(HT40)	5590	42.4	3.73
NVNT	802.11n(HT40)	5670	42.59	3.71


Duty Cycle NVNT 802.11a 5500MHz




Duty Cycle NVNT 802.11a 5600MHz




Duty Cycle NVNT 802.11a 5700MHz




Duty Cycle NVNT 802.11ac20 5500MHz




Duty Cycle NVNT 802.11ac20 5600MHz




Duty Cycle NVNT 802.11ac20 5700MHz




Duty Cycle NVNT 802.11ac40 5510MHz




Duty Cycle NVNT 802.11ac40 5590MHz




Duty Cycle NVNT 802.11ac40 5670MHz




Duty Cycle NVNT 802.11ac80 5530MHz




Duty Cycle NVNT 802.11ac80 5610MHz




Duty Cycle NVNT 802.11n(HT20) 5500MHz




Duty Cycle NVNT 802.11n(HT20) 5600MHz




Duty Cycle NVNT 802.11n(HT20) 5700MHz




Duty Cycle NVNT 802.11n(HT40) 5510MHz



Duty Cycle NVNT 802.11n(HT40) 5590MHz




Duty Cycle NVNT 802.11n(HT40) 5670MHz




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	802.11a	5500	Ant 1	9.804	2.54	12.344	24	Pass
NVNT	802.11a	5600	Ant 1	8.688	2.55	11.238	24	Pass
NVNT	802.11a	5700	Ant 1	7.937	2.55	10.487	24	Pass
NVNT	802.11ac20	5500	Ant 1	8.8	2.88	11.68	24	Pass
NVNT	802.11ac20	5600	Ant 1	7.825	2.87	10.695	24	Pass
NVNT	802.11ac20	5700	Ant 1	6.764	2.86	9.624	24	Pass
NVNT	802.11ac40	5510	Ant 1	7.333	3.92	11.253	24	Pass
NVNT	802.11ac40	5590	Ant 1	6.79	3.92	10.71	24	Pass
NVNT	802.11ac40	5670	Ant 1	6.47	3.93	10.4	24	Pass
NVNT	802.11ac80	5530	Ant 1	6.547	4.63	11.177	24	Pass
NVNT	802.11ac80	5610	Ant 1	6.143	4.62	10.763	24	Pass
NVNT	802.11n(HT20)	5500	Ant 1	9.794	2.66	12.454	24	Pass
NVNT	802.11n(HT20)	5600	Ant 1	9.21	2.65	11.86	24	Pass
NVNT	802.11n(HT20)	5700	Ant 1	8.335	2.64	10.975	24	Pass
NVNT	802.11n(HT40)	5510	Ant 1	8.759	3.71	12.469	24	Pass
NVNT	802.11n(HT40)	5590	Ant 1	8.098	3.73	11.828	24	Pass
NVNT	802.11n(HT40)	5670	Ant 1	7.468	3.71	11.178	24	Pass


Power NVNT 802.11a 5500MHz Ant1




Power NVNT 802.11a 5600MHz Ant1




Power NVNT 802.11a 5700MHz Ant1




Power NVNT 802.11ac20 5500MHz Ant1




Power NVNT 802.11ac20 5600MHz Ant1




Power NVNT 802.11ac20 5700MHz Ant1




Power NVNT 802.11ac40 5510MHz Ant1




Power NVNT 802.11ac40 5590MHz Ant1




Power NVNT 802.11ac40 5670MHz Ant1




Power NVNT 802.11ac80 5530MHz Ant1




Power NVNT 802.11ac80 5610MHz Ant1



Power NVNT 802.11n(HT20) 5500MHz Ant1



Power NVNT 802.11n(HT20) 5600MHz Ant1



Power NVNT 802.11n(HT20) 5700MHz Ant1

