



Appendix G

RF Test Data for 5.8GWIFI(Conducted Measurement)

Product Name: Tablet

Test Model: A6HD

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Eason Zhou
Supervised by:	Nick Peng





G.1 -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.33	≥ 0.5	Pass
NVNT	a	5785	Ant1	16.332	≥ 0.5	Pass
NVNT	a	5825	Ant1	16.328	≥ 0.5	Pass
NVNT	n20	5745	Ant1	17.263	≥ 0.5	Pass
NVNT	n20	5785	Ant1	17.256	≥ 0.5	Pass
NVNT	n20	5825	Ant1	17.278	≥ 0.5	Pass
NVNT	n40	5755	Ant1	36.429	≥ 0.5	Pass
NVNT	n40	5795	Ant1	36.155	≥ 0.5	Pass
NVNT	ac20	5745	Ant1	17.418	≥ 0.5	Pass
NVNT	ac20	5785	Ant1	17.152	≥ 0.5	Pass
NVNT	ac20	5825	Ant1	17.507	≥ 0.5	Pass
NVNT	ac40	5755	Ant1	36.383	≥ 0.5	Pass
NVNT	ac40	5795	Ant1	36.113	≥ 0.5	Pass
NVNT	ac80	5775	Ant1	75.348	≥ 0.5	Pass
NVNT	ax20	5745	Ant1	17.404	≥ 0.5	Pass
NVNT	ax20	5785	Ant1	17.266	≥ 0.5	Pass
NVNT	ax20	5825	Ant1	17.222	≥ 0.5	Pass
NVNT	ax40	5755	Ant1	36.188	≥ 0.5	Pass
NVNT	ax40	5795	Ant1	36.156	≥ 0.5	Pass
NVNT	ax80	5775	Ant1	75.471	≥ 0.5	Pass






Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1



-6dB Bandwidth NVNT a 5785MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT a 5825MHz Ant1



-6dB Bandwidth NVNT n20 5745MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1






-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1






-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1






-6dB Bandwidth NVNT ac20 5825MHz Ant1



-6dB Bandwidth NVNT ac40 5755MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT ac40 5795MHz Ant1




-6dB Bandwidth NVNT ac80 5775MHz Ant1






LCSA7494136EH

-6dB Bandwidth NVNT ax20 5745MHz Ant1



-6dB Bandwidth NVNT ax20 5785MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT ax20 5825MHz Ant1



-6dB Bandwidth NVNT ax40 5755MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




LC SA 2404136EH

-6dB Bandwidth NVNT ax40 5795MHz Ant1



-6dB Bandwidth NVNT ax80 5775MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

G.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	12.33	0.24	12.57	30	Pass
NVNT	a	5785	Ant1	12.33	0.24	12.57	30	Pass
NVNT	a	5825	Ant1	12.85	0.24	13.09	30	Pass
NVNT	n20	5745	Ant1	11.96	0.28	12.24	30	Pass
NVNT	n20	5785	Ant1	11.11	0.28	11.39	30	Pass
NVNT	n20	5825	Ant1	11.5	0.28	11.78	30	Pass
NVNT	n40	5755	Ant1	10.85	0.12	10.97	30	Pass
NVNT	n40	5795	Ant1	10.07	0.12	10.19	30	Pass
NVNT	ac20	5745	Ant1	11.13	0.28	11.41	30	Pass
NVNT	ac20	5785	Ant1	11.91	0.28	12.19	30	Pass
NVNT	ac20	5825	Ant1	11.41	0.28	11.69	30	Pass
NVNT	ac40	5755	Ant1	10.67	0.12	10.79	30	Pass
NVNT	ac40	5795	Ant1	9.95	0.12	10.07	30	Pass
NVNT	ac80	5775	Ant1	9.89	0.25	10.14	30	Pass
NVNT	ax20	5745	Ant1	11.15	0.28	11.43	30	Pass
NVNT	ax20	5785	Ant1	11.12	0.28	11.4	30	Pass
NVNT	ax20	5825	Ant1	11.38	0.28	11.66	30	Pass
NVNT	ax40	5755	Ant1	10.7	0.12	10.82	30	Pass
NVNT	ax40	5795	Ant1	9.97	0.12	10.09	30	Pass
NVNT	ax80	5775	Ant1	9.04	0.25	9.29	30	Pass



G.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/500KHz)	Duty Factor (dB)	Total PSD (dBm/500KHz)	Limit (dBm/500KHz)	Verdict
NVNT	a	5745	Ant1	-1.53	0.24	-1.29	30	Pass
NVNT	a	5785	Ant1	-0.64	0.24	-0.4	30	Pass
NVNT	a	5825	Ant1	-0.81	0.24	-0.57	30	Pass
NVNT	n20	5745	Ant1	-1.75	0.28	-1.47	30	Pass
NVNT	n20	5785	Ant1	-2.69	0.28	-2.41	30	Pass
NVNT	n20	5825	Ant1	-2.18	0.28	-1.9	30	Pass
NVNT	n40	5755	Ant1	-5.92	0.12	-5.8	30	Pass
NVNT	n40	5795	Ant1	-6.47	0.12	-6.35	30	Pass
NVNT	ac20	5745	Ant1	-1.72	0.28	-1.44	30	Pass
NVNT	ac20	5785	Ant1	-2.01	0.28	-1.73	30	Pass
NVNT	ac20	5825	Ant1	-2.28	0.28	-2	30	Pass
NVNT	ac40	5755	Ant1	-5.95	0.12	-5.83	30	Pass
NVNT	ac40	5795	Ant1	-6.53	0.12	-6.41	30	Pass
NVNT	ac80	5775	Ant1	-9.51	0.25	-9.26	30	Pass
NVNT	ax20	5745	Ant1	-2.8	0.28	-2.52	30	Pass
NVNT	ax20	5785	Ant1	-2.89	0.28	-2.61	30	Pass
NVNT	ax20	5825	Ant1	-2.34	0.28	-2.06	30	Pass
NVNT	ax40	5755	Ant1	-6	0.12	-5.88	30	Pass
NVNT	ax40	5795	Ant1	-6.49	0.12	-6.37	30	Pass
NVNT	ax80	5775	Ant1	-10.54	0.25	-10.29	30	Pass






Test Graphs

PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




LCSA174136EH

PSD NVNT a 5825MHz Ant1




PSD NVNT n20 5745MHz Ant1






LCSA174136EH

PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1






LC SA V4184136EH

PSD NVNT n40 5755MHz Ant1




PSD NVNT n40 5795MHz Ant1






LCSA174194136EH

PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1






LC SA 2404136EH


PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac40 5755MHz Ant1



PSD NVNT ac40 5795MHz Ant1




PSD NVNT ac80 5775MHz Ant1






LCSA174136EH

PSD NVNT ax20 5745MHz Ant1




PSD NVNT ax20 5785MHz Ant1






LCSA174136EH

PSD NVNT ax20 5825MHz Ant1




PSD NVNT ax40 5755MHz Ant1






LCSA174136EH

PSD NVNT ax40 5795MHz Ant1



PSD NVNT ax80 5775MHz Ant1



G.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	5650	-49.72	2	-	-47.72	Peak	-27	Pass
NVNT	a	5745	Ant1	5650	-58.45	2	0.24	-56.21	Average	-27	Pass
NVNT	a	5745	Ant1	5700	-50.42	2	-	-48.42	Peak	10	Pass
NVNT	a	5745	Ant1	5700	-56.82	2	0.24	-54.58	Average	10	Pass
NVNT	a	5745	Ant1	5720	-41.02	2	-	-39.02	Peak	15.6	Pass
NVNT	a	5745	Ant1	5720	-56.04	2	0.24	-53.8	Average	15.6	Pass
NVNT	a	5745	Ant1	5725	-37.89	2	-	-35.89	Peak	27	Pass
NVNT	a	5745	Ant1	5725	-51.37	2	0.24	-49.13	Average	27	Pass
NVNT	a	5825	Ant1	5850	-44.54	2	-	-42.54	Peak	27	Pass
NVNT	a	5825	Ant1	5850	-56.28	2	0.24	-54.04	Average	27	Pass
NVNT	a	5825	Ant1	5855	-48.57	2	-	-46.57	Peak	15.6	Pass
NVNT	a	5825	Ant1	5855	-57.2	2	0.24	-54.96	Average	15.6	Pass
NVNT	a	5825	Ant1	5875	-50.19	2	-	-48.19	Peak	10	Pass
NVNT	a	5825	Ant1	5875	-57.73	2	0.24	-55.49	Average	10	Pass
NVNT	a	5825	Ant1	5925	-49.15	2	-	-47.15	Peak	-27	Pass
NVNT	a	5825	Ant1	5925	-57.34	2	0.24	-55.1	Average	-27	Pass
NVNT	n20	5745	Ant1	5650	-51.9	2	-	-49.9	Peak	-27	Pass
NVNT	n20	5745	Ant1	5650	-57.77	2	0.28	-55.49	Average	-27	Pass
NVNT	n20	5745	Ant1	5700	-49.07	2	-	-47.07	Peak	10	Pass
NVNT	n20	5745	Ant1	5700	-57.37	2	0.28	-55.09	Average	10	Pass
NVNT	n20	5745	Ant1	5720	-40.93	2	-	-38.93	Peak	15.6	Pass
NVNT	n20	5745	Ant1	5720	-53.98	2	0.28	-51.7	Average	15.6	Pass
NVNT	n20	5745	Ant1	5725	-33.82	2	-	-31.82	Peak	27	Pass
NVNT	n20	5745	Ant1	5725	-48.21	2	0.28	-45.93	Average	27	Pass
NVNT	n20	5825	Ant1	5850	-40.11	2	-	-38.11	Peak	27	Pass
NVNT	n20	5825	Ant1	5850	-55.96	2	0.28	-53.68	Average	27	Pass
NVNT	n20	5825	Ant1	5855	-48.88	2	-	-46.88	Peak	15.6	Pass
NVNT	n20	5825	Ant1	5855	-57.37	2	0.28	-55.09	Average	15.6	Pass
NVNT	n20	5825	Ant1	5875	-50.9	2	-	-48.9	Peak	10	Pass
NVNT	n20	5825	Ant1	5875	-57.58	2	0.28	-55.3	Average	10	Pass
NVNT	n20	5825	Ant1	5925	-49.62	2	-	-47.62	Peak	-27	Pass
NVNT	n20	5825	Ant1	5925	-57.8	2	0.28	-55.52	Average	-27	Pass
NVNT	n40	5755	Ant1	5650	-50.62	2	-	-48.62	Peak	-27	Pass
NVNT	n40	5755	Ant1	5650	-57.85	2	0.12	-55.73	Average	-27	Pass





LC SA 2404136EH

NVNT	n40	5755	Ant1	5700	-50.15	2	-	-48.15	Peak	10	Pass
NVNT	n40	5755	Ant1	5700	-57.4	2	0.12	-55.28	Average	10	Pass
NVNT	n40	5755	Ant1	5720	-42.22	2	-	-40.22	Peak	15.6	Pass
NVNT	n40	5755	Ant1	5720	-54.19	2	0.12	-52.07	Average	15.6	Pass
NVNT	n40	5755	Ant1	5725	-35.72	2	-	-33.72	Peak	27	Pass
NVNT	n40	5755	Ant1	5725	-50.63	2	0.12	-48.51	Average	27	Pass
NVNT	n40	5795	Ant1	5850	-50.49	2	-	-48.49	Peak	27	Pass
NVNT	n40	5795	Ant1	5850	-58.81	2	0.12	-56.69	Average	27	Pass
NVNT	n40	5795	Ant1	5855	-51.64	2	-	-49.64	Peak	15.6	Pass
NVNT	n40	5795	Ant1	5855	-58.86	2	0.12	-56.74	Average	15.6	Pass
NVNT	n40	5795	Ant1	5875	-49.66	2	-	-47.66	Peak	10	Pass
NVNT	n40	5795	Ant1	5875	-58.63	2	0.12	-56.51	Average	10	Pass
NVNT	n40	5795	Ant1	5925	-49.71	2	-	-47.71	Peak	-27	Pass
NVNT	n40	5795	Ant1	5925	-58.14	2	0.12	-56.02	Average	-27	Pass
NVNT	ac20	5745	Ant1	5650	-48.8	2	-	-46.8	Peak	-27	Pass
NVNT	ac20	5745	Ant1	5650	-57.97	2	0.28	-55.69	Average	-27	Pass
NVNT	ac20	5745	Ant1	5700	-50.53	2	-	-48.53	Peak	10	Pass
NVNT	ac20	5745	Ant1	5700	-57.57	2	0.28	-55.29	Average	10	Pass
NVNT	ac20	5745	Ant1	5720	-41.81	2	-	-39.81	Peak	15.6	Pass
NVNT	ac20	5745	Ant1	5720	-53.19	2	0.28	-50.91	Average	15.6	Pass
NVNT	ac20	5745	Ant1	5725	-32.92	2	-	-30.92	Peak	27	Pass
NVNT	ac20	5745	Ant1	5725	-50.58	2	0.28	-48.3	Average	27	Pass
NVNT	ac20	5825	Ant1	5850	-41.97	2	-	-39.97	Peak	27	Pass
NVNT	ac20	5825	Ant1	5850	-55.64	2	0.28	-53.36	Average	27	Pass
NVNT	ac20	5825	Ant1	5855	-47.26	2	-	-45.26	Peak	15.6	Pass
NVNT	ac20	5825	Ant1	5855	-57.45	2	0.28	-55.17	Average	15.6	Pass
NVNT	ac20	5825	Ant1	5875	-51.01	2	-	-49.01	Peak	10	Pass
NVNT	ac20	5825	Ant1	5875	-58	2	0.28	-55.72	Average	10	Pass
NVNT	ac20	5825	Ant1	5925	-49.6	2	-	-47.6	Peak	-27	Pass
NVNT	ac20	5825	Ant1	5925	-57.85	2	0.28	-55.57	Average	-27	Pass
NVNT	ac40	5755	Ant1	5650	-48.15	2	-	-46.15	Peak	-27	Pass
NVNT	ac40	5755	Ant1	5650	-57.79	2	0.12	-55.67	Average	-27	Pass
NVNT	ac40	5755	Ant1	5700	-48.95	2	-	-46.95	Peak	10	Pass
NVNT	ac40	5755	Ant1	5700	-57.9	2	0.12	-55.78	Average	10	Pass
NVNT	ac40	5755	Ant1	5720	-44.6	2	-	-42.6	Peak	15.6	Pass
NVNT	ac40	5755	Ant1	5720	-53.55	2	0.12	-51.43	Average	15.6	Pass
NVNT	ac40	5755	Ant1	5725	-40.47	2	-	-38.47	Peak	27	Pass
NVNT	ac40	5755	Ant1	5725	-51.97	2	0.12	-49.85	Average	27	Pass
NVNT	ac40	5795	Ant1	5850	-49.02	2	-	-47.02	Peak	27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



LC SA 2404136EH

NVNT	ac40	5795	Ant1	5850	-58.63	2	0.12	-56.51	Average	27	Pass
NVNT	ac40	5795	Ant1	5855	-49.97	2	-	-47.97	Peak	15.6	Pass
NVNT	ac40	5795	Ant1	5855	-57.86	2	0.12	-55.74	Average	15.6	Pass
NVNT	ac40	5795	Ant1	5875	-50.4	2	-	-48.4	Peak	10	Pass
NVNT	ac40	5795	Ant1	5875	-58.3	2	0.12	-56.18	Average	10	Pass
NVNT	ac40	5795	Ant1	5925	-49.89	2	-	-47.89	Peak	-27	Pass
NVNT	ac40	5795	Ant1	5925	-57.99	2	0.12	-55.87	Average	-27	Pass
NVNT	ac80	5775	Ant1	5850	-49.36	2	-	-47.36	Peak	27	Pass
NVNT	ac80	5775	Ant1	5850	-57.78	2	0.25	-55.53	Average	27	Pass
NVNT	ac80	5775	Ant1	5855	-49.32	2	-	-47.32	Peak	15.6	Pass
NVNT	ac80	5775	Ant1	5855	-58.23	2	0.25	-55.98	Average	15.6	Pass
NVNT	ac80	5775	Ant1	5875	-47.75	2	-	-45.75	Peak	10	Pass
NVNT	ac80	5775	Ant1	5875	-57.45	2	0.25	-55.2	Average	10	Pass
NVNT	ac80	5775	Ant1	5925	-48.27	2	-	-46.27	Peak	-27	Pass
NVNT	ac80	5775	Ant1	5925	-58.1	2	0.25	-55.85	Average	-27	Pass
NVNT	ac80	5775	Ant1	5650	-49.94	2	-	-47.94	Peak	-27	Pass
NVNT	ac80	5775	Ant1	5650	-57.83	2	0.25	-55.58	Average	-27	Pass
NVNT	ac80	5775	Ant1	5700	-48.38	2	-	-46.38	Peak	10	Pass
NVNT	ac80	5775	Ant1	5700	-57.78	2	0.25	-55.53	Average	10	Pass
NVNT	ac80	5775	Ant1	5720	-44.55	2	-	-42.55	Peak	15.6	Pass
NVNT	ac80	5775	Ant1	5720	-54.76	2	0.25	-52.51	Average	15.6	Pass
NVNT	ac80	5775	Ant1	5725	-41.25	2	-	-39.25	Peak	27	Pass
NVNT	ac80	5775	Ant1	5725	-53.79	2	0.25	-51.54	Average	27	Pass
NVNT	ax20	5745	Ant1	5650	-49.68	2	-	-47.68	Peak	-27	Pass
NVNT	ax20	5745	Ant1	5650	-57.47	2	0.28	-55.19	Average	-27	Pass
NVNT	ax20	5745	Ant1	5700	-50.38	2	-	-48.38	Peak	10	Pass
NVNT	ax20	5745	Ant1	5700	-56.85	2	0.28	-54.57	Average	10	Pass
NVNT	ax20	5745	Ant1	5720	-41.69	2	-	-39.69	Peak	15.6	Pass
NVNT	ax20	5745	Ant1	5720	-53.67	2	0.28	-51.39	Average	15.6	Pass
NVNT	ax20	5745	Ant1	5725	-35.44	2	-	-33.44	Peak	27	Pass
NVNT	ax20	5745	Ant1	5725	-49.33	2	0.28	-47.05	Average	27	Pass
NVNT	ax20	5825	Ant1	5850	-41.87	2	-	-39.87	Peak	27	Pass
NVNT	ax20	5825	Ant1	5850	-56.59	2	0.28	-54.31	Average	27	Pass
NVNT	ax20	5825	Ant1	5855	-49.08	2	-	-47.08	Peak	15.6	Pass
NVNT	ax20	5825	Ant1	5855	-57.56	2	0.28	-55.28	Average	15.6	Pass
NVNT	ax20	5825	Ant1	5875	-49.71	2	-	-47.71	Peak	10	Pass
NVNT	ax20	5825	Ant1	5875	-57.63	2	0.28	-55.35	Average	10	Pass
NVNT	ax20	5825	Ant1	5925	-49.87	2	-	-47.87	Peak	-27	Pass
NVNT	ax20	5825	Ant1	5925	-58.04	2	0.28	-55.76	Average	-27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



LCSA194136EH

NVNT	ax40	5755	Ant1	5650	-49.31	2	-	-47.31	Peak	-27	Pass
NVNT	ax40	5755	Ant1	5650	-57.51	2	0.12	-55.39	Average	-27	Pass
NVNT	ax40	5755	Ant1	5700	-50.41	2	-	-48.41	Peak	10	Pass
NVNT	ax40	5755	Ant1	5700	-57.98	2	0.12	-55.86	Average	10	Pass
NVNT	ax40	5755	Ant1	5720	-41.79	2	-	-39.79	Peak	15.6	Pass
NVNT	ax40	5755	Ant1	5720	-54.19	2	0.12	-52.07	Average	15.6	Pass
NVNT	ax40	5755	Ant1	5725	-35.75	2	-	-33.75	Peak	27	Pass
NVNT	ax40	5755	Ant1	5725	-49.55	2	0.12	-47.43	Average	27	Pass
NVNT	ax40	5795	Ant1	5850	-50.12	2	-	-48.12	Peak	27	Pass
NVNT	ax40	5795	Ant1	5850	-58.27	2	0.12	-56.15	Average	27	Pass
NVNT	ax40	5795	Ant1	5855	-50.03	2	-	-48.03	Peak	15.6	Pass
NVNT	ax40	5795	Ant1	5855	-58.69	2	0.12	-56.57	Average	15.6	Pass
NVNT	ax40	5795	Ant1	5875	-51.24	2	-	-49.24	Peak	10	Pass
NVNT	ax40	5795	Ant1	5875	-59.1	2	0.12	-56.98	Average	10	Pass
NVNT	ax40	5795	Ant1	5925	-50.31	2	-	-48.31	Peak	-27	Pass
NVNT	ax40	5795	Ant1	5925	-58.17	2	0.12	-56.05	Average	-27	Pass
NVNT	ax80	5775	Ant1	5850	-50.97	2	-	-48.97	Peak	27	Pass
NVNT	ax80	5775	Ant1	5850	-58.39	2	0.25	-56.14	Average	27	Pass
NVNT	ax80	5775	Ant1	5855	-49.26	2	-	-47.26	Peak	15.6	Pass
NVNT	ax80	5775	Ant1	5855	-58.39	2	0.25	-56.14	Average	15.6	Pass
NVNT	ax80	5775	Ant1	5875	-49.22	2	-	-47.22	Peak	10	Pass
NVNT	ax80	5775	Ant1	5875	-57.52	2	0.25	-55.27	Average	10	Pass
NVNT	ax80	5775	Ant1	5925	-47.54	2	-	-45.54	Peak	-27	Pass
NVNT	ax80	5775	Ant1	5925	-57.68	2	0.25	-55.43	Average	-27	Pass
NVNT	ax80	5775	Ant1	5650	-50.77	2	-	-48.77	Peak	-27	Pass
NVNT	ax80	5775	Ant1	5650	-58.4	2	0.25	-56.15	Average	-27	Pass
NVNT	ax80	5775	Ant1	5700	-48.9	2	-	-46.9	Peak	10	Pass
NVNT	ax80	5775	Ant1	5700	-57.96	2	0.25	-55.71	Average	10	Pass
NVNT	ax80	5775	Ant1	5720	-41.21	2	-	-39.21	Peak	15.6	Pass
NVNT	ax80	5775	Ant1	5720	-53.9	2	0.25	-51.65	Average	15.6	Pass
NVNT	ax80	5775	Ant1	5725	-42.68	2	-	-40.68	Peak	27	Pass
NVNT	ax80	5775	Ant1	5725	-52.68	2	0.25	-50.43	Average	27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

Test Graphs


Restrict Band NVNT a 5745MHz Ant1 Peak




Restrict Band NVNT a 5745MHz Ant1 Average




Restrict Band NVNT a 5825MHz Ant1 Peak




Restrict Band NVNT a 5825MHz Ant1 Average




Restrict Band NVNT n20 5745MHz Ant1 Peak




Restrict Band NVNT n20 5745MHz Ant1 Average




Restrict Band NVNT n20 5825MHz Ant1 Peak




Restrict Band NVNT n20 5825MHz Ant1 Average




Restrict Band NVNT n40 5755MHz Ant1 Peak




Restrict Band NVNT n40 5755MHz Ant1 Average




Restrict Band NVNT n40 5795MHz Ant1 Peak




Restrict Band NVNT n40 5795MHz Ant1 Average




Restrict Band NVNT ac20 5745MHz Ant1 Peak




Restrict Band NVNT ac20 5745MHz Ant1 Average




Restrict Band NVNT ac20 5825MHz Ant1 Peak




Restrict Band NVNT ac20 5825MHz Ant1 Average




Restrict Band NVNT ac40 5755MHz Ant1 Peak




Restrict Band NVNT ac40 5755MHz Ant1 Average




Restrict Band NVNT ac40 5795MHz Ant1 Peak




Restrict Band NVNT ac40 5795MHz Ant1 Average




Restrict Band NVNT ac80 5775MHz Ant1 Peak



Restrict Band NVNT ac80 5775MHz Ant1 Average



Restrict Band NVNT ac80 5775MHz Ant1 Peak



Restrict Band NVNT ac80 5775MHz Ant1 Average

