

User guide for Remote Control RC4873401/01RP

1. Know your Remote



2. Backlight Key Behavior

When "123/ Backlight" key is pressed, hidden key mode is enabled.

3. How to pair your RCU with TV

- 1) Long press (3s) 'SOURCES' BT Pairing Advertising.
- 2) BLE RC pairing name - APHRC
- 3) RC to stay in pairing mode for 60s. Press any key to cancel pairing mode (See Cancel Pairing)
- 4) RC to store pairing info upon successful pairing. White LED at mic hole stays on for 3s if pairing successful.
- 5) RC will only pair to 1 TV. Pairing info will be erased if user enter pairing mode again.

4. Voice Function

Follow 2024 Linux RC voice protocol supporting On Demand, HTT voice models.
The White LED will be turned on for the full duration of audio sample transmission.

Note:

During voice, any key press will not stop the voice transmission.

5. LED Backlight Condition

Key pressed	LED Backlight Condition			
	If Normal key backlight OFF If Hidden key backlight OFF	If Normal key backlight ON If Hidden key backlight OFF	If Normal key backlight OFF If Hidden key backlight ON	If Normal key backlight ON If Hidden key backlight ON
Press '123' key	Hidden key backlight Turns ON for 5s Normal key backlight Turns ON for 5s	Hidden key backlight Turns ON for 5s Normal key backlight Turns ON for 5s	NA	Hidden key backlight Turns OFF Normal key backlight Remains ON for 2s
Press Normal keys	Normal key backlight Turns ON for 2s	Normal key backlight Turns ON for 2s	NA	Hidden key backlight Remains ON for 2s Normal key backlight Turns ON for 2s
Press Hidden keys	NA (This condition is working for normal key)	NA (This condition is working for normal key)	NA	Hidden key backlight Remains ON for 5s Normal key backlight Remains ON for 5s

6. Sleeping Mode

When without any activity, the RC enters sleeping for power saving purpose. The sleeping mode behaves as below:

- i) All LEDs are off.
- ii) IR stopped, and no RF data transmitting or receiving, after IDLE timeout, disconnect with host.
- iii) Any key press will wake up the RC.

FCC Compliance Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:


- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

FCC Caution

Please take attention that changes or modification not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

User guide for Remote Control RC4873201/01RP

1. Know your Remote



2. Backlight Key Behavior

When "123/ Backlight" key is pressed, hidden key mode is enabled.

3. How to pair your RCU with TV

- 1) Long press (3s) 'SOURCES' BT Pairing Advertising.
- 2) BLE RC pairing name - PHLRC
- 3) RC to stay in pairing mode for 60s. Press any key to cancel pairing mode (See Cancel Pairing)
- 4) RC to store pairing info upon successful pairing. White LED at mic hole stays on for 3s if pairing successful.
- 5) RC will only pair to 1 TV. Pairing info will be erased if user enter pairing mode again.

4. Voice Function

Follow Google Voice over BLE spec 1.0 supporting On Demand, PTT & HTT voice models. The White LED will be turned on for the full duration of audio sample transmission.

Note:

During voice, any key press will not stop the voice transmission.

5. LED Backlight Condition

Key pressed	LED Backlight Condition			
	If Normal key backlight OFF If Hidden key backlight OFF	If Normal key backlight ON If Hidden key backlight OFF	If Normal key backlight OFF If Hidden key backlight ON	If Normal key backlight ON If Hidden key backlight ON
Press '123' key	Hidden key backlight Turns ON for 5s Normal key backlight Turns ON for 5s	Hidden key backlight Turns ON for 5s Normal key backlight Turns ON for 5s	NA	Hidden key backlight Turns OFF Normal key backlight Remains ON for 2s
Press Normal keys	Normal key backlight Turns ON for 2s	Normal key backlight Turns ON for 2s	NA	Hidden key backlight Remains ON for 2s Normal key backlight Turns ON for 2s
Press Hidden keys	NA (This condition is working for normal key)	NA (This condition is working for normal key)	NA	Hidden key backlight Remains ON for 5s Normal key backlight Remains ON for 5s

6. Sleeping Mode

When without any activity, the RC enters sleeping for power saving purpose. The sleeping mode behaves as below:

- All LEDs are off.
- IR stopped, and no RF data transmitting or receiving, after IDLE timeout, disconnect with host.
- Any key press will wake up the RC.

FCC Compliance Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

FCC Caution

Please take attention that changes or modification not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.