


**n\_10MHz**

**CH 10 (Horizontal) Average**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level      | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|------------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m     | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |            |      |
| 1    | 2327.936   | 43.72 | 7.47  | 36.25  | 54.00 | -10.28 | 323  | 299  | Average | Horizontal |      |
| 2    | * 2457.000 | 94.14 | 57.09 | 37.05  | 54.00 | 40.14  | 323  | 299  | Average | Horizontal |      |
| 3    | 2497.030   | 45.80 | 8.79  | 37.01  | 54.00 | -8.20  | 323  | 299  | Average | Horizontal |      |

**CH 10 (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level      | Read   | Level | Factor | Limit | Over  | APos | TPos | Remark  | Pol/Phase | Note |
|------|------------|--------|-------|--------|-------|-------|------|------|---------|-----------|------|
| MHz  | dBuV/m     | dBuV   | dB/m  | dBuV/m | dB    | cm    | deg  |      |         |           |      |
| 1    | 2367.584   | 44.48  | 7.99  | 36.49  | 54.00 | -9.52 | 100  | 183  | Average | Vertical  |      |
| 2    | * 2457.000 | 101.40 | 64.35 | 37.05  | 54.00 | 47.40 | 100  | 183  | Average | Vertical  |      |
| 3    | 2499.272   | 53.40  | 16.40 | 37.00  | 54.00 | -0.60 | 100  | 183  | Average | Vertical  |      |


**n\_10MHz**

**CH 11 (Horizontal) Peak**

**CH 11 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level      | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|------------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m     | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 2312.050   | 54.11  | 16.05 | 37.26  | 74.00 | -19.09 | 320  | 100  | Peak   | Horizontal |      |
| 2    | * 2462.000 | 107.41 | 69.68 | 37.73  | 74.00 | 33.41  | 320  | 100  | Peak   | Horizontal |      |
| 3    | 2504.700   | 56.44  | 18.58 | 37.86  | 74.00 | -17.56 | 320  | 100  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level      | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|------------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m     | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 2372.540   | 56.09  | 19.40 | 37.49  | 74.00 | -17.11 | 100  | 180  | Peak   | Vertical  |      |
| 2    | * 2462.000 | 113.85 | 76.12 | 37.73  | 74.00 | 39.85  | 100  | 180  | Peak   | Vertical  |      |
| 3    | 2504.228   | 67.58  | 29.73 | 37.85  | 74.00 | -6.42  | 100  | 180  | Peak   | Vertical  |      |

**n\_10MHz**

**CH 11 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level      | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|------------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m     | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |            |      |
| 1    | 2319.676   | 40.46 | 3.18  | 37.28  | 54.00 | -13.54 | 320  | 100  | Average | Horizontal |      |
| 2    | * 2462.000 | 96.31 | 58.58 | 37.73  | 54.00 | 42.31  | 320  | 100  | Average | Horizontal |      |
| 3    | 2506.824   | 43.71 | 5.85  | 37.86  | 54.00 | -10.29 | 320  | 100  | Average | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level      | Read   | Level | Factor | Limit | Over  | APos | TPos | Remark  | Pol/Phase | Note |
|------|------------|--------|-------|--------|-------|-------|------|------|---------|-----------|------|
| MHz  | dBuV/m     | dBuV   | dB/m  | dBuV/m | dB    | cm    | deg  |      |         |           |      |
| 1    | 2373.012   | 45.15  | 7.06  | 37.49  | 54.00 | -8.85 | 100  | 180  | Average | Vertical  |      |
| 2    | * 2462.000 | 101.83 | 64.10 | 37.73  | 54.00 | 47.83 | 100  | 180  | Average | Vertical  |      |
| 3    | 2505.054   | 53.79  | 15.93 | 37.86  | 54.00 | -0.21 | 100  | 180  | Average | Vertical  |      |


**n\_10MHz**

**CH 12 (Horizontal) Peak**

**CH 12 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read   | Factor | Limit  | Over  | APos   | TPos | Remark   | Pol/Phase  | Note |
|------|----------|--------|--------|--------|-------|--------|------|----------|------------|------|
| MHz  | dBuV/m   | dBuV   | dB/m   | dBuV/m | dB    | cm     | deg  |          |            |      |
| 1    | 2365.578 | 52.75  | 16.21  | 36.54  | 74.00 | -21.25 | 320  | 296 Peak | Horizontal |      |
| 2    | 2467.000 | 106.20 | 71.40  | 36.80  | 74.00 | 34.20  | 320  | 296 Peak | Horizontal |      |
| 3    | 2509.184 | 60.81  | 23.90  | 36.91  | 74.00 | -13.19 | 320  | 296 Peak | Horizontal |      |




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level    | Read   | Factor | Limit  | Over  | APos   | TPos | Remark   | Pol/Phase | Note |
|------|----------|--------|--------|--------|-------|--------|------|----------|-----------|------|
| MHz  | dBuV/m   | dBuV   | dB/m   | dBuV/m | dB    | cm     | deg  |          |           |      |
| 1    | 2380.000 | 55.95  | 19.34  | 36.61  | 74.00 | -18.05 | 116  | 172 Peak | Vertical  |      |
| 2    | 2467.000 | 112.52 | 75.72  | 36.80  | 74.00 | 38.52  | 116  | 172 Peak | Vertical  |      |
| 3    | 2509.774 | 65.01  | 28.10  | 36.91  | 74.00 | -8.99  | 116  | 172 Peak | Vertical  |      |

**n\_10MHz**

**CH 12 (Horizontal) Average**



**CH 12 (Vertical) Average**




**n\_20MHz**

**CH 1 (Horizontal) Peak**

**CH 1 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read   | Factor | Limit  | Over  | APos   | TPos | Remark   | Pol/Phase  | Note |
|------|----------|--------|--------|--------|-------|--------|------|----------|------------|------|
| MHz  | dBuV/m   | dBuV   | dB/m   | dBuV/m | dB    | cm     | deg  |          |            |      |
| 1    | 2367.348 | 57.11  | 20.56  | 36.55  | 74.00 | -16.89 | 132  | 295 Peak | Horizontal |      |
| 2    | 2412.000 | 104.93 | 68.21  | 36.72  | 74.00 | 38.93  | 132  | 295 Peak | Horizontal |      |
| 3    | 2783.062 | 53.35  | 16.19  | 37.16  | 74.00 | -20.65 | 132  | 295 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322





| Freq | Level    | Read   | Factor | Limit  | Over  | APos   | TPos | Remark   | Pol/Phase | Note |
|------|----------|--------|--------|--------|-------|--------|------|----------|-----------|------|
| MHz  | dBuV/m   | dBuV   | dB/m   | dBuV/m | dB    | cm     | deg  |          |           |      |
| 1    | 2369.236 | 65.67  | 29.11  | 36.56  | 74.00 | -8.33  | 235  | 291 Peak | Vertical  |      |
| 2    | 2412.000 | 111.93 | 74.61  | 36.72  | 74.00 | 37.33  | 235  | 291 Peak | Vertical  |      |
| 3    | 2821.530 | 53.77  | 16.61  | 37.16  | 74.00 | -20.23 | 235  | 291 Peak | Vertical  |      |

**n\_20MHz**

**CH 1 (Horizontal) Average**

**CH 1 (Vertical) Average**




**n\_20MHz**

**CH 2 (Horizontal) Peak**

**CH 2 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|      | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1    | 2376.198 | 58.37  | 20.87 | 37.50 | 74.00  | -15.63 | 327  | 124  | Peak | Horizontal |           |      |
| 2 *  | 2417.000 | 106.49 | 68.84 | 37.65 | 74.00  | 32.49  | 327  | 124  | Peak | Horizontal |           |      |
| 3    | 2853.862 | 55.51  | 17.32 | 38.19 | 74.00  | -18.49 | 327  | 124  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|      | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1    | 2376.198 | 65.62  | 28.14 | 37.48 | 74.00  | -8.38  | 100  | 183  | Peak | Vertical |           |      |
| 2 *  | 2417.000 | 111.49 | 73.84 | 37.65 | 74.00  | 37.49  | 100  | 183  | Peak | Vertical |           |      |
| 3    | 2500.806 | 55.60  | 17.75 | 37.85 | 74.00  | -18.40 | 100  | 183  | Peak | Vertical |           |      |




**n\_20MHz**

**CH 2 (Horizontal) Average**

**CH 2 (Vertical) Average**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level      | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|------------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m     | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |            |      |
| 1    | 2373.484   | 46.13 | 8.64  | 37.49  | 54.00 | -7.87  | 327  | 124  | Average | Horizontal |      |
| 2    | * 2417.000 | 96.55 | 58.99 | 37.65  | 54.00 | 42.55  | 327  | 124  | Average | Horizontal |      |
| 3    | 2593.082   | 42.46 | 4.58  | 37.96  | 54.00 | -11.54 | 327  | 124  | Average | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level      | Read   | Level | Factor | Limit | Over  | APos | TPos | Remark  | Pol/Phase | Note |
|------|------------|--------|-------|--------|-------|-------|------|------|---------|-----------|------|
| MHz  | dBuV/m     | dBuV   | dB/m  | dBuV/m | dB    | cm    | deg  |      |         |           |      |
| 1    | 2370.416   | 53.88  | 16.49 | 37.48  | 54.00 | -0.12 | 100  | 183  | Average | Vertical  |      |
| 2    | * 2417.000 | 101.66 | 64.01 | 37.65  | 54.00 | 47.66 | 100  | 183  | Average | Vertical  |      |
| 3    | 2592.964   | 46.53  | 8.57  | 37.96  | 54.00 | -7.47 | 100  | 183  | Average | Vertical  |      |


**n\_20MHz**

**CH 3 (Horizontal) Peak**

**CH 3 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level      | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|------------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m     | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 2379.148   | 58.06  | 20.53 | 37.53  | 74.00 | -15.04 | 120  | 120  | Peak   | Horizontal |      |
| 2    | * 2422.000 | 102.81 | 65.15 | 37.66  | 74.00 | 28.81  | 120  | 120  | Peak   | Horizontal |      |
| 3    | 2795.334   | 55.21  | 17.01 | 38.20  | 74.00 | -18.79 | 120  | 120  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level      | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|------------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m     | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 2376.906   | 66.36  | 28.85 | 37.51  | 74.00 | -7.64  | 100  | 182  | Peak   | Vertical  |      |
| 2    | * 2422.000 | 111.85 | 74.19 | 37.66  | 74.00 | 37.85  | 100  | 182  | Peak   | Vertical  |      |
| 3    | 2505.998   | 56.90  | 19.04 | 37.86  | 74.00 | -17.10 | 100  | 182  | Peak   | Vertical  |      |


**n\_20MHz**

**CH 3 (Horizontal) Average**

**CH 3 (Vertical) Average**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |            |      |
| 1    | 2380.564 | 45.84 | 8.31  | 37.53  | 54.00 | -8.16  | 120  | 120  | Average | Horizontal |      |
| 2    | 2422.000 | 93.15 | 55.49 | 37.66  | 54.00 | 39.15  | 120  | 120  | Average | Horizontal |      |
| 3    | 2597.802 | 41.98 | 4.01  | 37.97  | 54.00 | -12.02 | 120  | 120  | Average | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read   | Level | Factor | Limit | Over  | APos | TPos | Remark  | Pol/Phase | Note |
|------|----------|--------|-------|--------|-------|-------|------|------|---------|-----------|------|
| MHz  | dBuV/m   | dBuV   | dB/m  | dBuV/m | dB    | cm    | deg  |      |         |           |      |
| 1    | 2376.670 | 53.81  | 16.30 | 37.51  | 54.00 | -0.19 | 100  | 182  | Average | Vertical  |      |
| 2    | 2422.000 | 102.35 | 64.69 | 37.66  | 54.00 | 48.35 | 100  | 182  | Average | Vertical  |      |
| 3    | 2597.920 | 46.00  | 8.03  | 37.97  | 54.00 | -8.00 | 100  | 182  | Average | Vertical  |      |


**n\_20MHz**

**CH 4 (Horizontal) Peak**

**CH 4 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------|----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|      | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1    | 2384.222 | 59.27  | 21.72 | 37.55 | 74.00  | -14.73 | 296  | 121  | Peak | Horizontal |           |      |
| 2 *  | 2427.000 | 106.54 | 68.68 | 37.86 | 74.00  | 32.54  | 296  | 121  | Peak | Horizontal |           |      |
| 3    | 2835.926 | 55.28  | 17.10 | 38.18 | 74.00  | -18.72 | 296  | 121  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Peak | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------|----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|      | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1    | 2381.062 | 66.71  | 29.17 | 37.54 | 74.00  | -7.29  | 100  | 183  | Peak | Vertical |           |      |
| 2 *  | 2427.000 | 111.43 | 73.77 | 37.66 | 74.00  | 37.43  | 100  | 183  | Peak | Vertical |           |      |
| 3    | 2512.606 | 55.56  | 17.70 | 37.86 | 74.00  | -18.44 | 100  | 183  | Peak | Vertical |           |      |

**n\_20MHz**

**CH 4 (Horizontal) Average**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |            |      |
| 1    | 2389.768 | 47.20 | 9.62  | 37.58  | 54.00 | -6.00  | 296  | 121  | Average | Horizontal |      |
| 2    | 2427.000 | 96.65 | 58.99 | 37.66  | 54.00 | 42.65  | 296  | 121  | Average | Horizontal |      |
| 3    | 2800.408 | 41.93 | 3.73  | 38.20  | 54.00 | -12.07 | 296  | 121  | Average | Horizontal |      |

**CH 4 (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read   | Level | Factor | Limit | Over  | APos | TPos | Remark  | Pol/Phase | Note |
|------|----------|--------|-------|--------|-------|-------|------|------|---------|-----------|------|
| MHz  | dBuV/m   | dBuV   | dB/m  | dBuV/m | dB    | cm    | deg  |      |         |           |      |
| 1    | 2381.508 | 53.77  | 16.23 | 37.54  | 54.00 | -0.23 | 100  | 183  | Average | Vertical  |      |
| 2    | 2427.000 | 101.90 | 64.24 | 37.66  | 54.00 | 47.90 | 100  | 183  | Average | Vertical  |      |
| 3    | 2602.994 | 45.81  | 7.84  | 37.97  | 54.00 | -8.19 | 100  | 183  | Average | Vertical  |      |


**n\_20MHz**

**CH 5 (Horizontal) Peak**

**CH 5 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|----------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m   | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 2389.532 | 61.19  | 23.61 | 37.58  | 74.00 | -12.01 | 331  | 182  | Peak   | Horizontal |      |
| 2    | 2432.000 | 104.46 | 66.79 | 37.67  | 74.00 | 30.46  | 331  | 182  | Peak   | Horizontal |      |
| 3    | 2822.710 | 55.83  | 17.65 | 38.18  | 74.00 | -18.17 | 331  | 182  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m   | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 2386.936 | 66.12  | 28.55 | 37.57  | 74.00 | -7.88  | 100  | 182  | Peak   | Vertical  |      |
| 2    | 2432.000 | 111.58 | 73.91 | 37.67  | 74.00 | 37.58  | 100  | 182  | Peak   | Vertical  |      |
| 3    | 2484.168 | 56.21  | 18.41 | 37.80  | 74.00 | -17.79 | 100  | 182  | Peak   | Vertical  |      |


**n\_20MHz**

**CH 5 (Horizontal) Average**

**CH 5 (Vertical) Average**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |            |           |      |
| 1   2389.896 | 48.55  | 10.07 | 37.58 | 54.00  | -5.45  | 331  | 182  | Average | Horizontal |           |      |
| 2 * 2432.000 | 94.59  | 56.92 | 37.67 | 54.00  | 40.59  | 331  | 182  | Average | Horizontal |           |      |
| 3   2607.950 | 42.12  | 4.14  | 37.98 | 54.00  | -11.88 | 331  | 182  | Average | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Level | Factor | Limit | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|-------|------|------|---------|----------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | cm   | deg  |         |          |           |      |
| 1   2389.896 | 48.55  | 10.07 | 37.58 | 54.00  | -5.45 | 331  | 182  | Average | Vertical |           |      |
| 2 * 2432.000 | 101.29 | 63.62 | 37.67 | 54.00  | 47.29 | 180  | 182  | Average | Vertical |           |      |
| 3   2607.950 | 45.55  | 7.57  | 37.98 | 54.00  | -8.45 | 180  | 182  | Average | Vertical |           |      |


**n\_20MHz**

**CH 6 (Horizontal) Peak**

**CH 6 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level    | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|----------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m   | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |            |      |
| 1    | 2389.886 | 55.86  | 18.28 | 37.58  | 74.00 | -18.14 | 213  | 238  | Peak   | Horizontal |      |
| 2    | 2437.000 | 104.39 | 66.71 | 37.68  | 74.00 | 30.39  | 213  | 238  | Peak   | Horizontal |      |
| 3    | 2484.168 | 57.44  | 19.64 | 37.80  | 74.00 | -16.56 | 213  | 238  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level    | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m   | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |           |      |
| 1    | 2389.296 | 64.59  | 27.01 | 37.58  | 74.00 | -9.41  | 264  | 244  | Peak   | Vertical  |      |
| 2    | 2437.000 | 110.49 | 72.81 | 37.68  | 74.00 | 36.49  | 264  | 244  | Peak   | Vertical  |      |
| 3    | 2484.168 | 61.27  | 23.47 | 37.80  | 74.00 | -12.73 | 264  | 244  | Peak   | Vertical  |      |




**n\_20MHz**

**CH 6 (Horizontal) Average**


**CH 6 (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322




**n\_20MHz**

**CH 11 (Horizontal) Peak**

**CH 11 (Vertical) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read   | Factor | Limit  | Over  | APos   | TPos | Remark   | Pol/Phase  | Note |
|------|----------|--------|--------|--------|-------|--------|------|----------|------------|------|
| MHz  | dBuV/m   | dBuV   | dB/m   | dBuV/m | dB    | cm     | deg  |          |            |      |
| 1    | 2375.608 | 51.72  | 15.13  | 36.59  | 74.00 | -22.28 | 287  | 121 Peak | Horizontal |      |
| 2    | 2462.000 | 106.59 | 69.89  | 36.79  | 74.00 | 32.59  | 287  | 121 Peak | Horizontal |      |
| 3    | 2504.228 | 57.44  | 20.54  | 36.90  | 74.00 | -16.56 | 287  | 121 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level    | Read   | Factor | Limit  | Over  | APos   | TPos | Remark   | Pol/Phase | Note |
|------|----------|--------|--------|--------|-------|--------|------|----------|-----------|------|
| MHz  | dBuV/m   | dBuV   | dB/m   | dBuV/m | dB    | cm     | deg  |          |           |      |
| 1    | 2352.480 | 56.15  | 19.68  | 36.47  | 74.00 | -17.85 | 288  | 172 Peak | Vertical  |      |
| 2    | 2462.000 | 112.81 | 76.02  | 36.79  | 74.00 | 36.81  | 288  | 172 Peak | Vertical  |      |
| 3    | 2505.290 | 64.74  | 27.84  | 36.90  | 74.00 | -9.26  | 288  | 172 Peak | Vertical  |      |

**n\_20MHz**

**CH 11 (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|--------------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| MHz          | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 2375.372   | 40.16  | 3.57  | 36.59  | 54.00  | -13.84 | 287  | 121  | Average | Horizontal |      |
| 2 * 2462.000 | 97.17  | 60.38 | 36.79  | 54.00  | 43.17  | 287  | 121  | Average | Horizontal |      |
| 3 2502.659   | 45.37  | 8.46  | 36.91  | 54.00  | -8.63  | 287  | 121  | Average | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|--------------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 2375.018   | 42.59  | 6.00  | 36.59  | 54.00  | -11.41 | 288  | 172  | Average | Vertical  |      |
| 2 * 2462.000 | 102.90 | 66.11 | 36.79  | 54.00  | 48.90  | 288  | 172  | Average | Vertical  |      |
| 3 ! 2502.694 | 53.37  | 16.47 | 36.90  | 54.00  | -0.63  | 288  | 172  | Average | Vertical  |      |


## Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

**n\_10MHz**

### CH 12 9kHz~150kHz(Open)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level  | Read  | Level | Factor | Limit  | Over   | APos | TPos   | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|------|--------|--------|-----------|------|
| MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm     | deg  |        |        |           |      |
| 1    | 0.026  | 57.21 | 39.83 | 19.18  | 119.18 | -61.97 | 100  | 73 QP  | Open   |           |      |
| 2    | 0.053  | 41.45 | 22.20 | 19.25  | 113.13 | -71.68 | 100  | 3 QP   | Open   |           |      |
| 3    | 0.061  | 41.95 | 22.89 | 19.06  | 111.82 | -69.87 | 100  | 349 QP | Open   |           |      |
| 4    | 0.091  | 29.56 | 11.15 | 18.41  | 108.44 | -78.88 | 100  | 360 QP | Open   |           |      |
| 5    | 0.123  | 28.16 | 9.86  | 18.30  | 105.81 | -77.65 | 100  | 51 QP  | Open   |           |      |
| 6    | 0.134  | 26.29 | 7.95  | 18.34  | 105.03 | -78.74 | 100  | 250 QP | Open   |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level  | Read  | Level | Factor | Limit | Over   | APos | TPos   | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|------|--------|--------|-----------|------|
| MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |        |        |           |      |
| 1    | 0.269  | 38.63 | 19.81 | 18.82  | 98.99 | -68.36 | 100  | 12 QP  | Open   |           |      |
| 2    | 1.016  | 35.86 | 16.59 | 19.27  | 67.47 | -31.61 | 100  | 186 QP | Open   |           |      |
| 3    | 1.643  | 36.79 | 17.43 | 19.36  | 63.29 | -26.50 | 100  | 217 QP | Open   |           |      |
| 4    | 14.777 | 35.21 | 13.37 | 21.84  | 69.50 | -34.29 | 100  | 206 QP | Open   |           |      |
| 5    | 23.075 | 36.40 | 14.06 | 22.34  | 69.50 | -33.10 | 100  | 279 QP | Open   |           |      |
| 6    | 26.448 | 35.02 | 12.53 | 22.49  | 69.50 | -34.48 | 100  | 48 QP  | Open   |           |      |

## Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


n\_10MHz

### CH 12 (Horizontal)

### CH 12 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level   | Read  | Factor | Limit  | Over  | APos   | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|--------|--------|-------|--------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg  |        |            |      |
| 1    | 75.568  | 34.76 | 44.54  | -9.78  | 40.00 | -5.24  | 480  | 270 QP | Horizontal |      |
| 2    | 140.588 | 33.88 | 48.12  | -6.32  | 43.50 | -9.70  | 200  | 274 QP | Horizontal |      |
| 3    | 298.690 | 42.38 | 47.13  | -4.75  | 46.00 | -3.62  | 100  | 289 QP | Horizontal |      |
| 4    | 700.270 | 31.53 | 29.83  | 1.70   | 46.00 | -14.47 | 200  | 360 QP | Horizontal |      |
| 5    | 857.419 | 41.96 | 37.99  | 3.97   | 46.00 | -4.04  | 100  | 230 QP | Horizontal |      |
| 6    | 985.918 | 41.35 | 36.62  | 4.73   | 46.00 | -4.65  | 100  | 132 QP | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level   | Read  | Factor | Limit  | Over  | APos   | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|--------|--------|-------|--------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg  |        |           |      |
| 1    | 34.858  | 39.66 | 46.78  | -7.04  | 40.00 | -0.34  | 100  | 212 QP | Vertical  |      |
| 2    | 80.448  | 37.88 | 48.35  | -10.47 | 40.00 | -2.12  | 100  | 200 QP | Vertical  |      |
| 3    | 106.630 | 35.88 | 45.92  | -10.04 | 43.50 | -7.62  | 100  | 166 QP | Vertical  |      |
| 4    | 298.690 | 35.35 | 40.10  | -4.75  | 46.00 | -10.65 | 100  | 145 QP | Vertical  |      |
| 5    | 632.370 | 29.57 | 28.90  | 0.67   | 46.00 | -16.43 | 100  | 228 QP | Vertical  |      |
| 6    | 952.478 | 41.99 | 36.44  | 5.55   | 46.00 | -4.01  | 100  | 210 QP | Vertical  |      |

## Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


**g\_10MHz**

**CH 1 (Horizontal)**


**CH 1 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**g\_10MHz**

**CH 6 (Horizontal)**

**CH 6 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |            |      |
| 1    | 4874.000 | 31.57 | 42.85 | -11.28 | 54.00 | -22.43 | 100  | 248  | Average | Horizontal |      |
| 2    | 4874.000 | 53.87 | 65.15 | -11.28 | 74.00 | -20.13 | 100  | 248  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |           |      |
| 1    | 4874.000 | 30.00 | 41.28 | -11.28 | 54.00 | -24.00 | 200  | 215  | Average | Vertical  |      |
| 2    | 4874.000 | 61.12 | 72.40 | -11.28 | 74.00 | -12.00 | 200  | 215  | Peak    | Vertical  |      |


**g\_10MHz**

**CH 7 (Horizontal)**

**CH 7 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4884.000 | 42.04  | 53.27 | -11.23 | 74.00  | -31.96 | 201  | 1    | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|---------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |          |           |      |
| 1 4884.000 | 28.26  | 39.49 | -11.23 | 54.00  | -25.74 | 200  | 13   | Average | Vertical |           |      |
| 2 4884.000 | 52.00  | 63.23 | -11.23 | 74.00  | -22.00 | 200  | 13   | Peak    | Vertical |           |      |




**g\_10MHz**

**CH 8 (Horizontal)**


**CH 8 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**g\_10MHz**

**CH 9 (Horizontal)**


**CH 9 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**g\_10MHz**

**CH 10 (Horizontal)**


**CH 10 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**g\_10MHz**

**CH 11 (Horizontal)**

**CH 11 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Limit  | Over  | APos   | TPos | Remark   | Pol/Phase  | Note |
|------|----------|-------|-------|--------|-------|--------|------|----------|------------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |          |            |      |
| 1    | 4924.000 | 41.10 | 52.25 | -11.15 | 74.00 | -32.90 | 100  | 284 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Limit  | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|------|-------------|-----------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |             |           |      |
| 1    | 4924.000 | 28.03 | 39.18 | -11.15 | 54.00 | -25.97 | 100  | 253 Average | Vertical  |      |
| 2    | 4924.000 | 51.63 | 62.78 | -11.15 | 74.00 | -22.37 | 100  | 253 Peak    | Vertical  |      |


**g\_10MHz**

**CH 12 (Horizontal)**

**CH 12 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4934.000 | 38.12  | 49.28 | -11.16 | 74.00  | -35.88 | 300  | 60   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4934.000 | 44.81  | 55.97 | -11.16 | 74.00  | -29.19 | 100  | 188  | Peak | Vertical |           |      |


**g\_20MHz**

**CH 1 (Horizontal)**


**CH 1 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**g\_20MHz**

**CH 2 (Horizontal)**


**CH 2 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**g\_20MHz**

**CH 3 (Horizontal)**

**CH 3 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4844.000 | 41.52  | 52.78 | -11.26 | 74.00  | -32.48 | 200  | 303  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4844.000 | 41.27  | 52.53 | -11.26 | 74.00  | -32.73 | 100  | 294  | Peak | Vertical |           |      |




**g\_20MHz**

**CH 4 (Horizontal)**

**CH 4 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4854.000 | 42.73  | 53.97 | -11.24 | 74.00  | -31.27 | 100  | 270  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4854.000 | 37.79  | 49.03 | -11.24 | 74.00  | -36.21 | 100  | 24   | Peak | Vertical |           |      |


**g\_20MHz**

**CH 5 (Horizontal)**


**CH 5 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**g\_20MHz**

**CH 6 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322




| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |            |      |
| 1    | 4874.000 | 27.46 | 39.74 | -11.28 | 54.00 | -26.54 | 300  | 330  | Average | Horizontal |      |
| 2    | 4874.000 | 38.24 | 49.52 | -11.28 | 74.00 | -35.76 | 300  |      | Peak    | Horizontal |      |

**CH 6 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |           |      |
| 1    | 4874.000 | 27.77 | 39.05 | -11.28 | 54.00 | -26.23 | 300  | 13   | Average | Vertical  |      |
| 2    | 4874.000 | 50.62 | 61.90 | -11.28 | 74.00 | -23.38 | 300  |      | Peak    | Vertical  |      |


**g\_20MHz**

**CH 7 (Horizontal)**


**CH 7 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**g\_20MHz**

**CH 8 (Horizontal)**

**CH 8 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4894.000 | 43.55  | 54.77 | -11.22 | 74.00  | -30.45 | 100  | 290  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4894.000 | 40.95  | 52.17 | -11.22 | 74.00  | -33.05 | 200  | 294  | Peak | Vertical |           |      |


**g\_20MHz**

**CH 9 (Horizontal)**

**CH 9 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4904.000 | 41.34  | 52.54 | -11.20 | 74.00  | -32.66 | 100  | 183  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4904.000 | 37.86  | 49.06 | -11.20 | 74.00  | -36.14 | 100  | 11   | Peak | Vertical |           |      |


**g\_20MHz**

**CH 10 (Horizontal)**


**CH 10 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**g\_20MHz**

**CH 11 (Horizontal)**

**CH 11 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4924.000 | 37.88 | 49.08 | -11.20 | 74.00 | -36.12 | 400  | 160  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4924.000 | 37.68 | 48.88 | -11.20 | 74.00 | -36.32 | 399  | 360  | Peak   | Vertical  |      |




**n\_10MHz**

**CH 1 (Horizontal)**


**CH 1 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**n\_10MHz**

**CH 2 (Horizontal)**

**CH 2 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4834.000 | 41.51  | 52.80 | -11.29 | 74.00  | -32.49 | 200  | 298  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1922



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|---------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |          |           |      |
| 1 4834.000 | 28.88  | 40.17 | -11.29 | 54.00  | -25.12 | 100  | 14   | Average | Vertical |           |      |
| 2 4834.000 | 53.46  | 64.75 | -11.29 | 74.00  | -20.54 | 100  | 14   | Peak    | Vertical |           |      |


**n\_10MHz**

**CH 3 (Horizontal)**


**CH 3 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**n\_10MHz**

**CH 4 (Horizontal)**

**CH 4 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|--------|------------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1 4854.000 | 46.45  | 57.69 | -11.24 | 74.00  | -27.55 |      | 100  | 264  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark  | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|---------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | dB   | cm   | deg  |         |           |      |
| 1 4854.000 | 27.75  | 38.99 | -11.24 | 54.00  | -26.25 |      | 200  | 118  | Average | Vertical  |      |
| 2 4854.000 | 53.93  | 65.17 | -11.24 | 74.00  | -20.87 |      | 200  | 118  | Peak    | Vertical  |      |


**n\_10MHz**

**CH 5 (Horizontal)**

**CH 5 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|--------|------------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1 4864.000 | 46.60  | 57.84 | -11.24 | 74.00  | -27.40 |      | 100  | 108  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark  | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|---------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | dB   | cm   | deg  |         |           |      |
| 1 4864.000 | 27.90  | 39.14 | -11.24 | 54.00  | -26.10 |      | 200  | 282  | Average | Vertical  |      |
| 2 4864.000 | 54.81  | 66.05 | -11.24 | 74.00  | -19.19 |      | 200  | 282  | Peak    | Vertical  |      |


**n\_10MHz**

**CH 6 (Horizontal)**

**CH 6 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    |        | cm   | deg  |         |            |      |
| 1    | 4874.000 | 27.74 | 39.82 | -11.28 | 54.00 | -26.26 | 100  | 211  | Average | Horizontal |      |
| 2    | 4874.000 | 61.63 | 72.91 | -11.28 | 74.00 | -12.37 | 100  | 211  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    |        | cm   | deg  |         |           |      |
| 1    | 4874.000 | 30.16 | 41.44 | -11.28 | 54.00 | -23.84 | 100  | 14   | Average | Vertical  |      |
| 2    | 4874.000 | 70.75 | 82.03 | -11.28 | 74.00 | -3.25  | 100  | 14   | Peak    | Vertical  |      |


**n\_10MHz**

**CH 7 (Horizontal)**

**CH 7 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4884.000 | 41.57  | 52.80 | -11.23 | 74.00  | -32.43 | 100  | 43   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4884.000 | 49.88  | 61.11 | -11.23 | 74.00  | -24.12 | 200  | 1    | Peak | Vertical |           |      |


**n\_10MHz**

**CH 8 (Horizontal)**

**CH 8 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4894.000 | 40.93  | 52.15 | -11.22 | 74.00  | -33.07 | 100  | 308  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|---------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |          |           |      |
| 1 4894.000 | 29.75  | 40.97 | -11.22 | 54.00  | -24.25 | 200  | 11   | Average | Vertical |           |      |
| 2 4894.000 | 53.05  | 64.28 | -11.22 | 74.00  | -20.94 | 200  | 11   | Peak    | Vertical |           |      |




**n\_10MHz**

**CH 9 (Horizontal)**

**CH 9 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4904.000 | 41.46  | 52.66 | -11.20 | 74.00  | -32.54 | 100  | 281  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4904.000 | 45.36  | 56.56 | -11.20 | 74.00  | -28.64 | 133  | 42   | Peak | Vertical |           |      |


**n\_10MHz**

**CH 10 (Horizontal)**

**CH 10 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4914.000 | 41.60  | 52.78 | -11.18 | 74.00  | -32.40 | 100  | 297  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4914.000 | 43.42  | 54.60 | -11.18 | 74.00  | -30.58 | 130  | 4    | Peak | Vertical |           |      |


**n\_10MHz**

**CH 11 (Horizontal)**

**CH 11 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4924.000 | 41.53  | 52.68 | -11.15 | 74.00  | -32.47 | 100  | 283  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4924.000 | 42.48  | 53.63 | -11.15 | 74.00  | -31.52 | 200  | 71   | Peak | Vertical |           |      |


**n\_10MHz**

**CH 12 (Horizontal)**

**CH 12 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4934.000 | 37.75 | 48.91 | -11.16 | 74.00 | -36.25 | 400  | 235  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4934.000 | 46.60 | 57.76 | -11.16 | 74.00 | -27.40 | 246  | 6    | Peak   | Vertical  |      |


**n\_20MHz**

**CH 1 (Horizontal)**

**CH 1 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4824.000 | 37.57  | 48.88 | -11.31 | 74.00  | -36.43 | 100  | 66   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4824.000 | 39.06  | 50.37 | -11.31 | 74.00  | -34.94 | 210  | 4    | Peak | Vertical |           |      |


**n\_20MHz**

**CH 2 (Horizontal)**

**CH 2 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4834.000 | 42.02  | 53.31 | -11.29 | 74.00  | -31.98 | 100  | 296  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4834.000 | 40.39  | 51.68 | -11.29 | 74.00  | -33.61 | 100  | 42   | Peak | Vertical |           |      |


**n\_20MHz**

**CH 3 (Horizontal)**

**CH 3 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4844.000 | 43.01  | 54.27 | -11.26 | 74.00  | -30.99 | 100  | 296  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4844.000 | 41.24  | 52.50 | -11.26 | 74.00  | -32.76 | 100  | 254  | Peak | Vertical |           |      |


**n\_20MHz**

**CH 4 (Horizontal)**

**CH 4 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|--------|------------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     |      | cm   | deg  |        |            |      |
| 1 4854.000 | 43.76  | 55.00 | -11.24 | 74.00  | -30.24 |      | 100  | 300  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|--------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     |      | cm   | deg  |        |           |      |
| 1 4854.000 | 40.90  | 52.14 | -11.24 | 74.00  | -33.10 |      | 200  | 137  | Peak   | Vertical  |      |




**n\_20MHz**

**CH 5 (Horizontal)**

**CH 5 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|------------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4864.000 | 42.46  | 53.70 | -11.24 | 74.00  | -31.54 | 100  | 300  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Level  | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|--------|--------|--------|------|------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4864.000 | 41.66  | 52.90 | -11.24 | 74.00  | -32.34 | 100  | 302  | Peak | Vertical |           |      |


**n\_20MHz**

**CH 6 (Horizontal)**

**CH 6 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |            |      |
| 1    | 4874.000 | 27.38 | 38.66 | -11.28 | 54.00 | -26.62 | 100  | 350  | Average | Horizontal |      |
| 2    | 4874.000 | 52.98 | 64.26 | -11.28 | 74.00 | -21.02 | 100  | 350  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1009 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |           |      |
| 1    | 4874.000 | 27.67 | 38.95 | -11.28 | 54.00 | -26.33 | 156  | 360  | Average | Vertical  |      |
| 2    | 4874.000 | 64.10 | 75.38 | -11.28 | 74.00 | -9.90  | 156  | 360  | Peak    | Vertical  |      |


**n\_20MHz**

**CH 11 (Horizontal)**

**CH 11 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4924.000 | 38.71 | 49.91 | -11.20 | 74.00 | -35.29 | 100  | 41   | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level    | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4924.000 | 40.00 | 51.20 | -11.20 | 74.00 | -34.00 | 124  | 73   | Peak   | Vertical  |      |