


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6885MHz_TX

EUT_X_2TX
Setting 20.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65338G	64.26	83.54	-19.28	59.36	1	Vertical	297	1.81	-	37.90	15.70	48.70			
AV	20.65272G	50.59	63.54	-12.95	45.69	1	Vertical	297	1.81	-	37.90	15.70	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_X_2TX
Setting 20.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.64681G	71.57	83.54	-11.97	66.67	1	Horizontal	288	1.60	-	37.90	15.70	48.70			
AV	20.66433G	58.62	63.54	-4.92	53.71	1	Horizontal	288	1.60	-	37.90	15.71	48.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_X_2TX
Setting 18.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25133G	48.78	74.00	-25.22	41.75	3	Vertical	148	1.70	-	40.00	11.89	44.86			
AV	13.25068G	34.51	54.00	-19.49	27.48	3	Vertical	148	1.70	-	40.00	11.89	44.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_X_2TX
Setting 18.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25368G	48.20	74.00	-25.80	41.16	3	Horizontal	17	1.94	-	40.01	11.89	44.86			
AV	13.25015G	34.69	54.00	-19.31	27.66	3	Horizontal	17	1.94	-	40.00	11.89	44.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_X_2TX
Setting 18.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87782G	60.97	83.54	-22.57	56.89	1	Vertical	147	1.05	-	37.70	15.18	48.80			
AV	19.86033G	51.77	63.54	-11.77	47.69	1	Vertical	147	1.05	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_X_2TX
Setting 18.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87122G	76.62	83.54	-6.92	72.54	1	Horizontal	292	1.60	-	37.70	15.18	48.80			
AV	19.8645G	61.41	63.54	-2.13	57.33	1	Horizontal	292	1.60	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40951G	49.68	88.20	-38.52	42.20	3	Vertical	137	3.00	-	40.34	11.87	44.73			
RMS	13.40877G	35.88	68.20	-32.32	28.40	3	Vertical	137	3.00	-	40.34	11.87	44.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41412G	49.66	88.20	-38.54	42.16	3	Horizontal	150	1.01	-	40.36	11.87	44.73			
RMS	13.40875G	35.74	68.20	-32.46	28.26	3	Horizontal	150	1.01	-	40.34	11.87	44.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10141G	62.08	83.54	-21.46	57.81	1	Vertical	286	1.92	-	37.80	15.25	48.78			
AV	20.1117G	53.33	63.54	-10.21	49.05	1	Vertical	286	1.92	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10102G	74.78	83.54	-8.76	70.51	1	Horizontal	290	1.60	-	37.80	15.25	48.78			
AV	20.1063G	58.56	63.54	-4.98	54.28	1	Horizontal	290	1.60	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56964G	49.30	88.20	-38.90	41.47	3	Vertical	161	1.74	-	40.60	11.84	44.61			
RMS	13.5736G	34.91	68.20	-33.29	27.08	3	Vertical	161	1.74	-	40.60	11.84	44.61			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57022G	48.76	88.20	-39.44	40.93	3	Horizontal	341	2.03	-	40.60	11.84	44.61			
RMS	13.57469G	35.07	68.20	-33.13	27.24	3	Horizontal	341	2.03	-	40.60	11.84	44.61			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34948G	63.11	83.54	-20.43	58.49	1	Vertical	144	2.76	-	37.90	15.45	48.73			
AV	20.35728G	49.58	63.54	-13.96	44.96	1	Vertical	144	2.76	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35179G	71.64	83.54	-11.90	67.01	1	Horizontal	288	1.60	-	37.90	15.46	48.73			
AV	20.34546G	57.38	63.54	-6.16	52.77	1	Horizontal	288	1.60	-	37.89	15.45	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73275G	48.70	88.20	-39.50	40.35	3	Vertical	66	1.18	-	41.03	11.82	44.50			
RMS	13.73002G	34.95	68.20	-33.25	26.61	3	Vertical	66	1.18	-	41.02	11.82	44.50			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7279G	49.17	88.20	-39.03	40.84	3	Horizontal	341	2.64	-	41.01	11.82	44.50			
RMS	13.725G	34.98	68.20	-33.22	26.66	3	Horizontal	341	2.64	-	41.00	11.82	44.50			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.58294G	61.23	83.54	-22.31	56.38	1	Vertical	123	2.57	-	37.90	15.65	48.70			
AV	20.59356G	47.43	63.54	-16.11	42.58	1	Vertical	123	2.57	-	37.90	15.65	48.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.58252G	69.71	83.54	-13.83	64.87	1	Horizontal	288	1.60	-	37.90	15.64	48.70			
AV	20.58411G	55.10	63.54	-8.44	50.25	1	Horizontal	288	1.60	-	37.90	15.65	48.70			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32966G	48.84	74.00	-25.16	41.60	3	Vertical	341	2.57	-	40.16	11.88	44.80			
AV	13.33437G	34.88	54.00	-19.12	27.63	3	Vertical	341	2.57	-	40.17	11.88	44.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33005G	49.22	74.00	-24.78	41.98	3	Horizontal	0	2.08	-	40.16	11.88	44.80			
AV	13.3339G	35.05	54.00	-18.95	27.80	3	Horizontal	0	2.08	-	40.17	11.88	44.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00424G	65.37	83.54	-18.17	61.29	1	Vertical	71	1.49	-	37.71	15.17	48.80			
AV	19.99128G	44.53	63.54	-19.01	40.44	1	Vertical	71	1.49	-	37.72	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00343G	72.00	83.54	-11.54	67.92	1	Horizontal	292	1.60	-	37.71	15.17	48.80			
AV	19.99038G	57.13	63.54	-6.41	53.04	1	Horizontal	292	1.60	-	37.72	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65242G	48.39	88.20	-39.81	40.40	3	Vertical	25	1.35	-	40.71	11.83	44.55			
RMS	13.65021G	34.46	68.20	-33.74	26.48	3	Vertical	25	1.35	-	40.70	11.83	44.55			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.65088G	48.04	88.20	-40.16	40.06	3	Horizontal	52	2.96	-	40.70	11.83	44.55			
RMS	13.65457G	34.40	68.20	-33.80	26.40	3	Horizontal	52	2.96	-	40.72	11.83	44.55			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.48448G	62.79	83.54	-20.75	58.03	1	Vertical	310	2.11	-	37.90	15.56	48.70			
AV	20.48184G	49.15	63.54	-14.39	44.39	1	Vertical	310	2.11	-	37.90	15.56	48.70			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.48445G	67.89	83.54	-15.65	63.13	1	Horizontal	286	1.60	-	37.90	15.56	48.70			
AV	20.47659G	53.67	63.54	-9.87	48.91	1	Horizontal	286	1.60	-	37.90	15.56	48.70			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79864G	61.74	88.20	-26.46	40.59	3	Vertical	154	1.87	-	41.00	11.81	31.66			
RMS	13.7952G	47.83	68.20	-20.37	26.67	3	Vertical	154	1.87	-	41.01	11.81	31.66			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

6895MHz_TX




EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78648G	48.83	88.20	-39.37	40.45	3	Horizontal	89	2.19	-	41.03	11.81	44.46			
RMS	13.78566G	35.22	68.20	-32.98	26.84	3	Horizontal	89	2.19	-	41.03	11.81	44.46			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68815G	65.29	83.54	-18.25	60.36	1	Vertical	295	1.83	-	37.90	15.73	48.70			
AV	20.68902G	51.38	63.54	-12.16	46.45	1	Vertical	295	1.83	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68812G	72.05	83.54	-11.49	67.12	1	Horizontal	290	1.58	-	37.90	15.73	48.70			
AV	20.6871G	58.64	63.54	-4.90	53.71	1	Horizontal	290	1.58	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

6995MHz_TX




EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9813G	50.33	88.20	-37.87	41.41	3	Vertical	189	1.67	-	41.46	11.78	44.32			
RMS	13.99652G	49.54	68.20	-18.66	40.58	3	Vertical	189	1.67	-	41.49	11.78	44.31			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98388G	50.17	88.20	-38.03	41.24	3	Horizontal	21	1.85	-	41.47	11.78	44.32			
RMS	13.99784G	48.91	68.20	-19.29	39.94	3	Horizontal	21	1.85	-	41.50	11.78	44.31			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98446G	63.50	83.54	-20.04	58.26	1	Vertical	295	1.83	-	37.97	15.97	48.70			
AV	20.99217G	49.18	63.54	-14.36	43.92	1	Vertical	295	1.83	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.99691G	67.34	83.54	-16.20	62.07	1	Horizontal	9	1.57	-	37.99	15.98	48.70			
AV	20.98896G	52.56	63.54	-10.98	47.30	1	Horizontal	9	1.57	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 22.25
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0923G	113.58	Inf	-Inf	100.51	3	Vertical	88	2.92	-	35.38	9.11	31.42				
RMS	7.0917G	103.52	Inf	-Inf	90.46	3	Vertical	88	2.92	-	35.38	9.10	31.42				
PK	7.127G	81.23	88.20	-6.97	67.90	3	Vertical	88	2.92	-	35.56	9.19	31.42				
RMS	7.125G	62.96	68.20	-5.24	49.64	3	Vertical	88	2.92	-	35.55	9.19	31.42				

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 22.25
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0896G	118.22	Inf	-Inf	105.16	3	Horizontal	87	1.00	-	35.38	9.10	31.42				
RMS	7.0942G	109.03	Inf	-Inf	95.95	3	Horizontal	87	1.00	-	35.39	9.11	31.42				
PK	7.1261G	86.52	88.20	-1.68	73.19	3	Horizontal	87	1.00	-	35.56	9.19	31.42				
RMS	7.1261G	67.19	68.20	-1.01	53.86	3	Horizontal	87	1.00	-	35.56	9.19	31.42				

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7095MHz_TX




EUT_X_2TX
Setting 22.25
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19288G	53.92	88.20	-34.28	44.43	3	Vertical	301	1.73	-	42.27	11.79	44.57			
RMS	14.19564G	36.87	68.20	-31.33	27.38	3	Vertical	301	1.73	-	42.28	11.79	44.58			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7095MHz_TX




EUT_X_2TX
Setting 22.25
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.191G	53.45	88.20	-34.75	43.97	3	Horizontal	312	2.30	-	42.26	11.79	44.57			
RMS	14.19156G	39.76	68.20	-28.44	30.27	3	Horizontal	312	2.30	-	42.27	11.79	44.57			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7095MHz_TX




EUT_X_2TX
Setting 22.25
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.29919G	65.24	83.54	-18.30	59.55	1	Vertical	281	1.62	-	38.10	16.23	48.64			
AV	21.2877G	48.88	63.54	-14.66	43.22	1	Vertical	281	1.62	-	38.08	16.22	48.64			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX

EUT_X_2TX
Setting 22.25
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28716G	69.45	83.54	-14.09	63.80	1	Horizontal	8	1.57	-	38.07	16.22	48.64			
AV	21.28929G	52.91	63.54	-10.63	47.25	1	Horizontal	8	1.57	-	38.08	16.22	48.64			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 15.25
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.1215G	109.39	Inf	-Inf	96.10	3	Vertical	90	2.69	BP 1MHz	35.53	9.18	31.42				
RMS	7.1185G	101.23	Inf	-Inf	87.97	3	Vertical	90	2.69	BP 1MHz	35.51	9.17	31.42				
PK	7.1265G	73.95	88.20	-14.25	60.62	3	Vertical	90	2.69	BP 1MHz	35.56	9.19	31.42				
RMS	7.1255G	64.95	68.20	-3.25	51.63	3	Vertical	90	2.69	BP 1MHz	35.55	9.19	31.42				

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 15.25
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1175G	113.71	Inf	-Inf	100.45	3	Horizontal	86	1.04	BP 1MHz	35.51	9.17	31.42			
RMS	7.1135G	106.38	Inf	-Inf	93.16	3	Horizontal	86	1.04	BP 1MHz	35.48	9.16	31.42			
PK	7.1255G	76.30	88.20	-11.90	62.98	3	Horizontal	86	1.04	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	67.05	68.20	-1.15	53.73	3	Horizontal	86	1.04	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




EUT_X_2TX
Setting 15.25
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23614G	49.66	88.20	-38.54	40.20	3	Vertical	50	2.78	-	42.30	11.79	44.63			
RMS	14.22978G	36.01	68.20	-32.19	26.54	3	Vertical	50	2.78	-	42.30	11.79	44.62			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




EUT_X_2TX
Setting 15.25
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.22056G	50.09	88.20	-38.11	40.61	3	Horizontal	146	1.48	-	42.30	11.79	44.61			
RMS	14.23998G	35.56	68.20	-32.64	26.11	3	Horizontal	146	1.48	-	42.30	11.79	44.64			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




EUT_X_2TX
Setting 15.25
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34401G	68.51	83.54	-15.03	62.77	1	Vertical	267	1.61	-	38.10	16.27	48.63			
AV	21.34644G	51.59	63.54	-11.95	45.85	1	Vertical	267	1.61	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




EUT_X_2TX
Setting 15.25
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34413G	74.57	83.54	-8.97	68.83	1	Horizontal	288	1.57	-	38.10	16.27	48.63			
AV	21.34908G	56.17	63.54	-7.37	50.43	1	Horizontal	288	1.57	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6895MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78547G	48.76	88.20	-39.44	40.38	3	Vertical	103	2.34	-	41.03	11.81	44.46			
RMS	13.79089G	34.90	68.20	-33.30	26.53	3	Vertical	103	2.34	-	41.02	11.81	44.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6895MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79049G	48.91	88.20	-39.29	40.54	3	Horizontal	214	2.03	-	41.02	11.81	44.46			
RMS	13.79032G	35.06	68.20	-33.14	26.69	3	Horizontal	214	2.03	-	41.02	11.81	44.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6895MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68293G	67.49	83.54	-16.05	62.56	1	Vertical	297	1.83	-	37.90	15.73	48.70			
AV	20.68767G	52.61	63.54	-10.93	47.68	1	Vertical	297	1.83	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6895MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.69415G	70.81	83.54	-12.73	65.87	1	Horizontal	249	1.71	-	37.90	15.74	48.70			
AV	20.68773G	55.32	63.54	-8.22	50.39	1	Horizontal	249	1.71	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6995MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98781G	49.97	88.20	-38.23	41.03	3	Vertical	315	1.72	-	41.48	11.78	44.32			
RMS	13.98589G	36.03	68.20	-32.17	27.10	3	Vertical	315	1.72	-	41.47	11.78	44.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6995MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98669G	50.36	88.20	-37.84	41.43	3	Horizontal	269	1.21	-	41.47	11.78	44.32			
RMS	13.98599G	36.06	68.20	-32.14	27.13	3	Horizontal	269	1.21	-	41.47	11.78	44.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98563G	67.52	83.54	-16.02	62.28	1	Vertical	294	1.81	-	37.97	15.97	48.70			
AV	20.98707G	51.75	63.54	-11.79	46.51	1	Vertical	294	1.81	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6995MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98548G	76.03	83.54	-7.51	70.79	1	Horizontal	284	1.58	-	37.97	15.97	48.70			
AV	20.98671G	61.04	63.54	-2.50	55.80	1	Horizontal	284	1.58	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 16.75
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0893G	112.42	Inf	-Inf	99.36	3	Vertical	82	2.94	-	35.38	9.10	31.42				
RMS	7.0893G	99.77	Inf	-Inf	86.71	3	Vertical	82	2.94	-	35.38	9.10	31.42				
PK	7.1311G	76.13	88.20	-12.07	62.76	3	Vertical	82	2.94	-	35.59	9.20	31.42				
RMS	7.1252G	58.07	68.20	-10.13	44.75	3	Vertical	82	2.94	-	35.55	9.19	31.42				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Z_2TX
Setting 16.75
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0968G	117.46	Inf	-Inf	104.37	3	Horizontal	88	1.00	-	35.39	9.12	31.42			
RMS	7.0933G	105.61	Inf	-Inf	92.53	3	Horizontal	88	1.00	-	35.39	9.11	31.42			
PK	7.1271G	86.80	88.20	-1.40	73.47	3	Horizontal	88	1.00	-	35.56	9.19	31.42			
RMS	7.1251G	66.07	68.20	-2.13	52.75	3	Horizontal	88	1.00	-	35.55	9.19	31.42			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_X_2TX
Setting 16.75
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18941G	49.77	88.20	-38.43	40.29	3	Vertical	181	2.81	-	42.26	11.79	44.57			
RMS	14.19363G	35.77	68.20	-32.43	26.28	3	Vertical	181	2.81	-	42.27	11.79	44.57			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_X_2TX
Setting 16.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19461G	50.39	88.20	-37.81	40.89	3	Horizontal	21	1.75	-	42.28	11.79	44.57			
RMS	14.191G	35.81	68.20	-32.39	26.33	3	Horizontal	21	1.75	-	42.26	11.79	44.57			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_X_2TX
Setting 16.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28716G	59.92	83.54	-23.62	54.27	1	Vertical	146	1.20	-	38.07	16.22	48.64			
AV	21.29304G	43.62	63.54	-19.92	37.95	1	Vertical	146	1.20	-	38.09	16.22	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_X_2TX
Setting 16.75
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.29325G	68.32	83.54	-15.22	62.65	1	Horizontal	10	1.80	-	38.09	16.22	48.64			
AV	21.291G	50.13	63.54	-13.41	44.47	1	Horizontal	10	1.80	-	38.08	16.22	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 9.75
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1185G	103.93	Inf	-Inf	90.67	3	Vertical	90	2.69	BP 1MHz	35.51	9.17	31.42			
RMS	7.1135G	95.10	Inf	-Inf	81.88	3	Vertical	90	2.69	BP 1MHz	35.48	9.16	31.42			
PK	7.1255G	76.19	88.20	-12.01	62.87	3	Vertical	90	2.69	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	64.46	68.20	-3.74	51.14	3	Vertical	90	2.69	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Z_2TX
Setting 9.75
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1105G	108.99	Inf	-Inf	95.80	3	Horizontal	88	1.03	BP 1MHz	35.46	9.15	31.42			
RMS	7.1135G	100.45	Inf	-Inf	87.23	3	Horizontal	88	1.03	BP 1MHz	35.48	9.16	31.42			
PK	7.1255G	77.89	88.20	-10.31	64.57	3	Horizontal	88	1.03	BP 1MHz	35.55	9.19	31.42			
RMS	7.1255G	67.11	68.20	-1.09	53.79	3	Horizontal	88	1.03	BP 1MHz	35.55	9.19	31.42			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_X_2TX
Setting 9.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.228G	49.86	88.20	-38.34	40.39	3	Vertical	330	1.37	-	42.30	11.79	44.62			
RMS	14.22956G	35.65	68.20	-32.55	26.18	3	Vertical	330	1.37	-	42.30	11.79	44.62			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_X_2TX
Setting 9.75
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.23442G	49.92	88.20	-38.28	40.46	3	Horizontal	193	1.71	-	42.30	11.79	44.63			
RMS	14.22968G	35.74	68.20	-32.46	26.27	3	Horizontal	193	1.71	-	42.30	11.79	44.62			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_X_2TX
Setting 9.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34389G	52.48	83.54	-31.06	46.74	1	Vertical	202	2.67	-	38.10	16.27	48.63			
AV	21.3459G	35.49	63.54	-28.05	29.75	1	Vertical	202	2.67	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_X_2TX
Setting 9.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34398G	55.44	83.54	-28.10	49.70	1	Horizontal	8	1.57	-	38.10	16.27	48.63			
AV	21.34488G	37.18	63.54	-26.36	31.44	1	Horizontal	8	1.57	-	38.10	16.27	48.63			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8502G	61.94	88.20	-26.26	40.63	3	Vertical	209	2.83	-	41.20	11.80	31.69			
RMS	13.84518G	47.34	68.20	-20.86	26.05	3	Vertical	209	2.83	-	41.18	11.80	31.69			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8463G	49.11	88.20	-39.09	40.54	3	Horizontal	249	1.01	-	41.19	11.80	44.42			
RMS	13.8488G	34.99	68.20	-33.21	26.41	3	Horizontal	249	1.01	-	41.20	11.80	44.42			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.78118G	64.41	83.54	-19.13	59.40	1	Vertical	106	1.46	-	37.90	15.81	48.70			
AV	20.77566G	50.15	63.54	-13.39	45.15	1	Vertical	106	1.46	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7807G	73.26	83.54	-10.28	68.25	1	Horizontal	288	1.59	-	37.90	15.81	48.70			
AV	20.77578G	58.91	63.54	-4.63	53.91	1	Horizontal	288	1.59	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01144G	49.81	88.20	-38.39	40.81	3	Vertical	232	2.44	-	41.55	11.78	44.33			
RMS	14.01428G	35.97	68.20	-32.23	26.96	3	Vertical	232	2.44	-	41.56	11.78	44.33			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00517G	50.82	88.20	-37.38	41.84	3	Horizontal	353	1.21	-	41.52	11.78	44.32			
RMS	14.00701G	36.00	68.20	-32.20	27.01	3	Horizontal	353	1.21	-	41.53	11.78	44.32			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.00762G	62.69	83.54	-20.85	57.40	1	Vertical	232	2.11	-	38.00	15.99	48.70			
AV	21.01743G	48.89	63.54	-14.65	43.59	1	Vertical	232	2.11	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.02355G	65.97	83.54	-17.57	60.67	1	Horizontal	9	1.80	-	38.00	16.00	48.70			
AV	21.0285G	51.76	63.54	-11.78	46.44	1	Horizontal	9	1.80	-	38.00	16.01	48.69			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 15.75
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0826G	109.48	Inf	-Inf	96.45	3	Vertical	74	2.92	-	35.37	9.08	31.42				
RMS	7.0818G	99.08	Inf	-Inf	86.06	3	Vertical	74	2.92	-	35.36	9.08	31.42				
PK	7.1252G	80.49	88.20	-7.71	67.17	3	Vertical	74	2.92	-	35.55	9.19	31.42				
RMS	7.127G	59.82	68.20	-8.38	46.49	3	Vertical	74	2.92	-	35.56	9.19	31.42				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 15.75
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0894G	112.38	Inf	-Inf	99.32	3	Horizontal	87	1.04	-	35.38	9.10	31.42				
RMS	7.0884G	103.00	Inf	-Inf	89.94	3	Horizontal	87	1.04	-	35.38	9.10	31.42				
PK	7.1268G	85.45	88.20	-2.75	72.12	3	Horizontal	87	1.04	-	35.56	9.19	31.42				
RMS	7.129G	64.05	68.20	-4.15	50.70	3	Horizontal	87	1.04	-	35.57	9.20	31.42				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_X_2TX
Setting 15.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17275G	49.68	88.20	-38.52	40.24	3	Vertical	205	2.30	-	42.19	11.79	44.54			
RMS	14.17401G	35.68	68.20	-32.52	26.24	3	Vertical	205	2.30	-	42.20	11.79	44.55			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_X_2TX
Setting 15.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1742G	49.74	88.20	-38.46	40.30	3	Horizontal	216	1.32	-	42.20	11.79	44.55			
RMS	14.16662G	35.73	68.20	-32.47	26.31	3	Horizontal	216	1.32	-	42.17	11.79	44.54			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_X_2TX
Setting 15.75
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2583G	62.78	83.54	-20.76	57.21	1	Vertical	16	1.50	-	38.02	16.20	48.65			
AV	21.26334G	45.29	63.54	-18.25	39.71	1	Vertical	16	1.50	-	38.03	16.20	48.65			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_X_2TX
Setting 15.75
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25686G	69.51	83.54	-14.03	63.96	1	Horizontal	166	1.29	-	38.01	16.19	48.65			
AV	21.25773G	51.98	63.54	-11.56	46.41	1	Horizontal	166	1.29	-	38.02	16.20	48.65			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8863G	49.80	88.20	-38.40	41.12	3	Vertical	257	2.56	-	41.27	11.80	44.39			
RMS	13.88975G	35.95	68.20	-32.25	27.26	3	Vertical	257	2.56	-	41.28	11.80	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.89255G	50.28	88.20	-37.92	41.58	3	Horizontal	256	2.23	-	41.29	11.80	44.39			
RMS	13.88965G	36.08	68.20	-32.12	27.39	3	Horizontal	256	2.23	-	41.28	11.80	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.82636G	65.45	83.54	-18.09	60.41	1	Vertical	105	1.15	-	37.90	15.84	48.70			
AV	20.83773G	53.04	63.54	-10.50	47.99	1	Vertical	105	1.15	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_X_2TX
Setting 23
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.82651G	67.80	83.54	-15.74	62.76	1	Horizontal	283	1.60	-	37.90	15.84	48.70			
AV	20.83365G	53.23	63.54	-10.31	48.18	1	Horizontal	283	1.60	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 16.75
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	7.0526G	108.91	Inf	-Inf	96.01	3	Vertical	70	2.95	-	35.31	9.01	31.42					
RMS	7.0206G	95.84	Inf	-Inf	83.03	3	Vertical	70	2.95	-	35.30	8.93	31.42					
PK	7.1334G	77.30	88.20	-10.90	63.91	3	Vertical	70	2.95	-	35.60	9.21	31.42					
RMS	7.125G	62.11	68.20	-6.09	48.79	3	Vertical	70	2.95	-	35.55	9.19	31.42					

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 16.75
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9938G	112.70	Inf	-Inf	99.94	3	Horizontal	87	1.01	-	35.30	8.88	31.42			
RMS	6.9934G	100.58	Inf	-Inf	87.82	3	Horizontal	87	1.01	-	35.30	8.88	31.42			
PK	7.133G	81.78	88.20	-6.42	68.39	3	Horizontal	87	1.01	-	35.60	9.21	31.42			
RMS	7.125G	66.33	68.20	-1.87	53.01	3	Horizontal	87	1.01	-	35.55	9.19	31.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_X_2TX
Setting 16.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04667G	49.53	88.20	-38.67	40.43	3	Vertical	90	1.53	-	41.69	11.78	44.37			
RMS	14.05486G	36.09	68.20	-32.11	26.97	3	Vertical	90	1.53	-	41.72	11.78	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_X_2TX
Setting 16.75
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05362G	50.27	88.20	-37.93	41.16	3	Horizontal	99	2.86	-	41.71	11.78	44.38			
RMS	14.04875G	36.07	68.20	-32.13	26.97	3	Horizontal	99	2.86	-	41.70	11.78	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_X_2TX
Setting 16.75
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07128G	60.43	83.54	-23.11	55.08	1	Vertical	303	1.74	-	38.00	16.04	48.69			
AV	21.08361G	49.92	63.54	-13.62	44.55	1	Vertical	303	1.74	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_X_2TX
Setting 16.75
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07593G	67.28	83.54	-16.26	61.91	1	Horizontal	285	1.60	-	38.00	16.05	48.68			
AV	21.081G	53.69	63.54	-9.85	48.32	1	Horizontal	285	1.60	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Z_2TX
Setting 15.5
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	6.975G	103.78	Inf	-Inf	91.00	3	Vertical	70	3.00	-	35.30	8.89	31.41				
RMS	6.9825G	92.76	Inf	-Inf	79.98	3	Vertical	70	3.00	-	35.30	8.89	31.41				
PK	7.14G	80.51	88.20	-7.69	67.07	3	Vertical	70	3.00	-	35.64	9.22	31.42				
RMS	7.132G	63.69	68.20	-4.51	50.32	3	Vertical	70	3.00	-	35.59	9.20	31.42				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 15.5
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9665G	109.50	Inf	-Inf	96.70	3	Horizontal	88	1.06	-	35.30	8.90	31.40			
RMS	6.979G	97.05	Inf	-Inf	84.27	3	Horizontal	88	1.06	-	35.30	8.89	31.41			
PK	7.141G	84.30	88.20	-3.90	70.84	3	Horizontal	88	1.06	-	35.65	9.23	31.42			
RMS	7.1315G	66.63	68.20	-1.57	53.26	3	Horizontal	88	1.06	-	35.59	9.20	31.42			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_X_2TX
Setting 15.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97177G	52.42	88.20	-35.78	43.53	3	Vertical	151	1.96	-	41.44	11.78	44.33			
RMS	13.95992G	38.35	68.20	-29.85	29.48	3	Vertical	151	1.96	-	41.42	11.79	44.34			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_X_2TX
Setting 15.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97171G	54.43	88.20	-33.77	45.54	3	Horizontal	298	2.50	-	41.44	11.78	44.33			
RMS	13.97174G	40.45	68.20	-27.75	31.56	3	Horizontal	298	2.50	-	41.44	11.78	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_X_2TX
Setting 15.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96217G	53.96	83.54	-29.58	48.79	1	Vertical	323	1.74	-	37.92	15.95	48.70			
AV	20.96808G	39.21	63.54	-24.33	34.01	1	Vertical	323	1.74	-	37.94	15.96	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



EUT_X_2TX
Setting 15.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96823G	62.20	83.54	-21.34	57.00	1	Horizontal	284	1.60	-	37.94	15.96	48.70			
AV	20.96988G	46.11	63.54	-17.43	40.91	1	Horizontal	284	1.60	-	37.94	15.96	48.70			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

5955MHz_TX

10/12/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.952501G	-15.50	6.004G	-61.55	-55.50	-6.05	1
5.957524G	-15.80	5.984675G	-61.77	-55.80	-5.97	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6195MHz_TX

10/12/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190926G	-15.71	6.231125G	-62.06	-55.71	-6.35	1
6.197524G	-16.42	6.2392G	-61.89	-56.42	-5.47	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TX

10/12/2024




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6435MHz_TX

10/12/2024



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6475MHz_TX

10/12/2024

CF (Hz)
6.475G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47375G	-16.38	6.509325G	-61.26	-56.38	-4.88	1
6.472526G	-16.00	6.502675G	-61.82	-56.00	-5.82	2

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6515MHz_TX

10/12/2024

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.510001G	-15.63	6.48115G	-61.97	-55.63	-6.34	1
6.516275G	-16.48	6.487175G	-61.74	-56.48	-5.26	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6535MHz_TX

10/12/2024




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6695MHz_TX

10/12/2024




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6875MHz_TX

10/12/2024




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6895MHz_TX

10/12/2024




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6995MHz_TX

10/12/2024




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

7095MHz_TX

10/12/2024




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

7115MHz_TX

10/12/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

10/12/2024



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

10/12/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190626G	-15.56	6.227725G	-61.86	-55.56	-6.30	1
6.199999G	-16.32	6.241375G	-62.11	-56.32	-5.79	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

10/12/2024

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412476G	-16.02	6.4501G	-61.23	-56.02	-5.21	1
6.412451G	-16.20	6.448775G	-61.38	-56.20	-5.18	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

10/12/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

10/12/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

10/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

10/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

10/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

10/12/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

10/12/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

10/12/2024



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

10/12/2024

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.09375G	-16.14	7.143625G	-61.05	-56.14	-4.91	1
7.097449G	-16.08	7.14305G	-60.91	-56.08	-4.83	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

10/12/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.119899G	-16.16	7.148825G	-60.81	-56.16	-4.65	1
7.11585G	-16.43	7.164475G	-60.73	-56.43	-4.30	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

10/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

10/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.393753G	-12.13	6.4664G	-57.76	-52.13	-5.63	1
6.400101G	-12.46	6.48515G	-57.51	-52.46	-5.05	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.432353G	-14.68	6.5066G	-59.80	-54.68	-5.12	1
6.451198G	-14.86	6.50755G	-59.67	-54.86	-4.81	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

10/12/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

10/12/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.576297G	-12.54	6.5855G	-58.23	-52.54	-5.69	1
6.561151G	-12.91	6.48525G	-57.95	-52.91	-5.04	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.677552G	-12.39	6.77535G	-57.51	-52.39	-5.12	1
6.697297G	-12.83	6.7785G	-57.43	-52.83	-4.60	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

10/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

10/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

10/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

10/12/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

10/12/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

10/12/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

10/12/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

10/12/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

10/12/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

10/12/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

10/12/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

10/12/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

10/12/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

10/12/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

10/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

10/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

10/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

10/12/2024



6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

10/12/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4918G	-6.59	6.904G	-50.63	-46.59	-4.04	1
6.48001G	-8.00	6.8894G	-50.59	-48.00	-2.59	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

10/12/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6702G	-6.80	6.9962G	-49.70	-46.80	-2.90	1
6.657G	-7.53	7.0086G	-49.74	-47.53	-2.21	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

10/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75742G	-7.22	7.2182G	-51.24	-47.22	-4.02	1
6.76202G	-7.39	7.2034G	-51.32	-47.39	-3.93	2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

10/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9896G	-6.79	7.3838G	-50.70	-46.79	-3.91	1
6.9734G	-7.04	7.3792G	-50.94	-47.04	-3.90	2

Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-69.90	3.10	-73.01	≤ -62
						Minimal	-70.90	3.10	-74.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-69.90	3.10	-73.08	≤ -62
						Minimal	-70.90	3.10	-74.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-69.90	3.10	-73.06	≤ -62
						Minimal	-70.90	3.10	-74.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-69.90	3.10	-73.05	≤ -62
						Minimal	-70.90	3.10	-74.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-73.90	3.10	-77.01	≤ -62
						Minimal	-74.90	3.10	-78.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
				Center	6185	OFF	-73.90	3.10	-77.02	≤ -62
						Minimal	-74.90	3.10	-78.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
				High edge	6260	OFF	-72.90	3.10	-76.08	≤ -62
						Minimal	-73.90	3.10	-77.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-73.90	3.10	-77.01	≤ -62
						Minimal	-74.90	3.10	-78.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
				Center	6505	OFF	-73.90	3.10	-77.02	≤ -62
						Minimal	-74.90	3.10	-78.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
				High edge	6580	OFF	-72.90	3.10	-76.08	≤ -62
						Minimal	-73.90	3.10	-77.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-73.90	3.10	-77.01	≤ -62
						Minimal	-74.90	3.10	-78.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
				Center	6665	OFF	-73.90	3.10	-77.02	≤ -62
						Minimal	-74.90	3.10	-78.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
				High edge	6740	OFF	-72.90	3.10	-76.08	≤ -62
						Minimal	-73.90	3.10	-77.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62

8	207	160	6985	Low edge	6910	OFF	-73.90	3.10	-77.01	≤ -62
						Minimal	-74.90	3.10	-78.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
				Center	6985	OFF	-73.90	3.10	-77.02	≤ -62
						Minimal	-74.90	3.10	-78.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62
				High edge	7060	OFF	-72.90	3.10	-76.08	≤ -62
						Minimal	-73.90	3.10	-77.00	≤ -62
						ON	-78.90	3.10	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-73.01	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-73.08	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-73.06	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-73.05	OFF	10	100	90	PASS

Contention Based protocol 802.11be EHT160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-73.01	OFF	10	100	90	PASS
				Center	6185	-74.03	OFF	10	100	90	PASS
				High edge	6260	-75.06	OFF	10	100	90	PASS
6	111	160	6505	Low edge	6430	-74.02	OFF	10	100	90	PASS
				Center	6505	-78.01	OFF	10	100	90	PASS
				High edge	6580	-77.06	OFF	10	100	90	PASS
7	143	160	6665	Low edge	6590	-75.05	OFF	10	100	90	PASS
				Center	6665	-76.07	OFF	10	100	90	PASS
				High edge	6740	-72.05	OFF	9	90	90	PASS
8	207	160	6985	Low edge	6910	-77.01	OFF	9	90	90	PASS
				Center	6985	-77.02	OFF	10	100	90	PASS
				High edge	7060	-76.08	OFF	10	100	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz




Frequency (MHz): 6455 MHz



Frequency (MHz): 6695 MHz




Frequency (MHz): 7015 MHz




Bandwidth: 160MHz


Frequency (MHz): 6110 MHz




Frequency (MHz): 6185 MHz




Frequency (MHz): 6260 MHz




Frequency (MHz): 6430 MHz




Frequency (MHz): 6505 MHz




Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz




Frequency (MHz): 6665 MHz




Frequency (MHz): 6740 MHz




Frequency (MHz): 6910 MHz



Frequency (MHz): 6985 MHz




Frequency (MHz): 7060 MHz



Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal


Test CH 213 ; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal


Bandwidth: 160MHz

Test CH 47 ; Incumbent signal 6110 MHz




Note : M1 : Inject AWGN signal

Test CH 47 ; Incumbent signal 6185 MHz




Note : M1 : Inject AWGN signal

Test CH 47 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

Test CH 111 ; Incumbent signal 6430 MHz




Note : M1 : Inject AWGN signal

Test CH 111 ; Incumbent signal 6505 MHz




Note : M1 : Inject AWGN signal

Test CH 111 ; Incumbent signal 6580 MHz




Note : M1 : Inject AWGN signal

Test CH 143 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

Test CH 143 ; Incumbent signal 6665 MHz




Note : M1 : Inject AWGN signal

Test CH 143 ; Incumbent signal 6740 MHz




Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 6910 MHz




Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 6985 MHz



Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 7060 MHz



Note : M1 : Inject AWGN signal