

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 B26c\_15MHz\_ERP

#### 1.1.1 Test Result

| Band: 26c / Bandwidth: 15MHz / NTNV          |                 |               |        |                       |            |           |         |         |
|----------------------------------------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
| Modulation                                   | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dbi) | ERP (dBm) |         | Verdict |
|                                              |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK                                         | 821.5           | 1             | 0      | 23.46                 | 0.63       | 21.94     | <=38.45 | Pass    |
|                                              |                 |               | 38     | 23.59                 | 0.63       | 22.07     | <=38.45 | Pass    |
|                                              |                 |               | 74     | 23.49                 | 0.63       | 21.97     | <=38.45 | Pass    |
|                                              |                 | 36            | 0      | 22.70                 | 0.63       | 21.18     | <=38.45 | Pass    |
|                                              |                 |               | 18     | 22.65                 | 0.63       | 21.13     | <=38.45 | Pass    |
|                                              |                 |               | 39     | 22.72                 | 0.63       | 21.20     | <=38.45 | Pass    |
|                                              |                 | 75            | 0      | 22.73                 | 0.63       | 21.21     | <=38.45 | Pass    |
|                                              | 831.5           | 1             | 0      | 23.53                 | 0.63       | 22.01     | <=38.45 | Pass    |
|                                              |                 |               | 38     | 23.55                 | 0.63       | 22.03     | <=38.45 | Pass    |
|                                              |                 |               | 74     | 23.45                 | 0.63       | 21.93     | <=38.45 | Pass    |
|                                              |                 | 36            | 0      | 22.51                 | 0.63       | 20.99     | <=38.45 | Pass    |
|                                              |                 |               | 18     | 22.64                 | 0.63       | 21.12     | <=38.45 | Pass    |
|                                              |                 |               | 39     | 22.43                 | 0.63       | 20.91     | <=38.45 | Pass    |
|                                              | 75              | 0             | 22.46  | 0.63                  | 20.94      | <=38.45   | Pass    |         |
|                                              | 841.5           | 1             | 0      | 23.44                 | 0.63       | 21.92     | <=38.45 | Pass    |
|                                              |                 |               | 38     | 23.72                 | 0.63       | 22.20     | <=38.45 | Pass    |
|                                              |                 |               | 74     | 23.60                 | 0.63       | 22.08     | <=38.45 | Pass    |
|                                              |                 | 36            | 0      | 22.82                 | 0.63       | 21.30     | <=38.45 | Pass    |
|                                              |                 |               | 18     | 22.81                 | 0.63       | 21.29     | <=38.45 | Pass    |
|                                              |                 |               | 39     | 22.83                 | 0.63       | 21.31     | <=38.45 | Pass    |
|                                              |                 | 75            | 0      | 22.86                 | 0.63       | 21.34     | <=38.45 | Pass    |
| 16QAM                                        | 821.5           | 1             | 0      | 22.94                 | 0.63       | 21.42     | <=38.45 | Pass    |
|                                              |                 |               | 38     | 23.07                 | 0.63       | 21.55     | <=38.45 | Pass    |
|                                              |                 |               | 74     | 22.92                 | 0.63       | 21.40     | <=38.45 | Pass    |
|                                              |                 | 36            | 0      | 21.67                 | 0.63       | 20.15     | <=38.45 | Pass    |
|                                              |                 |               | 18     | 21.61                 | 0.63       | 20.09     | <=38.45 | Pass    |
|                                              |                 |               | 39     | 21.66                 | 0.63       | 20.14     | <=38.45 | Pass    |
|                                              |                 | 75            | 0      | 21.68                 | 0.63       | 20.16     | <=38.45 | Pass    |
|                                              | 831.5           | 1             | 0      | 22.72                 | 0.63       | 21.20     | <=38.45 | Pass    |
|                                              |                 |               | 38     | 22.93                 | 0.63       | 21.41     | <=38.45 | Pass    |
|                                              |                 |               | 74     | 22.76                 | 0.63       | 21.24     | <=38.45 | Pass    |
|                                              |                 | 36            | 0      | 21.42                 | 0.63       | 19.90     | <=38.45 | Pass    |
|                                              |                 |               | 18     | 21.56                 | 0.63       | 20.04     | <=38.45 | Pass    |
|                                              |                 |               | 39     | 21.36                 | 0.63       | 19.84     | <=38.45 | Pass    |
|                                              | 75              | 0             | 21.42  | 0.63                  | 19.90      | <=38.45   | Pass    |         |
|                                              | 841.5           | 1             | 0      | 22.64                 | 0.63       | 21.12     | <=38.45 | Pass    |
|                                              |                 |               | 38     | 22.73                 | 0.63       | 21.21     | <=38.45 | Pass    |
|                                              |                 |               | 74     | 22.69                 | 0.63       | 21.17     | <=38.45 | Pass    |
|                                              |                 | 36            | 0      | 21.75                 | 0.63       | 20.23     | <=38.45 | Pass    |
|                                              |                 |               | 18     | 21.66                 | 0.63       | 20.14     | <=38.45 | Pass    |
|                                              |                 |               | 39     | 21.69                 | 0.63       | 20.17     | <=38.45 | Pass    |
|                                              |                 | 75            | 0      | 21.78                 | 0.63       | 20.26     | <=38.45 | Pass    |
| Note1: ERP=Conducted Power+Antenna Gain-2.15 |                 |               |        |                       |            |           |         |         |

## 2. Frequency Stability

### 2.1 B26c\_15MHz

#### 2.1.1 Test Result

| Band: 26c / Bandwidth: 15MHz |                 |               |        |            |               |                  |                       |             |         |
|------------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                   | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                              |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                         | 821.5           | 75            | 0      | 20         | 3.27          | -6.294           | -0.0077               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 3.85          | -4.520           | -0.0055               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 4.43          | -5.765           | -0.0070               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -30        | 3.85          | -5.236           | -0.0064               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -20        | 3.85          | -8.225           | -0.0100               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -10        | 3.85          | -3.848           | -0.0047               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 0          | 3.85          | -6.380           | -0.0078               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 10         | 3.85          | -5.965           | -0.0073               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 30         | 3.85          | -4.234           | -0.0052               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 40         | 3.85          | -6.037           | -0.0073               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 50         | 3.85          | -3.648           | -0.0044               | -2.5 to 2.5 | Pass    |
|                              | 831.5           | 75            | 0      | 20         | 3.27          | -7.796           | -0.0094               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 3.85          | -5.836           | -0.0070               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 4.43          | -6.680           | -0.0080               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -30        | 3.85          | -8.211           | -0.0099               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -20        | 3.85          | -4.606           | -0.0055               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -10        | 3.85          | -6.151           | -0.0074               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 0          | 3.85          | -4.678           | -0.0056               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 10         | 3.85          | -4.706           | -0.0057               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 30         | 3.85          | -3.390           | -0.0041               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 40         | 3.85          | -5.107           | -0.0061               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 50         | 3.85          | -5.822           | -0.0070               | -2.5 to 2.5 | Pass    |
|                              | 841.5           | 75            | 0      | 20         | 3.27          | -5.794           | -0.0069               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 3.85          | -5.665           | -0.0067               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 4.43          | -6.266           | -0.0074               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -30        | 3.85          | -8.011           | -0.0095               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -20        | 3.85          | -6.180           | -0.0073               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -10        | 3.85          | -5.722           | -0.0068               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 0          | 3.85          | -6.051           | -0.0072               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 10         | 3.85          | -8.054           | -0.0096               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 30         | 3.85          | -7.896           | -0.0094               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 40         | 3.85          | -6.280           | -0.0075               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 50         | 3.85          | -5.722           | -0.0068               | -2.5 to 2.5 | Pass    |
| 16QAM                        | 821.5           | 75            | 0      | 20         | 3.27          | -8.240           | -0.0100               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 3.85          | -7.868           | -0.0096               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        |            | 4.43          | -4.177           | -0.0051               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -30        | 3.85          | -2.689           | -0.0033               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -20        | 3.85          | -1.917           | -0.0023               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | -10        | 3.85          | -5.736           | -0.0070               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 0          | 3.85          | -0.815           | -0.0010               | -2.5 to 2.5 | Pass    |
|                              |                 |               |        | 10         | 3.85          | -6.037           | -0.0073               | -2.5 to 2.5 | Pass    |

|  |       |    |   |     |      |        |         |             |      |
|--|-------|----|---|-----|------|--------|---------|-------------|------|
|  |       |    |   | 30  | 3.85 | -5.107 | -0.0062 | -2.5 to 2.5 | Pass |
|  |       |    |   | 40  | 3.85 | -7.267 | -0.0088 | -2.5 to 2.5 | Pass |
|  |       |    |   | 50  | 3.85 | -8.340 | -0.0102 | -2.5 to 2.5 | Pass |
|  | 831.5 | 75 | 0 | 20  | 3.27 | -5.908 | -0.0071 | -2.5 to 2.5 | Pass |
|  |       |    |   |     | 3.85 | -4.449 | -0.0054 | -2.5 to 2.5 | Pass |
|  |       |    |   |     | 4.43 | -4.592 | -0.0055 | -2.5 to 2.5 | Pass |
|  |       |    |   | -30 | 3.85 | -7.639 | -0.0092 | -2.5 to 2.5 | Pass |
|  |       |    |   | -20 | 3.85 | -7.138 | -0.0086 | -2.5 to 2.5 | Pass |
|  |       |    |   | -10 | 3.85 | -5.894 | -0.0071 | -2.5 to 2.5 | Pass |
|  |       |    |   | 0   | 3.85 | -6.180 | -0.0074 | -2.5 to 2.5 | Pass |
|  |       |    |   | 10  | 3.85 | -6.380 | -0.0077 | -2.5 to 2.5 | Pass |
|  |       |    |   | 30  | 3.85 | -6.509 | -0.0078 | -2.5 to 2.5 | Pass |
|  |       |    |   | 40  | 3.85 | -6.552 | -0.0079 | -2.5 to 2.5 | Pass |
|  |       |    |   | 50  | 3.85 | -8.340 | -0.0100 | -2.5 to 2.5 | Pass |
|  | 841.5 | 75 | 0 | 20  | 3.27 | -5.794 | -0.0069 | -2.5 to 2.5 | Pass |
|  |       |    |   |     | 3.85 | -7.253 | -0.0086 | -2.5 to 2.5 | Pass |
|  |       |    |   |     | 4.43 | -7.882 | -0.0094 | -2.5 to 2.5 | Pass |
|  |       |    |   | -30 | 3.85 | -8.554 | -0.0102 | -2.5 to 2.5 | Pass |
|  |       |    |   | -20 | 3.85 | -7.653 | -0.0091 | -2.5 to 2.5 | Pass |
|  |       |    |   | -10 | 3.85 | -5.965 | -0.0071 | -2.5 to 2.5 | Pass |
|  |       |    |   | 0   | 3.85 | -7.138 | -0.0085 | -2.5 to 2.5 | Pass |
|  |       |    |   | 10  | 3.85 | -5.622 | -0.0067 | -2.5 to 2.5 | Pass |
|  |       |    |   | 30  | 3.85 | -7.081 | -0.0084 | -2.5 to 2.5 | Pass |
|  |       |    |   | 40  | 3.85 | -7.110 | -0.0084 | -2.5 to 2.5 | Pass |
|  |       |    |   | 50  | 3.85 | -6.394 | -0.0076 | -2.5 to 2.5 | Pass |


### 3. Modulation Characteristics


#### 3.1 B26c\_15MHz

##### 3.1.1 Test Result

| Band: 26c / Bandwidth: 15MHz / NTN |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 831.5           | 75            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 831.5           | 75            | 0      | Refer To Test Graph        |       | Pass    |

3.1.2 Test Graph






## 4. 99% & 26dB Bandwidth


### 4.1 Band26c\_OBW

#### 4.1.1 Test Result


| Band: 26c / NTNV |            |                 |               |        |                              |         |
|------------------|------------|-----------------|---------------|--------|------------------------------|---------|
| Bandwidth (MHz)  | Modulation | Frequency (MHz) | RB Allocation |        | 99% Occupied Bandwidth (MHz) | Verdict |
|                  |            |                 | Size          | Offset | Result                       |         |
| 15               | QPSK       | 821.5           | 75            | 0      | 13.630                       | Pass    |
|                  |            | 831.5           | 75            | 0      | 13.478                       | Pass    |
|                  |            | 841.5           | 75            | 0      | 13.605                       | Pass    |
|                  | 16QAM      | 821.5           | 75            | 0      | 13.652                       | Pass    |
|                  |            | 831.5           | 75            | 0      | 13.476                       | Pass    |
|                  |            | 841.5           | 75            | 0      | 13.578                       | Pass    |

4.1.2 Test Graph







# Band26c\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




# Band26c\_15MHz\_16QAM\_LCH\_821.5MHz\_RB\_75\_0\_NTNV



Band26c\_15MHz\_16QAM\_MCH\_831.5MHz\_RB\_75\_0\_NTNV



Band26c\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV





## 4.2 Band26c\_XDB

### 4.2.1 Test Result


| Band: 26c / NTNV |            |                 |               |        |                      |         |
|------------------|------------|-----------------|---------------|--------|----------------------|---------|
| Bandwidth (MHz)  | Modulation | Frequency (MHz) | RB Allocation |        | 26dB Bandwidth (MHz) | Verdict |
|                  |            |                 | Size          | Offset | Result               |         |
| 15               | QPSK       | 821.5           | 75            | 0      | 14.996               | Pass    |
|                  |            | 831.5           | 75            | 0      | 14.688               | Pass    |
|                  |            | 841.5           | 75            | 0      | 14.973               | Pass    |
|                  | 16QAM      | 821.5           | 75            | 0      | 14.891               | Pass    |
|                  |            | 831.5           | 75            | 0      | 14.774               | Pass    |
|                  |            | 841.5           | 75            | 0      | 14.811               | Pass    |

4.2.2 Test Graph







# Band26c\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




# Band26c\_15MHz\_16QAM\_LCH\_821.5MHz\_RB\_75\_0\_NTNV



Band26c\_15MHz\_16QAM\_MCH\_831.5MHz\_RB\_75\_0\_NTNV



Band26c\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




## 5. Peak-Average Ratio


### 5.1 B26c\_15MHz

#### 5.1.1 Test Result


| Band: 26c / Bandwidth: 15MHz / NTN |                 |               |        |                         |       |         |
|------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                    |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                               | 821.5           | 75            | 0      | 5.03                    | <=13  | Pass    |
|                                    | 831.5           | 75            | 0      | 4.96                    | <=13  | Pass    |
|                                    | 841.5           | 75            | 0      | 5.30                    | <=13  | Pass    |
| 16QAM                              | 821.5           | 75            | 0      | 5.97                    | <=13  | Pass    |
|                                    | 831.5           | 75            | 0      | 5.89                    | <=13  | Pass    |
|                                    | 841.5           | 75            | 0      | 6.07                    | <=13  | Pass    |

5.1.2 Test Graph







Band26c\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26c\_15MHz\_16QAM\_LCH\_821.5MHz\_RB\_75\_0\_NTNV



Band26c\_15MHz\_16QAM\_MCH\_831.5MHz\_RB\_75\_0\_NTNV



Band26c\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




## 6. Spurious Emission


### 6.1 B26c\_15MHz

#### 6.1.1 Test Result


| Band: 26c / Bandwidth: 15MHz / NTN |                 |               |        |                     |       |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       |
|                                    |                 | Size          | Offset | Result              | Limit |
| QPSK                               | 821.5           | 1             | 0      | Refer To Test Graph | Pass  |
|                                    |                 | 75            | 0      | Refer To Test Graph | Pass  |
|                                    | 831.5           | 1             | 0      | Refer To Test Graph | Pass  |
|                                    | 841.5           | 1             | 0      | Refer To Test Graph | Pass  |
|                                    |                 |               | 74     | Refer To Test Graph | Pass  |
|                                    |                 | 75            | 0      | Refer To Test Graph | Pass  |
| 16QAM                              | 821.5           | 1             | 0      | Refer To Test Graph | Pass  |
|                                    |                 | 75            | 0      | Refer To Test Graph | Pass  |
|                                    | 831.5           | 1             | 0      | Refer To Test Graph | Pass  |
|                                    | 841.5           | 1             | 0      | Refer To Test Graph | Pass  |
|                                    |                 |               | 74     | Refer To Test Graph | Pass  |
|                                    |                 | 75            | 0      | Refer To Test Graph | Pass  |

6.1.2 Test Graph






# Band26c\_15MHz\_QPSK\_LCH\_821.5MHz\_RB\_75\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | RBW Factor(dB) | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|----------------|------------|------------|-------------|-------------|--------|
| 799         | 813        | 0.1       | 0              | 1          | 812.680    | -30.77      | -13         | Pass   |
| 813         | 814        | 0.149     | 1.73           | 2          | 814.000    | -27.72      | -20         | Pass   |
| 814         | 829        | 0.149     | 1.73           | /          | /          | /           | /           | /      |


# Band26c\_15MHz\_QPSK\_MCH\_831.5MHz\_RB\_1\_0\_NTNV



# Band26c\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_1\_0\_NTNV




# Band26c\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_1\_74\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | RBW Factor(dB) | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|----------------|------------|------------|-------------|-------------|--------|
| 834         | 849        | 0.003     | 0              | 1          | 849.003    | -40.17      | -13         | Pass   |
| 849         | 850        | 0.003     | 0              | 1          | 849.003    | -40.17      | -13         | Pass   |
| 850         | 864        | 0.1       | 15.23          | 2          | 850.139    | -45.58      | -13         | Pass   |

# Band26c\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | RBW Factor(dB) | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|----------------|------------|------------|-------------|-------------|--------|
| 834         | 849        | 0.148     | 1.7            | 1          | 849.210    | -26.89      | -13         | Pass   |
| 849         | 850        | 0.148     | 1.7            | 1          | 849.210    | -26.89      | -13         | Pass   |
| 850         | 864        | 0.1       | 0              | 2          | 850.110    | -29.23      | -13         | Pass   |

# Band26c\_15MHz\_16QAM\_LCH\_821.5MHz\_RB\_1\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | RBW Factor(dB) | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|----------------|------------|------------|-------------|-------------|--------|
| 799         | 813        | 0.1       | 15.23          | 1          | 812.226    | -46.98      | -13         | Pass   |
| 813         | 814        | 0.003     | 0              | 2          | 813.994    | -40.74      | -20         | Pass   |
| 814         | 829        | 0.003     | 0              | /          | /          | /           | /           | /      |

# Band26c\_15MHz\_16QAM\_LCH\_821.5MHz\_RB\_1\_0\_NTNV




# Band26c\_15MHz\_16QAM\_LCH\_821.5MHz\_RB\_75\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | RBW Factor(dB) | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|----------------|------------|------------|-------------|-------------|--------|
| 799         | 813        | 0.1       | 0              | 1          | 811.990    | -33.79      | -13         | Pass   |
| 813         | 814        | 0.149     | 1.73           | 2          | 814.000    | -33.34      | -20         | Pass   |
| 814         | 829        | 0.149     | 1.73           | /          | /          | /           | /           | /      |


Band26c\_15MHz\_16QAM\_MCH\_831.5MHz\_RB\_1\_0\_NTNV




Band26c\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_1\_0\_NTNV



# Band26c\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_1\_74\_NTNV



# Band26c\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV



## 7. Form731

### 7.1 Form731\_Power

#### 7.1.1 Test Result

| Band | BW | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|----|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 26c  | 15 | 821.5      | 841.5     | 0.2355        | 0.0100 | ppm    | 13M6G7D             | /          | 23.72           |
| 26c  | 15 | 821.5      | 841.5     | 0.2028        | 0.0102 | ppm    | 13M7W7D             | /          | 23.07           |

### 7.2 Form731\_ERP

#### 7.2.1 Test Result

| Band | BW | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|----|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 26c  | 15 | 821.5      | 841.5     | 0.1660        | 0.0100 | ppm    | 13M6G7D             | /          | 22.20           |
| 26c  | 15 | 821.5      | 841.5     | 0.1429        | 0.0102 | ppm    | 13M7W7D             | /          | 21.55           |