


Report No.: SEWA2301000005RG03

Rev.: 01

Page: 230 of 259

802.11g_Channel 11



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2483.785	44.65	27.72	-23.54	48.82	54.00	5.18	266	104	Horizontal			
2	2483.845	57.30	27.72	-23.54	61.47	74.00	12.53	266	104	Horizontal			
3	2484.31	42.62	27.72	-23.54	46.79	54.00	7.21	266	104	Horizontal			
4	2484.4075	56.85	27.72	-23.54	61.02	74.00	12.98	266	104	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 231 of 259

802.11g_Channel 11



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2483.8	44.72	27.72	-23.54	48.89	54.00	5.11	166	85	Vertical			
2	2484.0625	55.79	27.72	-23.54	59.96	74.00	14.04	166	85	Vertical			
3	2484.28	42.47	27.72	-23.54	46.64	54.00	7.36	166	85	Vertical			
4	2484.3475	54.89	27.72	-23.54	59.06	74.00	14.94	166	85	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 232 of 259

802.11n20_Channel 01



ata L	ata List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2386.6133	52.99	27.43	-23.57	56.85	74.00	17.15	155	102	Horizontal			
2	2388.5633	44.14	27.43	-23.57	48.00	54.00	6.00	155	102	Horizontal			
3	2389.6033	58.92	27.43	-23.57	62.78	74.00	11.22	155	102	Horizontal			
4	2389.8633	45.54	27.43	-23.57	49.40	54.00	4.60	155	102	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 s




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 233 of 259

802.11n20_Channel 01



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2388.26	54.99	27.43	-23.57	58.85	74.00	15.15	299	145	Vertical			
2	2388.4767	42.19	27.43	-23.57	46.05	54.00	7.95	299	145	Vertical			
3	2389.69	43.49	27.43	-23.57	47.35	54.00	6.65	299	145	Vertical			
4	2389.7333	57.07	27.43	-23.57	60.93	74.00	13.07	299	145	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 234 of 259

802.11n20_Channel 11



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2484.2125	46.67	27.72	-23.54	50.84	54.00	3.16	289	117	Horizontal			
2	2484.4675	59.27	27.72	-23.54	63.44	74.00	10.56	289	117	Horizontal			
3	2485.2625	55.65	27.72	-23.54	59.83	74.00	14.17	289	117	Horizontal			
4	2485.345	44.46	27.72	-23.54	48.64	54.00	5.36	289	117	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 235 of 259

802.11n20_Channel 11



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2483.8375	56.30	27.72	-23.54	60.47	74.00	13.53	233	85	Vertical			
2	2483.965	46.32	27.72	-23.54	50.49	54.00	3.51	233	85	Vertical			
3	2484.8875	56.07	27.72	-23.54	60.25	74.00	13.75	233	85	Vertical			
4	2485.1875	44.75	27.72	-23.54	48.93	54.00	5.07	233	85	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 v t (86–512) 62992980 s




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 236 of 259

802.11n40_Channel 03



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2388.6933	46.22	27.43	-23.57	50.08	54.00	3.92	231	100	Horizontal			
2	2389.3867	57.75	27.43	-23.57	61.61	74.00	12.39	231	100	Horizontal			
3	2483.62	50.77	27.72	-23.54	54.94	74.00	19.06	231	100	Horizontal			
4	2483.68	39.05	27.72	-23.54	43.22	54.00	10.78	231	100	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 237 of 259

802.11n40_Channel 03



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2389.6033	55.64	27.43	-23.57	59.50	74.00	14.50	251	84	Vertical			
2	2389.9067	43.93	27.43	-23.57	47.79	54.00	6.21	251	84	Vertical			
3	2483.98	50.33	27.72	-23.54	54.50	74.00	19.50	251	84	Vertical			
4	2485.42	37.79	27.72	-23.54	41.97	54.00	12.03	251	84	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 se




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 238 of 259

802.11n40_Channel 09



Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2388.78	39.53	27.43	-23.57	43.39	54.00	10.61	233	115	Horizontal		
2	2389.95	51.74	27.43	-23.57	55.60	74.00	18.40	233	115	Horizontal		
3	2483.5	45.27	27.72	-23.54	49.44	54.00	4.56	233	115	Horizontal		
4	2484.58	57.64	27.72	-23.54	61.81	74.00	12.19	233	115	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgs t (86–512) 62992980 sgs.china




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 239 of 259

802.11n40_Channel 09



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2388.5633	38.69	27.43	-23.57	42.55	54.00	11.45	166	88	Vertical			
2	2389.0833	50.02	27.43	-23.57	53.88	74.00	20.12	166	88	Vertical			
3	2483.92	44.29	27.72	-23.54	48.46	54.00	5.54	166	88	Vertical			
4	2484.64	58.16	27.72	-23.54	62.33	74.00	11.67	166	88	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 240 of 259

802.11g_Channel 02



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2386.0067	50.79	27.43	-23.57	54.65	74.00	19.35	156	121	Horizontal			
2	2387.8267	40.64	27.43	-23.57	44.50	54.00	9.50	156	121	Horizontal			
3	2389.5167	54.41	27.43	-23.57	58.27	74.00	15.73	156	121	Horizontal			
4	2389.82	43.52	27.43	-23.57	47.38	54.00	6.62	156	121	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 241 of 259

802.11g_Channel 02



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2386.6567	38.45	27.43	-23.57	42.31	54.00	11.69	244	92	Vertical			
2	2386.83	50.82	27.43	-23.57	54.68	74.00	19.32	244	92	Vertical			
3	2389.56	41.06	27.43	-23.57	44.92	54.00	9.08	244	92	Vertical			
4	2389.6033	52.34	27.43	-23.57	56.20	74.00	17.80	244	92	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 242 of 259

802.11g_Channel 10



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2483.7475	46.46	27.72	-23.54	50.63	54.00	3.37	256	118	Horizontal			
2	2484.2275	56.53	27.72	-23.54	60.70	74.00	13.30	256	118	Horizontal			
3	2484.46	46.37	27.72	-23.54	50.54	54.00	3.46	256	118	Horizontal			
4	2485.165	57.16	27.72	-23.54	61.34	74.00	12.66	256	118	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 243 of 259

802.11g_Channel 10



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2483.6875	45.52	27.72	-23.54	49.69	54.00	4.31	245	85	Vertical			
2	2484.0775	55.89	27.72	-23.54	60.06	74.00	13.94	245	85	Vertical			
3	2484.4375	45.86	27.72	-23.54	50.03	54.00	3.97	245	85	Vertical			
4	2484.9175	56.67	27.72	-23.54	60.85	74.00	13.15	245	85	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 244 of 259

802.11n20_Channel 02



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2384.5333	49.31	27.43	-23.57	53.17	74.00	20.83	178	112	Horizontal			
2	2386.57	40.76	27.43	-23.57	44.62	54.00	9.38	178	112	Horizontal			
3	2388.65	55.47	27.43	-23.57	59.33	74.00	14.67	178	112	Horizontal			
4	2389.4733	43.92	27.43	-23.57	47.78	54.00	6.22	178	112	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 245 of 259

802.11n20_Channel 02



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2386.6567	38.93	27.43	-23.57	42.79	54.00	11.21	166	90	Vertical			
2	2388.4767	53.26	27.43	-23.57	57.12	74.00	16.88	166	90	Vertical			
3	2388.9967	53.51	27.43	-23.57	57.37	74.00	16.63	166	90	Vertical			
4	2389.6467	41.69	27.43	-23.57	45.55	54.00	8.45	166	90	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Pfart, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 246 of 259

802.11n20_Channel 10



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2483.7175	46.79	27.72	-23.54	50.96	54.00	3.04	185	115	Horizontal			
2	2484.025	59.42	27.72	-23.54	63.59	74.00	10.41	185	115	Horizontal			
3	2484.865	46.08	27.72	-23.54	50.26	54.00	3.74	185	115	Horizontal			
4	2484.9925	58.09	27.72	-23.54	62.27	74.00	11.73	185	115	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




Report No.: SEWA2301000005RG03

Rev.:

Page: 247 of 259

802.11n20_Channel 10



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2483.8225	58.81	27.72	-23.54	62.98	74.00	11.02	166	76	Vertical			
2	2484.16	58.35	27.72	-23.54	62.52	74.00	11.48	166	76	Vertical			
3	2484.265	46.01	27.72	-23.54	50.18	54.00	3.82	166	76	Vertical			
4	2484.8275	45.13	27.72	-23.54	49.31	54.00	4.69	166	76	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 248 of 259

802.11n20_Channel 09



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2483.815	45.48	27.72	-23.54	49.65	54.00	4.35	156	129	Horizontal			
2	2483.95	56.53	27.72	-23.54	60.70	74.00	13.30	156	129	Horizontal			
3	2484.28	44.93	27.72	-23.54	49.10	54.00	4.90	156	129	Horizontal			
4	2484.9025	55.46	27.72	-23.54	59.64	74.00	14.36	156	129	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 249 of 259

802.11n20_Channel 09



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2483.725	45.35	27.72	-23.54	49.52	54.00	4.48	188	74	Vertical			
2	2484.1	55.19	27.72	-23.54	59.36	74.00	14.64	188	74	Vertical			
3	2484.6775	55.47	27.72	-23.54	59.64	74.00	14.36	188	74	Vertical			
4	2484.835	44.45	27.72	-23.54	48.63	54.00	5.37	188	74	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 250 of 259

802.11n40_Channel 04



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2388.9967	45.70	27.43	-23.57	49.56	54.00	4.44	166	120	Horizontal			
2	2389.4733	58.22	27.43	-23.57	62.08	74.00	11.92	166	120	Horizontal			
3	2483.8	39.75	27.72	-23.54	43.92	54.00	10.08	166	120	Horizontal			
4	2484.58	51.45	27.72	-23.54	55.62	74.00	18.38	166	120	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 251 of 259

802.11n40_Channel 04



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2389.2133	43.31	27.43	-23.57	47.17	54.00	6.83	126	111	Vertical			
2	2389.5167	57.12	27.43	-23.57	60.98	74.00	13.02	126	111	Vertical			
3	2483.98	38.85	27.72	-23.54	43.02	54.00	10.98	126	111	Vertical			
4	2484.76	50.93	27.72	-23.54	55.11	74.00	18.89	126	111	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Pfart, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 252 of 259

802.11n40_Channel 05



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2389.43	57.27	27.43	-23.57	61.13	74.00	12.87	231	117	Horizontal			
2	2389.7333	43.81	27.43	-23.57	47.67	54.00	6.33	231	117	Horizontal			
3	2484.22	53.31	27.72	-23.54	57.48	74.00	16.52	231	117	Horizontal			
4	2484.22	41.24	27.72	-23.54	45.41	54.00	8.59	231	117	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 253 of 259

802.11n40_Channel 05



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2389.4733	44.70	27.43	-23.57	48.56	54.00	5.44	184	90	Vertical			
2	2389.5167	57.43	27.43	-23.57	61.29	74.00	12.71	184	90	Vertical			
3	2484.4	40.90	27.72	-23.54	45.07	54.00	8.93	184	90	Vertical			
4	2484.64	53.72	27.72	-23.54	57.89	74.00	16.11	184	90	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 254 of 259

802.11n40_Channel 06



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2388.9533	57.93	27.43	-23.57	61.79	74.00	12.21	199	102	Horizontal		
2	2389.69	44.33	27.43	-23.57	48.19	54.00	5.81	199	102	Horizontal		
3	2484.1	43.32	27.72	-23.54	47.49	54.00	6.51	199	102	Horizontal		
4	2484.76	54.31	27.72	-23.54	58.49	74.00	15.51	199	102	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 255 of 259

802.11n40_Channel 06



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2388.9967	55.99	27.43	-23.57	59.85	74.00	14.15	266	78	Vertical		
2	2388.9967	42.85	27.43	-23.57	46.71	54.00	7.29	266	78	Vertical		
3	2484.28	43.05	27.72	-23.54	47.22	54.00	6.78	266	78	Vertical		
4	2485.06	55.05	27.72	-23.54	59.23	74.00	14.77	266	78	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 256 of 259

802.11n40_Channel 08



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2388.8667	51.31	27.43	-23.57	55.17	74.00	18.83	145	102	Horizontal		
2	2389.3867	40.91	27.43	-23.57	44.77	54.00	9.23	145	102	Horizontal		
3	2483.74	45.03	27.72	-23.54	49.20	54.00	4.80	145	102	Horizontal		
4	2484.46	60.33	27.72	-23.54	64.50	74.00	9.50	145	102	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 257 of 259

802.11n40_Channel 08



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2388.6067	50.38	27.43	-23.57	54.24	74.00	19.76	211	97	Vertical		
2	2389.7333	39.13	27.43	-23.57	42.99	54.00	11.01	211	97	Vertical		
3	2484.04	44.06	27.72	-23.54	48.23	54.00	5.77	211	97	Vertical		
4	2484.46	60.16	27.72	-23.54	64.33	74.00	9.67	211	97	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.s t (86–512) 62992980 sgs.ch




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 258 of 259

802.11n40_Channel 07



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2389.56	45.34	27.43	-23.57	49.20	54.00	4.80	241	112	Horizontal		
2	2389.7333	60.40	27.43	-23.57	64.26	74.00	9.74	241	112	Horizontal		
3	2483.62	46.18	27.72	-23.54	50.35	54.00	3.65	241	112	Horizontal		
4	2484.4	58.03	27.72	-23.54	62.20	74.00	11.80	241	112	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.s t (86–512) 62992980 sgs.ch




Report No.: SEWA2301000005RG03

Rev.: 01

Page: 259 of 259

802.11n40_Channel 07



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2389.5167	59.65	27.43	-23.57	63.51	74.00	10.49	108	92	Vertical		
2	2389.9067	44.12	27.43	-23.57	47.98	54.00	6.02	108	92	Vertical		
3	2483.92	44.98	27.72	-23.54	49.15	54.00	4.85	108	92	Vertical		
4	2484.22	56.82	27.72	-23.54	60.99	74.00	13.01	108	92	Vertical		

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain.

The basic equation with a sample calculation is as follows:

Level = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

N编· 215000