





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000905

Page: 1 of 102

# TEST REPORT

Application No.:FYCR2301000009ATApplicant:PAX Technology Limited

Address of Applicant: Room 2416, 24/F., Sun Hung Kai Centre, 30 Harbour Hong Kong

Manufacturer: PAX Computer Technology (Shenzhen) Co., Ltd.

Address of Manufacturer: 401 and 402, Building 3, Shenzhen Software Park, Nanshan District,

Shenzhen City, Guangdong Province, P.R.C

**Equipment Under Test (EUT):** 

EUT Name: UNATTENDED PAYMENT TERMINAL

Model No.: IM15 Trade Mark: PAX

FCC ID: V5PIM154GBW

Standard(s): 47 CFR Part 15, Subpart C 15.247

**Date of Receipt:** 2023-01-10

**Date of Test:** 2023-01-16 to 2023-02-13

**Date of Issue:** 2023-03-06

Test Result: Pass\*

Winkey Wang

Winkey Wang

EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Comditions/Terms-en/

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 2 of 102

	Revision Record						
Version	Chapter	Date	Modifier	Remark			
01		2023-03-06		Original			

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	-
	WinkeyWarg	
	Winkey Wang/Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Ter



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 3 of 102

# 2 Test Summary

Radio Spectrum Technical Requirement						
Item	Standard	Method	Requirement	Result		
Antenna Requirement	47 CFR Part 15, Subpart C 15.247	N/A	47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)	Pass		

Radio Spectrum Matter Part					
Item	Standard	Method	Requirement	Result	
Conducted Emissions at AC Power Line (150kHz-30MHz)		ANSI C63.10 (2013) Section 6.2	47 CFR Part 15, Subpart C 15.207	Pass	
Conducted Output Power		ANSI C63.10 (2013) Section 11.9.2	47 CFR Part 15, Subpart C 15.247(b)(3)	Pass	
Minimum 6dB Bandwidth		ANSI C63.10 (2013) Section 11.8.1	47 CFR Part 15, Subpart C 15.247a(2)	Pass	
Power Spectrum Density		ANSI C63.10 (2013) Section 11.10.2	47 CFR Part 15, Subpart C 15.247(e)	Pass	
Conducted Band Edges Measurement		ANSI C63.10 (2013) Section 11.13.3.2	47 CFR Part 15, Subpart C 15.247(d)	Pass	
Conducted Spurious Emissions	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 11.11	47 CFR Part 15, Subpart C 15.247(d)	Pass	
Radiated Emissions which fall in the restricted bands		ANSI C63.10 (2013) Section 6.10.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	
Radiated Spurious Emissions Below 1GHz		ANSI C63.10 (2013) Section 6.4,6.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	
Radiated Spurious Emissions Above 1GHz		ANSI C63.10 (2013) Section 6.6	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	
Duty Cycle		ANSI C63.10 (2013) Section 11.6	ANSI C63.10 (2013) Section 11.6	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms->-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/ferms->-Document.aspx</a>. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please accentant us at telephone. (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 4 of 102

## 3 Contents

		Page
1	COVER PAGE	1
2	2 TEST SUMMARY	
3	B CONTENTS	,
J		
4		
	4.1 DETAILS OF E.U.T.	6
	4.2 DESCRIPTION OF SUPPORT UNITS	6
	4.3 MEASUREMENT UNCERTAINTY	
	4.4 Test Location	
	4.5 TEST FACILITY	
	4.6 DEVIATION FROM STANDARDS	
	4.7 ABNORMALITIES FROM STANDARD CONDITIONS	7
5	5 EQUIPMENT LIST	8
6	RADIO SPECTRUM TECHNICAL REQUIREMENT	11
	6.1 ANTENNA REQUIREMENT	
	6.1.1 Test Requirement:	
	6.1.2 Conclusion	
7	RADIO SPECTRUM MATTER TEST RESULTS	13
•		
	7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz)	12
	7.1.1 E.U.T. Operation	
	7.1.2 Test Mode Description	
	7.1.3 Test Setup Diagram7.1.4 Measurement Procedure and Data	
	7.1.4 Measurement Procedure and Data	
	7.2.1 E.U.T. Operation	
	7.2.2 Test Mode Description	
	7.2.3 Test Node Description	
	7.2.4 Measurement Procedure and Data	
	7.3 MINIMUM 6DB BANDWIDTH	
	7.3.1 E.U.T. Operation	
	7.3.2 Test Mode Description	
	7.3.3 Test Setup Diagram	
	7.3.4 Measurement Procedure and Data	
	7.4 POWER SPECTRUM DENSITY	
	7.4.1 E.U.T. Operation	
	7.4.2 Test Mode Description	
	7.4.3 Test Setup Diagram	
	7.4.4 Measurement Procedure and Data	
	7.5 CONDUCTED BAND EDGES MEASUREMENT	
	7.5.1 E.U.T. Operation	20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 5 of 102

10	APPE	NDIX	70
9	EUT C	ONSTRUCTIONAL DETAILS (EUT PHOTOS)	69
8	TEST	SETUP PHOTO	69
	7.10.4	Measurement Procedure and Data	68
	7.10.3	Test Setup Diagram	
	7.10.2	Test Mode Description	
	7.10.1	E.U.T. Operation	
7.		UTY CYCLE	
	7.9.4	Measurement Procedure and Data	
	7.9.3	Test Setup Diagram	
	7.9.2	Test Mode Description	54
	7.9.1	E.U.T. Operation	54
7.	9 R	ADIATED SPURIOUS EMISSIONS ABOVE 1GHz	
	7.8.4	Measurement Procedure and Data	
	7.8.3	Test Setup Diagram	
	7.8.2	Test Mode Description	
	7.8.1	E.U.T. Operation	
7.		ADIATED SPURIOUS EMISSIONS BELOW 1GHz	
	7.7.4	Measurement Procedure and Data	
	7.7.3	Test Setup Diagram	
	7.7.2	Test Mode Description	
٠.	7.7.1	E.U.T. Operation	
7	-	ADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS	
	7.6.3 7.6.4	Test Setup Diagram  Measurement Procedure and Data	
	7.6.2 7.6.3	Test Mode Description	
	7.6.1	E.U.T. Operation	
7.		CONDUCTED SPURIOUS EMISSIONS	
_	7.5.4	Measurement Procedure and Data	
	7.5.3	Test Setup Diagram	
	7.5.2	Test Mode Description	



8

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 6 of 102

## 4 General Information

### 4.1 Details of E.U.T.

Power supply:	DC5V from USB type C port
	Or DC12-48V by DC Source
	Or DC12V/1A by AC/DC adapter
Operation Frequency:	802.11b/g/n(HT20): 2412MHz to 2462MHz
Modulation Type:	802.11b: DSSS (CCK, DQPSK, DBPSK)
Modulation Type:	802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK)
Number of Channels:	802.11b/g/n(HT20):11
Channel Spacing:	5MHz
Antenna Type:	PIFA Antenna
Antenna Gain:	1.14dBi

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.			
	-	-				
The EUT has been tested as an independent unit.						

### 4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
Conducted Emissions at AC Power Line (150kHz-30MHz)	± 2.1 dB (9kHz to 30MHz)
Conducted Output Power	± 0.8dB
Minimum 6dB Bandwidth	± 0.3%
Power Spectrum Density	± 0.4dB
Conducted Band Edges Measurement	± 2.7dB
Conducted Spurious Emissions	± 2.7dB
Radiated Emissions which fall in the restricted bands	± 4.4dB (Above 1GHz)
Radiated Spurious Emissions Below 1GHz	± 3.1dB (Below 1GHz)
Radiated Spurious Emissions Above 1GHz	± 4.4dB (Above 1GHz)
Duty Cycle	± 0.3%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.pa.4">http://www.ags.com/en/Terms-and-Conditions.ags.pa.4</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 7 of 102

#### 4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

### 4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

### 4.6 Deviation from Standards

None

#### 4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.pa.4">http://www.ags.com/en/Terms-and-Conditions.ags.pa.4</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 8 of 102

# 5 Equipment List

Conducted Emissions at AC Power Line (150kHz-30MHz)						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
Shielding Room	CRT	N/A	SEM001-14	2021/7/13	2024/7/12	
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-01	2022/7/12	2023/7/11	
Two-Line V-Network	Rohde & Schwarz	ENV216	SEM007-16	2022/7/12	2023/7/11	
Coaxial Cable	CCS	N/A	SEM033-02	2022/5/16	2023/5/15	
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A	

Conducted Output Power	er				
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2022/7/12	2023/7/11
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Minimum 6dB Bandwidth						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29	
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11	
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A	

Power Spectrum Density										
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29					
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11					
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms->-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/ferms->-Document.aspx</a>. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please accentant us at telephone. (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 9 of 102

Conducted Band Edges Measurement										
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29					
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11					
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A					

Conducted Spurious Emissions										
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29					
Attenuator	Attenuator Huber+Suhner 6620_SMA-50		SEM021-09	2022/7/12	2023/7/11					
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A					

Radiated Emissions which fall in the restricted bands										
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12					
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10					
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25					
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-23	2022/4/24	2023/4/23					
Pre-amplifier	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2022/7/12	2023/7/11					
Pre-amplifier	Rohde & Schwarz	CH14-H052	CH14-H052 SEM005-17		2023/7/11					
Coaxial Cable	CCS	N/A	SEM035-02	2022/5/16	2023/5/15					
Coaxial Cable	CCS	N/A	SEM035-03	2022/5/16	2023/5/15					
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14					
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14					
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms->-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/ferms->-Document.aspx</a>. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please accentant us at telephone. (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 10 of 102

Radiated Spurious Emissions Below 1GHz										
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12					
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24					
Loop Antenna	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25					
MXE EMI receiver	Agilent	N9038A	SEM004-05	2022/7/12	2023/7/11					
Pre-amplifier	HP	8447D	SEM005-02	2022/7/12	2023/7/11					
Coaxial Cable	CCS	N/A	SEM035-01	2022/5/16	2023/5/15					
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A					

Radiated Spurious Emissions Above 1GHz										
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12					
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25					
MXA Signal Analyzer	MXA Signal Analyzer KEYSIGHT		SEM004-23	2022/4/24	2023/4/23					
Coaxial Cable	CCS	N/A	SEM035-03	2022/5/16	2023/5/15					
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14					
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14					
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A					

Duty cycle										
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29					
Attenuator	Attenuator Huber+Suhner <sup>662</sup>		SEM021-09	2022/7/12	2023/7/11					
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A					

General used equipment										
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2022/7/12	2023/7/11					
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2022/7/12	2023/7/11					
Barometer	DUMAI	DYM3	SEM002-24	2022/7/12	2023/7/11					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms->-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/ferms->-Document.aspx</a>. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please accentant us at telephone. (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 11 of 102

# 6 Radio Spectrum Technical Requirement

### 6.1 Antenna Requirement

### 6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

#### 6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 1.14dBi.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.pa.4">http://www.ags.com/en/Terms-and-Conditions.ags.pa.4</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 12 of 102

# 7 Radio Spectrum Matter Test Results

### 7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

Erogueney of emission/MU=)	Conducted limit(dBµV)				
Frequency of emission(MHz)	Quasi-peak	Average			
0.15-0.5	66 to 56*	56 to 46*			
0.5-5	56	46			
5-30	60	50			
*Decreases with the logarithm of the	ne frequency.				
Detector: Peak for pre-scan (9kHz	resolution bandwidth) 0.15M to 30	MHz			

#### 7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.2 °C Humidity: 52.2 % RH Atmospheric Pressure: 1020 mbar

7.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	03	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/erms-and-Conditions.aspx.and">http://www.sgs.com/en/erms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/erms-and-Conditions-and-Conditions-and-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 13 of 102

### 7.1.3 Test Setup Diagram



#### 7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a  $50 \text{ohm}/50 \mu\text{H} + 5 \text{ohm}$  linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane.
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the gauthenticity of testing inspection report & certificate, please contact us at telephone (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 14 of 102

Test Mode: 03; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00009AT

Test mode: 03

	mouc. os							
		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
	0.4550		0.05	42.00		40	44 05	
1	0.1668	0.02	0.25	43.80	44.07	55.12	-11.05	Average
2	0.1668	0.02	0.25	60.62	60.89	65.12	-4.23	QP
3	0.1835	0.02	0.26	39.72	40.00	54.33	-14.33	Average
4	0.1835	0.02	0.26	57.63	57.91	64.33	-6.42	QP
5	0.2197	0.02	0.26	31.11	31.39	52.83	-21.44	Average
6	0.2197	0.02	0.26	50.70	50.98	62.83	-11.85	QP
7	0.2416	0.02	0.26	30.04	30.32	52.04	-21.72	Average
8	0.2416	0.02	0.26	49.09	49.37	62.04	-12.67	QP
9	0.2715	0.03	0.26	28.18	28.47	51.07	-22.60	Average
10	0.2715	0.03	0.26	46.20	46.49	61.07	-14.58	QP
11	0.6683	0.02	0.23	30.24	30.49	46.00	-15.51	Average
12	0.6683	0.02	0.23	36.78	37.03	56.00	-18.97	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 15 of 102

Test Mode: 03; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00009AT

Test mode: 03

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1607	0.02	0.30	39.87	40.19	55.43	-15.24	Average
2	0.1607	0.02	0.30	59.49	59.81	65.43	-5.62	QP
3	0.1904	0.02	0.29	37.51	37.82	54.02	-16.20	Average
4	0.1904	0.02	0.29	56.09	56.40	64.02	-7.62	QP
5	0.2128	0.02	0.29	33.45	33.76	53.10	-19.34	Average
6	0.2128	0.02	0.29	52.45	52.76	63.10	-10.34	QP
7	0.2455	0.03	0.29	29.14	29.46	51.91	-22.45	Average
8	0.2455	0.03	0.29	48.20	48.52	61.91	-13.39	QP
9	0.2788	0.03	0.28	24.92	25.23	50.85	-25.62	Average
10	0.2788	0.03	0.28	44.48	44.79	60.85	-16.06	QP
11	0.6613	0.02	0.18	29.01	29.21	46.00	-16.79	Average
12	0.6613	0.02	0.18	35.45	35.65	56.00	-20.35	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only of the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 16 of 102

### 7.2 Conducted Output Power

Test Requirement 47 CFR Part 15, Subpart C 15.247(b)(3)
Test Method: ANSI C63.10 (2013) Section 11.9.2

Limit:

Frequency range(MHz)	Output power of the intentional radiator(watt)
	1 for ≥50 hopping channels
902-928	0.25 for 25≤ hopping channels <50
	1 for digital modulation
	1 for ≥75 non-overlapping hopping channels
2400-2483.5	0.125 for all other frequency hopping systems
	1 for digital modulation
5725-5850	1 for frequency hopping systems and digital modulation

### 7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 25.5 °C Humidity: 46.4 % RH Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	03	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.pa.4">http://www.ags.com/en/Terms-and-Conditions.ags.pa.4</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 17 of 102

### 7.2.3 Test Setup Diagram



#### 7.2.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 18 of 102

### 7.3 Minimum 6dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.247a(2)
Test Method: ANSI C63.10 (2013) Section 11.8.1

Limit:

≥500 kHz

### 7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 25.5 °C Humidity: 46.4 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	03	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

### 7.3.3 Test Setup Diagram



#### 7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a this print of the transparent of the formation of Islability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention of the development is unlawfull of testing finapaction report & certification, places contact us at telephone. (86-75) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 19 of 102

### 7.4 Power Spectrum Density

Test Requirement 47 CFR Part 15, Subpart C 15.247(e)
Test Method: ANSI C63.10 (2013) Section 11.10.2

Limit:

≤8dBm in any 3 kHz band during any time interval of continuous transmission

### 7.4.1 E.U.T. Operation


Operating Environment:

Temperature: 25.5 °C Humidity: 46.4 % RH Atmospheric Pressure: 1020 mbar

### 7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	03	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

### 7.4.3 Test Setup Diagram



#### 7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.pa.4">http://www.ags.com/en/Terms-and-Conditions.ags.pa.4</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 20 of 102

### 7.5 Conducted Band Edges Measurement

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.13.3.2

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

### 7.5.1 E.U.T. Operation

Operating Environment:

Temperature: 25.5 °C Humidity: 46.4 % RH Atmospheric Pressure: 1020 mbar

#### 7.5.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	03	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 21 of 102

### 7.5.3 Test Setup Diagram



#### 7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 22 of 102

### 7.6 Conducted Spurious Emissions

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.11

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

### 7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 25.5 °C Humidity: 46.4 % RH Atmospheric Pressure: 1020 mbar

#### 7.6.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	03	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the gauthenticity of testing inspection report & certificate, please contact us at telephone (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 23 of 102

### 7.6.3 Test Setup Diagram



#### 7.6.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 24 of 102

#### 7.7 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.10.5

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

#### 7.7.1 E.U.T. Operation

Operating Environment:

Temperature: 25.5 °C Humidity: 46.4 % RH Atmospheric Pressure: 1020 mbar

### 7.7.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description					
Final test	03	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.pa.4">http://www.ags.com/en/Terms-and-Conditions.ags.pa.4</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 25 of 102

### 7.7.3 Test Setup Diagram





30MHz-1GHz

Above 1GHz

#### 7.7.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condi




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 26 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

1

Condition: 3m HORIZONTAL Job No : 00009AT/00010AT Mode : 2412 Band edge : 2.4G WIFI 11B Note

Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark Freq MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 2384.166 5.05 27.14 32.50 55.80 55.49 74.00 -18.51 peak 2390.000 5.05 27.16 32.50 54.63 54.34 74.00 -19.66 peak 3 . 2412.000 5.07 27.21 32.50 102.46 102.24 74.00 28.24 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agox and, for electronic Documents at <a href="http://www.ago.com/en/Terms-and-Conditions.agox and, for electronic Documents at <a href="http://www.ago.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 27 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

1 2

Condition: 3m HORIZONTAL
Job No : 00009AT/00010AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11B

	Freq			Preamp Factor	Read Level		Limit Line	Over Limit	
2	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
	2387.428	5.05	27.15	32.50	42.40	42.10	54.00	-11.90	Average
	2390.000	5,05	27.16	32.50	42.26	41.97	54.00	-12.03	Average
	2412.000	5.07	27.21	32.50	99.23	99.01	54.00	45.01	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/lerms-and-Conditions.aspy.and">http://www.sgs.com/en/lerms-and-Conditions.aspy.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/lerms-and-Conditions/ferms-e-Document.aspy.">http://www.sgs.com/en/lerms-and-Conditions/ferms-e-Document.aspy.</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullies tent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 28 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT Mode : 2412 Band edge

Note : 2.4G WIFI 11B

	Freq	Cable Loss		Preamp Factor			Limit Line		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	2378.618	5.05	27.13	32.50	55.73	55.41	74.00	-18.59	Peak
2	2390.000	5,05	27.16	32.50	53.99	53.70	74.00	-20.30	Peak
3 .	2412.000	5.07	27.21	32.50	104.42	104.20	74.00	30.20	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.pa.4">http://www.ags.com/en/Terms-and-Conditions.ags.pa.4</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 29 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT Mode : 2412 Band edge

Note : 2.4G WIFI 11B

~									
	Freq	Cable Loss		Preamp Factor			Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.968	5.05	27.16	32.50	42.82	42.53	54.00	-11.47	Average
2	2390.000	5,05	27.16	32.50	42.82	42.53	54.00	-11.47	Average
3 .	2412.000	5.07	27.21	32.50	101.93	101.71	54.00	47.71	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/lerms-and-Conditions.agsp.and">http://www.ags.com/en/lerms-and-Conditions.agsp.and</a>, for electronic Documents at <a href="http://www.ags.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 30 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00009AT/00010AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11B

		1,770,394	Cable	Ant	Preamp	Read		Limit	Over	
		Freq							200	Remark
	2	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		2462.000	5.10	27.32	32.50	101.02	100.94	74.00	26.94	peak
2		2483.500	5.12	27.36	32.50	54.50	54.48	74.00	-19.52	peak
3		2495.862	5.13	27.39	32.50	56.55	56.57	74.00	-17.43	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.pxp. and for electronic forait documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined freein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's Instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approved of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) each sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 31 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00009AT/00010AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11B

		770.30	Cable	Ant	Preamp	Read		Limit	Over		
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7	_
1		2462.000	5.10	27.32	32.50	97.77	97.69	54.00	43.69	Average	
2		2483.500	5.12	27.36	32.50	42.51	42.49	54.00	-11.51	Average	
3		2487.204	5.12	27.37	32.50	42.58	42.57	54.00	-11.43	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agox and, for electronic Documents at <a href="http://www.ago.com/en/Terms-and-Conditions.agox and, for electronic Documents at <a href="http://www.ago.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 32 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT Mode : 2462 Band edge

Note : 2.4G WIFI 11B

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 ,	2462.000	5.10	27.32	32.50	102.32	102.24	74.00	28.24	Peak
2	2483.500	5.12	27.36	32.50	54.38	54.36	74.00	-19.64	Peak
3	2484.241	5.12	27.37	32.50	56.12	56.11	74.00	-17.89	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/lerms-and-Conditions.agsp.and">http://www.ags.com/en/lerms-and-Conditions.agsp.and</a>, for electronic Documents at <a href="http://www.ags.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 33 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT Mode : 2462 Band edge

Note : 2.4G WIFI 11B

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1.	2462.000	5.10	27.32	32.50	99.63	99.55	54.00	45.55	Average
2	2483.500	5.12	27.36	32.50	42.82	42.80	54.00	-11.20	Average
3	2483.890	5.12	27.37	32.50	42.89	42.88	54.00	-11.12	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/lerms-and-Conditions.ags">http://www.ags.com/en/lerms-and-Conditions.ags</a> and, for electronic Documents at <a href="http://www.ags.com/en/lerms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 34 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00009AT/00010AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11G

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dBuV/m dB

1 2389.968 5.05 27.16 32.50 64.85 64.56 74.00 -9.44 peak
2 2390.000 5.05 27.16 32.50 64.85 64.56 74.00 -9.44 peak
3 . 2412.000 5.07 27.21 32.50 104.11 103.89 74.00 29.89 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.pa.4">http://www.ags.com/en/Terms-and-Conditions.ags.pa.4</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 35 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00009AT/00010AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11G

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.968	5.05	27.16	32.50	45.87	45.58	54.00	-8.42	Average
2	2390.000	5.05	27.16	32.50	45.87	45.58	54.00	-8.42	Average
3	. 2412.000	5.07	27.21	32.50	94.79	94.57	54.00	40.57	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.crems-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 36 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT Mode : 2412 Band edge Note : 2.4G WIFI 11G

Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark Freq MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 1 2389.726 5.05 27.16 32.50 67.07 66.78 74.00 -7.22 Peak 2390.000 5.05 27.16 32.50 66.22 65.93 74.00 -8.07 Peak 3 . 2412.000 5.07 27.21 32.50 106.19 105.97 74.00 31.97 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agox and, for electronic Documents at <a href="http://www.ago.com/en/Terms-and-Conditions.agox and, for electronic Documents at <a href="http://www.ago.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 37 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT Mode : 2412 Band edge

Note : 2.4G WIFI 11G

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		-
1	2389.968	5.05	27.16	32.50	47.72	47,43	54.00	-6.57	Average	
2	2390.000	5.05	27.16	32.50	47.72	47.43	54.00	-6.57	Average	
3 .	2412.000	5.07	27.21	32.50	97.37	97.15	54.00	43.15	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/lerms-and-Conditions.agsp.and">http://www.ags.com/en/lerms-and-Conditions.agsp.and</a>, for electronic Documents at <a href="http://www.ags.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 38 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00009AT/00010AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11G

	Freq	Cable Loss		Preamp Factor			Limit Line	0.0	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1,	2462.000	5.10	27.32	32.50	103.30	103.22	74.00	29.22	peak
2	2483.500	5.12	27.36	32.50	63.62	63.60	74.00	-10.40	peak
3	2483.790	5.12	27.37	32.50	63.87	63.86	74.00	-10.14	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.pa.4">http://www.ags.com/en/Terms-and-Conditions.ags.pa.4</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 39 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00009AT/00010AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11G

		1,770,384	Cable	Ant	Preamp	Read		Limit	Over		
		Freq						Line	0.40		
	2	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	,	-
1		2462.000	5.10	27.32	32.50	94.01	93.93	54.00	39.93	Average	
2		2483.500	5.12	27.36	32.50	44.92	44.90	54.00	-9.10	Average	
3		2483.790	5.12	27.37	32.50	45.01	45.00	54.00	-9.00	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.appy and,">https://www.sgs.com/en/Terms-and-Conditions.appy and,</a> for electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appy.">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appy.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend the limit of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attentions 7 ocheck the authersticity of testing inspection report & certificate, please contact us at telephone (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 40 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT Mode : 2462 Band edge

Note : 2.4G WIFI 11G

	Freq		Ant Factor				Limit Line	Over Limit	Remark
	MHz	dB	dB/m	——dB	dBuV	dBuV/m	dBuV/m	dB	_
1.	2462.000	5.10	27.32	32.50	104.67	104.59	74.00	30.59	Peak
2	2483.500	5.12	27.36	32.50	67.00	66.98	74.00	-7.02	Peak
3	2483.990	5.12	27.37	32.50	65.15	65.14	74.00	-8.86	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sps.com/en/lerms-and-Conditions.aspx">http://www.sps.com/en/lerms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sps.com/en/lerms-and-Conditions/ferms-e-Document.aspx">http://www.sps.com/en/lerms-and-Conditions/ferms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atletation, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest value for the tensults shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing (inspection report & certificate, please contact us at Lelephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 41 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT Mode : 2462 Band edge

Note : 2.4G WIFI 11G

		170,000	Cable	Ant	Preamp	Read		Limit	Over	
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	2	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		2462.000	5.10	27.32	32.50	95.73	95.65	54.00	41.65	Average
2		2483.500	5.12	27.36	32.50	46.63	46.61	54.00	-7.39	Average
3		2483.890	5.12	27.37	32.50	46.52	46.51	54.00	-7.49	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/lerms-and-Conditions.ags">http://www.ags.com/en/lerms-and-Conditions.ags</a> and, for electronic Documents at <a href="http://www.ags.com/en/lerms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 42 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00009AT/00010AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq								Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2386.219	5.05	27.15	32.50	61.54	61.24	74.00	-12.76	peak
2	2390.000	5.05	27.16	32.50	58.73	58.44	74.00	-15.56	peak
3 .	2412.000	5.07	27.21	32.50	102.58	102.36	74.00	28.36	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.pxp. and for electronic forait documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined freein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's Instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconstate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approved of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) each sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 43 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00009AT/00010AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11N20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss		Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	,
1	2389.484	5.05	27.16	32.50	43.09	42.80	54.00	-11.20	Average
2	2390.000	5.05	27.16	32.50	43.00	42.71	54.00	-11.29	Average
3 .	2412.000	5.07	27.21	32.50	93.00	92.78	54.00	38.78	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 44 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT Mode : 2412 Band edge Note : 2.4G WIFI 11N20

177	Cabla	Ant	Proamn	Road		limit	Over	
Freq								
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
2388.758	5.05	27.16	32.50	61.85	61.56	74.00	-12.44	Peak
2390.000	5.05	27.16	32.50	59.64	59.35	74.00	-14.65	Peak
. 2412.000	5.07	27.21	32.50	104.27	104.05	74.00	30.05	Peak
	MHz 2388.758 2390.000	Freq Loss  MHz dB  2388.758 5.05 2390.000 5.05	Freq Loss Factor  MHz dB dB/m  2388.758 5.05 27.16 2390.000 5.05 27.16	Freq Loss Factor Factor  MHz dB dB/m dB  2388.758 5.05 27.16 32.50 2390.000 5.05 27.16 32.50	Freq         Loss Factor Factor         Level           MHz         dB         dB/m         dB         dBuV           2388.758         5.05         27.16         32.50         61.85           2390.000         5.05         27.16         32.50         59.64	Freq         Loss Factor Factor         Level         Level           MHz         dB         dB/m         dB         dBuV         dBuV/m           2388.758         5.05         27.16         32.50         61.85         61.56           2390.000         5.05         27.16         32.50         59.64         59.35	Freq         Loss Factor Factor         Level         Level         Line           MHz         dB         dB/m         dB         dBuV dBuV/m         dBuV/m           2388.758         5.05         27.16         32.50         61.85         61.56         74.00           2390.000         5.05         27.16         32.50         59.64         59.35         74.00	Freq         Loss Factor         Factor         Level         Level         Line         Limit           MHz         dB         dB/m         dB         dBuV dBuV/m         dBuV/m         dB           2388.758         5.05         27.16         32.50         61.85         61.56         74.00         -12.44           2390.000         5.05         27.16         32.50         59.64         59.35         74.00         -14.65



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Terms-and-Conditions.for Terms-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 45 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT Mode : 2412 Band edge Note : 2.4G WIFI 11N20

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB/m	——dB	dBuV	dBuV/m	dBuV/m	dB	_
1	2389.968	5.05	27.16	32.50	44.42	44.13	54.00	-9.87	Average
2	2390.000	5.05	27.16	32.50	44.42	44.13	54.00	-9.87	Average
3 .	2412.000	5.07	27.21	32.50	95.52	95.30	54.00	41.30	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Descheek@ses.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 46 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00009AT/00010AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11N20

	1,70,30	Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss							Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	_
1 .	2462.000	5.10	27.32	32.50	101.97	101.89	74.00	27.89	peak
2	2483.500	5.12	27.36	32.50	58.86	58.84	74.00	-15.16	peak
3	2483.890	5.12	27.37	32.50	60.59	60.58	74.00	-13.42	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document\_aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clent's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unloss otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tealined for 30 days only.

Attention. To check the authenticity of testing interports certificate, please contact us at telephone (86-75)8307 1443




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 47 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00009AT/00010AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11N20

		Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		2462.000	5.10	27.32	32.50	92.07	91.99	54.00	37.99	Average
2		2483.500	5.12	27.36	32.50	42.93	42.91	54.00	-11.09	Average
3		2483.790	5.12	27.37	32.50	42.92	42.91	54.00	-11.09	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/lerms-and-Conditions.agsp.and">http://www.ags.com/en/lerms-and-Conditions.agsp.and</a>, for electronic Documents at <a href="http://www.ags.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 48 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

2

Condition: 3m VERTICAL

Job No : 00009AT/00010AT : 2462 Band edge Mode Note

: 2.4G WIFI 11N20 Cable Ant Preamp Read Limit Over Loss Factor Factor Line Limit Remark Freq Level Level MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 1 , 2462.000 5.10 27.32 32.50 103.26 103.18 74.00 29.18 Peak 2483.500 5.12 27.36 32.50 60.86 60.84 74.00 -13.16 Peak 2483.840 5.12 27.37 32.50 63.85 63.84 74.00 -10.16 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agox and, for electronic Documents at <a href="http://www.ago.com/en/Terms-and-Conditions.agox and, for electronic Documents at <a href="http://www.ago.com/en/Terms-and-Conditions-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 49 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00009AT/00010AT

Mode : 2462 Band edge Note : 2.4G WIFI 11N20

		Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		
	ř	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB	
1		2462.000	5.10	27.32	32.50	94.01	93.93	54.00	39.93	Average
2		2483.500	5.12	27.36	32.50	43.66	43.64	54.00	-10.36	Average
3		2485.245	5.12	27.37	32.50	43.73	43.72	54.00	-10.28	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags">http://www.ags.com/en/Terms-and-Conditions.ags</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-Conditio



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 50 of 102

### 7.8 Radiated Spurious Emissions Below 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.4,6.5

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
960-1000	500	3

### 7.8.1 E.U.T. Operation

**Operating Environment:** 

Temperature: 23.5 °C Humidity: 52.8 % RH Atmospheric Pressure: 1020 mbar

#### 7.8.2 Test Mode Description

7.0.2 103t Wood		
Pre-scan / Final test	Mode Code	Description
Final test	03	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Co





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 51 of 102

#### 7.8.3 Test Setup Diagram





Below 30MHz

30MHz-1GHz

#### 7.8.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

#### Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only of the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing fina-pection report & certificate, please contact us at telephone (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 52 of 102

Test Mode: 03; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00009AT

Mode : 03

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	50.942	0.22	17.34	25.99	25.50	17.07	40.00	-22.93	OP
2				25.77					_
3	250.301	0.85	16.82	25.43	30.91	23.15	46.00	-22.85	QΡ
4	350.477	1.52	19.80	25.43	28.84	24.73	46.00	-21.27	QP
5	618.537	2.21	24.65	24.91	26.80	28.75	46.00	-17.25	QP
6	938 833	2 22	29 31	24 96	25 29	32 76	46 99	-13 24	OP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/lerms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-and-Co




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 53 of 102

Test Mode: 03; Polarity: Vertical



Site : chamber Condition: 3m VERTICAL Job No : 00009AT

Mode : 03

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	44.431	0.23	17.29	26.01	35.56	27.07	40.00	-12.93	QP	
2	50.942	0.22	17.34	25.99	34.88	26.45	40.00	-13.55	QP	
3	82.938	0.54	14.13	25.77	45.98	34.88	40.00	-5.12	QP	
4	158.112	0.86	17.25	25.52	25.75	18.34	43.50	-25.16	QP	
5	549.020	1.85	23.81	25.24	26.65	27.07	46.00	-18.93	QP	
6	955.438	2.26	29.30	24.04	26.07	33.59	46.00	-12.41	OP	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/lerms-and-Conditions.agsp.and">http://www.ags.com/en/lerms-and-Conditions.agsp.and</a>, for electronic Documents at <a href="http://www.ags.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 54 of 102

### 7.9 Radiated Spurious Emissions Above 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.6

Measurement Distance: 3m

#### Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
Above 1000	500	3

### 7.9.1 E.U.T. Operation


Operating Environment:

Temperature: 25.6 °C Humidity: 46.4 % RH Atmospheric Pressure: 1020 mbar

### 7.9.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	03	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

### 7.9.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Terms-and-Conditions.for Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 55 of 102

#### 7.9.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

#### Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 1GHz to 25GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the gauthenticity of testing inspection report & certificate, please contact us at telephone (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 56 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL Job No : 00009AT/00010AT Mode : 2412 TX RSE

: 2.4G WIFI 11B

	Freq			Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1658.337	4.11	24.92	52.94	64.76	40.85	74.00	-33.15	peak
2	4367.058	7.48	30.02	52.92	67.21	51.79	74.00	-22.21	peak
3	4824.000	8.02	30.99	53.05	66.46	52.42	74.00	-21.58	peak
4	6995.172	8.19	35.79	53.50	61.95	52.43	74.00	-21.57	peak
5	7236.000	8.31	36.09	53.52	61.85	52.73	74.00	-21.27	peak
6	9648.000	11.38	37.62	53.54	58.01	53.47	74.00	-20.53	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/lerms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-and-Co




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 57 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT

Mode : 2412 TX RSE

: 2.4G WIFI 11B

	. Z.	40 MIL	1 110						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	_
1	1687.347	4.17	24.98	52.95	65.06	41.26	74.00	-32.74	peak
2	4430.628	7.47	30.11	52.94	67.15	51.79	74.00	-22.21	peak
3	4824.000	8.02	30.99	53.05	65.95	51.91	74.00	-22.09	peak
4	6894.806	8.09	35.55	53.43	62.64	52.85	74.00	-21.15	peak
5	7236.000	8.31	36.09	53.52	62.69	53.57	74.00	-20.43	peak
6	9648,000	11.38	37.62	53.54	58.07	53.53	74.00	-20.47	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/lerms-and-Conditions.agsp.and">http://www.ags.com/en/lerms-and-Conditions.agsp.and</a>, for electronic Documents at <a href="http://www.ags.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 58 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL Job No : 00009AT/00010AT Mode : 2437 TX RSE

: 2.4G WIFI 11B

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1667.951	4.13	24.94	52.94	63.71	39.84	74.00	-34.16	peak
2	4279.589	7.48	29.90	52.89	67.19	51.68	74.00	-22.32	peak
3	4874.000	8.10	31.11	53.07	64.49	50.63	74.00	-23.37	peak
4	6717.762	7.92	35.13	53.31	63.09	52.83	74.00	-21.17	peak
5	7311.000	8.34	36.18	53.53	61.98	52.97	74.00	-21.03	peak
6	9748.000	11.30	37.84	53.44	57.45	53.15	74.00	-20.85	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/lerms-and-Conditions.agsp.and">http://www.ags.com/en/lerms-and-Conditions.agsp.and</a>, for electronic Documents at <a href="http://www.ags.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 59 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT

Mode : 2437 TX RSE

: 2.4G WIFI 11B

	. Z.	40 MIL	1 110						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1574.265	3.93	24.73	52.89	65.12	40.89	74.00	-33.11	peak
2	4379.699	7.47	30.04	52.92	66.19	50.78	74.00	-23.22	peak
3	4874.000	8.10	31.11	53.07	64.33	50.47	74.00	-23.53	peak
4	6934.778	8.13	35.65	53.46	62.71	53.03	74.00	-20.97	peak
5	7311.000	8.34	36.18	53.53	62.59	53.58	74.00	-20.42	peak
6	9748.000	11.30	37.84	53.44	58.01	53.71	74.00	-20.29	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/erms-and-Conditions.aspx.and">http://www.sgs.com/en/erms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/erms-and-Conditions-and-Conditions-and-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 60 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL Job No : 00009AT/00010AT Mode : 2462 TX RSE

: 2.4G WIFI 11B

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1601.804	3.99	24.80	52.91	64.64	40.52	74.00	-33.48	peak
2	4291.977	7.48	29.92	52.89	66.78	51.29	74.00	-22.71	peak
3	4924.000	8.18	31.23	53.08	63.60	49.93	74.00	-24.07	peak
4	6717.762	7.92	35.13	53.31	63.12	52.86	74.00	-21.14	peak
5	7386.000	8.38	36.27	53.54	61.68	52.79	74.00	-21.21	peak
6	9848.000	11.23	38.07	53.35	57.08	53.03	74.00	-20.97	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/lerms-and-Conditions.agsp.and">http://www.ags.com/en/lerms-and-Conditions.agsp.and</a>, for electronic Documents at <a href="http://www.ags.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 61 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT

Mode : 2462 TX RSE

: 2.4G WIFI 11B

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1601.804	3.99	24.80	52.91	64.28	40.16	74.00	-33.84	peak
2	4417.841	7.47	30.09	52.93	66.29	50.92	74.00	-23.08	peak
3	4924.000	8.18	31.23	53.08	64.78	51.11	74.00	-22.89	peak
4	5881.418	7.78	32.45	52.83	65.13	52.53	74.00	-21.47	peak
5	7386.000	8.38	36.27	53.54	61.65	52.76	74.00	-21.24	peak
6	9848.000	11.23	38.07	53.35	57.62	53.57	74.00	-20.43	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.pa.4">http://www.ags.com/en/Terms-and-Conditions.ags.pa.4</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 62 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL Job No : 00009AT/00010AT Mode : 2412 TX RSE

: 2.4G WIFI 11G

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1677.621	4.15	24.96	52.95	63.71	39.87	74.00	-34.13	peak
2	4430.628	7.47	30.11	52.94	66.80	51.44	74.00	-22.56	peak
3	4824.000	8.02	30.99	53.05	64.76	50.72	74.00	-23.28	peak
4	6213.441	7.67	33.36	52.96	64.81	52.88	74.00	-21.12	peak
5	7236.000	8.31	36.09	53.52	62.23	53.11	74.00	-20.89	peak
6	9648.000	11.38	37.62	53.54	57.61	53.07	74.00	-20.93	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Terms-and-Conditions.for Terms-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 63 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT

Mode : 2412 TX RSE

: 2.4G WIFI 11G

	. Z.	4G MIL	1 110						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1667.951	4.13	24.94	52.94	64.35	40.48	74.00	-33.52	peak
2	4193.872	7.48	29.78	52.86	66.57	50.97	74.00	-23.03	peak
3	4824.000	8.02	30.99	53.05	65.24	51.20	74.00	-22.80	peak
4	6507.536	7.71	34.62	53.17	63.18	52.34	74.00	-21.66	peak
5	7236.000	8.31	36.09	53.52	61.08	51.96	74.00	-22.04	peak
6	9648.000	11.38	37.62	53.54	57.96	53.42	74.00	-20.58	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.ga.hd">http://www.ags.com/en/Terms-and-Conditions.ags.ga.hd</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and-Condition




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 64 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL Job No : 00009AT/00010AT Mode : 2437 TX RSE

: 2.4G WIFI 11G

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1692.231	4.18	24.99	52.96	65.07	41.28	74.00	-32.72	peak
2	4121.768	7.48	29,68	52.84	66.47	50.79	74.00	-23.21	peak
3	4874.000	8.10	31.11	53.07	65.79	51.93	74.00	-22.07	peak
4	6303.890	7.68	33.76	53.02	63.89	52.31	74.00	-21.69	peak
5	7311.000	8.34	36.18	53.53	62.58	53.57	74.00	-20.43	peak
6	9748.000	11.30	37.84	53,44	57.33	53.03	74.00	-20.97	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/lerms-and-Conditions.agsp.and">http://www.ags.com/en/lerms-and-Conditions.agsp.and</a>, for electronic Documents at <a href="http://www.ags.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 65 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT

Mode : 2437 TX RSE

: 2.4G WIFI 11G

	. Z.	4G WIF	1 110						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Leve1	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1658.337	4.11	24.92	52.94	64.11	40.20	74.00	-33.80	peak
2	4354.454	7.48	30.00	52.91	66.56	51.13	74.00	-22.87	peak
3	4874.000	8.10	31.11	53.07	64.55	50.69	74.00	-23.31	peak
4	6698.373	7.90	35.09	53.30	63.28	52.97	74.00	-21.03	peak
5	7311.000	8.34	36.18	53.53	61.82	52.81	74.00	-21.19	peak
6	9748.000	11.30	37.84	53.44	57.63	53.33	74.00	-20.67	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/erms-and-Conditions.aspx.and">http://www.sgs.com/en/erms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/erms-and-Conditions-and-Conditions-and-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 66 of 102

Test Mode: 03; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL Job No : 00009AT/00010AT Mode : 2462 TX RSE

: 2.4G WIFI 11G

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1667.951	4.13	24.94	52.94	64.48	40.61	74.00	-33.39	peak
2	4443.453	7.47	30.12	52.94	67.05	51.70	74.00	-22.30	peak
3	4924.000	8.18	31.23	53.08	63.17	49.50	74.00	-24.50	peak
4	6377.195	7.69	34.08	53.08	63.93	52.62	74.00	-21.38	peak
5	7386.000	8.38	36.27	53.54	61.35	52.46	74.00	-21.54	peak
6	9848.000	11.23	38.07	53.35	57.51	53,46	74.00	-20.54	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/lerms-and-Conditions.aspx.and">http://www.sgs.com/en/lerms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 67 of 102

Test Mode: 03; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00009AT/00010AT

Mode : 2462 TX RSE

: 2.4G WIFI 11G

		#Q MIL	1 110						
	Freq			Preamp Factor			Limit Line		
	MHz	——dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB	
1	1672.779	4.14	24.95	52.95	64.52	40.66	74.00	-33.34	peak
2	4341.886	7.48	29.99	52.91	66.27	50.83	74.00	-23.17	peak
3	4924.000	8.18	31.23	53.08	63.89	50.22	74.00	-23.78	peak
4	6088.991	7.65	32.80	52.87	64.66	52.24	74.00	-21.76	peak
5	7386.000	8.38	36.27	53.54	61.86	52.97	74.00	-21.03	peak
6	9848.000	11.23	38.07	53.35	56.99	52.94	74.00	-21.06	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/lerms-and-Conditions.agsp.and">http://www.ags.com/en/lerms-and-Conditions.agsp.and</a>, for electronic Documents at <a href="http://www.ags.com/en/lerms-and-Conditions-and-Conditions-and-Conditions/lerms-and-Conditions-



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 68 of 102

### 7.10 Duty Cycle

Test Requirement ANSI C63.10 (2013) Section 11.6
Test Method: ANSI C63.10 (2013) Section 11.6

Limit:

N/A

### 7.10.1 E.U.T. Operation


Operating Environment:

Temperature: 25.5 °C Humidity: 46.4 % RH Atmospheric Pressure: 1020 mbar

7.10.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	03	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

### 7.10.3 Test Setup Diagram



#### 7.10.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agp.gand,">http://www.ags.com/en/Terms-and-Conditions.agp.gand,</a> for electronic Documents as the tree of the conditions for Electronic Documents and the tree of the company for the company for the document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the gauthenticity of testing inspection reports & certificate, phase contact us at telephone: (86-755) 8301 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 69 of 102

# 8 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2301000009AT

# 9 EUT Constructional Details (EUT Photos)

Refer to Appendix - External and Internal Photos for FYCR2301000009AT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/erms-and-Conditions.aspx.and">http://www.sgs.com/en/erms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/erms-and-Conditions-and-Conditions-and-



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 70 of 102

# 10 Appendix

1. Duty Cycle

1.1 Ant1

### 1.1.1 Test Result

	Ant1										
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)				
		2412	8.417	8.514	98.86	0.05	0.04				
802.11b	SISO	2437	8.417	8.513	98.87	0.05	0.04				
		2462	8.417	8.514	98.86	0.05	0.04				
	SISO	2412	1.397	1.499	93.20	0.31	0.03				
802.11g		2437	1.398	1.500	93.20	0.31	0.03				
		2462	1.398	1.559	89.67	0.47	3.62				
000 44	SISO	2412	1.309	1.411	92.77	0.33	0.03				
802.11n (HT20)		2437	1.309	1.411	92.77	0.33	0.00				
(11120)		2462	1.309	1.410	92.84	0.32	0.03				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/lerms-and-Conditions.aspx.and">http://www.sgs.com/en/lerms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/lerms-and-Conditions/rerms-a-Document.aspx.">http://www.sgs.com/en/lerms-and-Conditions/rerms-a-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jury-isdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: 7 o check the authersticity of testing inspection reports. Certificate, please contact us at telephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 71 of 102

### 1.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of ilability, indemplification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clent's instructions, if any. The Company's sole responsibility is to its Cleint and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are trained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-75) 8307 1443.

\*\*Remail Company School (1997) 1443.\*\*


\*\*Remail Compan



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 72 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 73 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 74 of 102







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CND Doccheck@sqs.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 75 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 76 of 102

#### 2. Bandwidth

#### 2.1 6dB BW

#### 2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		\/a mali a t	
				Result	Limit	verdict	
802.11b		2412	1	7.119	>=0.5	Pass	
	SISO	2437	1	7.128	>=0.5	Pass	
		2462	1	8.022	>=0.5	Pass	
802.11g			2412	1	15.544	>=0.5	Pass
	SISO	2437	1	15.504	>=0.5	Pass	
		2462	1	15.224	>=0.5	Pass Pass Pass	
802.11n (HT20)		2412	1	15.355	>=0.5	Pass	
	SISO	2437	1	15.234	>=0.5	Pass	
		2462	1	15.219	>=0.5	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Descheek@ses.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 77 of 102

#### 2.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 78 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CND Doccheck@sqs.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 79 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CND Doccheck@sqs.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 80 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 81 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.and-conditions.aspx.and-conditions.and-cond



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 82 of 102

## 3. Maximum Conducted Output Power

#### 3.1 Power

#### 3.1.1 Test Result

Mode TX Type	TX	Frequency	Maximum Average Condu	Vardiat	
	(MHz)	ANT1	Limit	veruict	
802.11b		2412	14.36	<=30	Pass
	SISO	2437	14.50	<=30	Pass
		2462	14.30	<=30	Pass
802.11g		2412	13.24	<=30	Pass
	SISO	2437	13.20	<=30	Pass
		2462	13.23	<=30	Pass
802.11n (HT20)		2412	11.67	<=30	Pass Pass Pass Pass
	SISO	2437	11.65	<=30	
		2462	11.72	<=30	Pass

## 4. Maximum Power Spectral Density

#### 4.1 PSD

#### 4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PS	Verdict	
			ANT1	Limit	verdict
802.11b		2412	-7.83	<=8	Pass
	SISO	2437	-6.63	<=8	Pass
		2462	-7.63	<=8	Pass
802.11g		2412	-11.22	<=8	Pass
	SISO	2437	-10.98	<=8	Pass Pass Pass
		2462	-10.70	<=8	
802.11n (HT20)		2412	-11.94	<=8	Pass
	SISO	2437	-10.95	<=8	Pass
		2462	-11.53	<=8	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CPU Descheek@ses.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 83 of 102

#### 4.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents a subject to Terms and Conditions for Electronic Documents a this privative space, com/en/Terms-and-Conditions/Terms-and-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention. To check the authenticity of testing finapection report & certification, places contact us at telephone. (86-75) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 84 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the dauthenticity of testing fina-pection report & certificate, please contact us at telephone. (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 85 of 102






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 86 of 102








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 87 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of ilability, indemplification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clent's instructions, if any. The Company's sole responsibility is to its Cleint and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are trained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-75) 8307 1443, or small? CND Doccheck@sus.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 88 of 102

## 5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Ref

#### 5.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
		2412	1	6.72
802.11b	SISO	2437	1	6.93
		2462	1	6.87
802.11g	SISO	2412	1	1.88
		2437	1	1.73
		2462	1	1.96
802.11n (HT20)		2412	1	0.83
	SISO	2437	1	0.77
		2462	1	1.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.ga.htm.">http://www.ags.com/en/Terms-and-Conditions.ags.ga.htm.</a>, and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.ags.X. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing interport a certificate, please contact us at telephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 89 of 102

#### 5.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 90 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CND Doccheck@sqs.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 91 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 92 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CND Doccheck@sqs.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 93 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.and-conditions.aspx.and-conditions.and-cond



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 94 of 102

#### 5.2 CSE

#### 5.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	6.93	-23.07	Pass
		2437	1	6.93	-23.07	Pass
		2462	1	6.93	-23.07	Pass
802.11g	SISO	2412	1	1.96	-28.04	Pass
		2437	1	1.96	-28.04	Pass
		2462	1	1.96	-28.04	Pass
802.11n (HT20)		2412	1	1.00	-29.00	Pass
	SISO	2437	1	1.00	-29.00 Pass	Pass
		2462	1	1.00	-29.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 95 of 102

#### 5.2.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of ilability, indemplification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clent's instructions, if any. The Company's sole responsibility is to its Cleint and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are trained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-75) 8307 1443, or small? CND Doccheck@sus.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 96 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CND Doccheck@sqs.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 97 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 98 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CND Doccheck@sqs.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 99 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 100 of 102







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CND Doccheck@sqs.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 101 of 102





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CND Doccheck@sqs.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR230100000904

Page: 102 of 102



- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.aspx.and-conditions.and-conditions.aspx.and-conditions.and-cond