




1.4M_HCH_5846.12MHz_Ant2_NTNV




3M_LCH_5727.5MHz_Ant2_NTNV




3M_MCH_5784.5MHz_Ant2_NTNV




3M_HCH_5847.2MHz_Ant2_NTNV




5M_LCH_5732.5MHz_Ant2_NTNV




5M_MCH_5782.5MHz_Ant2_NTNV




5M_HCH_5842.5MHz_Ant2_NTNV




10M_LCH_5730.5MHz_Ant2_NTNV




10M_MCH_5787.5MHz_Ant2_NTNV




10M_HCH_5844.5MHz_Ant2_NTNV




20M_LCH_5735.5MHz_Ant2_NTNV




20M_MCH_5787.5MHz_Ant2_NTNV




20M_HCH_5839.5MHz_Ant2_NTNV




40M_LCH_5745.5MHz_Ant2_NTNV



40M_MCH_5787.5MHz_Ant2_NTNV



40M_HCH_5829.5MHz_Ant2_NTNV



3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)				Verdict
			ANT2	ANT3	MIMO	Limit	
1.4M	MIMO	5728.5	15.51	16.12	18.84	<=30	Pass
		5786.5	16.18	16.22	19.21	<=30	Pass
		5846.12	15.84	16.29	19.08	<=30	Pass
3M	MIMO	5727.5	16.65	17.21	19.95	<=30	Pass
		5784.5	17.01	17.11	20.07	<=30	Pass
		5847.2	16.69	17.20	19.96	<=30	Pass
5M	MIMO	5732.5	16.84	17.40	20.14	<=30	Pass
		5782.5	17.48	17.55	20.53	<=30	Pass
		5842.5	17.75	17.22	20.50	<=30	Pass
10M	MIMO	5730.5	24.81	25.91	28.41	<=30	Pass
		5787.5	25.44	25.68	28.57	<=30	Pass
		5844.5	25.96	26.23	29.11	<=30	Pass
20M	MIMO	5735.5	24.63	25.80	28.26	<=30	Pass
		5787.5	25.15	25.42	28.30	<=30	Pass
		5839.5	25.12	25.32	28.23	<=30	Pass
40M	MIMO	5745.5	22.34	23.44	25.94	<=30	Pass
		5787.5	24.21	24.65	27.45	<=30	Pass
		5829.5	22.68	22.61	25.66	<=30	Pass


4. Maximum Power Spectral Density

4.1 PSD-Band3


4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)				Verdict
			ANT2	ANT3	MIMO	Limit	
1.4M	MIMO	5728.5	14.71	15.18	17.73	<=29.99	Pass
		5786.5	15.51	15.34	18.23	<=29.99	Pass
		5846.12	14.83	15.52	18.01	<=29.99	Pass
3M	MIMO	5727.5	11.97	12.56	15.07	<=29.99	Pass
		5784.5	12.33	12.37	15.16	<=29.99	Pass
		5847.2	11.95	12.52	15.17	<=29.99	Pass
5M	MIMO	5732.5	8.87	9.44	12.00	<=29.99	Pass
		5782.5	9.55	9.46	12.29	<=29.99	Pass
		5842.5	9.76	9.19	12.37	<=29.99	Pass
10M	MIMO	5730.5	13.37	14.25	16.69	<=29.99	Pass
		5787.5	13.80	14.09	16.88	<=29.99	Pass
		5844.5	14.25	14.86	17.44	<=29.99	Pass
20M	MIMO	5735.5	10.03	11.48	13.58	<=29.99	Pass
		5787.5	10.52	10.77	13.55	<=29.99	Pass
		5839.5	10.61	10.71	13.42	<=29.99	Pass
40M	MIMO	5745.5	5.02	6.16	8.45	<=29.99	Pass
		5787.5	6.87	7.21	9.78	<=29.99	Pass
		5829.5	5.09	5.11	7.96	<=29.99	Pass


4.1.2 Test Graph




1.4M_LCH_5728.5MHz_MIMO_NTNV




1.4M_MCH_5786.5MHz_Ant2_NTNV




1.4M_MCH_5786.5MHz_Ant3_NTNV




1.4M_MCH_5786.5MHz_MIMO_NTNV




1.4M_HCH_5846.12MHz_Ant2_NTNV




1.4M_HCH_5846.12MHz_Ant3_NTNV




1.4M_HCH_5846.12MHz_MIMO_NTNV




3M_LCH_5727.5MHz_Ant2_NTNV




3M_LCH_5727.5MHz_Ant3_NTNV




3M_LCH_5727.5MHz_MIMO_NTNV




3M_MCH_5784.5MHz_Ant2_NTNV




3M_MCH_5784.5MHz_Ant3_NTNV




3M_MCH_5784.5MHz_MIMO_NTNV




3M_HCH_5847.2MHz_Ant2_NTNV




3M_HCH_5847.2MHz_Ant3_NTNV




3M_HCH_5847.2MHz_MIMO_NTNV




5M_LCH_5732.5MHz_Ant2_NTNV




5M_LCH_5732.5MHz_Ant3_NTNV




5M_LCH_5732.5MHz_MIMO_NTNV




5M_MCH_5782.5MHz_Ant2_NTNV




5M_MCH_5782.5MHz_Ant3_NTNV




5M_MCH_5782.5MHz_MIMO_NTNV




5M_HCH_5842.5MHz_Ant2_NTNV




5M_HCH_5842.5MHz_Ant3_NTNV




5M_HCH_5842.5MHz_MIMO_NTNV




10M_LCH_5730.5MHz_Ant2_NTNV




10M_LCH_5730.5MHz_Ant3_NTNV




10M_LCH_5730.5MHz_MIMO_NTNV




10M_MCH_5787.5MHz_Ant2_NTNV




10M_MCH_5787.5MHz_Ant3_NTNV




10M_MCH_5787.5MHz_MIMO_NTNV




10M_HCH_5844.5MHz_Ant2_NTNV




10M_HCH_5844.5MHz_Ant3_NTNV




10M_HCH_5844.5MHz_MIMO_NTNV




20M_LCH_5735.5MHz_Ant2_NTNV




20M_LCH_5735.5MHz_Ant3_NTNV




20M_LCH_5735.5MHz_MIMO_NTNV




20M_MCH_5787.5MHz_Ant2_NTNV




20M_MCH_5787.5MHz_Ant3_NTNV




20M_MCH_5787.5MHz_MIMO_NTNV




20M_HCH_5839.5MHz_Ant2_NTNV




20M_HCH_5839.5MHz_Ant3_NTNV




20M_HCH_5839.5MHz_MIMO_NTNV




40M_LCH_5745.5MHz_Ant2_NTNV




40M_LCH_5745.5MHz_Ant3_NTNV




40M_LCH_5745.5MHz_MIMO_NTNV




40M_MCH_5787.5MHz_Ant2_NTNV




40M_MCH_5787.5MHz_Ant3_NTNV




40M_MCH_5787.5MHz_MIMO_NTNV




40M_HCH_5829.5MHz_Ant2_NTNV



40M_HCH_5829.5MHz_Ant3_NTNV



40M_HCH_5829.5MHz_MIMO_NTNV



5. Frequency Stability

5.1 Ant2

5.1.1 Test Result

Ant2							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
1.4M	MIMO	5728.5	20	12.54	5728.492	5725 to 5850	Pass
				14.76	5728.493	5725 to 5850	Pass
				16.97	5728.493	5725 to 5850	Pass
			-10	14.76	5728.492	5725 to 5850	Pass
			-5	14.76	5728.492	5725 to 5850	Pass
			0	14.76	5728.492	5725 to 5850	Pass
			5	14.76	5728.493	5725 to 5850	Pass
			10	14.76	5728.492	5725 to 5850	Pass
			20	14.76	5728.492	5725 to 5850	Pass
			30	14.76	5728.492	5725 to 5850	Pass
			40	14.76	5728.492	5725 to 5850	Pass
		5786.5	20	12.54	5786.497	5725 to 5850	Pass
				14.76	5786.497	5725 to 5850	Pass
				16.97	5786.499	5725 to 5850	Pass
			-10	14.76	5786.497	5725 to 5850	Pass
			-5	14.76	5786.496	5725 to 5850	Pass
			0	14.76	5786.497	5725 to 5850	Pass
			5	14.76	5786.499	5725 to 5850	Pass
			10	14.76	5786.497	5725 to 5850	Pass
			20	14.76	5786.499	5725 to 5850	Pass
			30	14.76	5786.497	5725 to 5850	Pass
			40	14.76	5786.497	5725 to 5850	Pass
		5846.12	20	12.54	5846.119	5725 to 5850	Pass
				14.76	5846.118	5725 to 5850	Pass
				16.97	5846.116	5725 to 5850	Pass
			-10	14.76	5846.118	5725 to 5850	Pass
			-5	14.76	5846.119	5725 to 5850	Pass
			0	14.76	5846.116	5725 to 5850	Pass
			5	14.76	5846.119	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400101305

Page: 350 of 354

			10	14.76	5846.118	5725 to 5850	Pass
			20	14.76	5846.119	5725 to 5850	Pass
			30	14.76	5846.120	5725 to 5850	Pass
			40	14.76	5846.116	5725 to 5850	Pass
3M	MIMO	5727.5	20	12.54	5727.512	5725 to 5850	Pass
				14.76	5727.509	5725 to 5850	Pass
				16.97	5727.509	5725 to 5850	Pass
			-10	14.76	5727.503	5725 to 5850	Pass
				14.76	5727.509	5725 to 5850	Pass
				14.76	5727.515	5725 to 5850	Pass
			5	14.76	5727.512	5725 to 5850	Pass
				14.76	5727.512	5725 to 5850	Pass
				14.76	5727.506	5725 to 5850	Pass
			20	14.76	5727.503	5725 to 5850	Pass
				14.76	5727.506	5725 to 5850	Pass
				14.76	5727.509	5725 to 5850	Pass
		5784.5	20	12.54	5784.515	5725 to 5850	Pass
				14.76	5784.512	5725 to 5850	Pass
				16.97	5784.512	5725 to 5850	Pass
			-10	14.76	5784.512	5725 to 5850	Pass
				14.76	5784.509	5725 to 5850	Pass
				14.76	5784.515	5725 to 5850	Pass
			5	14.76	5784.512	5725 to 5850	Pass
				14.76	5784.512	5725 to 5850	Pass
				14.76	5784.506	5725 to 5850	Pass
			20	14.76	5784.506	5725 to 5850	Pass
				14.76	5784.512	5725 to 5850	Pass
				14.76	5784.512	5725 to 5850	Pass
		5847.2	20	12.54	5847.212	5725 to 5850	Pass
				14.76	5847.212	5725 to 5850	Pass
				16.97	5847.212	5725 to 5850	Pass
			-10	14.76	5847.215	5725 to 5850	Pass
				14.76	5847.215	5725 to 5850	Pass
				14.76	5847.209	5725 to 5850	Pass
			5	14.76	5847.206	5725 to 5850	Pass
				14.76	5847.206	5725 to 5850	Pass
				14.76	5847.209	5725 to 5850	Pass
			20	14.76	5847.209	5725 to 5850	Pass
				14.76	5847.209	5725 to 5850	Pass
				14.76	5847.206	5725 to 5850	Pass
5M	MIMO	5732.5	20	12.54	5732.520	5725 to 5850	Pass
				14.76	5732.520	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400101305

Page: 351 of 354

				16.97	5732.530	5725 to 5850	Pass
			-10	14.76	5732.515	5725 to 5850	Pass
			-5	14.76	5732.515	5725 to 5850	Pass
			0	14.76	5732.525	5725 to 5850	Pass
			5	14.76	5732.515	5725 to 5850	Pass
			10	14.76	5732.520	5725 to 5850	Pass
			20	14.76	5732.505	5725 to 5850	Pass
			30	14.76	5732.520	5725 to 5850	Pass
			40	14.76	5732.520	5725 to 5850	Pass
		5782.5	20	12.54	5782.525	5725 to 5850	Pass
				14.76	5782.515	5725 to 5850	Pass
				16.97	5782.525	5725 to 5850	Pass
			-10	14.76	5782.525	5725 to 5850	Pass
			-5	14.76	5782.510	5725 to 5850	Pass
			0	14.76	5782.510	5725 to 5850	Pass
			5	14.76	5782.525	5725 to 5850	Pass
			10	14.76	5782.520	5725 to 5850	Pass
			20	14.76	5782.525	5725 to 5850	Pass
			30	14.76	5782.515	5725 to 5850	Pass
			40	14.76	5782.510	5725 to 5850	Pass
		5842.5	20	12.54	5842.505	5725 to 5850	Pass
				14.76	5842.510	5725 to 5850	Pass
				16.97	5842.515	5725 to 5850	Pass
			-10	14.76	5842.520	5725 to 5850	Pass
			-5	14.76	5842.520	5725 to 5850	Pass
			0	14.76	5842.530	5725 to 5850	Pass
			5	14.76	5842.500	5725 to 5850	Pass
			10	14.76	5842.510	5725 to 5850	Pass
			20	14.76	5842.515	5725 to 5850	Pass
			30	14.76	5842.515	5725 to 5850	Pass
			40	14.76	5842.515	5725 to 5850	Pass
10M	MIMO	5730.5	20	12.54	5730.500	5725 to 5850	Pass
				14.76	5730.480	5725 to 5850	Pass
				16.97	5730.510	5725 to 5850	Pass
			-10	14.76	5730.490	5725 to 5850	Pass
			-5	14.76	5730.510	5725 to 5850	Pass
			0	14.76	5730.530	5725 to 5850	Pass
			5	14.76	5730.510	5725 to 5850	Pass
			10	14.76	5730.510	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400101305

Page: 352 of 354

			20	14.76	5730.490	5725 to 5850	Pass
			30	14.76	5730.510	5725 to 5850	Pass
			40	14.76	5730.490	5725 to 5850	Pass
		5787.5	20	12.54	5787.490	5725 to 5850	Pass
				14.76	5787.500	5725 to 5850	Pass
				16.97	5787.500	5725 to 5850	Pass
			-10	14.76	5787.500	5725 to 5850	Pass
			-5	14.76	5787.510	5725 to 5850	Pass
			0	14.76	5787.510	5725 to 5850	Pass
			5	14.76	5787.500	5725 to 5850	Pass
			10	14.76	5787.510	5725 to 5850	Pass
			20	14.76	5787.500	5725 to 5850	Pass
			30	14.76	5787.520	5725 to 5850	Pass
			40	14.76	5787.510	5725 to 5850	Pass
		5844.5	20	12.54	5844.520	5725 to 5850	Pass
				14.76	5844.520	5725 to 5850	Pass
				16.97	5844.510	5725 to 5850	Pass
			-10	14.76	5844.510	5725 to 5850	Pass
			-5	14.76	5844.500	5725 to 5850	Pass
			0	14.76	5844.500	5725 to 5850	Pass
			5	14.76	5844.500	5725 to 5850	Pass
			10	14.76	5844.520	5725 to 5850	Pass
			20	14.76	5844.520	5725 to 5850	Pass
			30	14.76	5844.500	5725 to 5850	Pass
			40	14.76	5844.510	5725 to 5850	Pass
20M	MIMO	5735.5	20	12.54	5735.520	5725 to 5850	Pass
				14.76	5735.560	5725 to 5850	Pass
				16.97	5735.520	5725 to 5850	Pass
			-10	14.76	5735.560	5725 to 5850	Pass
			-5	14.76	5735.520	5725 to 5850	Pass
			0	14.76	5735.540	5725 to 5850	Pass
			5	14.76	5735.520	5725 to 5850	Pass
			10	14.76	5735.540	5725 to 5850	Pass
			20	14.76	5735.520	5725 to 5850	Pass
			30	14.76	5735.520	5725 to 5850	Pass
			40	14.76	5735.520	5725 to 5850	Pass
		5787.5	20	12.54	5787.520	5725 to 5850	Pass
				14.76	5787.520	5725 to 5850	Pass
				16.97	5787.540	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400101305

Page: 353 of 354

			-10	14.76	5787.560	5725 to 5850	Pass
			-5	14.76	5787.540	5725 to 5850	Pass
			0	14.76	5787.560	5725 to 5850	Pass
			5	14.76	5787.540	5725 to 5850	Pass
			10	14.76	5787.540	5725 to 5850	Pass
			20	14.76	5787.560	5725 to 5850	Pass
			30	14.76	5787.500	5725 to 5850	Pass
			40	14.76	5787.540	5725 to 5850	Pass
		5839.5	20	12.54	5839.560	5725 to 5850	Pass
				14.76	5839.520	5725 to 5850	Pass
				16.97	5839.520	5725 to 5850	Pass
			-10	14.76	5839.520	5725 to 5850	Pass
			-5	14.76	5839.520	5725 to 5850	Pass
			0	14.76	5839.520	5725 to 5850	Pass
			5	14.76	5839.540	5725 to 5850	Pass
			10	14.76	5839.500	5725 to 5850	Pass
			20	14.76	5839.560	5725 to 5850	Pass
			30	14.76	5839.520	5725 to 5850	Pass
			40	14.76	5839.500	5725 to 5850	Pass
40M	MIMO	5745.5	20	12.54	5745.580	5725 to 5850	Pass
				14.76	5745.580	5725 to 5850	Pass
				16.97	5745.540	5725 to 5850	Pass
			-10	14.76	5745.580	5725 to 5850	Pass
			-5	14.76	5745.580	5725 to 5850	Pass
			0	14.76	5745.580	5725 to 5850	Pass
			5	14.76	5745.580	5725 to 5850	Pass
			10	14.76	5745.580	5725 to 5850	Pass
			20	14.76	5745.620	5725 to 5850	Pass
			30	14.76	5745.580	5725 to 5850	Pass
			40	14.76	5745.580	5725 to 5850	Pass
		5787.5	20	12.54	5787.540	5725 to 5850	Pass
				14.76	5787.580	5725 to 5850	Pass
				16.97	5787.580	5725 to 5850	Pass
			-10	14.76	5787.580	5725 to 5850	Pass
			-5	14.76	5787.580	5725 to 5850	Pass
			0	14.76	5787.580	5725 to 5850	Pass
			5	14.76	5787.580	5725 to 5850	Pass
			10	14.76	5787.580	5725 to 5850	Pass
			20	14.76	5787.540	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400101305

Page: 354 of 354

		5829.5	30	14.76	5787.540	5725 to 5850	Pass
			40	14.76	5787.580	5725 to 5850	Pass
			20	12.54	5829.580	5725 to 5850	Pass
				14.76	5829.580	5725 to 5850	Pass
				16.97	5829.620	5725 to 5850	Pass
			-10	14.76	5829.580	5725 to 5850	Pass
			-5	14.76	5829.580	5725 to 5850	Pass
			0	14.76	5829.580	5725 to 5850	Pass
			5	14.76	5829.580	5725 to 5850	Pass
			10	14.76	5829.620	5725 to 5850	Pass
			20	14.76	5829.580	5725 to 5850	Pass
			30	14.76	5829.580	5725 to 5850	Pass
			40	14.76	5829.580	5725 to 5850	Pass

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com