8F, PEERES BLDG, 222, CHUNGJEONGNO 3-GA, SEODAEMUN-GU, SEOUL, 120-708, KOREA

Date: March 20, 2006

**Federal Communications Commission** 

Authorization and Evaluation Division

**Equipment Authorization Branch** 

7435 Oakland Mills Road, Columbia, MD 21046, U.S.A.

Subject: Authorization Letter

FCC ID: PP4PN-320

PANTECH&CURITEL COMMUNICATIONS, INC.

Part 22/24 Certification

To whom it may concern:

We, the undersigned. hereby authorized HYUNDAI Calibration & Certification Technologies Co., Ltd. to act on our behalf in all manners relating to application for equipment authorization, including signing of all documents relating to these manners. Any and all acts carried out by HYUNDAI Calibration & Certification Technologies Co., Ltd. on our behalf shall have the same effect as acts of our own. This authorization is valid until Dec. 31, 2006.

Sincerely Yours,

-----

cukmi

Eui-Kwon Park - Project Manager

8F, PEERES BLDG, 222, CHUNGJEONGNO 3-GA, SEODAEMUN-GU, SEOUL, 120-708, KOREA

Date: March 20, 2006

**Federal Communications Commission** 

Authorization and Evaluation Division

**Equipment Authorization Branch** 

7435 Oakland Mills Road, Columbia, MD 21046, U.S.A.

Subject: Request for Confidentiality

PANTECH&CURITEL COMMUNICATIONS, INC.

FCC ID: PP4PN-320

Part 22/24 Certification

Gentlemen:

In accordance with 0.459 of CFR 47, **PANTECH&CURITEL COMMUNICATIONS, INC.** hereby requests confidentiality of the Block Diagrams attachment, Schematic Diagrams attachment, Operational Description attachment, and Part List/Tune-Up Procedure attachment for the above-referenced Certification application.

These documents contain detailed system and equipment description and related information about the product which **PANTECH&CURITEL COMMUNICATIONS**, **INC.** considers to be proprietary, confidential, and a custom design and, otherwise, would not release to the general public. Since this design is a basis from which future technological products will evolve, **PANTECH&CURITEL COMMUNICATIONS**, **INC.** feels this information would be of benefit to its competitors, and that the disclosure of the information in these documents would give our competitors an unfair advantage in the market.

Sincerely Yours,

Eui-Kwon Park - Project Manager

cukm

8F, PEERES BLDG, 222, CHUNGJEONGNO 3-GA, SEODAEMUN-GU, SEOUL, 120-708, KOREA

Date: March 20, 2006

Federal Communications Commission

Authorization and Evaluation Division

Equipment Authorization Branch

7435 Oakland Mills Road

Columbia, MD 21046, U.S.A.

Subject: User's Manual RF Exposure Warning Statement

PANTECH&CURITEL COMMUNICATIONS, INC.

FCC ID: PP4PN-320

Part 22/24 Certification

Gentlemen:

**PANTECH&CURITEL COMMUNICATIONS, INC.** hereby confirms that the attached RF exposure warning page will be readily visible to the user, and will be placed at a prominent location in the front section of the user's manual.

Should you have any questions or comments concerning the above, please do not hesitate contact me.

Sincerely Yours,

Eui-Kwon Park - Project Manager

cukm

8F, PEERES BLDG, 222, CHUNGJEONGNO 3-GA, SEODAEMUN-GU, SEOUL, 120-708, KOREA

Date: March 20, 2006

AFFIDAVIT FOR ESN PROTECTION
OF CELLULAR MOBILE TELEPHONES

We hereby certify that the Dual mode CDMA Phone (FCC ID: PP4PN-320) is so designed that it complies

with all the requirements for ESN protection specified in Section 22.919 of the FCC Rules.

a) The transmitter in service has a unique ESN.

b) The ESN host component is permanently attached to a main circuit board of the mobile transmitter and

the integrity of the unit operating software cannot be altered. The ESN is plated from fraudulent contact and

tampering. The ESN is encoded using multiplication by a polynomial and the ESN data programmed in the

memory with other information.

c) The ESN is factory-set and cannot be altered, transferred, removed or otherwise able to be manipulated.

Cellular mobile equipment is specifically designed such that any attempt to remove, tamper with, or change

the ESN chip, its logic system, or firmware originally programmed by the manufacturer will render the mobile

transmitter inoperative.

Sincerely Yours,

-----

Eui-Kwon Park - Project Manager

cukm