



PHOTOS EXHIBIT

Report Number. : R1358896-EP2

Applicant : SAMSUNG ELECTRONICS CO., LTD.
129 SAMSUNG-RO, YEONGTONG-GU
SUWON-SI, GYEONGGI-DO, 16677, KOREA

Model : SM-M127F, SM-M127F/DS

FCC ID : A3LSMM127F

EUT Description : GSM/WCDMA/LTE PHABLET WITH BT/BLE AND DTS B/G/N

Test Standard(s) : FCC CFR47 PART 22H, 24E AND 27
FCC CFR47 PART 15 SUBPART B

Date Of Issue:
2020-11-30

Prepared by:
UL LLC
12 Laboratory Dr.
Research Triangle Park, NC 27709 U.S.A.
TEL: (919) 549-1400

Revision History

Rev.	Issue Date	Revisions	Revised By
V1	2020-11-30	Initial Review	Mike Antola

TABLE OF CONTENTS


1. DESCRIPTION OF TEST SETUP4

2. SETUP PHOTOS6


1. DESCRIPTION OF TEST SETUP

SUPPORT TEST EQUIPMENT						
Description		Manufacturer	Model	Serial Number		FCC ID/ DoC
Earphone		NA	NA	NA		NA
AC/DC adapter		Samsung	EP-TA200	R3M3FV0M01DK3		NA
I/O CABLES (RF CONDUCTED TEST)						
Cable No.	Port	# of Identical Ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	RF Out	1	Spectrum Analyzer	Shielded	None	N/A
2	Antenna Port	1	EUT	Shielded	0.1m	N/A
3	RF In/Out	1	Communication Test Set	Shielded	1m	N/A
I/O CABLES (RF RADIATED TEST)						
Cable No.	Port	# of Identical Ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	USB	1	AC Adapter	Shielded	1	N/A
2	Earphone	1	Phono	Un-shielded	1	N/A

CONDUCTED SETUP




RADIATED SETUP




2. SETUP PHOTOS

ANTENNA PORT CONDUCTED RF MEASUREMENT SETUP




FRONT PHOTO

FREQUENCY TOLERANCE OVER EXTREME CONDITIONS




FRONT PHOTO


RADIATED RF MEASUREMENT SETUP FOR PORTABLE CONFIGURATION









X-AXIS PHOTO



Y-AXIS PHOTO



Z-AXIS PHOTO

RADIATED RF MEASUREMENT SETUP	
	
BELOW 30MHz FRONT PHOTO	BELOW 30MHz BACK PHOTO
	
BELOW 1GHz FRONT PHOTO	BELOW 1GHz BACK PHOTO
	
ABOVE 1GHz FRONT PHOTO	ABOVE 1GHz BACK PHOTO

END OF REPORT