











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
ANT	802.11n HT40 CH06 2437MHz - R																																		
1	Horizontal	Fundamental																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 11 Level (dBm/100m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (dBm) Site : 030905-KS Condition : FCC PART 15C 3m 3117 00218652 VERTICAL Project : RRM-1000-000000 VSR-3000-000000 SMT-Auto Project : (FR) 101703 Mode : 17 Plane : X Antenna : Full-directivity IMEI : 81 PowerSetting : 0 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.62</td><td>51.49</td><td>-22.51</td><td>74.00</td><td>50.20</td><td>30.86</td><td>7.25</td><td>36.82</td><td>393</td><td>62 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	dB	deg			1	2483.62	51.49	-22.51	74.00	50.20	30.86	7.25	36.82	393	62 Peak VERTICAL	Left blank
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																								
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	dB	deg																											
1	2483.62	51.49	-22.51	74.00	50.20	30.86	7.25	36.82	393	62 Peak VERTICAL																									
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 12 Level (dBm/100m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) (dBm) Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3117 00218652 VERTICAL Project : RRM-1000-000000 VSR-3000-000000 SMT-Auto Project : (FR) 101703 Mode : 17 Plane : X Antenna : Full-directivity IMEI : 81 PowerSetting : 0 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>40.06</td><td>-13.94</td><td>54.00</td><td>38.77</td><td>30.86</td><td>7.25</td><td>36.82</td><td>393</td><td>62 Average VERTICAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	dB	deg			1	2483.50	40.06	-13.94	54.00	38.77	30.86	7.25	36.82	393	62 Average VERTICAL	Left blank
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																								
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dBm/100m	dB	dB	deg																											
1	2483.50	40.06	-13.94	54.00	38.77	30.86	7.25	36.82	393	62 Average VERTICAL																									





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT40 CH09 2452MHz - L	
1	Horizontal	Fundamental
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 19 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2310 2320. 2340. 2360. 2380. 2400. 2420. 2440 Frequency (MHz) FCC PART 15C 64dB Site Condition Project Mode Plane Full-directivity Power setting 030805-KS FCC PART 15C 3m 3117 00218652 HORIZONTAL RSM-1000.000KHz VSW-3000.000KHz SRT-Auto (F) 101703 18 X Full-directivity 41 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase Freq Level Limit Line Level Factor Loss Factor dB dB dB dB on deg 1 2385.01 58.99 -15.01 74.00 58.28 30.48 7.10 36.87 111 4 Peak HORIZONTAL  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 21 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300. 1500. 1700. 1900. 2100. 2300. 2500. 2700. 2900 Frequency (MHz) FCC PART 15C 64dB Site Condition Project Mode Plane Full-directivity Power setting 030805-KS FCC PART 15C 3m 3117 00218652 HORIZONTAL RSM-1000.000KHz VSW-3000.000KHz SRT-Auto (F) 101703 18 X Full-directivity 41 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase Freq Level Limit Line Level Factor Loss Factor dB dB dB dB on deg 1 2438.00 106.96 32.96 74.00 105.90 30.71 7.19 36.84 111 4 Peak HORIZONTAL	
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 20 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2310 2320. 2340. 2360. 2380. 2400. 2420. 2440 Frequency (MHz) FCC PART 15C (AVG) 64dB Site Condition Project Mode Plane Full-directivity Power setting 030805-KS FCC PART 15C (AVG) 3m 3117 00218652 HORIZONTAL RSM-1000.000KHz VSW-3000.000KHz SRT-Auto (F) 101703 18 X Full-directivity 41 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase Freq Level Limit Line Level Factor Loss Factor dB dB dB dB on deg 1 2389.69 47.76 -6.24 54.00 47.02 30.50 7.10 36.86 111 4 Average HORIZONTAL  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 22 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300. 1500. 1700. 1900. 2100. 2300. 2500. 2700. 2900 Frequency (MHz) FCC PART 15C (AVG) 64dB Site Condition Project Mode Plane Full-directivity Power setting 030805-KS FCC PART 15C (AVG) 3m 3117 00218652 HORIZONTAL RSM-1000.000KHz VSW-3000.000KHz SRT-Auto (F) 101703 18 X Full-directivity 41 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phase Freq Level Limit Line Level Factor Loss Factor dB dB dB dB on deg 1 2442.00 99.15 45.15 54.00 98.09 30.71 7.19 36.84 111 4 Average HORIZONTAL	



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
ANT	802.11n HT40 CH09 2452MHz - R																																		
1	Horizontal	Fundamental																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H05-KS Condition : FCC PART 15C 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000kHz VSW: 3000.000kHz SWT: Auto Mode : (FR) 1D1703 Plane : 18 Plane : 2 Full-directivity IME1 Power setting : 41 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 1 2483.50</td><td>68.88</td><td>-5.12</td><td>74.00</td><td>67.99</td><td>30.86</td><td>7.25</td><td>36.82</td><td>111</td><td>4 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 1 2483.50	68.88	-5.12	74.00	67.99	30.86	7.25	36.82	111	4 Peak	HORIZONTAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																										
1 1 2483.50	68.88	-5.12	74.00	67.99	30.86	7.25	36.82	111	4 Peak	HORIZONTAL																									
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H05-KS Condition : FCC PART 15C (AVG) 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000kHz VSW: 0.0100kHz SWT: Auto Mode : (FR) 1D1703 Plane : 18 Plane : 2 Full-directivity IME1 Power setting : 41 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 1 2483.50</td><td>52.40</td><td>-1.60</td><td>54.00</td><td>51.11</td><td>30.86</td><td>7.25</td><td>36.82</td><td>111</td><td>4 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 1 2483.50	52.40	-1.60	54.00	51.11	30.86	7.25	36.82	111	4 Average	HORIZONTAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																										
1 1 2483.50	52.40	-1.60	54.00	51.11	30.86	7.25	36.82	111	4 Average	HORIZONTAL																									





WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
ANT		802.11n HT40 CH09 2452MHz - R																																		
1	Vertical	Fundamental																																		
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H05-KS Condition : FCC PART 15C 3m 3117 00218652 VERTICAL Project : RRM 1000.000KHz VSW:3000.000KHz SWT:Auto Model : (FR) 1D1703 Plane : 18 Polarization : 2 Full-directivity : Full-directivity IMEI : 81 Power setting : 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>63.18</td><td>-10.82</td><td>74.00</td><td>61.89</td><td>30.86</td><td>7.25</td><td>36.82</td><td>387</td><td>40 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	2483.50	63.18	-10.82	74.00	61.89	30.86	7.25	36.82	387	40 Peak	VERTICAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																												
1	2483.50	63.18	-10.82	74.00	61.89	30.86	7.25	36.82	387	40 Peak	VERTICAL																									
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H05-KS Condition : FCC PART 15C (AVG) 3m 3117 00218652 VERTICAL Project : RRM 1000.000KHz VSW:3000.000KHz SWT:Auto Model : (FR) 1D1703 Plane : 18 Polarization : 2 Full-directivity : Full-directivity IMEI : 81 Power setting : 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>46.45</td><td>-7.55</td><td>54.00</td><td>45.16</td><td>30.86</td><td>7.25</td><td>36.82</td><td>387</td><td>40 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	2483.50	46.45	-7.55	54.00	45.16	30.86	7.25	36.82	387	40 Average	VERTICAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																												
1	2483.50	46.45	-7.55	54.00	45.16	30.86	7.25	36.82	387	40 Average	VERTICAL																									







2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																											
ANT	802.11b CH01 2412MHz																																																																																																																											
1	Horizontal	Vertical																																																																																																																										
Peak Avg.	 Site : 030905-KS Condition : FCC PART 15C 3m 3117.00218603 HORIZONTAL Project : RSM 1000.000KHz VSW.3000.000KHz SMT.Auto Mode : 7 Plane : X Polar : Full-directivity Polarization : H Power setting : 0 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pow</th><th>T/Pow</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>4830.00</td><td>52.85</td><td>-71.15</td><td>74.00</td><td>73.37</td><td>34.61</td><td>10.25</td><td>65.38</td><td>309</td><td>161</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>4830.00</td><td>45.27</td><td>-8.73</td><td>54.00</td><td>65.79</td><td>34.01</td><td>10.25</td><td>65.38</td><td>309</td><td>141</td><td>Average</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>7230.00</td><td>48.48</td><td></td><td>64.71</td><td>55.71</td><td>12.71</td><td></td><td>65.65</td><td>300</td><td>0</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>9645.00</td><td>55.78</td><td></td><td>70.02</td><td>37.79</td><td>14.94</td><td></td><td>66.97</td><td>300</td><td>0</td><td>Peak</td><td>HORIZONTAL</td></tr></table>  Site : 030905-KS Condition : FCC PART 15C 3m 3117.00218603 VERTICAL Project : RSM 1000.000KHz VSW.3000.000KHz SMT.Auto Mode : 7 Plane : X Polar : Full-directivity Polarization : V Power setting : 0 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pow</th><th>T/Pow</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>4830.00</td><td>49.48</td><td>-34.32</td><td>74.00</td><td>70.20</td><td>34.61</td><td>10.25</td><td>65.38</td><td>100</td><td>0</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7230.00</td><td>47.65</td><td></td><td>63.89</td><td>36.71</td><td>12.71</td><td></td><td>65.65</td><td>100</td><td>0</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>9645.00</td><td>57.83</td><td></td><td>72.07</td><td>27.79</td><td>14.94</td><td></td><td>66.97</td><td>100</td><td>0</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pow	T/Pow	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	dB	deg	1	4830.00	52.85	-71.15	74.00	73.37	34.61	10.25	65.38	309	161	Peak	HORIZONTAL	2	4830.00	45.27	-8.73	54.00	65.79	34.01	10.25	65.38	309	141	Average	HORIZONTAL	3	7230.00	48.48		64.71	55.71	12.71		65.65	300	0	Peak	HORIZONTAL	4	9645.00	55.78		70.02	37.79	14.94		66.97	300	0	Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pow	T/Pow	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	dB	deg	1	4830.00	49.48	-34.32	74.00	70.20	34.61	10.25	65.38	100	0	Peak	VERTICAL	2	7230.00	47.65		63.89	36.71	12.71		65.65	100	0	Peak	VERTICAL	3	9645.00	57.83		72.07	27.79	14.94		66.97	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pow	T/Pow	Remark	Pol/Phas																																																																																																																				
Freq	Level	Line	Level Factor	Loss Factor	dB	dB	deg																																																																																																																					
1	4830.00	52.85	-71.15	74.00	73.37	34.61	10.25	65.38	309	161	Peak	HORIZONTAL																																																																																																																
2	4830.00	45.27	-8.73	54.00	65.79	34.01	10.25	65.38	309	141	Average	HORIZONTAL																																																																																																																
3	7230.00	48.48		64.71	55.71	12.71		65.65	300	0	Peak	HORIZONTAL																																																																																																																
4	9645.00	55.78		70.02	37.79	14.94		66.97	300	0	Peak	HORIZONTAL																																																																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pow	T/Pow	Remark	Pol/Phas																																																																																																																					
Freq	Level	Line	Level Factor	Loss Factor	dB	dB	deg																																																																																																																					
1	4830.00	49.48	-34.32	74.00	70.20	34.61	10.25	65.38	100	0	Peak	VERTICAL																																																																																																																
2	7230.00	47.65		63.89	36.71	12.71		65.65	100	0	Peak	VERTICAL																																																																																																																
3	9645.00	57.83		72.07	27.79	14.94		66.97	100	0	Peak	VERTICAL																																																																																																																



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																																																													
ANT	802.11b CH06 2437MHz																																																																																																																																																																																																																													
1	Horizontal	Vertical																																																																																																																																																																																																																												
Peak Avg.	 Site : 030905-KS Condition : FCC PART 15C 3m 3117.00218652 HORIZONTAL Project : R86-1000.000KHz VBR-3000.000KHz SMT-Auto Bode : (F5) 101703 Plane : 8 Full-directivity IME1 : 81 Power setting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100K</th><th>dB</th><th>dBm/100K</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 4875.00</td><td>47.82</td><td>-26.18</td><td>74.00</td><td>68.26</td><td>34.69</td><td>10.29</td><td>65.42</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 7305.00</td><td>45.81</td><td>-28.19</td><td>74.00</td><td>62.32</td><td>30.68</td><td>12.72</td><td>65.91</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>3 9750.00</td><td>55.77</td><td></td><td></td><td>69.92</td><td>37.91</td><td>14.99</td><td>67.00</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  Site : 030905-KS Condition : FCC PART 15C 3m 3117.00218652 HORIZONTAL Project : R86-1000.000KHz VBR-3000.000KHz SMT-Auto Bode : (F5) 101703 Plane : 8 Full-directivity IME1 : 81 Power setting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100K</th><th>dB</th><th>dBm/100K</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 4875.00</td><td>47.82</td><td>-26.18</td><td>74.00</td><td>68.26</td><td>34.69</td><td>10.29</td><td>65.42</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 7305.00</td><td>45.81</td><td>-28.19</td><td>74.00</td><td>62.32</td><td>30.68</td><td>12.72</td><td>65.91</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>3 9750.00</td><td>55.77</td><td></td><td></td><td>69.92</td><td>37.91</td><td>14.99</td><td>67.00</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100K	dB	dBm/100K	dBm	dB	dB	cm	deg			1 4875.00	47.82	-26.18	74.00	68.26	34.69	10.29	65.42	300	0 Peak	HORIZONTAL	2 7305.00	45.81	-28.19	74.00	62.32	30.68	12.72	65.91	300	0 Peak	HORIZONTAL	3 9750.00	55.77			69.92	37.91	14.99	67.00	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100K	dB	dBm/100K	dBm	dB	dB	cm	deg			1 4875.00	47.82	-26.18	74.00	68.26	34.69	10.29	65.42	300	0 Peak	HORIZONTAL	2 7305.00	45.81	-28.19	74.00	62.32	30.68	12.72	65.91	300	0 Peak	HORIZONTAL	3 9750.00	55.77			69.92	37.91	14.99	67.00	300	0 Peak	HORIZONTAL	 Site : 030905-KS Condition : FCC PART 15C 3m 3117.00218652 VERTICAL Project : R86-1000.000KHz VBR-3000.000KHz SMT-Auto Bode : (F5) 101703 Plane : 8 Full-directivity IME1 : 81 Power setting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100K</th><th>dB</th><th>dBm/100K</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 4875.00</td><td>49.77</td><td>-24.73</td><td>74.00</td><td>69.71</td><td>34.69</td><td>10.29</td><td>65.42</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2 7305.00</td><td>45.87</td><td>-28.19</td><td>74.00</td><td>62.33</td><td>30.68</td><td>12.72</td><td>65.91</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>3 9750.00</td><td>56.81</td><td></td><td></td><td>70.76</td><td>37.91</td><td>14.99</td><td>67.00</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>  Site : 030905-KS Condition : FCC PART 15C 3m 3117.00218652 VERTICAL Project : R86-1000.000KHz VBR-3000.000KHz SMT-Auto Bode : (F5) 101703 Plane : 8 Full-directivity IME1 : 81 Power setting : 0 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100K</th><th>dB</th><th>dBm/100K</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 4875.00</td><td>49.77</td><td>-24.73</td><td>74.00</td><td>69.71</td><td>34.69</td><td>10.29</td><td>65.42</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2 7305.00</td><td>45.87</td><td>-28.19</td><td>74.00</td><td>62.33</td><td>30.68</td><td>12.72</td><td>65.91</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>3 9750.00</td><td>56.81</td><td></td><td></td><td>70.76</td><td>37.91</td><td>14.99</td><td>67.00</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100K	dB	dBm/100K	dBm	dB	dB	cm	deg			1 4875.00	49.77	-24.73	74.00	69.71	34.69	10.29	65.42	100	0 Peak	VERTICAL	2 7305.00	45.87	-28.19	74.00	62.33	30.68	12.72	65.91	100	0 Peak	VERTICAL	3 9750.00	56.81			70.76	37.91	14.99	67.00	100	0 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100K	dB	dBm/100K	dBm	dB	dB	cm	deg			1 4875.00	49.77	-24.73	74.00	69.71	34.69	10.29	65.42	100	0 Peak	VERTICAL	2 7305.00	45.87	-28.19	74.00	62.33	30.68	12.72	65.91	100	0 Peak	VERTICAL	3 9750.00	56.81			70.76	37.91	14.99	67.00	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																																																																																																																			
MHz	dBm/100K	dB	dBm/100K	dBm	dB	dB	cm	deg																																																																																																																																																																																																																						
1 4875.00	47.82	-26.18	74.00	68.26	34.69	10.29	65.42	300	0 Peak	HORIZONTAL																																																																																																																																																																																																																				
2 7305.00	45.81	-28.19	74.00	62.32	30.68	12.72	65.91	300	0 Peak	HORIZONTAL																																																																																																																																																																																																																				
3 9750.00	55.77			69.92	37.91	14.99	67.00	300	0 Peak	HORIZONTAL																																																																																																																																																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																																																																																																																				
MHz	dBm/100K	dB	dBm/100K	dBm	dB	dB	cm	deg																																																																																																																																																																																																																						
1 4875.00	47.82	-26.18	74.00	68.26	34.69	10.29	65.42	300	0 Peak	HORIZONTAL																																																																																																																																																																																																																				
2 7305.00	45.81	-28.19	74.00	62.32	30.68	12.72	65.91	300	0 Peak	HORIZONTAL																																																																																																																																																																																																																				
3 9750.00	55.77			69.92	37.91	14.99	67.00	300	0 Peak	HORIZONTAL																																																																																																																																																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																																																																																																																				
MHz	dBm/100K	dB	dBm/100K	dBm	dB	dB	cm	deg																																																																																																																																																																																																																						
1 4875.00	49.77	-24.73	74.00	69.71	34.69	10.29	65.42	100	0 Peak	VERTICAL																																																																																																																																																																																																																				
2 7305.00	45.87	-28.19	74.00	62.33	30.68	12.72	65.91	100	0 Peak	VERTICAL																																																																																																																																																																																																																				
3 9750.00	56.81			70.76	37.91	14.99	67.00	100	0 Peak	VERTICAL																																																																																																																																																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																																																																																																																				
MHz	dBm/100K	dB	dBm/100K	dBm	dB	dB	cm	deg																																																																																																																																																																																																																						
1 4875.00	49.77	-24.73	74.00	69.71	34.69	10.29	65.42	100	0 Peak	VERTICAL																																																																																																																																																																																																																				
2 7305.00	45.87	-28.19	74.00	62.33	30.68	12.72	65.91	100	0 Peak	VERTICAL																																																																																																																																																																																																																				
3 9750.00	56.81			70.76	37.91	14.99	67.00	100	0 Peak	VERTICAL																																																																																																																																																																																																																				



Emission below 1GHz
2.4GHz WIFI 802.11n HT20 (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																																																	
ANT	802.11n HT20 LF																																																																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																																																																
QP / Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Date: 15 Site : 030402-KS Condition : FCC PART 15C 3m CBLA1110 SMC3188 HORIZONTAL Project : RSM 100.000KHz VSW 300.000KHz SRT Auto Mode : 20 Plane : E Full-directivity IME1 : 61 IME2 : 5 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th></tr><tr><td>1</td><td>30.00</td><td>20.31</td><td>-19.49</td><td>40.00</td><td>24.80</td><td>25.50</td><td>0.71</td><td>32.70</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>2</td><td>109.01</td><td>27.89</td><td>-15.61</td><td>43.50</td><td>41.53</td><td>17.29</td><td>1.92</td><td>33.80</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>3</td><td>276.24</td><td>34.52</td><td>-11.38</td><td>46.00</td><td>48.17</td><td>17.31</td><td>2.24</td><td>33.10</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>4</td><td>263.77</td><td>29.36</td><td>-14.64</td><td>46.00</td><td>40.31</td><td>19.62</td><td>2.48</td><td>33.05</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>5</td><td>408.30</td><td>31.55</td><td>-14.15</td><td>46.00</td><td>38.69</td><td>22.86</td><td>3.08</td><td>32.78</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>6</td><td>531.49</td><td>34.09</td><td>-11.91</td><td>46.00</td><td>37.86</td><td>25.38</td><td>3.52</td><td>32.67</td><td>---</td><td>Peak HORIZONTAL</td></tr></table>		Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas		MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	1	30.00	20.31	-19.49	40.00	24.80	25.50	0.71	32.70	---	Peak HORIZONTAL	2	109.01	27.89	-15.61	43.50	41.53	17.29	1.92	33.80	---	Peak HORIZONTAL	3	276.24	34.52	-11.38	46.00	48.17	17.31	2.24	33.10	---	Peak HORIZONTAL	4	263.77	29.36	-14.64	46.00	40.31	19.62	2.48	33.05	---	Peak HORIZONTAL	5	408.30	31.55	-14.15	46.00	38.69	22.86	3.08	32.78	---	Peak HORIZONTAL	6	531.49	34.09	-11.91	46.00	37.86	25.38	3.52	32.67	---	Peak HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Date: 16 Site : 030402-KS Condition : FCC PART 15C 3m CBLA1110 SMC3188 VERTICAL Project : RSM 100.000KHz VSW 300.000KHz SRT Auto Mode : 20 Plane : E Full-directivity IME1 : 61 IME2 : 5 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th></tr><tr><td>1</td><td>147.74</td><td>23.20</td><td>-20.30</td><td>43.50</td><td>37.06</td><td>17.08</td><td>1.97</td><td>32.91</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>2</td><td>236.61</td><td>29.93</td><td>-16.07</td><td>46.00</td><td>42.11</td><td>18.57</td><td>2.35</td><td>33.10</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>3</td><td>254.27</td><td>36.15</td><td>-9.15</td><td>46.00</td><td>47.38</td><td>17.46</td><td>2.44</td><td>33.08</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>4</td><td>267.65</td><td>31.10</td><td>-14.90</td><td>46.00</td><td>41.99</td><td>19.68</td><td>2.50</td><td>33.03</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>5</td><td>234.88</td><td>31.53</td><td>-14.47</td><td>46.00</td><td>40.89</td><td>20.80</td><td>2.74</td><td>32.90</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>6</td><td>640.13</td><td>33.16</td><td>-12.84</td><td>46.00</td><td>36.14</td><td>25.82</td><td>3.86</td><td>32.66</td><td>---</td><td>Peak VERTICAL</td></tr></table>		Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas		MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	1	147.74	23.20	-20.30	43.50	37.06	17.08	1.97	32.91	---	Peak VERTICAL	2	236.61	29.93	-16.07	46.00	42.11	18.57	2.35	33.10	---	Peak VERTICAL	3	254.27	36.15	-9.15	46.00	47.38	17.46	2.44	33.08	---	Peak VERTICAL	4	267.65	31.10	-14.90	46.00	41.99	19.68	2.50	33.03	---	Peak VERTICAL	5	234.88	31.53	-14.47	46.00	40.89	20.80	2.74	32.90	---	Peak VERTICAL	6	640.13	33.16	-12.84	46.00	36.14	25.82	3.86	32.66	---	Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz																																																																																																																																																																								
1	30.00	20.31	-19.49	40.00	24.80	25.50	0.71	32.70	---	Peak HORIZONTAL																																																																																																																																																																								
2	109.01	27.89	-15.61	43.50	41.53	17.29	1.92	33.80	---	Peak HORIZONTAL																																																																																																																																																																								
3	276.24	34.52	-11.38	46.00	48.17	17.31	2.24	33.10	---	Peak HORIZONTAL																																																																																																																																																																								
4	263.77	29.36	-14.64	46.00	40.31	19.62	2.48	33.05	---	Peak HORIZONTAL																																																																																																																																																																								
5	408.30	31.55	-14.15	46.00	38.69	22.86	3.08	32.78	---	Peak HORIZONTAL																																																																																																																																																																								
6	531.49	34.09	-11.91	46.00	37.86	25.38	3.52	32.67	---	Peak HORIZONTAL																																																																																																																																																																								
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz																																																																																																																																																																								
1	147.74	23.20	-20.30	43.50	37.06	17.08	1.97	32.91	---	Peak VERTICAL																																																																																																																																																																								
2	236.61	29.93	-16.07	46.00	42.11	18.57	2.35	33.10	---	Peak VERTICAL																																																																																																																																																																								
3	254.27	36.15	-9.15	46.00	47.38	17.46	2.44	33.08	---	Peak VERTICAL																																																																																																																																																																								
4	267.65	31.10	-14.90	46.00	41.99	19.68	2.50	33.03	---	Peak VERTICAL																																																																																																																																																																								
5	234.88	31.53	-14.47	46.00	40.89	20.80	2.74	32.90	---	Peak VERTICAL																																																																																																																																																																								
6	640.13	33.16	-12.84	46.00	36.14	25.82	3.86	32.66	---	Peak VERTICAL																																																																																																																																																																								

Appendix E. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	100	-	-	10Hz
802.11n HT20	100	-	-	10Hz
802.11n HT40	98.85	-	-	10Hz




802.11b



Date: 11.JAN.2022 13:30:27


802.11g



Date: 11.JAN.2022 13:06:41




802.11n HT20



Date: 11.JAN.2022 13:08:44

802.11n HT40



Date: 11.JAN.2022 13:12:12