

# HIGH BAND EDGE BLOCK-C (PCS-1900)

\$2.1049, \$24.238 (a)(b)

(Conducted)

CH-810



Marker 1 [T1]

RBW

3 kHz

RF Att

40 dB

Ref Lvl

-17.22 dBm

VBW

3 kHz

27 dBm


1.91002004 GHz

SWT

280 ms

Unit

dBm





Test report no.: EMC\_553FCC22-24\_2003

Issue date: 2003-10-23

Page 62 (80)

## LOW BAND EDGE BLOCK-A (PCS-1900)

\$2.1049, \$22.917(b)

(Conducted)

CH-512



Marker 1 [T1]

RBW 3 kHz RF Att 40 dB

Ref Lvl -18.68 dBm

VBW 3 kHz


27 dBm

1.84999599 GHz

SWT 280 ms

Unit

dBm



Date: 17.OCT.2003 14:52:43

# HIGH BAND EDGE BLOCK-4 (B\*) (GSM-850)

\$2.1049, \$22.917(b)

(Conducted)

CH-251



Marker 1 [T1]

RBW

3 kHz

RF Att

40 dB

Ref Lvl

-14.85 dBm

VBW

3 kHz

27 dBm


849.02004008 MHz

SWT

280 ms

Unit

dBm



## LOW BAND EDGE BLOCK-1 (A\* Low + A) (GSM-850)

§2.1049, §22.917(b)

(Conducted)

CH-128



Marker 1 [T1]

RBW

3 kHz

RF Att

40 dB

Ref Lvl

-15.09 dBm

VBW

3 kHz

27 dBm


823.98396794 MHz

SWT

280 ms

Unit

dBm



Date: 17.OCT.2003 14:47:45