

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	Chain 1	5500	10.56	23.98	Pass
		5580	10.47	23.98	Pass
		5700	10.90	23.98	Pass
		5720	9.99	23.98	Pass
	Chain 2	5500	10.55	23.98	Pass
		5580	10.01	23.98	Pass
		5700	10.04	23.98	Pass
		5720	9.74	23.98	Pass
802.11ac20	Chain 1	5500	10.48	23.98	Pass
		5580	10.33	23.98	Pass
		5700	10.60	23.98	Pass
		5720	9.72	23.98	Pass
	Chain 2	5500	10.57	23.98	Pass
		5580	9.90	23.98	Pass
		5700	9.98	23.98	Pass
		5720	9.65	23.98	Pass
802.11ac40	Chain 1	5510	8.71	23.98	Pass
		5550	9.14	23.98	Pass
		5670	8.63	23.98	Pass
		5710	8.92	23.98	Pass
	Chain 2	5510	9.01	23.98	Pass
		5550	9.10	23.98	Pass
		5670	8.54	23.98	Pass
		5710	8.77	23.98	Pass
802.11ac80	Chain 1	5530	9.29	23.98	Pass
		5610	9.05	23.98	Pass
		5690	9.15	23.98	Pass
	Chain 2	5530	9.12	23.98	Pass
		5610	8.42	23.98	Pass
		5690	8.39	23.98	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11ax20_RU_Full	Chain 1	5500	10.78	23.98	Pass
		5580	10.55	23.98	Pass
		5700	10.90	23.98	Pass
		5720	9.69	23.98	Pass
	Chain 2	5500	10.66	23.98	Pass
		5580	10.06	23.98	Pass
		5700	10.26	23.98	Pass
		5720	9.57	23.98	Pass
802.11ax40_RU_Full	Chain 1	5510	10.21	23.98	Pass
		5550	10.12	23.98	Pass
		5670	10.08	23.98	Pass
		5710	9.53	23.98	Pass
	Chain 2	5510	10.39	23.98	Pass
		5550	10.20	23.98	Pass
		5670	9.87	23.98	Pass
		5710	9.64	23.98	Pass
802.11ax80_RU_Full	Chain 1	5530	10.41	23.98	Pass
		5610	10.44	23.98	Pass
		5690	10.26	23.98	Pass
	Chain 2	5530	10.20	23.98	Pass
		5610	9.80	23.98	Pass
		5690	9.85	23.98	Pass

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	Chain 1	5745	10.18	30	Pass
		5785	9.91	30	Pass
		5825	9.70	30	Pass
	Chain 2	5745	11.43	30	Pass
		5785	11.09	30	Pass
		5825	10.21	30	Pass
802.11ac20	Chain 1	5745	10.13	30	Pass
		5785	9.88	30	Pass
		5825	9.54	30	Pass
	Chain 2	5745	11.31	30	Pass
		5785	10.99	30	Pass
		5825	10.12	30	Pass
802.11ac40	Chain 1	5755	8.71	30	Pass
		5795	8.34	30	Pass
	Chain 2	5755	9.95	30	Pass
		5795	9.68	30	Pass
802.11ac80	Chain 1	5775	8.55	30	Pass
	Chain 2	5775	9.95	30	Pass
802.11ax20_RU_Full	Chain 1	5745	10.33	30	Pass
		5785	9.93	30	Pass
		5825	9.66	30	Pass
	Chain 2	5745	11.6	30	Pass
		5785	11.11	30	Pass
		5825	10.43	30	Pass
802.11ax40_RU_Full	Chain 1	5755	9.99	30	Pass
		5795	9.58	30	Pass
	Chain 2	5755	11.43	30	Pass
		5795	10.91	30	Pass
802.11ax80_RU_Full	Chain 1	5775	9.66	30	Pass
	Chain 2	5775	11.14	30	Pass

For module YL7981**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	Chain 1	5180	10.77	30	Pass
		5200	11.54	30	Pass
		5240	11.21	30	Pass
	Chain 2	5180	10.99	30	Pass
		5200	10.80	30	Pass
		5240	10.45	30	Pass
802.11ac20	Chain 1	5180	11.84	30	Pass
		5200	11.70	30	Pass
		5240	11.82	30	Pass
	Chain 2	5180	11.18	30	Pass
		5200	10.98	30	Pass
		5240	11.13	30	Pass
802.11ac40	Chain 1	5190	11.98	30	Pass
		5230	11.9	30	Pass
	Chain 2	5190	11.28	30	Pass
		5230	11.27	30	Pass
802.11ac80	Chain 1	5210	11.32	30	Pass
	Chain 2	5210	10.63	30	Pass
802.11ax20_RU_Full	Chain 1	5180	11.95	30	Pass
		5200	11.82	30	Pass
		5240	12.02	30	Pass
	Chain 2	5180	11.24	30	Pass
		5200	11.1	30	Pass
		5240	11.31	30	Pass
802.11ax40_RU_Full	Chain 1	5190	12.24	30	Pass
		5230	12.24	30	Pass
	Chain 2	5190	11.48	30	Pass
		5230	11.51	30	Pass
802.11ax80_RU_Full	Chain 1	5210	11.76	30	Pass
	Chain 2	5210	11.05	30	Pass

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	Chain 1	5745	11.59	30	Pass
		5785	11.81	30	Pass
		5825	8.69	30	Pass
	Chain 2	5745	10.19	30	Pass
		5785	10.46	30	Pass
		5825	10.42	30	Pass
802.11ac20	Chain 1	5745	11.7	30	Pass
		5785	12.38	30	Pass
		5825	12.05	30	Pass
	Chain 2	5745	10.33	30	Pass
		5785	11.04	30	Pass
		5825	10.66	30	Pass
802.11ac40	Chain 1	5755	11.97	30	Pass
		5795	12.36	30	Pass
	Chain 2	5755	10.6	30	Pass
		5795	11.04	30	Pass
802.11ac80	Chain 1	5775	11.86	30	Pass
	Chain 2	5775	10.44	30	Pass
802.11ax20_RU_Full	Chain 1	5745	11.84	30	Pass
		5785	12.56	30	Pass
		5825	12.15	30	Pass
	Chain 2	5745	10.46	30	Pass
		5785	11.23	30	Pass
		5825	10.77	30	Pass
802.11ax40_RU_Full	Chain 1	5755	12.26	30	Pass
		5795	12.72	30	Pass
	Chain 2	5755	10.86	30	Pass
		5795	11.39	30	Pass
802.11ax80_RU_Full	Chain 1	5775	12.34	30	Pass
	Chain 2	5775	11.00	30	Pass

Power Spectral Density

Test Information:

Sample No.:	2L54-1	Test Date:	2025/03/06~2025/04/15
Test Site:	RF	Test Mode:	Transmitting
Tester:	Brian Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25-27	Relative Humidity: (%)	47-50	ATM Pressure: (kPa)	101
----------------------	-------	------------------------------	-------	------------------------	-----

Test Data:**For module YL43752****5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 1	5180	-1.70	0.34	-1.36	11	Pass
		5200	-2.19	0.34	-1.85	11	Pass
		5240	-2.40	0.34	-2.06	11	Pass
	Chain 2	5180	-1.00	0.34	-0.66	11	Pass
		5200	-1.13	0.34	-0.79	11	Pass
		5240	-1.16	0.34	-0.82	11	Pass
802.11ac20	Chain 1	5180	-2.11	0.35	-1.76	11	Pass
		5200	-2.52	0.35	-2.17	11	Pass
		5240	-2.30	0.35	-1.95	11	Pass
	Chain 2	5180	-1.43	0.35	-1.08	11	Pass
		5200	-1.32	0.35	-0.97	11	Pass
		5240	-1.48	0.35	-1.13	11	Pass
802.11ac40	Chain 1	5190	-7.10	0.66	-6.44	11	Pass
		5230	-7.20	0.66	-6.54	11	Pass
	Chain 2	5190	-7.02	0.66	-6.36	11	Pass
		5230	-6.88	0.66	-6.22	11	Pass
802.11ac80	Chain 1	5210	-10.37	1.21	-9.16	11	Pass
	Chain 2	5210	-9.54	1.21	-8.33	11	Pass
802.11ax20_RU_Full	Chain 1	5180	-3.24	0.41	-2.83	11	Pass
		5200	-3.24	0.41	-2.83	11	Pass
		5240	-3.61	0.41	-3.20	11	Pass
	Chain 2	5180	-2.66	0.41	-2.25	11	Pass
		5200	-2.92	0.41	-2.51	11	Pass
		5240	-2.67	0.41	-2.26	11	Pass
802.11ax40_RU_Full	Chain 1	5190	-8.20	0.78	-7.42	11	Pass
		5230	-8.68	0.78	-7.90	11	Pass
	Chain 2	5190	-7.76	0.78	-6.98	11	Pass
		5230	-8.20	0.78	-7.42	11	Pass
802.11ax80_RU_Full	Chain 1	5210	-11.94	1.31	-10.63	11	Pass
	Chain 2	5210	-10.87	1.31	-9.56	11	Pass

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 1	5260	1.85	0.34	2.19	11	Pass
		5280	2.30	0.34	2.64	11	Pass
		5320	2.37	0.34	2.71	11	Pass
	Chain 2	5260	2.05	0.34	2.39	11	Pass
		5280	1.71	0.34	2.05	11	Pass
		5320	1.89	0.34	2.23	11	Pass
802.11ac20	Chain 1	5260	1.76	0.35	2.11	11	Pass
		5280	1.77	0.35	2.12	11	Pass
		5320	1.59	0.35	1.94	11	Pass
	Chain 2	5260	1.62	0.35	1.97	11	Pass
		5280	1.39	0.35	1.74	11	Pass
		5320	1.53	0.35	1.88	11	Pass
802.11ac40	Chain 1	5270	-3.57	0.66	-2.91	11	Pass
		5310	-3.76	0.66	-3.10	11	Pass
	Chain 2	5270	-3.23	0.66	-2.57	11	Pass
		5310	-3.43	0.66	-2.77	11	Pass
802.11ac80	Chain 1	5290	-7.41	1.21	-6.20	11	Pass
	Chain 2	5290	-6.96	1.21	-5.75	11	Pass
802.11ax20_RU_Full	Chain 1	5260	0.51	0.41	0.92	11	Pass
		5280	0.41	0.41	0.82	11	Pass
		5320	0.41	0.41	0.82	11	Pass
	Chain 2	5260	0.29	0.41	0.70	11	Pass
		5280	0.29	0.41	0.70	11	Pass
		5320	0.25	0.41	0.66	11	Pass
802.11ax40_RU_Full	Chain 1	5270	-4.67	0.78	-3.89	11	Pass
		5310	-4.47	0.78	-3.69	11	Pass
	Chain 2	5270	-4.46	0.78	-3.68	11	Pass
		5310	-4.32	0.78	-3.54	11	Pass
802.11ax80_RU_Full	Chain 1	5290	-8.28	1.31	-6.97	11	Pass
	Chain 2	5290	-6.56	1.31	-5.25	11	Pass

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 1	5500	1.81	0.34	2.15	11	Pass
		5580	1.55	0.34	1.89	11	Pass
		5700	2.00	0.34	2.34	11	Pass
		5720	1.70	0.34	2.04	11	Pass
	Chain 2	5500	1.52	0.34	1.86	11	Pass
		5580	1.09	0.34	1.43	11	Pass
		5700	1.43	0.34	1.77	11	Pass
		5720	1.32	0.34	1.66	11	Pass
802.11ac20	Chain 1	5500	1.75	0.35	2.10	11	Pass
		5580	1.21	0.35	1.56	11	Pass
		5700	1.41	0.35	1.76	11	Pass
		5720	1.46	0.35	1.81	11	Pass
	Chain 2	5500	1.58	0.35	1.93	11	Pass
		5580	0.93	0.35	1.28	11	Pass
		5700	0.77	0.35	1.12	11	Pass
		5720	1.19	0.35	1.54	11	Pass
802.11ac40	Chain 1	5510	-3.11	0.66	-2.45	11	Pass
		5550	-3.24	0.66	-2.58	11	Pass
		5670	-2.67	0.66	-2.01	11	Pass
		5710	-2.94	0.66	-2.28	11	Pass
	Chain 2	5510	-3.14	0.66	-2.48	11	Pass
		5550	-2.44	0.66	-1.78	11	Pass
		5670	-3.48	0.66	-2.82	11	Pass
		5710	-3.08	0.66	-2.42	11	Pass
802.11ac80	Chain 1	5530	-5.99	1.21	-4.78	11	Pass
		5610	-6.09	1.21	-4.88	11	Pass
		5690	-6.07	1.21	-4.86	11	Pass
	Chain 2	5530	-6.31	1.21	-5.10	11	Pass
		5610	-6.86	1.21	-5.65	11	Pass
		5690	-6.94	1.21	-5.73	11	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11ax20_RU_Full	Chain 1	5500	0.32	0.41	0.73	11	Pass
		5580	0.17	0.41	0.58	11	Pass
		5700	0.61	0.41	1.02	11	Pass
		5720	0.12	0.41	0.53	11	Pass
	Chain 2	5500	-0.04	0.41	0.37	11	Pass
		5580	-0.31	0.41	0.10	11	Pass
		5700	-0.02	0.41	0.39	11	Pass
		5720	-0.10	0.41	0.31	11	Pass
802.11ax40_RU_Full	Chain 1	5510	-4.65	0.78	-3.87	11	Pass
		5550	-4.86	0.78	-4.08	11	Pass
		5670	-4.99	0.78	-4.21	11	Pass
		5710	-4.98	0.78	-4.20	11	Pass
	Chain 2	5510	-4.65	0.78	-3.87	11	Pass
		5550	-4.84	0.78	-4.06	11	Pass
		5670	-5.15	0.78	-4.37	11	Pass
		5710	-4.99	0.78	-4.21	11	Pass
802.11ax80_RU_Full	Chain 1	5530	-7.98	1.31	-6.67	11	Pass
		5610	-8.06	1.31	-6.75	11	Pass
		5690	-7.78	1.31	-6.47	11	Pass
	Chain 2	5530	-8.43	1.31	-7.12	11	Pass
		5610	-8.52	1.31	-7.21	11	Pass
		5690	-8.06	1.31	-6.75	11	Pass

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	Chain 1	5745	-0.86	0.34	-0.52	30	Pass
		5785	-1.11	0.34	-0.77	30	Pass
		5825	-1.52	0.34	-1.18	30	Pass
	Chain 2	5745	0.40	0.34	0.74	30	Pass
		5785	-0.09	0.34	0.25	30	Pass
		5825	-1.00	0.34	-0.66	30	Pass
802.11ac20	Chain 1	5745	-1.33	0.35	-0.98	30	Pass
		5785	-1.16	0.35	-0.81	30	Pass
		5825	-1.58	0.35	-1.23	30	Pass
	Chain 2	5745	-0.21	0.35	0.14	30	Pass
		5785	-0.82	0.35	-0.47	30	Pass
		5825	-1.07	0.35	-0.72	30	Pass
802.11ac40	Chain 1	5755	-5.69	0.66	-5.03	30	Pass
		5795	-5.38	0.66	-4.72	30	Pass
	Chain 2	5755	-4.19	0.66	-3.53	30	Pass
		5795	-4.83	0.66	-4.17	30	Pass
802.11ac80	Chain 1	5775	-9.75	1.21	-8.54	30	Pass
	Chain 2	5775	-7.66	1.21	-6.45	30	Pass
802.11ax20 RU_Full	Chain 1	5745	-2.52	0.41	-2.11	30	Pass
		5785	-3.22	0.41	-2.81	30	Pass
		5825	-3.57	0.41	-3.16	30	Pass
	Chain 2	5745	-1.73	0.41	-1.32	30	Pass
		5785	-2.28	0.41	-1.87	30	Pass
		5825	-3.12	0.41	-2.71	30	Pass
802.11ax40 RU_Full	Chain 1	5755	-8.02	0.78	-7.24	30	Pass
		5795	-8.32	0.78	-7.54	30	Pass
	Chain 2	5755	-6.64	0.78	-5.86	30	Pass
		5795	-7.13	0.78	-6.35	30	Pass
802.11ax80 RU_Full	Chain 1	5775	-11.72	1.31	-10.41	30	Pass
	Chain 2	5775	-10.40	1.31	-9.09	30	Pass

Result = Reading + Duty Cycle Factor

For module YL7981**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 1	5180	-0.28	1.16	0.88	17	Pass
		5200	0.01	1.16	1.17	17	Pass
		5240	-0.30	1.16	0.86	17	Pass
	Chain 2	5180	-0.21	1.16	0.95	17	Pass
		5200	-0.60	1.16	0.56	17	Pass
		5240	-0.93	1.16	0.23	17	Pass
802.11ac20	Chain 1	5180	1.00	0.19	1.19	17	Pass
		5200	0.75	0.19	0.94	17	Pass
		5240	0.58	0.19	0.77	17	Pass
	Chain 2	5180	0.21	0.19	0.40	17	Pass
		5200	0.11	0.19	0.30	17	Pass
		5240	-0.07	0.19	0.12	17	Pass
802.11ac40	Chain 1	5190	-1.50	0.36	-1.14	17	Pass
		5230	-1.58	0.36	-1.22	17	Pass
	Chain 2	5190	-2.02	0.36	-1.66	17	Pass
		5230	-2.34	0.36	-1.98	17	Pass
802.11ac80	Chain 1	5210	-5.61	0.73	-4.88	17	Pass
	Chain 2	5210	-5.84	0.73	-5.11	17	Pass
802.11ax20_RU_Full	Chain 1	5180	0.77	0	0.77	17	Pass
		5200	1.00	0	1.00	17	Pass
		5240	0.91	0	0.91	17	Pass
	Chain 2	5180	0.78	0	0.78	17	Pass
		5200	-0.05	0	-0.05	17	Pass
		5240	0.25	0	0.25	17	Pass
802.11ax40_RU_Full	Chain 1	5190	-1.20	0.13	-1.07	17	Pass
		5230	-1.22	0.13	-1.09	17	Pass
	Chain 2	5190	-1.93	0.13	-1.80	17	Pass
		5230	-1.96	0.13	-1.83	17	Pass
802.11ax80_RU_Full	Chain 1	5210	-4.72	0.44	-4.28	17	Pass
	Chain 2	5210	-5.48	0.44	-5.04	17	Pass

5725-5850MHz


Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	Chain 1	5745	-2.84	1.16	-1.68	30	Pass
		5785	-2.34	1.16	-1.18	30	Pass
		5825	-2.22	1.16	-1.06	30	Pass
	Chain 2	5745	-3.93	1.16	-2.77	30	Pass
		5785	-3.68	1.16	-2.52	30	Pass
		5825	-4.01	1.16	-2.85	30	Pass
802.11ac20	Chain 1	5745	-2.16	0.19	-1.97	30	Pass
		5785	-1.44	0.19	-1.25	30	Pass
		5825	-1.59	0.19	-1.40	30	Pass
	Chain 2	5745	-3.59	0.19	-3.40	30	Pass
		5785	-2.59	0.19	-2.40	30	Pass
		5825	-2.87	0.19	-2.68	30	Pass
802.11ac40	Chain 1	5755	-4.80	0.36	-4.44	30	Pass
		5795	-4.17	0.36	-3.81	30	Pass
	Chain 2	5755	-5.66	0.36	-5.30	30	Pass
		5795	-5.08	0.36	-4.72	30	Pass
802.11ac80	Chain 1	5775	-7.87	0.73	-7.14	30	Pass
	Chain 2	5775	-9.33	0.73	-8.60	30	Pass
802.11ax20_RU_Full	Chain 1	5745	-2.26	0	-2.26	30	Pass
		5785	-1.40	0	-1.40	30	Pass
		5825	-1.90	0	-1.90	30	Pass
	Chain 2	5745	-3.03	0	-3.03	30	Pass
		5785	-2.81	0	-2.81	30	Pass
		5825	-2.94	0	-2.94	30	Pass
802.11ax40_RU_Full	Chain 1	5755	-4.14	0.13	-4.01	30	Pass
		5795	-3.41	0.13	-3.28	30	Pass
	Chain 2	5755	-5.24	0.13	-5.11	30	Pass
		5795	-4.79	0.13	-4.66	30	Pass
802.11ax80_RU_Full	Chain 1	5775	-7.19	0.44	-6.75	30	Pass
	Chain 2	5775	-8.61	0.44	-8.17	30	Pass

Result = Reading + Duty Cycle Factor

For module YL43752


5150-5250MHz

802.11a_5180MHz_Chain 1




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 6.MAR.2025 20:58:11

802.11a_5200MHz_Chain 1




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 6.MAR.2025 21:00:14

802.11a_5240MHz_Chain 1




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 6.MAR.2025 21:02:12

802.11a_5180MHz_Chain 2




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 7.MAR.2025 19:37:43

802.11a_5200MHz_Chain 2




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 7.MAR.2025 19:38:57

802.11a_5240MHz_Chain 2




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 7.MAR.2025 19:40:20

802.11ac20_5180MHz_Chain 1




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 6.MAR.2025 21:04:25

802.11ac20_5200MHz_Chain 1




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 6.MAR.2025 21:07:06

802.11ac20_5240MHz_Chain 1




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 6.MAR.2025 21:09:02

802.11ac20_5180MHz_Chain 2




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 7.MAR.2025 19:41:53

802.11ac20_5200MHz_Chain 2




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 7.MAR.2025 19:43:26

802.11ac20_5240MHz_Chain 2




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 7.MAR.2025 19:47:53

802.11ac40_5190MHz_Chain 1




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 6.MAR.2025 21:11:09

802.11ac40_5230MHz_Chain 1




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 6.MAR.2025 21:12:33

802.11ac40_5190MHz_Chain 2




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 7.MAR.2025 19:48:58

802.11ac40_5230MHz_Chain 2




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 7.MAR.2025 19:49:59

802.11ac80_5210MHz_Chain 1




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 6.MAR.2025 21:15:27

802.11ac80_5210MHz_Chain 2




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 7.MAR.2025 19:51:04

802.11ax20_5180MHz_RU_Full_Chain 1




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 6.MAR.2025 21:17:59

802.11ax20_5200MHz_RU_Full_Chain 1




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 6.MAR.2025 21:21:02

802.11ax20_5240MHz_RU_Full_Chain 1




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 6.MAR.2025 21:22:59

802.11ax20_5180MHz_RU_Full_Chain 2




ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 7.MAR.2025 19:52:57

802.11ax20_5200MHz_RU_Full_Chain 2



ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 7.MAR.2025 19:55:32

802.11ax20_5240MHz_RU_Full_Chain 2



ProjectNo.:2401T33438E-RF Tester:Brian Li
Date: 7.MAR.2025 19:57:20