

# Testing Report

Customer Name: Xiaomi Communication Technology Co. LTD

Product Name: 2.4GHz WIFI+Bluetooth Dual-Mode Module

Sample Model: MHCWB8S-B

Reference Standard: GB/T 9410-2008;ANSI/IEEE Std 149-1979

Test Date: 2022.5.17

Role	Name	Date
Engineer	王向阳	2022.5.17
Auditor	于永亮	2022.5.17
Approver	陈旭	2022.5.17

## Version

Version No.	Date	Description	Formulate	Approval
A0	2022.5.17	For the first time, formulate	Lin Yuzhe	Zhang He

## Contents


Testing Report .....	1
1.General Information .....	3
1.1 General information of testing institutions .....	3
1.2 Testing principle .....	3
1.3 Test equipment .....	4
1.4 Test environment .....	4
1.5 Statement .....	4
2.Sample Information .....	5
2.1 Client information .....	5
2.2 Description of Sample .....	5
2.3 Sample appearance .....	6
2.4 Antenna size .....	6
2.5 DUT setup photo of free space OTA testing .....	7
3.Test Results .....	7
3.1 Test standard .....	7
3.2 Test uncertainty .....	8
3.3 Test data .....	9
3.3.1 Network analyzer S parameter .....	9
3.3.2 S11 Data .....	9
3.3.3 Typical free space efficiency and gain .....	9
3.3.4 Typical free space radiation pattern .....	10

# 1.General Information

## 1.1 General information of testing institutions

Name	Xiaomi Communication Technology Co. LTD
Address	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China
Tel	010-6060666

## 1.2 Testing principle



Multi-Probe OTA Measurement System

## 1.3 Test equipment

Equipment	Model No.	Serial No.	Manufacturer	Calibration date	Next calibration date
Network Analyzer	Rohde&Schwarz	102231	ZND	20231018	20241018

## 1.4 Test environment

Temperature	23.9°C
Humidity	24%RH
Pressure	100.32kPa

## 1.5 Statement

- (1) The test results in the report are only applicable to the tested samples and the tested samples work under the environment described in the report.
- (2) Only Xiaomi Communication Technology Co. LTD. have the right to modify the report, and the modification information shall be annotated in the revision form.
- (3) Any objection to this report shall be raised within 30 days after formal confirmation of the report.
- (4) This report is invalid if there is any evidence that the sample information provided is falsified.
- (5) The report is invalid without the signature of the auditor and approver.

## 2.Sample Information


### 2.1 Client information

Name	Xiaomi Communication Technology Co. LTD
Address	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085


### 2.2 Description of Sample

Product Name	2.4GHz WIFI+Bluetooth Dual-Mode Module
Sample Modle	MHCWB8S-B
Test Item	VSWR, Peak Gain, Radiation Efficiency, Radiation pattern
Frequency Range	2400-2480MHz
Received Date	2022.5.17
Test Date	2022.5.17
Remark	RF Cable: cable length=50mm, IPEX


## 2.3 Sample appearance



## 2.4 Antenna size



## 2.5 DUT setup photo of free space OTA testing



## 3. Test Results

### 3.1 Test standard

Name	Parameter	Method	Standard no.
Mobile communication antenna	VSWR	Generic specification for antennas used in the mobile communications	GB/T 9410-2008
	Antenna gain		
	Radiation pattern		
Antenna	Radiation efficiency	IEEE Standard Test Procedures for Antennas	ANSI/IEEE Std 149-1979

	Gain and directivity	
--	----------------------	--


## 3.2 Test uncertainty

The uncertainty was calculated on the basis of the GUM published by ISO, using the inclusion factor of K=2 and the 95% confidence level to express the extended uncertainty.

<b>Item</b>	<b>Uncertainty</b>
VSWR	±0.3
Antenna gain	±1. 0dBi
Radiation efficiency	±10%

### 3.3 Test data

#### 3.3.1 Network analyzer S parameter



#### 3.3.2 S11 Data


Frequency/MHz	2400	2440	2480
VSWR	2.6	1.2	2.2

#### 3.3.3 Typical free space efficiency and gain


Frequency/MHz	2400	2410	2420	2430	2440	2450	2460	2470	2480
Peak Gain/dBi	-0.3	0.0	0.4	0.7	0.7	0.6	0.3	0.1	0.2
Efficiency/%	35.2	38.9	42.1	44.7	45.1	43.7	41.2	41.0	42.7

### 3.3.4 Typical free space radiation pattern


(1) X-Y Plane:




(2) Y-Z Plane:



(3) X-Z Plane:



(4) Typical Free Space 3D Radiation Pattern at 2440MHz:



---

**End**

**(The following is blank)**