












Mode	33	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5725.94 57.20 68.20 -11.00 47.97 33.55 13.66 37.98 0.00 100 209 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5700.00 117.17 ----- 108.10 33.44 13.61 37.98 0.00 100 209 PEAK
Avg.	Blank	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SWT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5700.00 109.91 ----- 100.75 33.51 13.63 37.98 0.00 100 209 AVERAGE







Mode	33																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																														
ANT	1+2																																																																																																																														
Pol.	Horizontal												Vertical																																																																																																																		
Peak Avg.																																																																																																																															
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL												Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																																																																																		
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>51.26</td><td>74.00</td><td>-22.74</td><td>34.71</td><td>39.20</td><td>19.39</td><td>42.51</td><td>0.47</td><td>301</td><td>175</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>42.24</td><td>54.00</td><td>-11.76</td><td>25.69</td><td>39.20</td><td>19.39</td><td>42.51</td><td>0.47</td><td>301</td><td>175</td><td>Average</td></tr><tr><td>3</td><td>17100.00</td><td>51.77</td><td>68.20</td><td>-16.43</td><td>33.93</td><td>38.00</td><td>23.97</td><td>44.64</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11400.00	51.26	74.00	-22.74	34.71	39.20	19.39	42.51	0.47	301	175	PEAK	2	11400.00	42.24	54.00	-11.76	25.69	39.20	19.39	42.51	0.47	301	175	Average	3	17100.00	51.77	68.20	-16.43	33.93	38.00	23.97	44.64	0.51	--	--	PEAK	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>34.02</td><td>39.20</td><td>19.39</td><td>42.51</td><td>0.47</td><td>100</td><td>187</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>42.74</td><td>54.00</td><td>-11.26</td><td>26.19</td><td>39.20</td><td>19.39</td><td>42.51</td><td>0.47</td><td>100</td><td>187</td><td>Average</td></tr><tr><td>3</td><td>17100.00</td><td>52.67</td><td>68.20</td><td>-15.53</td><td>34.83</td><td>38.00</td><td>23.97</td><td>44.64</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11400.00	50.57	74.00	-23.43	34.02	39.20	19.39	42.51	0.47	100	187	PEAK	2	11400.00	42.74	54.00	-11.26	26.19	39.20	19.39	42.51	0.47	100	187	Average	3	17100.00	52.67	68.20	-15.53	34.83	38.00	23.97	44.64	0.51	--	--	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11400.00	51.26	74.00	-22.74	34.71	39.20	19.39	42.51	0.47	301	175	PEAK																																																																																																																			
2	11400.00	42.24	54.00	-11.76	25.69	39.20	19.39	42.51	0.47	301	175	Average																																																																																																																			
3	17100.00	51.77	68.20	-16.43	33.93	38.00	23.97	44.64	0.51	--	--	PEAK																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11400.00	50.57	74.00	-23.43	34.02	39.20	19.39	42.51	0.47	100	187	PEAK																																																																																																																			
2	11400.00	42.74	54.00	-11.26	26.19	39.20	19.39	42.51	0.47	100	187	Average																																																																																																																			
3	17100.00	52.67	68.20	-15.53	34.83	38.00	23.97	44.64	0.51	--	--	PEAK																																																																																																																			




Mode	33	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	34																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.33</td><td>46.59</td><td>74.00</td><td>-27.41</td><td>38.48</td><td>32.79</td><td>13.31</td><td>37.99</td><td>0.00</td><td>129</td><td>302 PEAK</td></tr><tr><td>2</td><td>5464.66</td><td>46.02</td><td>68.20</td><td>-22.18</td><td>37.09</td><td>32.00</td><td>13.33</td><td>38.00</td><td>0.00</td><td>129</td><td>302 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5446.33	46.59	74.00	-27.41	38.48	32.79	13.31	37.99	0.00	129	302 PEAK	2	5464.66	46.02	68.20	-22.18	37.09	32.00	13.33	38.00	0.00	129	302 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5720.00</td><td>103.58</td><td>-----</td><td>-----</td><td>94.38</td><td>33.53</td><td>13.65</td><td>37.98</td><td>0.00</td><td>129</td><td>302 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5720.00	103.58	-----	-----	94.38	33.53	13.65	37.98	0.00	129	302 PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5446.33	46.59	74.00	-27.41	38.48	32.79	13.31	37.99	0.00	129	302 PEAK																																																			
2	5464.66	46.02	68.20	-22.18	37.09	32.00	13.33	38.00	0.00	129	302 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5720.00	103.58	-----	-----	94.38	33.53	13.65	37.98	0.00	129	302 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>40.37</td><td>54.00</td><td>-13.63</td><td>32.34</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>129</td><td>302 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	40.37	54.00	-13.63	32.34	32.75	13.22	37.94	0.00	129	302 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5720.00</td><td>98.05</td><td>-----</td><td>-----</td><td>88.84</td><td>33.54</td><td>13.65</td><td>37.98</td><td>0.00</td><td>129</td><td>302 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5720.00	98.05	-----	-----	88.84	33.54	13.65	37.98	0.00	129	302 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	40.37	54.00	-13.63	32.34	32.75	13.22	37.94	0.00	129	302 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5720.00	98.05	-----	-----	88.84	33.54	13.65	37.98	0.00	129	302 AVERAGE																																																			




Mode	34	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5896.25 49.86 68.20 -18.34 39.69 34.19 13.91 37.93 0.00 129 302 PEAK	Blank





Mode	34																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																													
ANT	1+2																																																													
Pol.	Vertical	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.74</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>42.54</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>106</td><td>130 PEAK</td></tr><tr><td>2</td><td>5465.44</td><td>47.85</td><td>68.20</td><td>-20.35</td><td>39.72</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>106</td><td>130 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5375.74	50.57	74.00	-23.43	42.54	32.75	13.22	37.94	0.00	106	130 PEAK	2	5465.44	47.85	68.20	-20.35	39.72	32.80	13.34	38.01	0.00	106	130 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5720.00</td><td>115.57</td><td>-----</td><td>-----</td><td>106.37</td><td>33.53</td><td>13.65</td><td>37.98</td><td>0.00</td><td>106</td><td>130 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5720.00	115.57	-----	-----	106.37	33.53	13.65	37.98	0.00	106	130 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5375.74	50.57	74.00	-23.43	42.54	32.75	13.22	37.94	0.00	106	130 PEAK																																																			
2	5465.44	47.85	68.20	-20.35	39.72	32.80	13.34	38.01	0.00	106	130 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5720.00	115.57	-----	-----	106.37	33.53	13.65	37.98	0.00	106	130 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>46.30</td><td>54.00</td><td>-7.70</td><td>38.27</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>106</td><td>130 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	46.30	54.00	-7.70	38.27	32.75	13.22	37.94	0.00	106	130 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5720.00</td><td>108.81</td><td>-----</td><td>-----</td><td>99.60</td><td>33.54</td><td>13.65</td><td>37.98</td><td>0.00</td><td>106</td><td>130 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5720.00	108.81	-----	-----	99.60	33.54	13.65	37.98	0.00	106	130 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	46.30	54.00	-7.70	38.27	32.75	13.22	37.94	0.00	106	130 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5720.00	108.81	-----	-----	99.60	33.54	13.65	37.98	0.00	106	130 AVERAGE																																																			







Mode	34	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5873.75 49.94 68.20 -18.26 39.90 34.10 13.88 37.94 0.00 106 130 PEAK	Blank







Mode	34																																																														
	Harmonic																																																														
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																														
ANT	1+2																																																														
Pol.	Horizontal						Vertical																																																								
Peak Avg.																																																															
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																								
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>50.91</td><td>74.00</td><td>-23.09</td><td>34.55</td><td>39.04</td><td>19.42</td><td>42.57</td><td>0.47</td><td>313</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>41.69</td><td>54.00</td><td>-12.31</td><td>25.33</td><td>39.04</td><td>19.42</td><td>42.57</td><td>0.47</td><td>313</td><td>178</td><td>Average</td></tr><tr><td>3</td><td>17160.00</td><td>52.55</td><td>68.20</td><td>-15.65</td><td>34.69</td><td>38.04</td><td>24.01</td><td>44.70</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11440.00	50.91	74.00	-23.09	34.55	39.04	19.42	42.57	0.47	313	178	PEAK	2	11440.00	41.69	54.00	-12.31	25.33	39.04	19.42	42.57	0.47	313	178	Average	3	17160.00	52.55	68.20	-15.65	34.69	38.04	24.01	44.70	0.51	--	--	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																				
1	11440.00	50.91	74.00	-23.09	34.55	39.04	19.42	42.57	0.47	313	178	PEAK																																																			
2	11440.00	41.69	54.00	-12.31	25.33	39.04	19.42	42.57	0.47	313	178	Average																																																			
3	17160.00	52.55	68.20	-15.65	34.69	38.04	24.01	44.70	0.51	--	--	PEAK																																																			







Mode	34	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL





		35																																																																										
Mode	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal						Fundamental																																																																					
Peak																																																																												
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5450.50</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>39.13</td><td>32.80</td><td>13.32</td><td>37.99</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr><tr><td>2</td><td>5469.25</td><td>50.22</td><td>68.20</td><td>-17.98</td><td>42.09</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5450.50	47.26	74.00	-26.74	39.13	32.80	13.32	37.99	0.00	100	304	PEAK	2	5469.25	50.22	68.20	-17.98	42.09	32.80	13.34	38.01	0.00	100	304	PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>107.49</td><td>-----</td><td>-----</td><td>99.34</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	107.49	-----	-----	99.34	32.80	13.38	38.03	0.00	100	304
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	5450.50	47.26	74.00	-26.74	39.13	32.80	13.32	37.99	0.00	100	304	PEAK																																																																
2	5469.25	50.22	68.20	-17.98	42.09	32.80	13.34	38.01	0.00	100	304	PEAK																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	5500.00	107.49	-----	-----	99.34	32.80	13.38	38.03	0.00	100	304	PEAK																																																																
Avg.																																																																												
	Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5375.95</td><td>41.35</td><td>54.00</td><td>-12.65</td><td>33.32</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5375.95	41.35	54.00	-12.65	33.32	32.75	13.22	37.94	0.00	100	304	AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>99.94</td><td>-----</td><td>-----</td><td>91.80</td><td>32.80</td><td>13.37</td><td>38.03</td><td>0.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	99.94	-----	-----	91.80	32.80	13.37	38.03	0.00	100	304	AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	5375.95	41.35	54.00	-12.65	33.32	32.75	13.22	37.94	0.00	100	304	AVERAGE																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	5500.00	99.94	-----	-----	91.80	32.80	13.37	38.03	0.00	100	304	AVERAGE																																																																



Mode	35																																																													
	Band Edge																																																													
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																													
ANT	1+2																																																													
Pol.	Vertical	Fundamental																																																												
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5403.40</td><td>53.53</td><td>74.00</td><td>-20.47</td><td>45.52</td><td>32.71</td><td>13.26</td><td>37.96</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr><tr><td>2</td><td>5469.10</td><td>56.24</td><td>68.20</td><td>-11.96</td><td>48.11</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5403.40	53.53	74.00	-20.47	45.52	32.71	13.26	37.96	0.00	100	234 PEAK	2	5469.10	56.24	68.20	-11.96	48.11	32.80	13.34	38.01	0.00	100	234 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>115.78</td><td>-----</td><td>-----</td><td>107.63</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	115.78	-----	-----	107.63	32.80	13.38	38.03	0.00	100	234 PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5403.40	53.53	74.00	-20.47	45.52	32.71	13.26	37.96	0.00	100	234 PEAK																																																			
2	5469.10	56.24	68.20	-11.96	48.11	32.80	13.34	38.01	0.00	100	234 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5500.00	115.78	-----	-----	107.63	32.80	13.38	38.03	0.00	100	234 PEAK																																																			
Avg.	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.10</td><td>47.11</td><td>54.00</td><td>-6.89</td><td>39.08</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>234 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.10	47.11	54.00	-6.89	39.08	32.75	13.22	37.94	0.00	100	234 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.40</td><td>-----</td><td>-----</td><td>101.25</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>100</td><td>234 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	109.40	-----	-----	101.25	32.80	13.38	38.03	0.00	100	234 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.10	47.11	54.00	-6.89	39.08	32.75	13.22	37.94	0.00	100	234 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5500.00	109.40	-----	-----	101.25	32.80	13.38	38.03	0.00	100	234 AVERAGE																																																			



Mode	36																																																										
	Harmonic																																																										
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																										
ANT	1+2																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg.																																																											
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																				
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>51.81</td><td>74.00</td><td>-22.19</td><td>35.51</td><td>38.82</td><td>19.18</td><td>42.18</td><td>0.48</td><td>100</td><td>244 PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>41.04</td><td>54.00</td><td>-12.96</td><td>24.74</td><td>38.82</td><td>19.18</td><td>42.18</td><td>0.48</td><td>100</td><td>244 Average</td></tr><tr><td>3</td><td>16740.00</td><td>52.47</td><td>68.20</td><td>-15.73</td><td>34.29</td><td>38.34</td><td>23.72</td><td>44.37</td><td>0.49</td><td>--</td><td>-- PEAK</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	51.81	74.00	-22.19	35.51	38.82	19.18	42.18	0.48	100	244 PEAK	2	11160.00	41.04	54.00	-12.96	24.74	38.82	19.18	42.18	0.48	100	244 Average	3	16740.00	52.47	68.20	-15.73	34.29	38.34	23.72	44.37	0.49	--	-- PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11160.00	51.81	74.00	-22.19	35.51	38.82	19.18	42.18	0.48	100	244 PEAK																																																
2	11160.00	41.04	54.00	-12.96	24.74	38.82	19.18	42.18	0.48	100	244 Average																																																
3	16740.00	52.47	68.20	-15.73	34.29	38.34	23.72	44.37	0.49	--	-- PEAK																																																



Mode	36	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	37	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5726.33 49.15 68.20 -19.05 39.92 33.55 13.66 37.98 0.00 200 54 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5700.00 105.40 ----- 96.28 33.48 13.62 37.98 0.00 200 54 PEAK
Avg.	Blank	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SWT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5700.00 98.66 ----- 89.54 33.48 13.62 37.98 0.00 200 54 AVERAGE




Mode	37	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dB/m dB dB cm deg 1 5725.81 58.28 68.20 -9.92 49.05 33.55 13.66 37.98 0.00 105 196 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dB/m dB dB cm deg 1 5700.00 116.39 ----- 107.32 33.44 13.61 37.98 0.00 105 196 PEAK
Avg.	Blank	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dB/m dB dB dB cm deg 1 5700.00 109.88 ----- 100.72 33.51 13.63 37.98 0.00 105 196 AVERAGE







Mode	38																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11n HT20_CH144_5720MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5424.88</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>39.57</td><td>32.75</td><td>13.29</td><td>37.98</td><td>0.00</td><td>110</td><td>303 PEAK</td></tr><tr><td>2</td><td>5462.71</td><td>46.73</td><td>68.20</td><td>-21.47</td><td>38.60</td><td>32.00</td><td>13.33</td><td>38.00</td><td>0.00</td><td>110</td><td>303 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5424.88	47.63	74.00	-26.37	39.57	32.75	13.29	37.98	0.00	110	303 PEAK	2	5462.71	46.73	68.20	-21.47	38.60	32.00	13.33	38.00	0.00	110	303 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5720.00</td><td>108.34</td><td>-----</td><td>-----</td><td>99.14</td><td>33.53</td><td>13.65</td><td>37.98</td><td>0.00</td><td>110</td><td>303 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5720.00	108.34	-----	-----	99.14	33.53	13.65	37.98	0.00	110	303 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5424.88	47.63	74.00	-26.37	39.57	32.75	13.29	37.98	0.00	110	303 PEAK																																																			
2	5462.71	46.73	68.20	-21.47	38.60	32.00	13.33	38.00	0.00	110	303 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5720.00	108.34	-----	-----	99.14	33.53	13.65	37.98	0.00	110	303 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>33.99</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>110</td><td>303 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	42.02	54.00	-11.98	33.99	32.75	13.22	37.94	0.00	110	303 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5720.00</td><td>100.48</td><td>-----</td><td>-----</td><td>91.28</td><td>33.53</td><td>13.65</td><td>37.98</td><td>0.00</td><td>110</td><td>303 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5720.00	100.48	-----	-----	91.28	33.53	13.65	37.98	0.00	110	303 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	42.02	54.00	-11.98	33.99	32.75	13.22	37.94	0.00	110	303 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5720.00	100.48	-----	-----	91.28	33.53	13.65	37.98	0.00	110	303 AVERAGE																																																			




Mode	38	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT20_CH144_5720MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 572.25 49.12 68.20 -19.08 39.09 34.09 13.88 37.94 0.00 110 303 PEAK	Blank







Mode	38																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11n HT20_CH144_5720MHz																																																													
ANT	1+2																																																													
Pol.	Vertical	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.52</td><td>50.09</td><td>74.00</td><td>-23.91</td><td>42.06</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>105</td><td>200 PEAK</td></tr><tr><td>2</td><td>5469.34</td><td>48.72</td><td>68.20</td><td>-19.48</td><td>40.59</td><td>32.00</td><td>13.34</td><td>38.01</td><td>0.00</td><td>105</td><td>200 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.52	50.09	74.00	-23.91	42.06	32.75	13.22	37.94	0.00	105	200 PEAK	2	5469.34	48.72	68.20	-19.48	40.59	32.00	13.34	38.01	0.00	105	200 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5720.00</td><td>118.13</td><td>-----</td><td>-----</td><td>108.92</td><td>33.54</td><td>13.65</td><td>37.98</td><td>0.00</td><td>105</td><td>200 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5720.00	118.13	-----	-----	108.92	33.54	13.65	37.98	0.00	105	200 PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5376.52	50.09	74.00	-23.91	42.06	32.75	13.22	37.94	0.00	105	200 PEAK																																																			
2	5469.34	48.72	68.20	-19.48	40.59	32.00	13.34	38.01	0.00	105	200 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5720.00	118.13	-----	-----	108.92	33.54	13.65	37.98	0.00	105	200 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>45.18</td><td>54.00</td><td>-8.82</td><td>37.15</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>105</td><td>200 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	45.18	54.00	-8.82	37.15	32.75	13.22	37.94	0.00	105	200 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5720.00</td><td>110.85</td><td>-----</td><td>-----</td><td>101.64</td><td>33.54</td><td>13.65</td><td>37.98</td><td>0.00</td><td>105</td><td>200 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5720.00	110.85	-----	-----	101.64	33.54	13.65	37.98	0.00	105	200 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	45.18	54.00	-8.82	37.15	32.75	13.22	37.94	0.00	105	200 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5720.00	110.85	-----	-----	101.64	33.54	13.65	37.98	0.00	105	200 AVERAGE																																																			







Mode	38	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT20_CH144_5720MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5866.75 51.88 68.20 -16.32 41.88 34.07 13.87 37.94 0.00 105 200 PEAK	Blank





Mode	39																																																													
	Band Edge																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.80</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>40.00</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>126</td><td>300 PEAK</td></tr><tr><td>2</td><td>5468.80</td><td>49.78</td><td>68.20</td><td>-18.42</td><td>41.65</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>126</td><td>300 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.80	48.13	74.00	-25.87	40.00	32.80	13.33	38.00	0.00	126	300 PEAK	2	5468.80	49.78	68.20	-18.42	41.65	32.80	13.34	38.01	0.00	126	300 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.65</td><td>-----</td><td>-----</td><td>98.50</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>126</td><td>300 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	106.65	-----	-----	98.50	32.80	13.38	38.03	0.00	126	300 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5459.80	48.13	74.00	-25.87	40.00	32.80	13.33	38.00	0.00	126	300 PEAK																																																			
2	5468.80	49.78	68.20	-18.42	41.65	32.80	13.34	38.01	0.00	126	300 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5500.00	106.65	-----	-----	98.50	32.80	13.38	38.03	0.00	126	300 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.95</td><td>41.96</td><td>54.00</td><td>-12.04</td><td>33.93</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>126</td><td>300 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5375.95	41.96	54.00	-12.04	33.93	32.75	13.22	37.94	0.00	126	300 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.96</td><td>-----</td><td>-----</td><td>91.81</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>126</td><td>300 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	99.96	-----	-----	91.81	32.80	13.38	38.03	0.00	126	300 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5375.95	41.96	54.00	-12.04	33.93	32.75	13.22	37.94	0.00	126	300 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5500.00	99.96	-----	-----	91.81	32.80	13.38	38.03	0.00	126	300 AVERAGE																																																			







		39																																																																					
Mode	Band Edge																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																						
ANT	1+2																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.10</td><td>53.25</td><td>74.00</td><td>-20.75</td><td>45.22</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>105</td><td>130 PEAK</td></tr><tr><td>2</td><td>5467.00</td><td>53.91</td><td>68.20</td><td>-14.29</td><td>45.78</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>105</td><td>130 PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.10	53.25	74.00	-20.75	45.22	32.75	13.22	37.94	0.00	105	130 PEAK	2	5467.00	53.91	68.20	-14.29	45.78	32.80	13.34	38.01	0.00	105	130 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>116.50</td><td>-----</td><td>-----</td><td>100.36</td><td>32.80</td><td>13.37</td><td>38.03</td><td>0.00</td><td>105</td><td>130 PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	116.50	-----	-----	100.36	32.80	13.37	38.03	0.00	105
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5376.10	53.25	74.00	-20.75	45.22	32.75	13.22	37.94	0.00	105	130 PEAK																																																												
2	5467.00	53.91	68.20	-14.29	45.78	32.80	13.34	38.01	0.00	105	130 PEAK																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5500.00	116.50	-----	-----	100.36	32.80	13.37	38.03	0.00	105	130 PEAK																																																												
Avg.																																																																							
	Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.10</td><td>48.31</td><td>54.00</td><td>-5.69</td><td>40.28</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>105</td><td>130 AVERAGE</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.10	48.31	54.00	-5.69	40.28	32.75	13.22	37.94	0.00	105	130 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.37</td><td>-----</td><td>-----</td><td>100.22</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>105</td><td>130 AVERAGE</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	108.37	-----	-----	100.22	32.80	13.38	38.03	0.00	105	130 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5376.10	48.31	54.00	-5.69	40.28	32.75	13.22	37.94	0.00	105	130 AVERAGE																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5500.00	108.37	-----	-----	100.22	32.80	13.38	38.03	0.00	105	130 AVERAGE																																																												







Mode	39																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>33.38</td><td>38.70</td><td>19.05</td><td>41.96</td><td>0.49</td><td>131</td><td>166 PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>42.75</td><td>54.00</td><td>-11.25</td><td>26.47</td><td>38.70</td><td>19.05</td><td>41.96</td><td>0.49</td><td>131</td><td>166 Average</td></tr><tr><td>3</td><td>16500.00</td><td>52.02</td><td>68.20</td><td>-16.18</td><td>33.60</td><td>38.60</td><td>23.55</td><td>44.21</td><td>0.48</td><td>--</td><td>-- PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	49.66	74.00	-24.34	33.38	38.70	19.05	41.96	0.49	131	166 PEAK	2	11000.00	42.75	54.00	-11.25	26.47	38.70	19.05	41.96	0.49	131	166 Average	3	16500.00	52.02	68.20	-16.18	33.60	38.60	23.55	44.21	0.48	--	-- PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>50.70</td><td>74.00</td><td>-23.30</td><td>34.42</td><td>38.70</td><td>19.05</td><td>41.96</td><td>0.49</td><td>100</td><td>155 PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>43.97</td><td>54.00</td><td>-10.03</td><td>27.69</td><td>38.70</td><td>19.05</td><td>41.96</td><td>0.49</td><td>100</td><td>155 Average</td></tr><tr><td>3</td><td>16500.00</td><td>52.51</td><td>68.20</td><td>-15.69</td><td>34.09</td><td>38.60</td><td>23.55</td><td>44.21</td><td>0.48</td><td>--</td><td>-- PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11000.00	50.70	74.00	-23.30	34.42	38.70	19.05	41.96	0.49	100	155 PEAK	2	11000.00	43.97	54.00	-10.03	27.69	38.70	19.05	41.96	0.49	100	155 Average	3	16500.00	52.51	68.20	-15.69	34.09	38.60	23.55	44.21	0.48	--	-- PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11000.00	49.66	74.00	-24.34	33.38	38.70	19.05	41.96	0.49	131	166 PEAK																																																																																								
2	11000.00	42.75	54.00	-11.25	26.47	38.70	19.05	41.96	0.49	131	166 Average																																																																																								
3	16500.00	52.02	68.20	-16.18	33.60	38.60	23.55	44.21	0.48	--	-- PEAK																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	11000.00	50.70	74.00	-23.30	34.42	38.70	19.05	41.96	0.49	100	155 PEAK																																																																																								
2	11000.00	43.97	54.00	-10.03	27.69	38.70	19.05	41.96	0.49	100	155 Average																																																																																								
3	16500.00	52.51	68.20	-15.69	34.09	38.60	23.55	44.21	0.48	--	-- PEAK																																																																																								




Mode	39	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
17.7G ~18G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL







	40																																																								
Mode	Band Edge - L																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																								
ANT	1+2																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.99</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>39.86</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>128 300 PEAK</td></tr><tr><td>2</td><td>5467.30</td><td>46.70</td><td>68.20</td><td>-21.50</td><td>38.57</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>128 300 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.99	47.89	74.00	-26.11	39.86	32.75	13.22	37.94	0.00	128 300 PEAK	2	5467.30	46.70	68.20	-21.50	38.57	32.80	13.34	38.01	0.00	128 300 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>106.08</td><td>-----</td><td>-----</td><td>97.77</td><td>32.86</td><td>13.46</td><td>38.01</td><td>0.00</td><td>128 300 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	106.08	-----	-----	97.77	32.86	13.46	38.01	0.00	128 300 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5375.99	47.89	74.00	-26.11	39.86	32.75	13.22	37.94	0.00	128 300 PEAK																																															
2	5467.30	46.70	68.20	-21.50	38.57	32.80	13.34	38.01	0.00	128 300 PEAK																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5580.00	106.08	-----	-----	97.77	32.86	13.46	38.01	0.00	128 300 PEAK																																															
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.99</td><td>41.96</td><td>54.00</td><td>-12.04</td><td>33.93</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>128 300 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.99	41.96	54.00	-12.04	33.93	32.75	13.22	37.94	0.00	128 300 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>99.17</td><td>-----</td><td>-----</td><td>90.84</td><td>32.87</td><td>13.47</td><td>38.01</td><td>0.00</td><td>128 300 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	99.17	-----	-----	90.84	32.87	13.47	38.01	0.00	128 300 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5375.99	41.96	54.00	-12.04	33.93	32.75	13.22	37.94	0.00	128 300 AVERAGE																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5580.00	99.17	-----	-----	90.84	32.87	13.47	38.01	0.00	128 300 AVERAGE																																															




Mode	40	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(U-NII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5744.65 47.88 68.20 -20.32 38.57 33.59 13.69 37.97 0.00 128 300 PEAK	Blank





	40																																																													
Mode	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																													
ANT	1+2																																																													
Pol.	Vertical	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.22</td><td>52.34</td><td>74.00</td><td>-21.66</td><td>44.31</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>215 PEAK</td></tr><tr><td>2</td><td>5465.46</td><td>48.99</td><td>68.20</td><td>-19.21</td><td>40.86</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>100</td><td>215 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.22	52.34	74.00	-21.66	44.31	32.75	13.22	37.94	0.00	100	215 PEAK	2	5465.46	48.99	68.20	-19.21	40.86	32.80	13.34	38.01	0.00	100	215 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>114.99</td><td>-----</td><td>-----</td><td>106.68</td><td>32.86</td><td>13.46</td><td>38.01</td><td>0.00</td><td>100</td><td>215 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	114.99	-----	-----	106.68	32.86	13.46	38.01	0.00	100	215 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.22	52.34	74.00	-21.66	44.31	32.75	13.22	37.94	0.00	100	215 PEAK																																																			
2	5465.46	48.99	68.20	-19.21	40.86	32.80	13.34	38.01	0.00	100	215 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5580.00	114.99	-----	-----	106.68	32.86	13.46	38.01	0.00	100	215 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.99</td><td>48.21</td><td>54.00</td><td>-5.79</td><td>40.18</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>215 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5375.99	48.21	54.00	-5.79	40.18	32.75	13.22	37.94	0.00	100	215 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>107.38</td><td>-----</td><td>-----</td><td>99.07</td><td>32.86</td><td>13.46</td><td>38.01</td><td>0.00</td><td>100</td><td>215 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	107.38	-----	-----	99.07	32.86	13.46	38.01	0.00	100	215 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5375.99	48.21	54.00	-5.79	40.18	32.75	13.22	37.94	0.00	100	215 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5580.00	107.38	-----	-----	99.07	32.86	13.46	38.01	0.00	100	215 AVERAGE																																																			







Mode	40	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5760.01 53.43 68.20 -14.77 44.03 33.66 13.71 37.97 0.00 100 215 PEAK	Blank






Mode	40										
	Harmonic										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz										
ANT	1+2										
Pol.	Horizontal						Vertical				
Peak Avg.											
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	11160.00	52.09	74.00	-21.91	35.79	38.82	19.18	42.18	0.48	289	146 PEAK
2	11160.00	41.44	54.00	-12.56	25.14	38.82	19.18	42.18	0.48	289	146 Average
3	16740.00	52.47	68.20	-15.73	34.29	38.34	23.72	44.37	0.49	--	-- PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	11160.00	52.62	74.00	-21.38	36.32	38.82	19.18	42.18	0.48	100	183 PEAK
2	11160.00	41.48	54.00	-12.52	25.18	38.82	19.18	42.18	0.48	100	183 Average
3	16740.00	52.50	68.20	-15.70	34.32	38.34	23.72	44.37	0.49	--	-- PEAK



Mode	40	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL





Mode	41																																								
	Band Edge																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																								
ANT	1+2																																								
Pol.	Horizontal	Fundamental																																							
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_B3 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.16</td><td>51.24</td><td>68.20</td><td>-16.96</td><td>42.01</td><td>33.55</td><td>13.66</td><td>37.98</td><td>0.00 100 58 PEAK</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.16	51.24	68.20	-16.96	42.01	33.55	13.66	37.98	0.00 100 58 PEAK	 Level (dBuV/m) Frequency (MHz) PEAK(UNII) Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.17</td><td>-----</td><td>97.05</td><td>33.48</td><td>13.62</td><td>37.98</td><td>0.00 100 58 PEAK</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.17	-----	97.05	33.48	13.62	37.98	0.00 100 58 PEAK
	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5725.16	51.24	68.20	-16.96	42.01	33.55	13.66	37.98	0.00 100 58 PEAK																																
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5700.00	106.17	-----	97.05	33.48	13.62	37.98	0.00 100 58 PEAK																																	
Avg.	Blank	 Level (dBuV/m) Frequency (MHz) AVG_54 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.63</td><td>-----</td><td>89.51</td><td>33.48</td><td>13.62</td><td>37.98</td><td>0.00 100 58 AVERAGE</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.63	-----	89.51	33.48	13.62	37.98	0.00 100 58 AVERAGE																				
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5700.00	98.63	-----	89.51	33.48	13.62	37.98	0.00 100 58 AVERAGE																																	







Mode	41	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.20 57.41 68.20 -10.79 48.18 33.55 13.66 37.98 0.00 120 212 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 115.96 ----- 106.84 33.48 13.62 37.98 0.00 120 212 PEAK
Avg.	Blank	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SWT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 109.30 ----- 100.18 33.48 13.62 37.98 0.00 120 212 AVERAGE







Mode	41																																																										
	Harmonic																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																										
ANT	1+2																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg.																																																											
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																				
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>34.79</td><td>39.20</td><td>19.39</td><td>42.51</td><td>0.47</td><td>229</td><td>54 PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>25.47</td><td>39.20</td><td>19.39</td><td>42.51</td><td>0.47</td><td>229</td><td>54 Average</td></tr><tr><td>3</td><td>17100.00</td><td>52.66</td><td>68.20</td><td>-15.54</td><td>34.82</td><td>38.00</td><td>23.97</td><td>44.64</td><td>0.51</td><td>--</td><td>-- PEAK</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	51.34	74.00	-22.66	34.79	39.20	19.39	42.51	0.47	229	54 PEAK	2	11400.00	42.02	54.00	-11.98	25.47	39.20	19.39	42.51	0.47	229	54 Average	3	17100.00	52.66	68.20	-15.54	34.82	38.00	23.97	44.64	0.51	--	-- PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11400.00	51.34	74.00	-22.66	34.79	39.20	19.39	42.51	0.47	229	54 PEAK																																																
2	11400.00	42.02	54.00	-11.98	25.47	39.20	19.39	42.51	0.47	229	54 Average																																																
3	17100.00	52.66	68.20	-15.54	34.82	38.00	23.97	44.64	0.51	--	-- PEAK																																																




Mode	41	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
17.7G ~18G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	42																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5432.68</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>40.23</td><td>32.77</td><td>13.30</td><td>37.98</td><td>0.00</td><td>126</td><td>300 PEAK</td></tr><tr><td>2</td><td>5462.32</td><td>46.74</td><td>68.20</td><td>-21.46</td><td>38.61</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>126</td><td>300 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5432.68	48.32	74.00	-25.68	40.23	32.77	13.30	37.98	0.00	126	300 PEAK	2	5462.32	46.74	68.20	-21.46	38.61	32.80	13.33	38.00	0.00	126	300 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5720.00</td><td>106.87</td><td>-----</td><td>-----</td><td>97.63</td><td>33.56</td><td>13.66</td><td>37.98</td><td>0.00</td><td>126</td><td>300 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5720.00	106.87	-----	-----	97.63	33.56	13.66	37.98	0.00	126	300 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5432.68	48.32	74.00	-25.68	40.23	32.77	13.30	37.98	0.00	126	300 PEAK																																																			
2	5462.32	46.74	68.20	-21.46	38.61	32.80	13.33	38.00	0.00	126	300 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5720.00	106.87	-----	-----	97.63	33.56	13.66	37.98	0.00	126	300 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>42.44</td><td>54.00</td><td>-11.56</td><td>34.41</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>126</td><td>300 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	42.44	54.00	-11.56	34.41	32.75	13.22	37.94	0.00	126	300 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5720.00</td><td>98.66</td><td>-----</td><td>-----</td><td>89.46</td><td>33.53</td><td>13.65</td><td>37.98</td><td>0.00</td><td>126</td><td>300 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5720.00	98.66	-----	-----	89.46	33.53	13.65	37.98	0.00	126	300 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	42.44	54.00	-11.56	34.41	32.75	13.22	37.94	0.00	126	300 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5720.00	98.66	-----	-----	89.46	33.53	13.65	37.98	0.00	126	300 AVERAGE																																																			



Mode	42	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5919.25 49.61 68.20 -18.59 39.35 34.24 13.95 37.93 0.00 126 300 PEAK	Blank





	42																																																													
Mode	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																													
ANT	1+2																																																													
Pol.	Vertical	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.52</td><td>53.24</td><td>74.00</td><td>-20.76</td><td>45.21</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>130 PEAK</td></tr><tr><td>2</td><td>5463.49</td><td>48.55</td><td>68.20</td><td>-19.65</td><td>40.42</td><td>32.00</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100</td><td>130 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.52	53.24	74.00	-20.76	45.21	32.75	13.22	37.94	0.00	100	130 PEAK	2	5463.49	48.55	68.20	-19.65	40.42	32.00	13.33	38.00	0.00	100	130 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5720.00</td><td>115.19</td><td>-----</td><td>-----</td><td>105.99</td><td>33.53</td><td>13.65</td><td>37.98</td><td>0.00</td><td>100</td><td>130 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5720.00	115.19	-----	-----	105.99	33.53	13.65	37.98	0.00	100	130 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.52	53.24	74.00	-20.76	45.21	32.75	13.22	37.94	0.00	100	130 PEAK																																																			
2	5463.49	48.55	68.20	-19.65	40.42	32.00	13.33	38.00	0.00	100	130 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5720.00	115.19	-----	-----	105.99	33.53	13.65	37.98	0.00	100	130 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>48.73</td><td>54.00</td><td>-5.27</td><td>40.70</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>130 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	48.73	54.00	-5.27	40.70	32.75	13.22	37.94	0.00	100	130 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5720.00</td><td>108.46</td><td>-----</td><td>-----</td><td>99.25</td><td>33.54</td><td>13.65</td><td>37.98</td><td>0.00</td><td>100</td><td>130 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5720.00	108.46	-----	-----	99.25	33.54	13.65	37.98	0.00	100	130 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	48.73	54.00	-5.27	40.70	32.75	13.22	37.94	0.00	100	130 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5720.00	108.46	-----	-----	99.25	33.54	13.65	37.98	0.00	100	130 AVERAGE																																																			



Mode	42	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5917.00 51.06 68.20 -17.14 40.81 34.23 13.95 37.93 0.00 100 130 PEAK	Blank







Mode	42																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>51.05</td><td>74.00</td><td>-22.95</td><td>34.69</td><td>39.04</td><td>19.42</td><td>42.57</td><td>0.47</td><td>228</td><td>265</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>41.66</td><td>54.00</td><td>-12.34</td><td>25.30</td><td>39.04</td><td>19.42</td><td>42.57</td><td>0.47</td><td>228</td><td>265</td><td>Average</td></tr><tr><td>3</td><td>17160.00</td><td>52.66</td><td>68.20</td><td>-15.54</td><td>34.00</td><td>38.04</td><td>24.01</td><td>44.70</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11440.00	51.05	74.00	-22.95	34.69	39.04	19.42	42.57	0.47	228	265	PEAK	2	11440.00	41.66	54.00	-12.34	25.30	39.04	19.42	42.57	0.47	228	265	Average	3	17160.00	52.66	68.20	-15.54	34.00	38.04	24.01	44.70	0.51	--	--	PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>34.98</td><td>39.04</td><td>19.42</td><td>42.57</td><td>0.47</td><td>224</td><td>48</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>41.65</td><td>54.00</td><td>-12.35</td><td>25.29</td><td>39.04</td><td>19.42</td><td>42.57</td><td>0.47</td><td>224</td><td>48</td><td>Average</td></tr><tr><td>3</td><td>17160.00</td><td>53.13</td><td>68.20</td><td>-15.07</td><td>35.27</td><td>38.04</td><td>24.01</td><td>44.70</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11440.00	51.34	74.00	-22.66	34.98	39.04	19.42	42.57	0.47	224	48	PEAK	2	11440.00	41.65	54.00	-12.35	25.29	39.04	19.42	42.57	0.47	224	48	Average	3	17160.00	53.13	68.20	-15.07	35.27	38.04	24.01	44.70	0.51	--	--	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	51.05	74.00	-22.95	34.69	39.04	19.42	42.57	0.47	228	265	PEAK																																																																																														
2	11440.00	41.66	54.00	-12.34	25.30	39.04	19.42	42.57	0.47	228	265	Average																																																																																														
3	17160.00	52.66	68.20	-15.54	34.00	38.04	24.01	44.70	0.51	--	--	PEAK																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	51.34	74.00	-22.66	34.98	39.04	19.42	42.57	0.47	224	48	PEAK																																																																																														
2	11440.00	41.65	54.00	-12.35	25.29	39.04	19.42	42.57	0.47	224	48	Average																																																																																														
3	17160.00	53.13	68.20	-15.07	35.27	38.04	24.01	44.70	0.51	--	--	PEAK																																																																																														




Mode	42	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL







	43																																																													
Mode	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.12</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>43.58</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>150</td><td>300 PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>53.61</td><td>68.20</td><td>-14.59</td><td>45.48</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>150</td><td>300 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.12	51.71	74.00	-22.29	43.58	32.80	13.33	38.00	0.00	150	300 PEAK	2	5469.20	53.61	68.20	-14.59	45.48	32.80	13.34	38.01	0.00	150	300 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>106.33</td><td>-----</td><td>-----</td><td>98.18</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>150</td><td>300 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	106.33	-----	-----	98.18	32.80	13.38	38.03	0.00	150	300 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5459.12	51.71	74.00	-22.29	43.58	32.80	13.33	38.00	0.00	150	300 PEAK																																																			
2	5469.20	53.61	68.20	-14.59	45.48	32.80	13.34	38.01	0.00	150	300 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5510.00	106.33	-----	-----	98.18	32.80	13.38	38.03	0.00	150	300 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.00</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>35.36</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>150</td><td>300 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.00	43.39	54.00	-10.61	35.36	32.75	13.22	37.94	0.00	150	300 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>99.50</td><td>-----</td><td>-----</td><td>91.35</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>150</td><td>300 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	99.50	-----	-----	91.35	32.80	13.38	38.03	0.00	150	300 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.00	43.39	54.00	-10.61	35.36	32.75	13.22	37.94	0.00	150	300 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5510.00	99.50	-----	-----	91.35	32.80	13.38	38.03	0.00	150	300 AVERAGE																																																			




Mode	43	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5747.41 48.05 68.20 -20.15 38.74 33.59 13.69 37.97 0.00 150 300 PEAK	Blank





	43																																																													
Mode	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																													
ANT	1+2																																																													
Pol.	Vertical	Fundamental																																																												
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.52</td><td>59.11</td><td>74.00</td><td>-14.89</td><td>50.98</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100</td><td>229 PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>64.41</td><td>68.20</td><td>-3.79</td><td>56.28</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>100</td><td>229 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.52	59.11	74.00	-14.89	50.98	32.80	13.33	38.00	0.00	100	229 PEAK	2	5467.60	64.41	68.20	-3.79	56.28	32.80	13.34	38.01	0.00	100	229 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>116.09</td><td>-----</td><td>-----</td><td>107.94</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>100</td><td>229 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	116.09	-----	-----	107.94	32.80	13.38	38.03	0.00	100	229 PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5457.52	59.11	74.00	-14.89	50.98	32.80	13.33	38.00	0.00	100	229 PEAK																																																			
2	5467.60	64.41	68.20	-3.79	56.28	32.80	13.34	38.01	0.00	100	229 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5510.00	116.09	-----	-----	107.94	32.80	13.38	38.03	0.00	100	229 PEAK																																																			
Avg.	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.16</td><td>50.33</td><td>54.00</td><td>-3.67</td><td>42.20</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100</td><td>229 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.16	50.33	54.00	-3.67	42.20	32.80	13.33	38.00	0.00	100	229 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>109.32</td><td>-----</td><td>-----</td><td>101.17</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>100</td><td>229 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	109.32	-----	-----	101.17	32.80	13.38	38.03	0.00	100	229 AVERAGE												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5458.16	50.33	54.00	-3.67	42.20	32.80	13.33	38.00	0.00	100	229 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5510.00	109.32	-----	-----	101.17	32.80	13.38	38.03	0.00	100	229 AVERAGE																																																			







Mode	43	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5759.90 52.63 68.20 -15.57 43.23 33.66 13.71 37.97 0.00 100 229 PEAK	Blank







Mode	44																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>51.25</td><td>74.00</td><td>-22.75</td><td>34.93</td><td>38.80</td><td>19.13</td><td>42.10</td><td>0.49</td><td>100</td><td>248 PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>42.07</td><td>54.00</td><td>-11.93</td><td>25.75</td><td>38.80</td><td>19.13</td><td>42.10</td><td>0.49</td><td>100</td><td>248 Average</td></tr><tr><td>3</td><td>16650.00</td><td>52.89</td><td>68.20</td><td>-15.31</td><td>34.65</td><td>38.40</td><td>23.66</td><td>44.31</td><td>0.49</td><td>--</td><td>-- PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11100.00	51.25	74.00	-22.75	34.93	38.80	19.13	42.10	0.49	100	248 PEAK	2	11100.00	42.07	54.00	-11.93	25.75	38.80	19.13	42.10	0.49	100	248 Average	3	16650.00	52.89	68.20	-15.31	34.65	38.40	23.66	44.31	0.49	--	-- PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>51.36</td><td>74.00</td><td>-22.64</td><td>35.04</td><td>38.80</td><td>19.13</td><td>42.10</td><td>0.49</td><td>100</td><td>155 PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>42.99</td><td>54.00</td><td>-11.01</td><td>26.67</td><td>38.80</td><td>19.13</td><td>42.10</td><td>0.49</td><td>100</td><td>155 Average</td></tr><tr><td>3</td><td>16650.00</td><td>53.38</td><td>68.20</td><td>-14.82</td><td>35.14</td><td>38.40</td><td>23.66</td><td>44.31</td><td>0.49</td><td>--</td><td>-- PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11100.00	51.36	74.00	-22.64	35.04	38.80	19.13	42.10	0.49	100	155 PEAK	2	11100.00	42.99	54.00	-11.01	26.67	38.80	19.13	42.10	0.49	100	155 Average	3	16650.00	53.38	68.20	-14.82	35.14	38.40	23.66	44.31	0.49	--	-- PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11100.00	51.25	74.00	-22.75	34.93	38.80	19.13	42.10	0.49	100	248 PEAK																																																																																								
2	11100.00	42.07	54.00	-11.93	25.75	38.80	19.13	42.10	0.49	100	248 Average																																																																																								
3	16650.00	52.89	68.20	-15.31	34.65	38.40	23.66	44.31	0.49	--	-- PEAK																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	11100.00	51.36	74.00	-22.64	35.04	38.80	19.13	42.10	0.49	100	155 PEAK																																																																																								
2	11100.00	42.99	54.00	-11.01	26.67	38.80	19.13	42.10	0.49	100	155 Average																																																																																								
3	16650.00	53.38	68.20	-14.82	35.14	38.40	23.66	44.31	0.49	--	-- PEAK																																																																																								




Mode	44	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	45																																																								
	Band Edge - L																																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																								
ANT	1+2																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.24</td><td>48.43</td><td>74.00</td><td>-25.57</td><td>40.40</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>115 301 PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>47.01</td><td>68.20</td><td>-21.19</td><td>38.88</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>115 301 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.24	48.43	74.00	-25.57	40.40	32.75	13.22	37.94	0.00	115 301 PEAK	2	5469.04	47.01	68.20	-21.19	38.88	32.80	13.34	38.01	0.00	115 301 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>107.23</td><td>-----</td><td>-----</td><td>98.40</td><td>33.24</td><td>13.58</td><td>37.99</td><td>0.00</td><td>115 301 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.23	-----	-----	98.40	33.24	13.58	37.99	0.00	115 301 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5376.24	48.43	74.00	-25.57	40.40	32.75	13.22	37.94	0.00	115 301 PEAK																																															
2	5469.04	47.01	68.20	-21.19	38.88	32.80	13.34	38.01	0.00	115 301 PEAK																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5670.00	107.23	-----	-----	98.40	33.24	13.58	37.99	0.00	115 301 PEAK																																															
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.92</td><td>42.28</td><td>54.00</td><td>-11.72</td><td>34.25</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>115 301 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.92	42.28	54.00	-11.72	34.25	32.75	13.22	37.94	0.00	115 301 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>99.44</td><td>-----</td><td>-----</td><td>90.49</td><td>33.34</td><td>13.60</td><td>37.99</td><td>0.00</td><td>115 301 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.44	-----	-----	90.49	33.34	13.60	37.99	0.00	115 301 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5375.92	42.28	54.00	-11.72	34.25	32.75	13.22	37.94	0.00	115 301 AVERAGE																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5670.00	99.44	-----	-----	90.49	33.34	13.60	37.99	0.00	115 301 AVERAGE																																															




Mode	45	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 5725.20 54.60 68.20 -13.60 45.37 33.55 13.66 37.98 0.00 115 301 PEAK	Blank







		45																																																																					
Mode	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																						
ANT	1+2																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5376.24</td><td>54.31</td><td>74.00</td><td>-19.69</td><td>46.28</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>106</td><td>131 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>52.46</td><td>68.20</td><td>-15.74</td><td>44.33</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>106</td><td>131 PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.24	54.31	74.00	-19.69	46.28	32.75	13.22	37.94	0.00	106	131 PEAK	2	5469.68	52.46	68.20	-15.74	44.33	32.80	13.34	38.01	0.00	106	131 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>114.74</td><td>-----</td><td>-----</td><td>105.96</td><td>33.20</td><td>13.57</td><td>37.99</td><td>0.00</td><td>106</td><td>131 PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	114.74	-----	-----	105.96	33.20	13.57	37.99	0.00	106
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5376.24	54.31	74.00	-19.69	46.28	32.75	13.22	37.94	0.00	106	131 PEAK																																																												
2	5469.68	52.46	68.20	-15.74	44.33	32.80	13.34	38.01	0.00	106	131 PEAK																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5670.00	114.74	-----	-----	105.96	33.20	13.57	37.99	0.00	106	131 PEAK																																																												
Avg.																																																																							
	Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5375.92</td><td>48.50</td><td>54.00</td><td>-5.50</td><td>40.47</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>106</td><td>131 AVERAGE</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5375.92	48.50	54.00	-5.50	40.47	32.75	13.22	37.94	0.00	106	131 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>108.63</td><td>-----</td><td>-----</td><td>99.68</td><td>33.34</td><td>13.60</td><td>37.99</td><td>0.00</td><td>106</td><td>131 AVERAGE</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	108.63	-----	-----	99.68	33.34	13.60	37.99	0.00	106	131 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5375.92	48.50	54.00	-5.50	40.47	32.75	13.22	37.94	0.00	106	131 AVERAGE																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5670.00	108.63	-----	-----	99.68	33.34	13.60	37.99	0.00	106	131 AVERAGE																																																												




Mode	45	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dB dB dB dB cm deg 1 5728.62 61.06 68.20 -7.14 51.82 33.56 13.66 37.98 0.00 106 131 PEAK	Blank



Mode	46																																																								
	Band Edge - L																																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH142_5710MHz																																																								
ANT	1+2																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>50.34</td><td>74.00</td><td>-23.66</td><td>42.31</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>115 302 PEAK</td></tr><tr><td>2</td><td>5467.78</td><td>46.99</td><td>68.20</td><td>-21.21</td><td>38.06</td><td>32.00</td><td>13.34</td><td>38.01</td><td>0.00</td><td>115 302 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.13	50.34	74.00	-23.66	42.31	32.75	13.22	37.94	0.00	115 302 PEAK	2	5467.78	46.99	68.20	-21.21	38.06	32.00	13.34	38.01	0.00	115 302 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5710.00</td><td>107.66</td><td>-----</td><td>-----</td><td>98.45</td><td>33.54</td><td>13.65</td><td>37.98</td><td>0.00</td><td>115 302 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5710.00	107.66	-----	-----	98.45	33.54	13.65	37.98	0.00	115 302 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5376.13	50.34	74.00	-23.66	42.31	32.75	13.22	37.94	0.00	115 302 PEAK																																															
2	5467.78	46.99	68.20	-21.21	38.06	32.00	13.34	38.01	0.00	115 302 PEAK																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5710.00	107.66	-----	-----	98.45	33.54	13.65	37.98	0.00	115 302 PEAK																																															
Avg.	 Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>44.37</td><td>54.00</td><td>-9.63</td><td>36.34</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>115 302 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.13	44.37	54.00	-9.63	36.34	32.75	13.22	37.94	0.00	115 302 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5710.00</td><td>100.18</td><td>-----</td><td>-----</td><td>91.00</td><td>33.52</td><td>13.64</td><td>37.98</td><td>0.00</td><td>115 302 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5710.00	100.18	-----	-----	91.00	33.52	13.64	37.98	0.00	115 302 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5376.13	44.37	54.00	-9.63	36.34	32.75	13.22	37.94	0.00	115 302 AVERAGE																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5710.00	100.18	-----	-----	91.00	33.52	13.64	37.98	0.00	115 302 AVERAGE																																															




Mode	46	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT40_CH142_5710MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5856.25 49.19 68.20 -19.01 39.25 34.03 13.85 37.94 0.00 115 302 PEAK	Blank







		46																																																							
Mode	Band Edge - L																																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH142_5710MHz																																																								
ANT	1+2																																																								
Pol.	Vertical	Fundamental																																																							
Peak	Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>56.23</td><td>74.00</td><td>-17.77</td><td>48.20</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>105 130 PEAK</td></tr><tr><td>2</td><td>5467.39</td><td>51.19</td><td>68.20</td><td>-17.01</td><td>43.06</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>105 130 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.13	56.23	74.00	-17.77	48.20	32.75	13.22	37.94	0.00	105 130 PEAK	2	5467.39	51.19	68.20	-17.01	43.06	32.80	13.34	38.01	0.00	105 130 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5710.00</td><td>115.90</td><td>-----</td><td>-----</td><td>106.74</td><td>33.51</td><td>13.63</td><td>37.98</td><td>0.00</td><td>105 130 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5710.00	115.90	-----	-----	106.74	33.51	13.63	37.98	0.00	105 130 PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5376.13	56.23	74.00	-17.77	48.20	32.75	13.22	37.94	0.00	105 130 PEAK																																															
2	5467.39	51.19	68.20	-17.01	43.06	32.80	13.34	38.01	0.00	105 130 PEAK																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5710.00	115.90	-----	-----	106.74	33.51	13.63	37.98	0.00	105 130 PEAK																																															
Avg.	Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>51.37</td><td>54.00</td><td>-2.63</td><td>43.34</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>105 130 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.13	51.37	54.00	-2.63	43.34	32.75	13.22	37.94	0.00	105 130 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5710.00</td><td>108.63</td><td>-----</td><td>-----</td><td>99.47</td><td>33.51</td><td>13.63</td><td>37.98</td><td>0.00</td><td>105 130 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5710.00	108.63	-----	-----	99.47	33.51	13.63	37.98	0.00	105 130 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5376.13	51.37	54.00	-2.63	43.34	32.75	13.22	37.94	0.00	105 130 AVERAGE																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5710.00	108.63	-----	-----	99.47	33.51	13.63	37.98	0.00	105 130 AVERAGE																																															




Mode	46	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11n HT40_CH142_5710MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5872.75 53.20 68.20 -15.00 43.17 34.09 13.88 37.94 0.00 105 130 PEAK	Blank







		47																																																																				
Mode	Band Edge - L																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																					
ANT	1+2																																																																					
Pol.	Horizontal						Fundamental																																																															
Peak																																																																						
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.12</td><td>50.63</td><td>74.00</td><td>-23.37</td><td>42.50</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100</td><td>310 PEAK</td></tr><tr><td>2</td><td>5468.24</td><td>56.50</td><td>68.20</td><td>-11.70</td><td>48.37</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>100</td><td>310 PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.12	50.63	74.00	-23.37	42.50	32.80	13.33	38.00	0.00	100	310 PEAK	2	5468.24	56.50	68.20	-11.70	48.37	32.80	13.34	38.01	0.00	100	310 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>105.80</td><td>-----</td><td>-----</td><td>97.65</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>100</td><td>310 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	105.80	-----	-----	97.65	32.80	13.38	38.03	0.00	100
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5459.12	50.63	74.00	-23.37	42.50	32.80	13.33	38.00	0.00	100	310 PEAK																																																											
2	5468.24	56.50	68.20	-11.70	48.37	32.80	13.34	38.01	0.00	100	310 PEAK																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5510.00	105.80	-----	-----	97.65	32.80	13.38	38.03	0.00	100	310 PEAK																																																											
Avg.																																																																						
	Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.12</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>34.12</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100</td><td>310 AVERAGE</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.12	42.25	54.00	-11.75	34.12	32.80	13.33	38.00	0.00	100	310 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>97.42</td><td>-----</td><td>-----</td><td>89.27</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>100</td><td>310 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	97.42	-----	-----	89.27	32.80	13.38	38.03	0.00	100	310 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5459.12	42.25	54.00	-11.75	34.12	32.80	13.33	38.00	0.00	100	310 AVERAGE																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5510.00	97.42	-----	-----	89.27	32.80	13.38	38.03	0.00	100	310 AVERAGE																																																											




Mode	47	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(U-NII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5735.93 48.76 68.20 -19.44 39.49 33.57 13.67 37.97 0.00 100 310 PEAK	Blank





		47																																																																					
Mode	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																						
ANT	1+2																																																																						
Pol.	Vertical						Fundamental																																																																
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.80</td><td>59.80</td><td>74.00</td><td>-14.20</td><td>51.67</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr><tr><td>2</td><td>5468.40</td><td>63.11</td><td>68.20</td><td>-5.09</td><td>54.98</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.80	59.80	74.00	-14.20	51.67	32.80	13.33	38.00	0.00	100	228 PEAK	2	5468.40	63.11	68.20	-5.09	54.98	32.80	13.34	38.01	0.00	100	228 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>115.68</td><td>-----</td><td>-----</td><td>107.53</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	115.68	-----	-----	107.53	32.80	13.38	38.03	0.00	100	228 PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5458.80	59.80	74.00	-14.20	51.67	32.80	13.33	38.00	0.00	100	228 PEAK																																																												
2	5468.40	63.11	68.20	-5.09	54.98	32.80	13.34	38.01	0.00	100	228 PEAK																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5510.00	115.68	-----	-----	107.53	32.80	13.38	38.03	0.00	100	228 PEAK																																																												
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>51.29</td><td>54.00</td><td>-2.71</td><td>43.16</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100</td><td>228 AVERAGE</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	51.29	54.00	-2.71	43.16	32.80	13.33	38.00	0.00	100	228 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>108.68</td><td>-----</td><td>-----</td><td>100.52</td><td>32.80</td><td>13.39</td><td>38.03</td><td>0.00</td><td>100</td><td>228 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	108.68	-----	-----	100.52	32.80	13.39	38.03	0.00	100	228 AVERAGE												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5459.92	51.29	54.00	-2.71	43.16	32.80	13.33	38.00	0.00	100	228 AVERAGE																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5510.00	108.68	-----	-----	100.52	32.80	13.39	38.03	0.00	100	228 AVERAGE																																																												







Mode	47	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5759.65 52.75 68.20 -15.45 43.35 33.66 13.71 37.97 0.00 100 228 PEAK	Blank







Mode	47																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11020.00</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>34.73</td><td>38.74</td><td>19.07</td><td>41.99</td><td>0.49</td><td>100</td><td>202</td><td>PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>43.43</td><td>54.00</td><td>-10.57</td><td>27.12</td><td>38.74</td><td>19.07</td><td>41.99</td><td>0.49</td><td>100</td><td>202</td><td>Average</td></tr><tr><td>3</td><td>16530.00</td><td>53.50</td><td>68.20</td><td>-14.70</td><td>35.26</td><td>38.42</td><td>23.57</td><td>44.23</td><td>0.48</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11020.00	51.04	74.00	-22.96	34.73	38.74	19.07	41.99	0.49	100	202	PEAK	2	11020.00	43.43	54.00	-10.57	27.12	38.74	19.07	41.99	0.49	100	202	Average	3	16530.00	53.50	68.20	-14.70	35.26	38.42	23.57	44.23	0.48	--	--	PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11020.00</td><td>51.78</td><td>74.00</td><td>-22.22</td><td>35.47</td><td>38.74</td><td>19.07</td><td>41.99</td><td>0.49</td><td>100</td><td>154</td><td>PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>43.70</td><td>54.00</td><td>-10.30</td><td>27.39</td><td>38.74</td><td>19.07</td><td>41.99</td><td>0.49</td><td>100</td><td>154</td><td>Average</td></tr><tr><td>3</td><td>16530.00</td><td>53.83</td><td>68.20</td><td>-14.37</td><td>35.59</td><td>38.42</td><td>23.57</td><td>44.23</td><td>0.48</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11020.00	51.78	74.00	-22.22	35.47	38.74	19.07	41.99	0.49	100	154	PEAK	2	11020.00	43.70	54.00	-10.30	27.39	38.74	19.07	41.99	0.49	100	154	Average	3	16530.00	53.83	68.20	-14.37	35.59	38.42	23.57	44.23	0.48	--	--	PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11020.00	51.04	74.00	-22.96	34.73	38.74	19.07	41.99	0.49	100	202	PEAK																																																																																														
2	11020.00	43.43	54.00	-10.57	27.12	38.74	19.07	41.99	0.49	100	202	Average																																																																																														
3	16530.00	53.50	68.20	-14.70	35.26	38.42	23.57	44.23	0.48	--	--	PEAK																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11020.00	51.78	74.00	-22.22	35.47	38.74	19.07	41.99	0.49	100	154	PEAK																																																																																														
2	11020.00	43.70	54.00	-10.30	27.39	38.74	19.07	41.99	0.49	100	154	Average																																																																																														
3	16530.00	53.83	68.20	-14.37	35.59	38.42	23.57	44.23	0.48	--	--	PEAK																																																																																														




Mode	47	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
17.7G ~18G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







	48																																																													
Mode	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.20</td><td>48.85</td><td>74.00</td><td>-25.15</td><td>40.82</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>115</td><td>301 PEAK</td></tr><tr><td>2</td><td>5462.00</td><td>48.99</td><td>68.20</td><td>-19.21</td><td>40.86</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>115</td><td>301 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.20	48.85	74.00	-25.15	40.82	32.75	13.22	37.94	0.00	115	301 PEAK	2	5462.00	48.99	68.20	-19.21	40.86	32.80	13.33	38.00	0.00	115	301 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>109.24</td><td>-----</td><td>-----</td><td>101.01</td><td>32.81</td><td>13.44</td><td>38.02</td><td>0.00</td><td>115</td><td>301 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	109.24	-----	-----	101.01	32.81	13.44	38.02	0.00	115	301 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.20	48.85	74.00	-25.15	40.82	32.75	13.22	37.94	0.00	115	301 PEAK																																																			
2	5462.00	48.99	68.20	-19.21	40.86	32.80	13.33	38.00	0.00	115	301 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5550.00	109.24	-----	-----	101.01	32.81	13.44	38.02	0.00	115	301 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.00</td><td>44.30</td><td>54.00</td><td>-9.70</td><td>36.27</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>115</td><td>301 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.00	44.30	54.00	-9.70	36.27	32.75	13.22	37.94	0.00	115	301 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>99.69</td><td>-----</td><td>-----</td><td>91.45</td><td>32.82</td><td>13.44</td><td>38.02</td><td>0.00</td><td>115</td><td>301 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	99.69	-----	-----	91.45	32.82	13.44	38.02	0.00	115	301 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.00	44.30	54.00	-9.70	36.27	32.75	13.22	37.94	0.00	115	301 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5550.00	99.69	-----	-----	91.45	32.82	13.44	38.02	0.00	115	301 AVERAGE																																																			




Mode	48	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5760.06 48.21 68.20 -19.99 38.81 33.66 13.71 37.97 0.00 115 301 PEAK	Blank





Mode	48	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg 1 5375.00 56.30 74.00 -17.70 48.27 32.75 13.22 37.94 0.00 100 129 PEAK 2 5464.40 53.49 68.20 -14.71 45.36 32.00 13.33 38.00 0.00 100 129 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg 1 5550.00 114.92 ----- 106.72 32.80 13.42 38.02 0.00 100 129 PEAK
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg 1 5376.00 50.72 54.00 -3.28 42.69 32.75 13.22 37.94 0.00 100 129 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg 1 5550.00 108.71 ----- 100.51 32.80 13.42 38.02 0.00 100 129 AVERAGE



Mode	48	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5759.84 54.10 68.20 -14.10 44.70 33.66 13.71 37.97 0.00 100 129 PEAK	Blank







Mode	48																																																										
	Harmonic																																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																										
ANT	1+2																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg.																																																											
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																				
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>34.90</td><td>38.80</td><td>19.13</td><td>42.10</td><td>0.49</td><td>100</td><td>247 PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>42.56</td><td>54.00</td><td>-11.44</td><td>26.24</td><td>38.80</td><td>19.13</td><td>42.10</td><td>0.49</td><td>100</td><td>247 Average</td></tr><tr><td>3</td><td>16650.00</td><td>53.30</td><td>68.20</td><td>-14.90</td><td>35.06</td><td>38.40</td><td>23.66</td><td>44.31</td><td>0.49</td><td>--</td><td>-- PEAK</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11100.00	51.22	74.00	-22.78	34.90	38.80	19.13	42.10	0.49	100	247 PEAK	2	11100.00	42.56	54.00	-11.44	26.24	38.80	19.13	42.10	0.49	100	247 Average	3	16650.00	53.30	68.20	-14.90	35.06	38.40	23.66	44.31	0.49	--	-- PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11100.00	51.22	74.00	-22.78	34.90	38.80	19.13	42.10	0.49	100	247 PEAK																																																
2	11100.00	42.56	54.00	-11.44	26.24	38.80	19.13	42.10	0.49	100	247 Average																																																
3	16650.00	53.30	68.20	-14.90	35.06	38.40	23.66	44.31	0.49	--	-- PEAK																																																




Mode	48	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	49																																																								
	Band Edge - L																																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																								
ANT	1+2																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5413.04</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>38.92</td><td>32.73</td><td>13.27</td><td>37.97</td><td>0.00</td><td>130 301 PEAK</td></tr><tr><td>2</td><td>5463.60</td><td>46.85</td><td>68.20</td><td>-21.35</td><td>38.72</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>130 301 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5413.04	46.95	74.00	-27.05	38.92	32.73	13.27	37.97	0.00	130 301 PEAK	2	5463.60	46.85	68.20	-21.35	38.72	32.80	13.33	38.00	0.00	130 301 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>106.62</td><td>-----</td><td>-----</td><td>97.79</td><td>33.24</td><td>13.58</td><td>37.99</td><td>0.00</td><td>130 301 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.62	-----	-----	97.79	33.24	13.58	37.99	0.00	130 301 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5413.04	46.95	74.00	-27.05	38.92	32.73	13.27	37.97	0.00	130 301 PEAK																																															
2	5463.60	46.85	68.20	-21.35	38.72	32.80	13.33	38.00	0.00	130 301 PEAK																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5670.00	106.62	-----	-----	97.79	33.24	13.58	37.99	0.00	130 301 PEAK																																															
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.92</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>33.99</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>130 301 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.92	42.02	54.00	-11.98	33.99	32.75	13.22	37.94	0.00	130 301 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>98.73</td><td>-----</td><td>-----</td><td>89.84</td><td>33.29</td><td>13.59</td><td>37.99</td><td>0.00</td><td>130 301 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.73	-----	-----	89.84	33.29	13.59	37.99	0.00	130 301 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5375.92	42.02	54.00	-11.98	33.99	32.75	13.22	37.94	0.00	130 301 AVERAGE																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5670.00	98.73	-----	-----	89.84	33.29	13.59	37.99	0.00	130 301 AVERAGE																																															




Mode	49	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5728.71 52.63 68.20 -15.57 43.39 33.56 13.66 37.98 0.00 130 301 PEAK	Blank





	49																																																													
Mode	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																													
ANT	1+2																																																													
Pol.	Vertical	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.32</td><td>49.72</td><td>74.00</td><td>-24.28</td><td>41.61</td><td>32.79</td><td>13.31</td><td>37.99</td><td>0.00</td><td>100</td><td>238 PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>50.96</td><td>68.20</td><td>-17.24</td><td>42.83</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>100</td><td>238 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5446.32	49.72	74.00	-24.28	41.61	32.79	13.31	37.99	0.00	100	238 PEAK	2	5467.12	50.96	68.20	-17.24	42.83	32.80	13.34	38.01	0.00	100	238 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>116.14</td><td>-----</td><td>-----</td><td>107.25</td><td>33.29</td><td>13.59</td><td>37.99</td><td>0.00</td><td>100</td><td>238 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	116.14	-----	-----	107.25	33.29	13.59	37.99	0.00	100	238 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5446.32	49.72	74.00	-24.28	41.61	32.79	13.31	37.99	0.00	100	238 PEAK																																																			
2	5467.12	50.96	68.20	-17.24	42.83	32.80	13.34	38.01	0.00	100	238 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5670.00	116.14	-----	-----	107.25	33.29	13.59	37.99	0.00	100	238 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.92</td><td>42.15</td><td>54.00</td><td>-11.85</td><td>34.12</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>238 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5375.92	42.15	54.00	-11.85	34.12	32.75	13.22	37.94	0.00	100	238 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>107.60</td><td>-----</td><td>-----</td><td>98.71</td><td>33.29</td><td>13.59</td><td>37.99</td><td>0.00</td><td>100</td><td>238 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	107.60	-----	-----	98.71	33.29	13.59	37.99	0.00	100	238 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5375.92	42.15	54.00	-11.85	34.12	32.75	13.22	37.94	0.00	100	238 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5670.00	107.60	-----	-----	98.71	33.29	13.59	37.99	0.00	100	238 AVERAGE																																																			







Mode	49	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5727.76 66.67 68.20 -1.53 57.43 33.56 13.66 37.98 0.00 100 230 PEAK	Blank







Mode	49																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																																		
ANT	1+2																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg.																																																																																																																			
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																																																																												
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11340.00</td><td>51.46</td><td>74.00</td><td>-22.54</td><td>34.89</td><td>39.18</td><td>19.34</td><td>42.43</td><td>0.48</td><td>250</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>42.79</td><td>54.00</td><td>-11.21</td><td>26.22</td><td>39.18</td><td>19.34</td><td>42.43</td><td>0.48</td><td>250</td><td>181</td><td>Average</td></tr><tr><td>3</td><td>17010.00</td><td>53.12</td><td>68.20</td><td>-15.08</td><td>35.22</td><td>38.04</td><td>23.91</td><td>44.56</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11340.00	51.46	74.00	-22.54	34.89	39.18	19.34	42.43	0.48	250	181	PEAK	2	11340.00	42.79	54.00	-11.21	26.22	39.18	19.34	42.43	0.48	250	181	Average	3	17010.00	53.12	68.20	-15.08	35.22	38.04	23.91	44.56	0.51	--	--	PEAK	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11340.00</td><td>51.46</td><td>74.00</td><td>-22.54</td><td>34.89</td><td>39.18</td><td>19.34</td><td>42.43</td><td>0.48</td><td>100</td><td>222</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>26.19</td><td>39.18</td><td>19.34</td><td>42.43</td><td>0.48</td><td>100</td><td>222</td><td>Average</td></tr><tr><td>3</td><td>17010.00</td><td>52.78</td><td>68.20</td><td>-15.42</td><td>34.88</td><td>38.04</td><td>23.91</td><td>44.56</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11340.00	51.46	74.00	-22.54	34.89	39.18	19.34	42.43	0.48	100	222	PEAK	2	11340.00	42.76	54.00	-11.24	26.19	39.18	19.34	42.43	0.48	100	222	Average	3	17010.00	52.78	68.20	-15.42	34.88	38.04	23.91	44.56	0.51	--	--	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	11340.00	51.46	74.00	-22.54	34.89	39.18	19.34	42.43	0.48	250	181	PEAK																																																																																																							
2	11340.00	42.79	54.00	-11.21	26.22	39.18	19.34	42.43	0.48	250	181	Average																																																																																																							
3	17010.00	53.12	68.20	-15.08	35.22	38.04	23.91	44.56	0.51	--	--	PEAK																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	11340.00	51.46	74.00	-22.54	34.89	39.18	19.34	42.43	0.48	100	222	PEAK																																																																																																							
2	11340.00	42.76	54.00	-11.24	26.19	39.18	19.34	42.43	0.48	100	222	Average																																																																																																							
3	17010.00	52.78	68.20	-15.42	34.88	38.04	23.91	44.56	0.51	--	--	PEAK																																																																																																							




Mode	49	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
17.7G ~18G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL







Mode	50																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>47.14</td><td>74.00</td><td>-26.86</td><td>39.11</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>133</td><td>70 PEAK</td></tr><tr><td>2</td><td>5468.95</td><td>47.19</td><td>68.20</td><td>-21.01</td><td>39.06</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>133</td><td>70 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	47.14	74.00	-26.86	39.11	32.75	13.22	37.94	0.00	133	70 PEAK	2	5468.95	47.19	68.20	-21.01	39.06	32.80	13.34	38.01	0.00	133	70 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5710.00</td><td>103.38</td><td>-----</td><td>-----</td><td>94.22</td><td>33.51</td><td>13.63</td><td>37.98</td><td>0.00</td><td>133</td><td>70 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5710.00	103.38	-----	-----	94.22	33.51	13.63	37.98	0.00	133	70 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	47.14	74.00	-26.86	39.11	32.75	13.22	37.94	0.00	133	70 PEAK																																																			
2	5468.95	47.19	68.20	-21.01	39.06	32.80	13.34	38.01	0.00	133	70 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5710.00	103.38	-----	-----	94.22	33.51	13.63	37.98	0.00	133	70 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>38.98</td><td>54.00</td><td>-15.02</td><td>30.95</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>133</td><td>70 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	38.98	54.00	-15.02	30.95	32.75	13.22	37.94	0.00	133	70 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5710.00</td><td>96.46</td><td>-----</td><td>-----</td><td>87.30</td><td>33.51</td><td>13.63</td><td>37.98</td><td>0.00</td><td>133</td><td>70 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5710.00	96.46	-----	-----	87.30	33.51	13.63	37.98	0.00	133	70 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	38.98	54.00	-15.02	30.95	32.75	13.22	37.94	0.00	133	70 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5710.00	96.46	-----	-----	87.30	33.51	13.63	37.98	0.00	133	70 AVERAGE																																																			




Mode	50	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5947.00 49.05 68.20 -19.15 38.68 34.29 14.00 37.92 0.00 133 70 PEAK	Blank





Mode	50																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																													
ANT	1+2																																																													
Pol.	Vertical	Fundamental																																																												
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>44.34</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>104</td><td>130 PEAK</td></tr><tr><td>2</td><td>5467.00</td><td>49.48</td><td>68.20</td><td>-18.72</td><td>41.35</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>104</td><td>130 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	52.37	74.00	-21.63	44.34	32.75	13.22	37.94	0.00	104	130 PEAK	2	5467.00	49.48	68.20	-18.72	41.35	32.80	13.34	38.01	0.00	104	130 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5710.00</td><td>116.95</td><td>-----</td><td>-----</td><td>107.79</td><td>33.51</td><td>13.63</td><td>37.98</td><td>0.00</td><td>104</td><td>130 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5710.00	116.95	-----	-----	107.79	33.51	13.63	37.98	0.00	104	130 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	52.37	74.00	-21.63	44.34	32.75	13.22	37.94	0.00	104	130 PEAK																																																			
2	5467.00	49.48	68.20	-18.72	41.35	32.80	13.34	38.01	0.00	104	130 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5710.00	116.95	-----	-----	107.79	33.51	13.63	37.98	0.00	104	130 PEAK																																																			
Avg.	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>49.60</td><td>54.00</td><td>-4.40</td><td>41.57</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>104</td><td>130 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	49.60	54.00	-4.40	41.57	32.75	13.22	37.94	0.00	104	130 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5710.00</td><td>109.07</td><td>-----</td><td>-----</td><td>99.91</td><td>33.51</td><td>13.63</td><td>37.98</td><td>0.00</td><td>104</td><td>130 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5710.00	109.07	-----	-----	99.91	33.51	13.63	37.98	0.00	104	130 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	49.60	54.00	-4.40	41.57	32.75	13.22	37.94	0.00	104	130 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5710.00	109.07	-----	-----	99.91	33.51	13.63	37.98	0.00	104	130 AVERAGE																																																			







Mode	50	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5881.00 52.23 68.20 -15.97 42.16 34.12 13.89 37.94 0.00 104 130 PEAK	Blank







Mode	50																																																										
	Harmonic																																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																										
ANT	1+2																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg.																																																											
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																				
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11420.00</td><td>52.24</td><td>74.00</td><td>-21.76</td><td>35.79</td><td>39.12</td><td>19.40</td><td>42.54</td><td>0.47</td><td>100</td><td>175 PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>41.93</td><td>54.00</td><td>-12.07</td><td>25.48</td><td>39.12</td><td>19.40</td><td>42.54</td><td>0.47</td><td>100</td><td>175 Average</td></tr><tr><td>3</td><td>17130.00</td><td>52.84</td><td>68.20</td><td>-15.36</td><td>35.01</td><td>38.00</td><td>23.99</td><td>44.67</td><td>0.51</td><td>--</td><td>-- PEAK</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11420.00	52.24	74.00	-21.76	35.79	39.12	19.40	42.54	0.47	100	175 PEAK	2	11420.00	41.93	54.00	-12.07	25.48	39.12	19.40	42.54	0.47	100	175 Average	3	17130.00	52.84	68.20	-15.36	35.01	38.00	23.99	44.67	0.51	--	-- PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11420.00	52.24	74.00	-21.76	35.79	39.12	19.40	42.54	0.47	100	175 PEAK																																																
2	11420.00	41.93	54.00	-12.07	25.48	39.12	19.40	42.54	0.47	100	175 Average																																																
3	17130.00	52.84	68.20	-15.36	35.01	38.00	23.99	44.67	0.51	--	-- PEAK																																																




Mode	50	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







	51																																																								
Mode	Band Edge - L																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																								
ANT	1+2																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.22</td><td>54.85</td><td>74.00</td><td>-19.15</td><td>46.73</td><td>32.80</td><td>13.32</td><td>38.00</td><td>0.00</td><td>100 73 PEAK</td></tr><tr><td>2</td><td>5467.90</td><td>52.17</td><td>68.20</td><td>-16.03</td><td>44.04</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>100 73 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.22	54.85	74.00	-19.15	46.73	32.80	13.32	38.00	0.00	100 73 PEAK	2	5467.90	52.17	68.20	-16.03	44.04	32.80	13.34	38.01	0.00	100 73 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.96</td><td>-----</td><td>-----</td><td>94.80</td><td>32.80</td><td>13.39</td><td>38.03</td><td>0.00</td><td>100 73 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.96	-----	-----	94.80	32.80	13.39	38.03	0.00	100 73 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5454.22	54.85	74.00	-19.15	46.73	32.80	13.32	38.00	0.00	100 73 PEAK																																															
2	5467.90	52.17	68.20	-16.03	44.04	32.80	13.34	38.01	0.00	100 73 PEAK																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5530.00	102.96	-----	-----	94.80	32.80	13.39	38.03	0.00	100 73 PEAK																																															
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.44</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>35.00</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100 73 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	43.13	54.00	-10.87	35.00	32.80	13.33	38.00	0.00	100 73 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>95.40</td><td>-----</td><td>-----</td><td>87.24</td><td>32.80</td><td>13.39</td><td>38.03</td><td>0.00</td><td>100 73 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.40	-----	-----	87.24	32.80	13.39	38.03	0.00	100 73 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5459.44	43.13	54.00	-10.87	35.00	32.80	13.33	38.00	0.00	100 73 AVERAGE																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5530.00	95.40	-----	-----	87.24	32.80	13.39	38.03	0.00	100 73 AVERAGE																																															




Mode	51	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5759.60 47.91 68.20 -20.29 38.51 33.66 13.71 37.97 0.00 100 73 PEAK	Blank







		51																																																															
Mode	Band Edge - L																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																
ANT	1+2																																																																
Pol.	Vertical						Fundamental																																																										
Peak																																																																	
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.62</td><td>61.89</td><td>74.00</td><td>-12.11</td><td>53.76</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>150 PEAK</td></tr><tr><td>2</td><td>5469.34</td><td>62.22</td><td>68.20</td><td>-5.98</td><td>54.09</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>150 PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.62	61.89	74.00	-12.11	53.76	32.80	13.33	38.00	0.00	150 PEAK	2	5469.34	62.22	68.20	-5.98	54.09	32.80	13.34	38.01	0.00	150 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>112.78</td><td>-----</td><td>-----</td><td>104.61</td><td>32.80</td><td>13.40</td><td>38.03</td><td>0.00</td><td>150 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	112.78	-----	-----	104.61	32.80	13.40	38.03	0.00
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5459.62	61.89	74.00	-12.11	53.76	32.80	13.33	38.00	0.00	150 PEAK																																																							
2	5469.34	62.22	68.20	-5.98	54.09	32.80	13.34	38.01	0.00	150 PEAK																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5530.00	112.78	-----	-----	104.61	32.80	13.40	38.03	0.00	150 PEAK																																																							
Avg.																																																																	
	Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.80</td><td>52.16</td><td>54.00</td><td>-1.84</td><td>44.03</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>150 AVERAGE</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.80	52.16	54.00	-1.84	44.03	32.80	13.33	38.00	0.00	150 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>105.05</td><td>-----</td><td>-----</td><td>96.86</td><td>32.80</td><td>13.41</td><td>38.02</td><td>0.00</td><td>150 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	105.05	-----	-----	96.86	32.80	13.41	38.02	0.00	150 AVERAGE										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5459.80	52.16	54.00	-1.84	44.03	32.80	13.33	38.00	0.00	150 AVERAGE																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5530.00	105.05	-----	-----	96.86	32.80	13.41	38.02	0.00	150 AVERAGE																																																							




Mode	51	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5760.07 53.72 68.20 -14.48 44.32 33.66 13.71 37.97 0.00 100 150 PEAK	Blank







		52																																																																				
Mode	Band Edge - L																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																					
ANT	1+2																																																																					
Pol.	Horizontal						Fundamental																																																															
Peak																																																																						
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5430.86</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>39.05</td><td>32.76</td><td>13.30</td><td>37.98</td><td>0.00</td><td>310</td><td>309 PEAK</td></tr><tr><td>2</td><td>5463.36</td><td>46.64</td><td>68.20</td><td>-21.56</td><td>38.51</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>310</td><td>309 PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5430.86	47.13	74.00	-26.87	39.05	32.76	13.30	37.98	0.00	310	309 PEAK	2	5463.36	46.64	68.20	-21.56	38.51	32.80	13.33	38.00	0.00	310	309 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>100.81</td><td>-----</td><td>-----</td><td>92.28</td><td>33.00</td><td>13.53</td><td>38.00</td><td>0.00</td><td>310</td><td>309 PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	100.81	-----	-----	92.28	33.00	13.53	38.00	0.00	310
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5430.86	47.13	74.00	-26.87	39.05	32.76	13.30	37.98	0.00	310	309 PEAK																																																											
2	5463.36	46.64	68.20	-21.56	38.51	32.80	13.33	38.00	0.00	310	309 PEAK																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5610.00	100.81	-----	-----	92.28	33.00	13.53	38.00	0.00	310	309 PEAK																																																											
Avg.																																																																						
	Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5376.00</td><td>38.33</td><td>54.00</td><td>-15.67</td><td>30.30</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>310</td><td>309 AVERAGE</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.00	38.33	54.00	-15.67	30.30	32.75	13.22	37.94	0.00	310	309 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>93.60</td><td>-----</td><td>-----</td><td>85.07</td><td>33.00</td><td>13.53</td><td>38.00</td><td>0.00</td><td>310</td><td>309 AVERAGE</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	93.60	-----	-----	85.07	33.00	13.53	38.00	0.00	310	309 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5376.00	38.33	54.00	-15.67	30.30	32.75	13.22	37.94	0.00	310	309 AVERAGE																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5610.00	93.60	-----	-----	85.07	33.00	13.53	38.00	0.00	310	309 AVERAGE																																																											




Mode	52	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(U-NII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5730.28 53.28 68.20 -14.92 44.02 33.56 13.67 37.97 0.00 310 309 PEAK	Blank





		52																																																																				
Mode	Band Edge - L																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																					
ANT	1+2																																																																					
Pol.	Vertical						Fundamental																																																															
Peak																																																																						
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.64</td><td>56.74</td><td>74.00</td><td>-17.26</td><td>48.61</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100</td><td>8 PEAK</td></tr><tr><td>2</td><td>5466.22</td><td>54.77</td><td>68.20</td><td>-13.43</td><td>46.64</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>100</td><td>8 PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.64	56.74	74.00	-17.26	48.61	32.80	13.33	38.00	0.00	100	8 PEAK	2	5466.22	54.77	68.20	-13.43	46.64	32.80	13.34	38.01	0.00	100	8 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>113.55</td><td>-----</td><td>105.20</td><td>32.88</td><td>13.48</td><td>38.01</td><td>0.00</td><td>100</td><td>8</td><td>PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	113.55	-----	105.20	32.88	13.48	38.01	0.00	100	8
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5457.64	56.74	74.00	-17.26	48.61	32.80	13.33	38.00	0.00	100	8 PEAK																																																											
2	5466.22	54.77	68.20	-13.43	46.64	32.80	13.34	38.01	0.00	100	8 PEAK																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5610.00	113.55	-----	105.20	32.88	13.48	38.01	0.00	100	8	PEAK																																																											
Avg.																																																																						
	Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5376.00</td><td>48.97</td><td>54.00</td><td>-5.03</td><td>40.94</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>8 AVERAGE</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.00	48.97	54.00	-5.03	40.94	32.75	13.22	37.94	0.00	100	8 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>107.00</td><td>-----</td><td>98.61</td><td>32.91</td><td>13.49</td><td>38.01</td><td>0.00</td><td>100</td><td>8</td><td>AVERAGE</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	107.00	-----	98.61	32.91	13.49	38.01	0.00	100	8	AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5376.00	48.97	54.00	-5.03	40.94	32.75	13.22	37.94	0.00	100	8 AVERAGE																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5610.00	107.00	-----	98.61	32.91	13.49	38.01	0.00	100	8	AVERAGE																																																											







Mode	52	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB cm deg 1 5725.48 66.68 68.20 -1.52 57.45 33.55 13.66 37.98 0.00 100 8 PEAK	Blank







Mode	52																																																															
	Harmonic																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																															
ANT	1+2																																																															
Pol.	Horizontal						Vertical																																																									
Peak Avg.																																																																
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																									
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11220.00</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>35.60</td><td>38.98</td><td>19.23</td><td>42.26</td><td>0.48</td><td>348</td><td>154</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>42.01</td><td>54.00</td><td>-11.99</td><td>25.58</td><td>38.98</td><td>19.23</td><td>42.26</td><td>0.48</td><td>348</td><td>154</td><td>Average</td></tr><tr><td>3</td><td>16830.00</td><td>52.80</td><td>68.20</td><td>-15.40</td><td>34.65</td><td>38.30</td><td>23.78</td><td>44.43</td><td>0.50</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11220.00	52.03	74.00	-21.97	35.60	38.98	19.23	42.26	0.48	348	154	PEAK	2	11220.00	42.01	54.00	-11.99	25.58	38.98	19.23	42.26	0.48	348	154	Average	3	16830.00	52.80	68.20	-15.40	34.65	38.30	23.78	44.43	0.50	--	--	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1	11220.00	52.03	74.00	-21.97	35.60	38.98	19.23	42.26	0.48	348	154	PEAK																																																				
2	11220.00	42.01	54.00	-11.99	25.58	38.98	19.23	42.26	0.48	348	154	Average																																																				
3	16830.00	52.80	68.20	-15.40	34.65	38.30	23.78	44.43	0.50	--	--	PEAK																																																				




Mode	52	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	53																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>39.42</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>190</td><td>58 PEAK</td></tr><tr><td>2</td><td>5467.00</td><td>46.20</td><td>68.20</td><td>-22.00</td><td>38.07</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>190</td><td>58 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	47.45	74.00	-26.55	39.42	32.75	13.22	37.94	0.00	190	58 PEAK	2	5467.00	46.20	68.20	-22.00	38.07	32.80	13.34	38.01	0.00	190	58 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5690.00</td><td>102.43</td><td>-----</td><td>-----</td><td>93.31</td><td>33.48</td><td>13.62</td><td>37.98</td><td>0.00</td><td>190</td><td>58 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5690.00	102.43	-----	-----	93.31	33.48	13.62	37.98	0.00	190	58 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	47.45	74.00	-26.55	39.42	32.75	13.22	37.94	0.00	190	58 PEAK																																																			
2	5467.00	46.20	68.20	-22.00	38.07	32.80	13.34	38.01	0.00	190	58 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5690.00	102.43	-----	-----	93.31	33.48	13.62	37.98	0.00	190	58 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>40.78</td><td>54.00</td><td>-13.22</td><td>32.75</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>190</td><td>58 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	40.78	54.00	-13.22	32.75	32.75	13.22	37.94	0.00	190	58 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5690.00</td><td>94.97</td><td>-----</td><td>-----</td><td>85.85</td><td>33.48</td><td>13.62</td><td>37.98</td><td>0.00</td><td>190</td><td>58 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5690.00	94.97	-----	-----	85.85	33.48	13.62	37.98	0.00	190	58 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	40.78	54.00	-13.22	32.75	32.75	13.22	37.94	0.00	190	58 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5690.00	94.97	-----	-----	85.85	33.48	13.62	37.98	0.00	190	58 AVERAGE																																																			




Mode	53	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5851.00 55.11 68.20 -13.09 45.22 34.00 13.84 37.95 0.00 190 50 PEAK	Blank







		53																																																																			
Mode		Band Edge - L																																																																			
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																			
ANT		1+2																																																																			
Pol.		Vertical					Fundamental																																																														
Peak																																																																					
	Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.20</td><td>53.07</td><td>74.00</td><td>-20.93</td><td>44.94</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100</td><td>12 PEAK</td></tr><tr><td>2</td><td>5468.17</td><td>51.82</td><td>68.20</td><td>-16.38</td><td>43.69</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>100</td><td>12 PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.20	53.07	74.00	-20.93	44.94	32.80	13.33	38.00	0.00	100	12 PEAK	2	5468.17	51.82	68.20	-16.38	43.69	32.80	13.34	38.01	0.00	100	12 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5690.00</td><td>114.24</td><td>-----</td><td>105.17</td><td>33.44</td><td>13.61</td><td>37.98</td><td>0.00</td><td>100</td><td>12</td><td>PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5690.00	114.24	-----	105.17	33.44	13.61	37.98	0.00	100	12
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5459.20	53.07	74.00	-20.93	44.94	32.80	13.33	38.00	0.00	100	12 PEAK																																																										
2	5468.17	51.82	68.20	-16.38	43.69	32.80	13.34	38.01	0.00	100	12 PEAK																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5690.00	114.24	-----	105.17	33.44	13.61	37.98	0.00	100	12	PEAK																																																										
Avg.																																																																					
	Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5376.13</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>39.06</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>12 AVERAGE</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	47.09	54.00	-6.91	39.06	32.75	13.22	37.94	0.00	100	12 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5690.00</td><td>107.04</td><td>-----</td><td>97.88</td><td>33.51</td><td>13.63</td><td>37.98</td><td>0.00</td><td>100</td><td>12</td><td>AVERAGE</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5690.00	107.04	-----	97.88	33.51	13.63	37.98	0.00	100	12	AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5376.13	47.09	54.00	-6.91	39.06	32.75	13.22	37.94	0.00	100	12 AVERAGE																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5690.00	107.04	-----	97.88	33.51	13.63	37.98	0.00	100	12	AVERAGE																																																										




Mode	53	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5866.60 66.25 68.20 -1.95 56.25 34.07 13.87 37.94 0.00 100 12 PEAK	Blank







Mode	54																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5410.12</td><td>56.29</td><td>74.00</td><td>-17.71</td><td>48.27</td><td>32.72</td><td>13.27</td><td>37.97</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr><tr><td>2</td><td>5467.90</td><td>52.27</td><td>68.20</td><td>-15.93</td><td>44.14</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5410.12	56.29	74.00	-17.71	48.27	32.72	13.27	37.97	0.00	100	301 PEAK	2	5467.90	52.27	68.20	-15.93	44.14	32.80	13.34	38.01	0.00	100	301 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>103.47</td><td>-----</td><td>-----</td><td>95.30</td><td>32.80</td><td>13.40</td><td>38.03</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	103.47	-----	-----	95.30	32.80	13.40	38.03	0.00	100	301 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5410.12	56.29	74.00	-17.71	48.27	32.72	13.27	37.97	0.00	100	301 PEAK																																																			
2	5467.90	52.27	68.20	-15.93	44.14	32.80	13.34	38.01	0.00	100	301 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5530.00	103.47	-----	-----	95.30	32.80	13.40	38.03	0.00	100	301 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.10</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>35.79</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>301 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.10	43.82	54.00	-10.18	35.79	32.75	13.22	37.94	0.00	100	301 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>96.03</td><td>-----</td><td>-----</td><td>87.86</td><td>32.80</td><td>13.40</td><td>38.03</td><td>0.00</td><td>100</td><td>301 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	96.03	-----	-----	87.86	32.80	13.40	38.03	0.00	100	301 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.10	43.82	54.00	-10.18	35.79	32.75	13.22	37.94	0.00	100	301 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5530.00	96.03	-----	-----	87.86	32.80	13.40	38.03	0.00	100	301 AVERAGE																																																			




Mode	54	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5757.25 49.32 68.20 -18.88 39.95 33.64 13.70 37.97 0.00 100 301 PEAK	Blank





Mode	54																																																								
	Band Edge - L																																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																								
ANT	1+2																																																								
Pol.	Vertical	Fundamental																																																							
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.58</td><td>62.05</td><td>74.00</td><td>-11.95</td><td>53.93</td><td>32.80</td><td>13.32</td><td>38.00</td><td>0.00</td><td>100 7 PEAK</td></tr><tr><td>2</td><td>5468.34</td><td>64.49</td><td>68.20</td><td>-3.71</td><td>56.36</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100 7 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.58	62.05	74.00	-11.95	53.93	32.80	13.32	38.00	0.00	100 7 PEAK	2	5468.34	64.49	68.20	-3.71	56.36	32.80	13.33	38.00	0.00	100 7 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>113.81</td><td>-----</td><td>-----</td><td>105.64</td><td>32.80</td><td>13.40</td><td>38.03</td><td>0.00</td><td>100 7 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	113.81	-----	-----	105.64	32.80	13.40	38.03	0.00	100 7 PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5454.58	62.05	74.00	-11.95	53.93	32.80	13.32	38.00	0.00	100 7 PEAK																																															
2	5468.34	64.49	68.20	-3.71	56.36	32.80	13.33	38.00	0.00	100 7 PEAK																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5530.00	113.81	-----	-----	105.64	32.80	13.40	38.03	0.00	100 7 PEAK																																															
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.98</td><td>52.62</td><td>54.00</td><td>-1.38</td><td>44.49</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100 7 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	52.62	54.00	-1.38	44.49	32.80	13.33	38.00	0.00	100 7 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>105.82</td><td>-----</td><td>-----</td><td>97.62</td><td>32.80</td><td>13.42</td><td>38.02</td><td>0.00</td><td>100 7 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	105.82	-----	-----	97.62	32.80	13.42	38.02	0.00	100 7 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5459.98	52.62	54.00	-1.38	44.49	32.80	13.33	38.00	0.00	100 7 AVERAGE																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5530.00	105.82	-----	-----	97.62	32.80	13.42	38.02	0.00	100 7 AVERAGE																																															







Mode	54	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5734.69 53.27 68.20 -14.93 44.00 33.57 13.67 37.97 0.00 100 7 PEAK	Blank







Mode	54																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>51.29</td><td>74.00</td><td>-22.71</td><td>34.94</td><td>38.80</td><td>19.10</td><td>42.04</td><td>0.49</td><td>225</td><td>29 PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>42.15</td><td>54.00</td><td>-11.85</td><td>25.80</td><td>38.80</td><td>19.10</td><td>42.04</td><td>0.49</td><td>225</td><td>29 Average</td></tr><tr><td>3</td><td>16590.00</td><td>53.90</td><td>68.20</td><td>-14.30</td><td>35.85</td><td>38.22</td><td>23.61</td><td>44.27</td><td>0.49</td><td>--</td><td>-- PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11060.00	51.29	74.00	-22.71	34.94	38.80	19.10	42.04	0.49	225	29 PEAK	2	11060.00	42.15	54.00	-11.85	25.80	38.80	19.10	42.04	0.49	225	29 Average	3	16590.00	53.90	68.20	-14.30	35.85	38.22	23.61	44.27	0.49	--	-- PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>51.64</td><td>74.00</td><td>-22.36</td><td>35.29</td><td>38.80</td><td>19.10</td><td>42.04</td><td>0.49</td><td>332</td><td>58 PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>25.78</td><td>38.80</td><td>19.10</td><td>42.04</td><td>0.49</td><td>332</td><td>58 Average</td></tr><tr><td>3</td><td>16590.00</td><td>53.93</td><td>68.20</td><td>-14.27</td><td>35.88</td><td>38.22</td><td>23.61</td><td>44.27</td><td>0.49</td><td>--</td><td>-- PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11060.00	51.64	74.00	-22.36	35.29	38.80	19.10	42.04	0.49	332	58 PEAK	2	11060.00	42.13	54.00	-11.87	25.78	38.80	19.10	42.04	0.49	332	58 Average	3	16590.00	53.93	68.20	-14.27	35.88	38.22	23.61	44.27	0.49	--	-- PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11060.00	51.29	74.00	-22.71	34.94	38.80	19.10	42.04	0.49	225	29 PEAK																																																																																								
2	11060.00	42.15	54.00	-11.85	25.80	38.80	19.10	42.04	0.49	225	29 Average																																																																																								
3	16590.00	53.90	68.20	-14.30	35.85	38.22	23.61	44.27	0.49	--	-- PEAK																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	11060.00	51.64	74.00	-22.36	35.29	38.80	19.10	42.04	0.49	332	58 PEAK																																																																																								
2	11060.00	42.13	54.00	-11.87	25.78	38.80	19.10	42.04	0.49	332	58 Average																																																																																								
3	16590.00	53.93	68.20	-14.27	35.88	38.22	23.61	44.27	0.49	--	-- PEAK																																																																																								




Mode	54	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL







Mode	55	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5448.00 46.95 74.00 -27.05 38.82 32.80 13.32 37.99 0.00 299 52 PEAK 2 5461.54 47.63 68.20 -20.57 39.50 32.80 13.33 38.00 0.00 299 52 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 101.49 ----- 92.96 33.00 13.53 38.00 0.00 299 52 PEAK
	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SWT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5376.00 37.98 54.00 -16.02 29.95 32.75 13.22 37.94 0.00 299 52 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SWT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 94.50 ----- 85.97 33.00 13.53 38.00 0.00 299 52 AVERAGE




Mode	55	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5735.24 51.68 68.20 -16.52 42.41 33.57 13.67 37.97 0.00 299 52 PEAK	Blank





Mode	55	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5458.68 52.99 74.00 -21.01 44.86 32.80 13.33 38.00 0.00 100 222 PEAK 2 5467.26 53.89 68.20 -14.31 45.76 32.80 13.34 38.01 0.00 100 222 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5610.00 112.35 ----- 103.79 33.03 13.53 38.00 0.00 100 222 PEAK
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5458.16 43.64 54.00 -10.36 35.51 32.80 13.33 38.00 0.00 100 222 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5610.00 104.81 ----- 96.42 32.91 13.49 38.01 0.00 100 222 AVERAGE







Mode	55	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dB dB dB dB cm deg 1 5730.28 65.74 68.20 -2.46 56.48 33.56 13.67 37.97 0.00 100 222 PEAK	Blank







Mode	55																																																										
	Harmonic																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																										
ANT	1+2																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg.																																																											
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																				
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11220.00</td><td>51.46</td><td>74.00</td><td>-22.54</td><td>35.03</td><td>38.98</td><td>19.23</td><td>42.26</td><td>0.48</td><td>354</td><td>11 PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>41.82</td><td>54.00</td><td>-12.18</td><td>25.39</td><td>38.98</td><td>19.23</td><td>42.26</td><td>0.48</td><td>354</td><td>11 Average</td></tr><tr><td>3</td><td>16830.00</td><td>52.47</td><td>68.20</td><td>-15.73</td><td>34.32</td><td>38.30</td><td>23.78</td><td>44.43</td><td>0.50</td><td>--</td><td>-- PEAK</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11220.00	51.46	74.00	-22.54	35.03	38.98	19.23	42.26	0.48	354	11 PEAK	2	11220.00	41.82	54.00	-12.18	25.39	38.98	19.23	42.26	0.48	354	11 Average	3	16830.00	52.47	68.20	-15.73	34.32	38.30	23.78	44.43	0.50	--	-- PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11220.00	51.46	74.00	-22.54	35.03	38.98	19.23	42.26	0.48	354	11 PEAK																																																
2	11220.00	41.82	54.00	-12.18	25.39	38.98	19.23	42.26	0.48	354	11 Average																																																
3	16830.00	52.47	68.20	-15.73	34.32	38.30	23.78	44.43	0.50	--	-- PEAK																																																




Mode	55	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
17.7G ~18G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL







		56																																																																				
Mode	Band Edge - L																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																					
ANT	1+2																																																																					
Pol.	Horizontal						Fundamental																																																															
Peak																																																																						
	Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.69</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>39.04</td><td>32.73</td><td>13.28</td><td>37.97</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr><tr><td>2</td><td>5465.83</td><td>46.71</td><td>68.20</td><td>-21.49</td><td>38.58</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5416.69	47.08	74.00	-26.92	39.04	32.73	13.28	37.97	0.00	100	48 PEAK	2	5465.83	46.71	68.20	-21.49	38.58	32.80	13.34	38.01	0.00	100	48 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5690.00</td><td>101.34</td><td>-----</td><td>92.18</td><td>33.51</td><td>13.63</td><td>37.98</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5690.00	101.34	-----	92.18	33.51	13.63	37.98	0.00	100
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5416.69	47.08	74.00	-26.92	39.04	32.73	13.28	37.97	0.00	100	48 PEAK																																																											
2	5465.83	46.71	68.20	-21.49	38.58	32.80	13.34	38.01	0.00	100	48 PEAK																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5690.00	101.34	-----	92.18	33.51	13.63	37.98	0.00	100	48 PEAK																																																												
Avg.																																																																						
	Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>37.70</td><td>54.00</td><td>-16.30</td><td>29.67</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>48 AVERAGE</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	37.70	54.00	-16.30	29.67	32.75	13.22	37.94	0.00	100	48 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5690.00</td><td>93.01</td><td>-----</td><td>83.85</td><td>33.51</td><td>13.63</td><td>37.98</td><td>0.00</td><td>100</td><td>48 AVERAGE</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5690.00	93.01	-----	83.85	33.51	13.63	37.98	0.00	100	48 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5376.13	37.70	54.00	-16.30	29.67	32.75	13.22	37.94	0.00	100	48 AVERAGE																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5690.00	93.01	-----	83.85	33.51	13.63	37.98	0.00	100	48 AVERAGE																																																												




Mode	56	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5850.70 54.05 68.20 -14.15 44.16 34.00 13.84 37.95 0.00 100 48 PEAK	Blank





Mode	56																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																													
ANT	1+2																																																													
Pol.	Vertical	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-182A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.98</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>44.43</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>118</td><td>360 PEAK</td></tr><tr><td>2</td><td>5464.66</td><td>53.52</td><td>68.20</td><td>-14.68</td><td>45.39</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>118</td><td>360 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.98	52.56	74.00	-21.44	44.43	32.80	13.33	38.00	0.00	118	360 PEAK	2	5464.66	53.52	68.20	-14.68	45.39	32.80	13.33	38.00	0.00	118	360 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5690.00</td><td>114.05</td><td>-----</td><td>-----</td><td>105.04</td><td>33.39</td><td>13.61</td><td>37.99</td><td>0.00</td><td>118</td><td>360 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5690.00	114.05	-----	-----	105.04	33.39	13.61	37.99	0.00	118	360 PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5459.98	52.56	74.00	-21.44	44.43	32.80	13.33	38.00	0.00	118	360 PEAK																																																			
2	5464.66	53.52	68.20	-14.68	45.39	32.80	13.33	38.00	0.00	118	360 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5690.00	114.05	-----	-----	105.04	33.39	13.61	37.99	0.00	118	360 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: U-NII-182A AVERAGE 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.13</td><td>47.68</td><td>54.00</td><td>-6.32</td><td>39.65</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>118</td><td>360 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.13	47.68	54.00	-6.32	39.65	32.75	13.22	37.94	0.00	118	360 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5690.00</td><td>106.30</td><td>-----</td><td>-----</td><td>97.29</td><td>33.39</td><td>13.61</td><td>37.99</td><td>0.00</td><td>118</td><td>360 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5690.00	106.30	-----	-----	97.29	33.39	13.61	37.99	0.00	118	360 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5376.13	47.68	54.00	-6.32	39.65	32.75	13.22	37.94	0.00	118	360 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5690.00	106.30	-----	-----	97.29	33.39	13.61	37.99	0.00	118	360 AVERAGE																																																			



Mode	56	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: STRADDLES U-NII-1&2A 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5650.70 66.42 68.20 -1.78 56.53 34.00 13.84 37.95 0.00 118 360 PEAK	Blank





Mode	56																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11380.00</td><td>52.07</td><td>74.00</td><td>-21.93</td><td>35.51</td><td>39.20</td><td>19.37</td><td>42.48</td><td>0.47</td><td>114</td><td>84</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>42.04</td><td>54.00</td><td>-11.96</td><td>25.48</td><td>39.20</td><td>19.37</td><td>42.48</td><td>0.47</td><td>114</td><td>84</td><td>Average</td></tr><tr><td>3</td><td>17070.00</td><td>54.08</td><td>68.20</td><td>-14.12</td><td>36.11</td><td>38.12</td><td>23.95</td><td>44.61</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11380.00	52.07	74.00	-21.93	35.51	39.20	19.37	42.48	0.47	114	84	PEAK	2	11380.00	42.04	54.00	-11.96	25.48	39.20	19.37	42.48	0.47	114	84	Average	3	17070.00	54.08	68.20	-14.12	36.11	38.12	23.95	44.61	0.51	--	--	PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11380.00</td><td>52.17</td><td>74.00</td><td>-21.83</td><td>35.61</td><td>39.20</td><td>19.37</td><td>42.48</td><td>0.47</td><td>251</td><td>17</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>42.07</td><td>54.00</td><td>-11.93</td><td>25.51</td><td>39.20</td><td>19.37</td><td>42.48</td><td>0.47</td><td>251</td><td>17</td><td>Average</td></tr><tr><td>3</td><td>17070.00</td><td>52.76</td><td>68.20</td><td>-15.44</td><td>34.79</td><td>38.12</td><td>23.95</td><td>44.61</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11380.00	52.17	74.00	-21.83	35.61	39.20	19.37	42.48	0.47	251	17	PEAK	2	11380.00	42.07	54.00	-11.93	25.51	39.20	19.37	42.48	0.47	251	17	Average	3	17070.00	52.76	68.20	-15.44	34.79	38.12	23.95	44.61	0.51	--	--	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11380.00	52.07	74.00	-21.93	35.51	39.20	19.37	42.48	0.47	114	84	PEAK																																																																																														
2	11380.00	42.04	54.00	-11.96	25.48	39.20	19.37	42.48	0.47	114	84	Average																																																																																														
3	17070.00	54.08	68.20	-14.12	36.11	38.12	23.95	44.61	0.51	--	--	PEAK																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11380.00	52.17	74.00	-21.83	35.61	39.20	19.37	42.48	0.47	251	17	PEAK																																																																																														
2	11380.00	42.07	54.00	-11.93	25.51	39.20	19.37	42.48	0.47	251	17	Average																																																																																														
3	17070.00	52.76	68.20	-15.44	34.79	38.12	23.95	44.61	0.51	--	--	PEAK																																																																																														



Mode	56	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL



Mode	57																																																																																																																																										
	LF																																																																																																																																										
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																										
ANT	1+2																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
QP/ Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><td>3</td><td>254.07</td><td>23.93</td><td>46.00</td><td>-22.07</td><td>36.96</td><td>19.07</td><td>2.92</td><td>35.21</td><td>0.19</td><td>-- Peak</td></tr><tr><td>4</td><td>384.05</td><td>27.67</td><td>46.00</td><td>-18.33</td><td>37.60</td><td>21.19</td><td>3.57</td><td>34.84</td><td>0.15</td><td>-- Peak</td></tr><tr><td>5</td><td>670.20</td><td>36.13</td><td>46.00</td><td>-9.87</td><td>38.91</td><td>26.46</td><td>4.66</td><td>34.06</td><td>0.16</td><td>-- Peak</td></tr><tr><td>6</td><td>951.50</td><td>35.49</td><td>46.00</td><td>-10.51</td><td>32.03</td><td>30.83</td><td>5.50</td><td>32.97</td><td>0.10</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		3	254.07	23.93	46.00	-22.07	36.96	19.07	2.92	35.21	0.19	-- Peak	4	384.05	27.67	46.00	-18.33	37.60	21.19	3.57	34.84	0.15	-- Peak	5	670.20	36.13	46.00	-9.87	38.91	26.46	4.66	34.06	0.16	-- Peak	6	951.50	35.49	46.00	-10.51	32.03	30.83	5.50	32.97	0.10	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><td>3</td><td>224.00</td><td>29.96</td><td>46.00</td><td>-16.04</td><td>46.54</td><td>15.75</td><td>2.74</td><td>35.27</td><td>0.20</td><td>-- Peak</td></tr><tr><td>4</td><td>514.03</td><td>28.39</td><td>46.00</td><td>-17.61</td><td>34.65</td><td>24.06</td><td>4.11</td><td>34.56</td><td>0.13</td><td>-- Peak</td></tr><tr><td>5</td><td>709.00</td><td>34.09</td><td>46.00</td><td>-11.91</td><td>36.26</td><td>26.78</td><td>4.79</td><td>33.90</td><td>0.16</td><td>-- Peak</td></tr><tr><td>6</td><td>959.26</td><td>36.86</td><td>46.00</td><td>-9.14</td><td>33.18</td><td>31.00</td><td>5.53</td><td>32.94</td><td>0.09</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		3	224.00	29.96	46.00	-16.04	46.54	15.75	2.74	35.27	0.20	-- Peak	4	514.03	28.39	46.00	-17.61	34.65	24.06	4.11	34.56	0.13	-- Peak	5	709.00	34.09	46.00	-11.91	36.26	26.78	4.79	33.90	0.16	-- Peak	6	959.26	36.86	46.00	-9.14	33.18	31.00	5.53	32.94	0.09
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
3	254.07	23.93	46.00	-22.07	36.96	19.07	2.92	35.21	0.19	-- Peak																																																																																																																																	
4	384.05	27.67	46.00	-18.33	37.60	21.19	3.57	34.84	0.15	-- Peak																																																																																																																																	
5	670.20	36.13	46.00	-9.87	38.91	26.46	4.66	34.06	0.16	-- Peak																																																																																																																																	
6	951.50	35.49	46.00	-10.51	32.03	30.83	5.50	32.97	0.10	-- Peak																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
3	224.00	29.96	46.00	-16.04	46.54	15.75	2.74	35.27	0.20	-- Peak																																																																																																																																	
4	514.03	28.39	46.00	-17.61	34.65	24.06	4.11	34.56	0.13	-- Peak																																																																																																																																	
5	709.00	34.09	46.00	-11.91	36.26	26.78	4.79	33.90	0.16	-- Peak																																																																																																																																	
6	959.26	36.86	46.00	-9.14	33.18	31.00	5.53	32.94	0.09	-- Peak																																																																																																																																	



Mode	58																																																																	
	SHF																																																																	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal	Vertical																																																																
Peak	Level (dBuV/m) Frequency (MHz) PEAK_74 AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr></thead><tbody><tr><td>2</td><td>39482.00</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>28.90</td><td>45.62</td><td>36.85</td><td>56.21</td><td>-9.54</td><td>150</td><td>81 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	2	39482.00	45.62	54.00	-8.38	28.90	45.62	36.85	56.21	-9.54	150	81 Average	Level (dBuV/m) Frequency (MHz) PEAK_74 AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr></thead><tbody><tr><td>2</td><td>39580.00</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>28.29</td><td>45.28</td><td>36.87</td><td>56.07</td><td>-9.54</td><td>150</td><td>358 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	2	39580.00	44.83	54.00	-9.17	28.29	45.28	36.87	56.07	-9.54	150	358 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																									
2	39482.00	45.62	54.00	-8.38	28.90	45.62	36.85	56.21	-9.54	150	81 Average																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																									
2	39580.00	44.83	54.00	-9.17	28.29	45.28	36.87	56.07	-9.54	150	358 Average																																																							