


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.09	-13	Pass	401
0.15	30	0.01	Peak	0.17	-54.37	-13	Pass	2986
30	500	0.1	Peak	455.9	-43.24	-13	Pass	4701
500	1000	0.1	Peak	824.1	32.62	-13	N/A	5001
1000	10000	1	Peak	7218	-20.86	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.79	-13	Pass	401
0.15	30	0.01	Peak	0.19	-54.28	-13	Pass	2986
30	500	0.1	Peak	467.6	-43.26	-13	Pass	4701
500	1000	0.1	Peak	836.5	32.83	-13	N/A	5001
1000	10000	1	Peak	7172	-19.8	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.89	-13	Pass	401
0.15	30	0.01	Peak	0.42	-53.58	-13	Pass	2986
30	500	0.1	Peak	457.2	-43.58	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.79	-13	N/A	5001
1000	10000	1	Peak	7207	-20.52	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.1	-13	Pass	401
0.15	30	0.01	Peak	0.49	-59.42	-13	Pass	2986
30	1000	0.1	Peak	857.506	-48.35	-13	Pass	9701
1000	3000	1	Peak	1851	30.16	-13	N/A	2001
3000	20000	1	Peak	19304	-40.23	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.95	-13	Pass	401
0.15	30	0.01	Peak	0.39	-59.24	-13	Pass	2986
30	1000	0.1	Peak	832	-48.78	-13	Pass	9701
1000	3000	1	Peak	1880	30.65	-13	N/A	2001
3000	20000	1	Peak	19690	-40.55	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-62.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-60.69	-13	Pass	2986
30	1000	0.1	Peak	983.189	-48.24	-13	Pass	9701
1000	3000	1	Peak	1910	30.88	-13	N/A	2001
3000	20000	1	Peak	19394	-39.89	-13	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.86	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.02	-13	Pass	2986
30	500	0.1	Peak	491.7	-42.82	-13	Pass	4701
500	1000	0.1	Peak	824.3	26.76	-13	N/A	5001
1000	10000	1	Peak	7207	-20.46	-13	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.8	-13	Pass	401
0.15	30	0.01	Peak	0.49	-53.5	-13	Pass	2986
30	500	0.1	Peak	490.2	-43.73	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.93	-13	N/A	5001
1000	10000	1	Peak	7154	-20.84	-13	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.6	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.34	-13	Pass	2986
30	500	0.1	Peak	475.5	-43.86	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.84	-13	N/A	5001
1000	10000	1	Peak	7296	-20.49	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.3	-13	Pass	401
0.15	30	0.01	Peak	0.21	-60.39	-13	Pass	2986
30	1000	0.1	Peak	948.266	-48.88	-13	Pass	9701
1000	3000	1	Peak	1851	27.76	-13	N/A	2001
3000	20000	1	Peak	19693	-40.02	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.91	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.31	-13	Pass	2986
30	1000	0.1	Peak	900.334	-48.64	-13	Pass	9701
1000	3000	1	Peak	1880	28.73	-13	N/A	2001
3000	20000	1	Peak	19731	-39.94	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.15	-13	Pass	401
0.15	30	0.01	Peak	0.4	-60.61	-13	Pass	2986
30	1000	0.1	Peak	424.2	-49.25	-13	Pass	9701
1000	3000	1	Peak	1910	28.92	-13	N/A	2001
3000	20000	1	Peak	19761	-40.45	-13	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.97	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.67	-13	Pass	2986
30	1000	0.1	Peak	839.9	-53.32	-13	Pass	9701
1000	3000	1	Peak	1854	25.05	-13	N/A	2001
3000	20000	1	Peak	19996	-21.31	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-65.16	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.53	-13	Pass	2986
30	1000	0.1	Peak	514.7	-52.27	-13	Pass	9701
1000	3000	1	Peak	1881	25.13	-13	N/A	2001
3000	20000	1	Peak	19759	-21.15	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-63.78	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.08	-13	Pass	2986
30	1000	0.1	Peak	818.2	-53.16	-13	Pass	9701
1000	3000	1	Peak	1906	24.87	-13	N/A	2001
3000	20000	1	Peak	19395	-21.61	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-64.4	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.46	-13	Pass	2986
30	1000	0.1	Peak	839.2	-52.95	-13	Pass	9701
1000	3000	1	Peak	1711	25.14	-13	N/A	2001
3000	20000	1	Peak	19704	-21.21	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.11	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.32	-13	Pass	2986
30	1000	0.1	Peak	832.9	-52.79	-13	Pass	9701
1000	3000	1	Peak	1734	25.39	-13	N/A	2001
3000	20000	1	Peak	19816	-21.35	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-64.25	-13	Pass	401
0.15	30	0.01	Peak	0.65	-64.39	-13	Pass	2986
30	1000	0.1	Peak	934.356	-52.83	-13	Pass	9701
1000	3000	1	Peak	1754	24.96	-13	N/A	2001
3000	20000	1	Peak	19721	-21.44	-13	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-65.45	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.18	-13	Pass	2986
30	500	0.1	Peak	263.4	-53.74	-13	Pass	4701
500	1000	0.1	Peak	825.9	19.62	-13	N/A	5001
1000	10000	1	Peak	7226	-30.37	-13	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-64.57	-13	Pass	401
0.15	30	0.01	Peak	0.93	-64.72	-13	Pass	2986
30	500	0.1	Peak	452.2	-53.85	-13	Pass	4701
500	1000	0.1	Peak	836.7	20.26	-13	N/A	5001
1000	10000	1	Peak	7218	-30.77	-13	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-64.84	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.99	-13	Pass	2986
30	500	0.1	Peak	392.3	-52.99	-13	Pass	4701
500	1000	0.1	Peak	846.6	19.35	-13	N/A	5001
1000	10000	1	Peak	7084	-30.67	-13	Pass	9002



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2986
30	1000	0.1	RMS	851.201	-63.91	-13	Pass	9701
1000	1840	1	RMS	1840	-51.06	-13	Pass	841
1840	1920	1	RMS	1850.2	24.77	60	Pass	401
1920	3000	1	RMS	2956	-48.93	-13	Pass	1081
3000	12000	1	RMS	11851	-41.48	-13	Pass	9002
12000	20000	1	RMS	19402	-32.98	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-13	Pass	2986
30	1000	0.1	RMS	860.808	-63.95	-13	Pass	9701
1000	1840	1	RMS	1840	-51.31	-13	Pass	841
1840	1920	1	RMS	1850.2	23.85	60	Pass	401
1920	3000	1	RMS	2956	-48.97	-13	Pass	1081
3000	12000	1	RMS	11949	-41.45	-13	Pass	9002
12000	20000	1	RMS	19409	-32.95	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2986
30	1000	0.1	RMS	836	-63.68	-13	Pass	9701
1000	1840	1	RMS	1807	-52.24	-13	Pass	841
1840	1920	1	RMS	1879.4	24.3	60	Pass	401
1920	3000	1	RMS	2958	-48.83	-13	Pass	1081
3000	12000	1	RMS	11942	-41.38	-13	Pass	9002
12000	20000	1	RMS	19401	-32.92	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.01	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.77	-13	Pass	9701
1000	1840	1	RMS	1839	-52.29	-13	Pass	841
1840	1920	1	RMS	1879.4	24.1	60	Pass	401
1920	3000	1	RMS	2954	-48.87	-13	Pass	1081
3000	12000	1	RMS	11950	-41.38	-13	Pass	9002
12000	20000	1	RMS	19402	-32.91	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	Pass	2986
30	1000	0.1	RMS	844.9	-63.77	-13	Pass	9701
1000	1840	1	RMS	1812	-52.28	-13	Pass	841
1840	1920	1	RMS	1908.8	24.68	60	Pass	401
1920	3000	1	RMS	2957	-48.9	-13	Pass	1081
3000	12000	1	RMS	11948	-41.33	-13	Pass	9002
12000	20000	1	RMS	19403	-32.98	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	Pass	2986
30	1000	0.1	RMS	841.4	-63.8	-13	Pass	9701
1000	1840	1	RMS	1808	-52.31	-13	Pass	841
1840	1920	1	RMS	1908.8	23.83	60	Pass	401
1920	3000	1	RMS	2957	-48.85	-13	Pass	1081
3000	12000	1	RMS	11950	-41.4	-13	Pass	9002
12000	20000	1	RMS	19403	-32.97	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2986
30	1000	0.1	RMS	852.102	-63.64	-13	Pass	9701
1000	1840	1	RMS	1840	-51.03	-13	Pass	841
1840	1920	1	RMS	1850.2	24.54	60	Pass	401
1920	3000	1	RMS	2957	-48.91	-13	Pass	1081
3000	12000	1	RMS	11849	-41.34	-13	Pass	9002
12000	20000	1	RMS	19409	-32.97	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2986
30	1000	0.1	RMS	840.9	-63.86	-13	Pass	9701
1000	1840	1	RMS	1840	-51.35	-13	Pass	841
1840	1920	1	RMS	1850.2	23.69	60	Pass	401
1920	3000	1	RMS	2960	-48.89	-13	Pass	1081
3000	12000	1	RMS	11954	-41.35	-13	Pass	9002
12000	20000	1	RMS	19398	-32.97	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.83	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.75	-13	Pass	9701
1000	1840	1	RMS	1803	-52.29	-13	Pass	841
1840	1920	1	RMS	1878.6	24.35	60	Pass	401
1920	3000	1	RMS	2955	-48.86	-13	Pass	1081
3000	12000	1	RMS	11948	-41.42	-13	Pass	9002
12000	20000	1	RMS	19402	-32.98	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	1000	0.1	RMS	849	-63.83	-13	Pass	9701
1000	1840	1	RMS	1814	-52.26	-13	Pass	841
1840	1920	1	RMS	1878.6	23.81	60	Pass	401
1920	3000	1	RMS	2958	-48.84	-13	Pass	1081
3000	12000	1	RMS	11845	-41.41	-13	Pass	9002
12000	20000	1	RMS	19398	-33	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2986
30	1000	0.1	RMS	846.8	-63.83	-13	Pass	9701
1000	1840	1	RMS	1806	-52.3	-13	Pass	841
1840	1920	1	RMS	1907.2	24.72	60	Pass	401
1920	3000	1	RMS	2957	-48.87	-13	Pass	1081
3000	12000	1	RMS	11851	-41.4	-13	Pass	9002
12000	20000	1	RMS	19406	-32.98	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72	-13	Pass	2986
30	1000	0.1	RMS	844.5	-63.87	-13	Pass	9701
1000	1840	1	RMS	1813	-52.3	-13	Pass	841
1840	1920	1	RMS	1907.2	23.86	60	Pass	401
1920	3000	1	RMS	2957	-48.87	-13	Pass	1081
3000	12000	1	RMS	11950	-41.27	-13	Pass	9002
12000	20000	1	RMS	19402	-32.89	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	Pass	2986
30	1000	0.1	RMS	831	-63.8	-13	Pass	9701
1000	1840	1	RMS	1840	-50.44	-13	Pass	841
1840	1920	1	RMS	1850.2	24.58	60	Pass	401
1920	3000	1	RMS	2957	-48.87	-13	Pass	1081
3000	12000	1	RMS	11845	-41.4	-13	Pass	9002
12000	20000	1	RMS	19405	-32.96	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2986
30	1000	0.1	RMS	849.6	-63.66	-13	Pass	9701
1000	1840	1	RMS	1840	-51	-13	Pass	841
1840	1920	1	RMS	1850.2	23.56	60	Pass	401
1920	3000	1	RMS	2957	-48.83	-13	Pass	1081
3000	12000	1	RMS	11845	-41.35	-13	Pass	9002
12000	20000	1	RMS	19408	-32.99	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	Pass	2986
30	1000	0.1	RMS	853.303	-63.87	-13	Pass	9701
1000	1840	1	RMS	1804	-52.24	-13	Pass	841
1840	1920	1	RMS	1877.8	24.11	60	Pass	401
1920	3000	1	RMS	2953	-48.82	-13	Pass	1081
3000	12000	1	RMS	11847	-41.42	-13	Pass	9002
12000	20000	1	RMS	19414	-32.98	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	847.2	-63.8	-13	Pass	9701
1000	1840	1	RMS	1794	-52.29	-13	Pass	841
1840	1920	1	RMS	1877.8	23.59	60	Pass	401
1920	3000	1	RMS	2948	-48.87	-13	Pass	1081
3000	12000	1	RMS	11840	-41.41	-13	Pass	9002
12000	20000	1	RMS	19396	-33	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-13	Pass	2986
30	1000	0.1	RMS	856.205	-63.64	-13	Pass	9701
1000	1840	1	RMS	1838	-52.3	-13	Pass	841
1840	1920	1	RMS	1905.2	24.57	60	Pass	401
1920	3000	1	RMS	2957	-48.76	-13	Pass	1081
3000	12000	1	RMS	11853	-41.34	-13	Pass	9002
12000	20000	1	RMS	19404	-32.9	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2986
30	1000	0.1	RMS	859.607	-63.78	-13	Pass	9701
1000	1840	1	RMS	1839	-52.27	-13	Pass	841
1840	1920	1	RMS	1905.2	24.23	60	Pass	401
1920	3000	1	RMS	2957	-48.89	-13	Pass	1081
3000	12000	1	RMS	11945	-41.42	-13	Pass	9002
12000	20000	1	RMS	19402	-32.91	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2986
30	1000	0.1	RMS	844.1	-63.82	-13	Pass	9701
1000	1840	1	RMS	1833	-49.81	-13	Pass	841
1840	1920	1	RMS	1850.4	24.6	60	Pass	401
1920	3000	1	RMS	2952	-48.82	-13	Pass	1081
3000	12000	1	RMS	11850	-41.38	-13	Pass	9002
12000	20000	1	RMS	19717	-32.95	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.73	-13	Pass	2986
30	1000	0.1	RMS	871.815	-63.73	-13	Pass	9701
1000	1840	1	RMS	1833	-49.36	-13	Pass	841
1840	1920	1	RMS	1850.4	23.72	60	Pass	401
1920	3000	1	RMS	2957	-48.84	-13	Pass	1081
3000	12000	1	RMS	11851	-41.45	-13	Pass	9002
12000	20000	1	RMS	19399	-32.98	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	Pass	2986
30	1000	0.1	RMS	849.8	-63.84	-13	Pass	9701
1000	1840	1	RMS	1805	-52.29	-13	Pass	841
1840	1920	1	RMS	1875.4	24.5	60	Pass	401
1920	3000	1	RMS	2956	-48.86	-13	Pass	1081
3000	12000	1	RMS	11951	-41.37	-13	Pass	9002
12000	20000	1	RMS	19401	-32.93	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2986
30	1000	0.1	RMS	828	-63.84	-13	Pass	9701
1000	1840	1	RMS	1839	-52.28	-13	Pass	841
1840	1920	1	RMS	1875.4	23.91	60	Pass	401
1920	3000	1	RMS	2951	-48.87	-13	Pass	1081
3000	12000	1	RMS	11835	-41.4	-13	Pass	9002
12000	20000	1	RMS	19401	-32.89	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	Pass	2986
30	1000	0.1	RMS	841.3	-63.77	-13	Pass	9701
1000	1840	1	RMS	1808	-52.28	-13	Pass	841
1840	1920	1	RMS	1900.4	24.47	60	Pass	401
1920	3000	1	RMS	2958	-48.86	-13	Pass	1081
3000	12000	1	RMS	11948	-41.41	-13	Pass	9002
12000	20000	1	RMS	19707	-32.93	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.34	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.72	-13	Pass	2986
30	1000	0.1	RMS	854.404	-63.78	-13	Pass	9701
1000	1840	1	RMS	1816	-52.28	-13	Pass	841
1840	1920	1	RMS	1900.4	23.92	60	Pass	401
1920	3000	1	RMS	2945	-48.86	-13	Pass	1081
3000	12000	1	RMS	11849	-41.39	-13	Pass	9002
12000	20000	1	RMS	19717	-32.98	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.4	-13	Pass	2986
30	1000	0.1	RMS	849.7	-63.76	-13	Pass	9701
1000	1840	1	RMS	1838	-44.15	-13	Pass	841
1840	1920	1	RMS	1850.8	24.63	60	Pass	401
1920	3000	1	RMS	2957	-48.88	-13	Pass	1081
3000	12000	1	RMS	11845	-41.34	-13	Pass	9002
12000	20000	1	RMS	19403	-32.9	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	1000	0.1	RMS	850.901	-63.73	-13	Pass	9701
1000	1840	1	RMS	1838	-46.08	-13	Pass	841
1840	1920	1	RMS	1850.8	23.53	60	Pass	401
1920	3000	1	RMS	2957	-48.88	-13	Pass	1081
3000	12000	1	RMS	11940	-41.41	-13	Pass	9002
12000	20000	1	RMS	19402	-32.9	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	Pass	2986
30	1000	0.1	RMS	851.602	-63.77	-13	Pass	9701
1000	1840	1	RMS	1838	-52.27	-13	Pass	841
1840	1920	1	RMS	1873.2	24.63	60	Pass	401
1920	3000	1	RMS	2950	-48.92	-13	Pass	1081
3000	12000	1	RMS	11844	-41.36	-13	Pass	9002
12000	20000	1	RMS	19406	-32.97	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2986
30	1000	0.1	RMS	856.905	-63.78	-13	Pass	9701
1000	1840	1	RMS	1840	-52.26	-13	Pass	841
1840	1920	1	RMS	1873.2	23.79	60	Pass	401
1920	3000	1	RMS	2955	-48.9	-13	Pass	1081
3000	12000	1	RMS	11951	-41.38	-13	Pass	9002
12000	20000	1	RMS	19408	-33.01	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2986
30	1000	0.1	RMS	815.7	-63.85	-13	Pass	9701
1000	1840	1	RMS	1807	-52.33	-13	Pass	841
1840	1920	1	RMS	1895.8	24.59	60	Pass	401
1920	3000	1	RMS	2957	-48.92	-13	Pass	1081
3000	12000	1	RMS	11849	-41.34	-13	Pass	9002
12000	20000	1	RMS	19401	-32.93	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2986
30	1000	0.1	RMS	849.3	-63.68	-13	Pass	9701
1000	1840	1	RMS	1836	-52.33	-13	Pass	841
1840	1920	1	RMS	1895.8	23.79	60	Pass	401
1920	3000	1	RMS	2954	-48.89	-13	Pass	1081
3000	12000	1	RMS	11846	-41.43	-13	Pass	9002
12000	20000	1	RMS	19405	-33.03	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2986
30	1000	0.1	RMS	862.709	-63.88	-13	Pass	9701
1000	1840	1	RMS	1833	-48.81	-13	Pass	841
1840	1920	1	RMS	1851	24.67	60	Pass	401
1920	3000	1	RMS	2957	-48.92	-13	Pass	1081
3000	12000	1	RMS	11844	-41.44	-13	Pass	9002
12000	20000	1	RMS	19409	-32.98	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-13	Pass	2986
30	1000	0.1	RMS	844.7	-63.95	-13	Pass	9701
1000	1840	1	RMS	1833	-49.68	-13	Pass	841
1840	1920	1	RMS	1851	24.01	60	Pass	401
1920	3000	1	RMS	2957	-48.88	-13	Pass	1081
3000	12000	1	RMS	11846	-41.42	-13	Pass	9002
12000	20000	1	RMS	19407	-32.92	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.57	-13	Pass	9701
1000	1840	1	RMS	1835	-47.35	-13	Pass	841
1840	1920	1	RMS	1871	24.8	60	Pass	401
1920	3000	1	RMS	2945	-48.95	-13	Pass	1081
3000	12000	1	RMS	11839	-41.39	-13	Pass	9002
12000	20000	1	RMS	19401	-33.01	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2986
30	1000	0.1	RMS	845.5	-63.83	-13	Pass	9701
1000	1840	1	RMS	1835	-49.77	-13	Pass	841
1840	1920	1	RMS	1871	23.53	60	Pass	401
1920	3000	1	RMS	2957	-48.92	-13	Pass	1081
3000	12000	1	RMS	11852	-41.41	-13	Pass	9002
12000	20000	1	RMS	19402	-32.98	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2986
30	1000	0.1	RMS	852.402	-63.79	-13	Pass	9701
1000	1840	1	RMS	1840	-52.32	-13	Pass	841
1840	1920	1	RMS	1891	24.52	60	Pass	401
1920	3000	1	RMS	2948	-48.91	-13	Pass	1081
3000	12000	1	RMS	11947	-41.41	-13	Pass	9002
12000	20000	1	RMS	19403	-32.96	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.67	-13	Pass	2986
30	1000	0.1	RMS	849.5	-63.83	-13	Pass	9701
1000	1840	1	RMS	1840	-52.33	-13	Pass	841
1840	1920	1	RMS	1891	23.97	60	Pass	401
1920	3000	1	RMS	2953	-48.92	-13	Pass	1081
3000	12000	1	RMS	11860	-41.44	-13	Pass	9002
12000	20000	1	RMS	19399	-32.97	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	Pass	2986
30	1000	0.1	RMS	977.485	-63.94	-13	Pass	9701
1000	1700	1	RMS	1700	-51.43	-13	Pass	701
1700	1765	1	RMS	1710.238	24.38	60	Pass	401
1765	3000	1	RMS	2957	-48.91	-13	Pass	1236
3000	12000	1	RMS	11849	-41.39	-13	Pass	9002
12000	20000	1	RMS	19396	-32.96	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.76	-13	Pass	2986
30	1000	0.1	RMS	857.906	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-51.6	-13	Pass	701
1700	1765	1	RMS	1710.238	23.8	60	Pass	401
1765	3000	1	RMS	2958	-48.91	-13	Pass	1236
3000	12000	1	RMS	11844	-41.42	-13	Pass	9002
12000	20000	1	RMS	19399	-33.02	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	Pass	2986
30	1000	0.1	RMS	855.204	-63.87	-13	Pass	9701
1000	1700	1	RMS	1700	-52.58	-13	Pass	701
1700	1765	1	RMS	1732.013	24.99	60	Pass	401
1765	3000	1	RMS	2951	-48.88	-13	Pass	1236
3000	12000	1	RMS	11846	-41.42	-13	Pass	9002
12000	20000	1	RMS	19400	-32.99	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-13	Pass	2986
30	1000	0.1	RMS	843.9	-63.83	-13	Pass	9701
1000	1700	1	RMS	1697	-52.63	-13	Pass	701
1700	1765	1	RMS	1732.013	24.35	60	Pass	401
1765	3000	1	RMS	2956	-48.88	-13	Pass	1236
3000	12000	1	RMS	11953	-41.39	-13	Pass	9002
12000	20000	1	RMS	19400	-32.98	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	Pass	2986
30	1000	0.1	RMS	859.507	-63.78	-13	Pass	9701
1000	1700	1	RMS	1699	-52.64	-13	Pass	701
1700	1765	1	RMS	1753.788	24.18	60	Pass	401
1765	3000	1	RMS	2957	-48.87	-13	Pass	1236
3000	12000	1	RMS	11848	-41.42	-13	Pass	9002
12000	20000	1	RMS	19404	-32.92	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.48	-13	Pass	2986
30	1000	0.1	RMS	867.712	-63.89	-13	Pass	9701
1000	1700	1	RMS	1700	-52.61	-13	Pass	701
1700	1765	1	RMS	1753.788	24.01	60	Pass	401
1765	3000	1	RMS	2951	-48.92	-13	Pass	1236
3000	12000	1	RMS	11847	-41.36	-13	Pass	9002
12000	20000	1	RMS	19399	-32.97	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.16	-13	Pass	2986
30	1000	0.1	RMS	842.8	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-51.49	-13	Pass	701
1700	1765	1	RMS	1710.238	24.48	60	Pass	401
1765	3000	1	RMS	2946	-48.87	-13	Pass	1236
3000	12000	1	RMS	11849	-41.4	-13	Pass	9002
12000	20000	1	RMS	19407	-33	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	1000	0.1	RMS	848.3	-63.92	-13	Pass	9701
1000	1700	1	RMS	1700	-51.74	-13	Pass	701
1700	1765	1	RMS	1710.075	23.39	60	Pass	401
1765	3000	1	RMS	2961	-48.91	-13	Pass	1236
3000	12000	1	RMS	11954	-41.39	-13	Pass	9002
12000	20000	1	RMS	19723	-33.03	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.99	-13	Pass	2986
30	1000	0.1	RMS	847.4	-63.81	-13	Pass	9701
1000	1700	1	RMS	1698	-52.6	-13	Pass	701
1700	1765	1	RMS	1731.2	24.86	60	Pass	401
1765	3000	1	RMS	2953	-48.9	-13	Pass	1236
3000	12000	1	RMS	11851	-41.37	-13	Pass	9002
12000	20000	1	RMS	19395	-33.01	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-13	Pass	2986
30	1000	0.1	RMS	846.6	-63.87	-13	Pass	9701
1000	1700	1	RMS	1695	-52.59	-13	Pass	701
1700	1765	1	RMS	1731.2	24.17	60	Pass	401
1765	3000	1	RMS	2957	-48.85	-13	Pass	1236
3000	12000	1	RMS	11846	-41.43	-13	Pass	9002
12000	20000	1	RMS	19401	-33	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	1000	0.1	RMS	853.303	-63.68	-13	Pass	9701
1000	1700	1	RMS	1686	-52.65	-13	Pass	701
1700	1765	1	RMS	1752.163	23.99	60	Pass	401
1765	3000	1	RMS	2948	-48.87	-13	Pass	1236
3000	12000	1	RMS	11949	-41.4	-13	Pass	9002
12000	20000	1	RMS	19399	-32.97	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2986
30	1000	0.1	RMS	858.506	-63.76	-13	Pass	9701
1000	1700	1	RMS	1687	-52.61	-13	Pass	701
1700	1765	1	RMS	1752.163	23.94	60	Pass	401
1765	3000	1	RMS	2946	-48.88	-13	Pass	1236
3000	12000	1	RMS	11846	-41.44	-13	Pass	9002
12000	20000	1	RMS	19408	-33.01	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.33	-13	Pass	2986
30	1000	0.1	RMS	859.107	-63.79	-13	Pass	9701
1000	1700	1	RMS	1700	-50.92	-13	Pass	701
1700	1765	1	RMS	1710.238	24.52	60	Pass	401
1765	3000	1	RMS	2959	-48.87	-13	Pass	1236
3000	12000	1	RMS	11840	-41.44	-13	Pass	9002
12000	20000	1	RMS	19401	-33	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	1000	0.1	RMS	876.018	-63.83	-13	Pass	9701
1000	1700	1	RMS	1700	-51.37	-13	Pass	701
1700	1765	1	RMS	1710.238	23.62	60	Pass	401
1765	3000	1	RMS	2951	-48.9	-13	Pass	1236
3000	12000	1	RMS	11955	-41.39	-13	Pass	9002
12000	20000	1	RMS	19401	-33.03	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.25	-13	Pass	2986
30	1000	0.1	RMS	855.204	-63.8	-13	Pass	9701
1000	1700	1	RMS	1699	-52.55	-13	Pass	701
1700	1765	1	RMS	1730.225	24.75	60	Pass	401
1765	3000	1	RMS	2957	-48.84	-13	Pass	1236
3000	12000	1	RMS	11848	-41.41	-13	Pass	9002
12000	20000	1	RMS	19400	-32.91	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-13	Pass	2986
30	1000	0.1	RMS	856.105	-63.84	-13	Pass	9701
1000	1700	1	RMS	1699	-52.6	-13	Pass	701
1700	1765	1	RMS	1730.225	23.63	60	Pass	401
1765	3000	1	RMS	2957	-48.87	-13	Pass	1236
3000	12000	1	RMS	11849	-41.35	-13	Pass	9002
12000	20000	1	RMS	19406	-33	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.42	-13	Pass	2986
30	1000	0.1	RMS	839.1	-63.84	-13	Pass	9701
1000	1700	1	RMS	1697	-52.62	-13	Pass	701
1700	1765	1	RMS	1750.213	24.4	60	Pass	401
1765	3000	1	RMS	2957	-48.87	-13	Pass	1236
3000	12000	1	RMS	11845	-41.41	-13	Pass	9002
12000	20000	1	RMS	19402	-32.91	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2986
30	1000	0.1	RMS	852.402	-63.5	-13	Pass	9701
1000	1700	1	RMS	1699	-52.62	-13	Pass	701
1700	1765	1	RMS	1750.213	23.68	60	Pass	401
1765	3000	1	RMS	2960	-48.91	-13	Pass	1236
3000	12000	1	RMS	11851	-41.37	-13	Pass	9002
12000	20000	1	RMS	19395	-32.99	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2986
30	1000	0.1	RMS	862.009	-63.84	-13	Pass	9701
1000	1700	1	RMS	1693	-47.91	-13	Pass	701
1700	1765	1	RMS	1710.563	24.73	60	Pass	401
1765	3000	1	RMS	2955	-48.83	-13	Pass	1236
3000	12000	1	RMS	11950	-41.32	-13	Pass	9002
12000	20000	1	RMS	19400	-32.97	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2986
30	1000	0.1	RMS	857.105	-63.8	-13	Pass	9701
1000	1700	1	RMS	1693	-50.01	-13	Pass	701
1700	1765	1	RMS	1710.563	23.7	60	Pass	401
1765	3000	1	RMS	2947	-48.9	-13	Pass	1236
3000	12000	1	RMS	11951	-41.31	-13	Pass	9002
12000	20000	1	RMS	19400	-32.95	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2986
30	1000	0.1	RMS	828.6	-63.77	-13	Pass	9701
1000	1700	1	RMS	1699	-52.57	-13	Pass	701
1700	1765	1	RMS	1727.95	24.64	60	Pass	401
1765	3000	1	RMS	2961	-48.85	-13	Pass	1236
3000	12000	1	RMS	11952	-41.41	-13	Pass	9002
12000	20000	1	RMS	19400	-32.98	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2986
30	1000	0.1	RMS	832	-63.76	-13	Pass	9701
1000	1700	1	RMS	1697	-52.58	-13	Pass	701
1700	1765	1	RMS	1727.95	23.93	60	Pass	401
1765	3000	1	RMS	2955	-48.86	-13	Pass	1236
3000	12000	1	RMS	11956	-41.37	-13	Pass	9002
12000	20000	1	RMS	19399	-32.98	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.9	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.9	-13	Pass	2986
30	1000	0.1	RMS	843.6	-63.74	-13	Pass	9701
1000	1700	1	RMS	1693	-52.6	-13	Pass	701
1700	1765	1	RMS	1745.5	24.61	60	Pass	401
1765	3000	1	RMS	2957	-48.87	-13	Pass	1236
3000	12000	1	RMS	11841	-41.39	-13	Pass	9002
12000	20000	1	RMS	19405	-32.93	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.83	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.07	-13	Pass	2986
30	1000	0.1	RMS	854.404	-63.8	-13	Pass	9701
1000	1700	1	RMS	1700	-52.61	-13	Pass	701
1700	1765	1	RMS	1745.5	24.36	60	Pass	401
1765	3000	1	RMS	2944	-48.88	-13	Pass	1236
3000	12000	1	RMS	11850	-41.4	-13	Pass	9002
12000	20000	1	RMS	19408	-32.96	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2986
30	1000	0.1	RMS	853.203	-63.61	-13	Pass	9701
1000	1700	1	RMS	1698	-40.21	-13	Pass	701
1700	1765	1	RMS	1710.725	24.48	60	Pass	401
1765	3000	1	RMS	2957	-48.9	-13	Pass	1236
3000	12000	1	RMS	11849	-41.35	-13	Pass	9002
12000	20000	1	RMS	19403	-32.94	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	1000	0.1	RMS	844.6	-63.71	-13	Pass	9701
1000	1700	1	RMS	1698	-41.55	-13	Pass	701
1700	1765	1	RMS	1710.725	23.51	60	Pass	401
1765	3000	1	RMS	2957	-48.82	-13	Pass	1236
3000	12000	1	RMS	11854	-41.39	-13	Pass	9002
12000	20000	1	RMS	19713	-33.02	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2986
30	1000	0.1	RMS	863.309	-63.87	-13	Pass	9701
1000	1700	1	RMS	1699	-45.98	-13	Pass	701
1700	1765	1	RMS	1725.838	24.17	60	Pass	401
1765	3000	1	RMS	2958	-48.8	-13	Pass	1236
3000	12000	1	RMS	11949	-41.35	-13	Pass	9002
12000	20000	1	RMS	19402	-32.93	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2986
30	1000	0.1	RMS	841.3	-63.83	-13	Pass	9701
1000	1700	1	RMS	1699	-46.63	-13	Pass	701
1700	1765	1	RMS	1725.838	23.46	60	Pass	401
1765	3000	1	RMS	2957	-48.87	-13	Pass	1236
3000	12000	1	RMS	11848	-41.32	-13	Pass	9002
12000	20000	1	RMS	19404	-32.99	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	Pass	2986
30	1000	0.1	RMS	848.3	-63.47	-13	Pass	9701
1000	1700	1	RMS	1698	-52.54	-13	Pass	701
1700	1765	1	RMS	1740.788	24.84	60	Pass	401
1765	3000	1	RMS	1767	-39.99	-13	Pass	1236
3000	12000	1	RMS	11850	-41.38	-13	Pass	9002
12000	20000	1	RMS	19399	-32.94	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	1000	0.1	RMS	844.7	-63.78	-13	Pass	9701
1000	1700	1	RMS	1700	-52.59	-13	Pass	701
1700	1765	1	RMS	1740.788	24.12	60	Pass	401
1765	3000	1	RMS	1767	-40.44	-13	Pass	1236
3000	12000	1	RMS	11852	-41.42	-13	Pass	9002
12000	20000	1	RMS	19398	-32.96	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	1000	0.1	RMS	844.3	-63.71	-13	Pass	9701
1000	1700	1	RMS	1693	-43.3	-13	Pass	701
1700	1765	1	RMS	1711.05	24.4	60	Pass	401
1765	3000	1	RMS	2958	-48.88	-13	Pass	1236
3000	12000	1	RMS	11949	-41.3	-13	Pass	9002
12000	20000	1	RMS	19403	-32.96	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2986
30	1000	0.1	RMS	868.513	-63.86	-13	Pass	9701
1000	1700	1	RMS	1693	-44.95	-13	Pass	701
1700	1765	1	RMS	1711.05	23.72	60	Pass	401
1765	3000	1	RMS	2961	-48.88	-13	Pass	1236
3000	12000	1	RMS	11851	-41.39	-13	Pass	9002
12000	20000	1	RMS	19403	-32.96	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-13	Pass	2986
30	1000	0.1	RMS	852.903	-63.79	-13	Pass	9701
1000	1700	1	RMS	1697	-52.02	-13	Pass	701
1700	1765	1	RMS	1723.563	24.15	60	Pass	401
1765	3000	1	RMS	2957	-48.89	-13	Pass	1236
3000	12000	1	RMS	11949	-41.38	-13	Pass	9002
12000	20000	1	RMS	19401	-32.82	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-13	Pass	2986
30	1000	0.1	RMS	858.006	-63.85	-13	Pass	9701
1000	1700	1	RMS	1697	-52.21	-13	Pass	701
1700	1765	1	RMS	1723.563	23.26	60	Pass	401
1765	3000	1	RMS	2952	-48.85	-13	Pass	1236
3000	12000	1	RMS	11951	-41.36	-13	Pass	9002
12000	20000	1	RMS	19409	-32.94	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.23	-13	Pass	2986
30	1000	0.1	RMS	857.506	-63.83	-13	Pass	9701
1000	1700	1	RMS	1700	-47.32	-13	Pass	701
1700	1765	1	RMS	1736.075	24.5	60	Pass	401
1765	3000	1	RMS	1772	-34.62	-13	Pass	1236
3000	12000	1	RMS	11946	-41.35	-13	Pass	9002
12000	20000	1	RMS	19408	-32.86	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	Pass	2986
30	1000	0.1	RMS	854.704	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-48.31	-13	Pass	701
1700	1765	1	RMS	1736.075	23.67	60	Pass	401
1765	3000	1	RMS	1772	-35.64	-13	Pass	1236
3000	12000	1	RMS	11850	-41.42	-13	Pass	9002
12000	20000	1	RMS	19394	-32.97	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2986
30	814	0.1	RMS	813.5	-62	-13	Pass	7841
814	860	0.1	RMS	824.3	21.57	60	Pass	461
860	1000	0.1	RMS	860.3	-63.94	-13	Pass	1401
1000	3000	1	RMS	1648	-45.71	-13	Pass	2001
3000	10000	1	RMS	6960	-41.74	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.27	-13	Pass	7841
814	860	0.1	RMS	824.2	20.73	60	Pass	461
860	1000	0.1	RMS	871.8	-63.95	-13	Pass	1401
1000	3000	1	RMS	1648	-46.37	-13	Pass	2001
3000	10000	1	RMS	6963	-41.74	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2986
30	814	0.1	RMS	811.3	-63.91	-13	Pass	7841
814	860	0.1	RMS	836.1	21.73	60	Pass	461
860	1000	0.1	RMS	863.3	-63.79	-13	Pass	1401
1000	3000	1	RMS	1672	-45.9	-13	Pass	2001
3000	10000	1	RMS	6960	-41.86	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.23	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-13	Pass	2986
30	814	0.1	RMS	809.7	-64.01	-13	Pass	7841
814	860	0.1	RMS	836.1	20.97	60	Pass	461
860	1000	0.1	RMS	954.9	-63.93	-13	Pass	1401
1000	3000	1	RMS	1672	-46.55	-13	Pass	2001
3000	10000	1	RMS	6961	-41.76	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2986
30	814	0.1	RMS	813.1	-64.08	-13	Pass	7841
814	860	0.1	RMS	847.9	21.27	60	Pass	461
860	1000	0.1	RMS	865.1	-63.91	-13	Pass	1401
1000	3000	1	RMS	1695	-47.38	-13	Pass	2001
3000	10000	1	RMS	6960	-41.75	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.49	-13	Pass	2986
30	814	0.1	RMS	811.8	-64.19	-13	Pass	7841
814	860	0.1	RMS	847.8	20.92	60	Pass	461
860	1000	0.1	RMS	862.7	-63.91	-13	Pass	1401
1000	3000	1	RMS	1695	-47.37	-13	Pass	2001
3000	10000	1	RMS	6961	-41.8	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.33	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.71	-13	Pass	7841
814	860	0.1	RMS	824.2	21.86	60	Pass	461
860	1000	0.1	RMS	863.8	-63.94	-13	Pass	1401
1000	3000	1	RMS	1648	-45.54	-13	Pass	2001
3000	10000	1	RMS	6961	-41.78	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.08	-13	Pass	7841
814	860	0.1	RMS	824.2	20.96	60	Pass	461
860	1000	0.1	RMS	860.3	-63.81	-13	Pass	1401
1000	3000	1	RMS	1648	-46.4	-13	Pass	2001
3000	10000	1	RMS	6961	-41.74	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.79	-13	Pass	7841
814	860	0.1	RMS	835.2	22.11	60	Pass	461
860	1000	0.1	RMS	862.6	-63.86	-13	Pass	1401
1000	3000	1	RMS	1670	-44.34	-13	Pass	2001
3000	10000	1	RMS	6963	-41.78	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2986
30	814	0.1	RMS	811.4	-64	-13	Pass	7841
814	860	0.1	RMS	835.2	21.12	60	Pass	461
860	1000	0.1	RMS	941.6	-64	-13	Pass	1401
1000	3000	1	RMS	1670	-45.57	-13	Pass	2001
3000	10000	1	RMS	6964	-41.85	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2986
30	814	0.1	RMS	813.4	-64.14	-13	Pass	7841
814	860	0.1	RMS	846.2	21.39	60	Pass	461
860	1000	0.1	RMS	864.9	-64.02	-13	Pass	1401
1000	3000	1	RMS	1692	-44.86	-13	Pass	2001
3000	10000	1	RMS	6960	-41.81	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2986
30	814	0.1	RMS	751	-64.07	-13	Pass	7841
814	860	0.1	RMS	846.2	21	60	Pass	461
860	1000	0.1	RMS	862.5	-63.98	-13	Pass	1401
1000	3000	1	RMS	1692	-45.06	-13	Pass	2001
3000	10000	1	RMS	6960	-41.82	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.48	-13	Pass	7841
814	860	0.1	RMS	824.3	21.89	60	Pass	461
860	1000	0.1	RMS	866.1	-63.87	-13	Pass	1401
1000	3000	1	RMS	1648	-45.98	-13	Pass	2001
3000	10000	1	RMS	6960	-41.67	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.46	-13	Pass	7841
814	860	0.1	RMS	824.3	21.03	60	Pass	461
860	1000	0.1	RMS	871.7	-63.92	-13	Pass	1401
1000	3000	1	RMS	1648	-46.72	-13	Pass	2001
3000	10000	1	RMS	6959	-41.81	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.94	-13	Pass	7841
814	860	0.1	RMS	834.3	21.67	60	Pass	461
860	1000	0.1	RMS	862.8	-64.01	-13	Pass	1401
1000	3000	1	RMS	1668	-45.05	-13	Pass	2001
3000	10000	1	RMS	6960	-41.75	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	814	0.1	RMS	813.8	-63.93	-13	Pass	7841
814	860	0.1	RMS	834.3	20.75	60	Pass	461
860	1000	0.1	RMS	866.7	-63.73	-13	Pass	1401
1000	3000	1	RMS	1668	-46.14	-13	Pass	2001
3000	10000	1	RMS	6961	-41.78	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2986
30	814	0.1	RMS	813	-63.94	-13	Pass	7841
814	860	0.1	RMS	844.3	21.4	60	Pass	461
860	1000	0.1	RMS	881.1	-63.97	-13	Pass	1401
1000	3000	1	RMS	1688	-45.46	-13	Pass	2001
3000	10000	1	RMS	6960	-41.84	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	Pass	2986
30	814	0.1	RMS	813.6	-64.1	-13	Pass	7841
814	860	0.1	RMS	844.3	20.79	60	Pass	461
860	1000	0.1	RMS	866.7	-63.97	-13	Pass	1401
1000	3000	1	RMS	1688	-46.1	-13	Pass	2001
3000	10000	1	RMS	6960	-41.73	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.12	-13	Pass	7841
814	860	0.1	RMS	824.6	22.27	60	Pass	461
860	1000	0.1	RMS	874.3	-63.67	-13	Pass	1401
1000	3000	1	RMS	1649	-46.48	-13	Pass	2001
3000	10000	1	RMS	6963	-41.81	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.66	-13	Pass	7841
814	860	0.1	RMS	824.6	21.44	60	Pass	461
860	1000	0.1	RMS	952.5	-63.8	-13	Pass	1401
1000	3000	1	RMS	1649	-47.1	-13	Pass	2001
3000	10000	1	RMS	6960	-41.8	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.79	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.88	-13	Pass	2986
30	814	0.1	RMS	814	-63.32	-13	Pass	7841
814	860	0.1	RMS	832.1	21.94	60	Pass	461
860	1000	0.1	RMS	861.1	-63.88	-13	Pass	1401
1000	3000	1	RMS	1664	-45.67	-13	Pass	2001
3000	10000	1	RMS	6960	-41.82	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.52	-13	Pass	7841
814	860	0.1	RMS	832.1	21.03	60	Pass	461
860	1000	0.1	RMS	868.4	-63.97	-13	Pass	1401
1000	3000	1	RMS	1664	-46.51	-13	Pass	2001
3000	10000	1	RMS	6958	-41.79	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	Pass	2986
30	814	0.1	RMS	813.3	-63.78	-13	Pass	7841
814	860	0.1	RMS	839.6	22.21	60	Pass	461
860	1000	0.1	RMS	860.7	-63.76	-13	Pass	1401
1000	3000	1	RMS	1679	-46.7	-13	Pass	2001
3000	10000	1	RMS	6960	-41.8	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	814	0.1	RMS	811	-63.93	-13	Pass	7841
814	860	0.1	RMS	839.6	21.3	60	Pass	461
860	1000	0.1	RMS	860.7	-64.05	-13	Pass	1401
1000	3000	1	RMS	1679	-47.53	-13	Pass	2001
3000	10000	1	RMS	6961	-41.8	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-25	Pass	2986
30	1000	0.1	RMS	827.1	-63.8	-25	Pass	9701
1000	2490	1	RMS	2490	-49.31	-25	Pass	1491
2490	2580	1	RMS	2500.125	24.07	60	Pass	401
2580	3000	1	RMS	2957	-48.9	-25	Pass	421
3000	12000	1	RMS	11845	-61.12	-25	Pass	9002
12000	26000	1	RMS	25995	-45.87	-25	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-25	Pass	2986
30	1000	0.1	RMS	842.3	-63.79	-25	Pass	9701
1000	2490	1	RMS	2490	-50.06	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.62	60	Pass	401
2580	3000	1	RMS	2950	-48.9	-25	Pass	421
3000	12000	1	RMS	11854	-61.12	-25	Pass	9002
12000	26000	1	RMS	25989	-45.68	-25	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-25	Pass	2986
30	1000	0.1	RMS	572.2	-62.98	-25	Pass	9701
1000	2490	1	RMS	2485	-50.59	-25	Pass	1491
2490	2580	1	RMS	2532.75	24.3	60	Pass	401
2580	3000	1	RMS	2957	-48.88	-25	Pass	421
3000	12000	1	RMS	11849	-61.07	-25	Pass	9002
12000	26000	1	RMS	25985	-45.56	-25	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-25	Pass	2986
30	1000	0.1	RMS	572.1	-63.43	-25	Pass	9701
1000	2490	1	RMS	2486	-50.63	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.64	60	Pass	401
2580	3000	1	RMS	2957	-48.89	-25	Pass	421
3000	12000	1	RMS	11848	-61.11	-25	Pass	9002
12000	26000	1	RMS	25993	-45.61	-25	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.05	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.43	-25	Pass	2986
30	1000	0.1	RMS	604.6	-62.2	-25	Pass	9701
1000	2490	1	RMS	2487	-50.63	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.99	60	Pass	401
2580	3000	1	RMS	2956	-48.88	-25	Pass	421
3000	12000	1	RMS	11854	-61.07	-25	Pass	9002
12000	26000	1	RMS	25993	-45.62	-25	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	Pass	2986
30	1000	0.1	RMS	604.6	-62.67	-25	Pass	9701
1000	2490	1	RMS	2488	-50.59	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.38	60	Pass	401
2580	3000	1	RMS	2957	-48.92	-25	Pass	421
3000	12000	1	RMS	11853	-61.06	-25	Pass	9002
12000	26000	1	RMS	25989	-45.6	-25	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-25	Pass	2986
30	1000	0.1	RMS	848.4	-63.74	-25	Pass	9701
1000	2490	1	RMS	2483	-43.4	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.93	60	Pass	401
2580	3000	1	RMS	2955	-48.9	-25	Pass	421
3000	12000	1	RMS	11850	-61.09	-25	Pass	9002
12000	26000	1	RMS	26000	-45.53	-25	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-25	Pass	2986
30	1000	0.1	RMS	849.1	-63.79	-25	Pass	9701
1000	2490	1	RMS	2483	-44.22	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.23	60	Pass	401
2580	3000	1	RMS	2952	-48.87	-25	Pass	421
3000	12000	1	RMS	11851	-61.1	-25	Pass	9002
12000	26000	1	RMS	25999	-45.63	-25	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-25	Pass	2986
30	1000	0.1	RMS	569.9	-62.53	-25	Pass	9701
1000	2490	1	RMS	2486	-50.57	-25	Pass	1491
2490	2580	1	RMS	2530.5	24.56	60	Pass	401
2580	3000	1	RMS	2957	-48.89	-25	Pass	421
3000	12000	1	RMS	11848	-61.05	-25	Pass	9002
12000	26000	1	RMS	25996	-45.56	-25	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-25	Pass	2986
30	1000	0.1	RMS	569.9	-63.59	-25	Pass	9701
1000	2490	1	RMS	2479	-50.66	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.41	60	Pass	401
2580	3000	1	RMS	2957	-48.9	-25	Pass	421
3000	12000	1	RMS	11848	-61.06	-25	Pass	9002
12000	26000	1	RMS	25994	-45.67	-25	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-25	Pass	2986
30	1000	0.1	RMS	599.9	-61.25	-25	Pass	9701
1000	2490	1	RMS	2490	-50.61	-25	Pass	1491
2490	2580	1	RMS	2560.425	24.39	60	Pass	401
2580	3000	1	RMS	2957	-48.84	-25	Pass	421
3000	12000	1	RMS	11850	-61.13	-25	Pass	9002
12000	26000	1	RMS	25996	-45.61	-25	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-25	Pass	2986
30	1000	0.1	RMS	599.9	-61.24	-25	Pass	9701
1000	2490	1	RMS	2489	-50.58	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.73	60	Pass	401
2580	3000	1	RMS	2950	-48.87	-25	Pass	421
3000	12000	1	RMS	11852	-60.98	-25	Pass	9002
12000	26000	1	RMS	25997	-45.6	-25	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-25	Pass	2986
30	1000	0.1	RMS	834.9	-63.83	-25	Pass	9701
1000	2490	1	RMS	2488	-40.95	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.89	60	Pass	401
2580	3000	1	RMS	2952	-48.89	-25	Pass	421
3000	12000	1	RMS	11850	-61.1	-25	Pass	9002
12000	26000	1	RMS	26000	-45.55	-25	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-25	Pass	2986
30	1000	0.1	RMS	857.706	-63.86	-25	Pass	9701
1000	2490	1	RMS	2487	-42.51	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.16	60	Pass	401
2580	3000	1	RMS	2956	-48.91	-25	Pass	421
3000	12000	1	RMS	11850	-61.13	-25	Pass	9002
12000	26000	1	RMS	25995	-45.66	-25	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-25	Pass	2986
30	1000	0.1	RMS	567.6	-63.4	-25	Pass	9701
1000	2490	1	RMS	2490	-50.6	-25	Pass	1491
2490	2580	1	RMS	2528.25	24.56	60	Pass	401
2580	3000	1	RMS	2956	-48.89	-25	Pass	421
3000	12000	1	RMS	11854	-61.09	-25	Pass	9002
12000	26000	1	RMS	25999	-45.54	-25	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-25	Pass	2986
30	1000	0.1	RMS	863.81	-63.8	-25	Pass	9701
1000	2490	1	RMS	2488	-50.55	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.71	60	Pass	401
2580	3000	1	RMS	2957	-48.84	-25	Pass	421
3000	12000	1	RMS	11849	-61.07	-25	Pass	9002
12000	26000	1	RMS	25996	-45.58	-25	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-25	Pass	2986
30	1000	0.1	RMS	595.1	-61.19	-25	Pass	9701
1000	2490	1	RMS	2490	-50.64	-25	Pass	1491
2490	2580	1	RMS	2555.7	24.68	60	Pass	401
2580	3000	1	RMS	2582	-35.78	-25	Pass	421
3000	12000	1	RMS	11852	-61.01	-25	Pass	9002
12000	26000	1	RMS	25993	-45.63	-25	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-25	Pass	2986
30	1000	0.1	RMS	595.1	-62.22	-25	Pass	9701
1000	2490	1	RMS	2483	-50.66	-25	Pass	1491
2490	2580	1	RMS	2555.7	23.15	60	Pass	401
2580	3000	1	RMS	2582	-39.81	-25	Pass	421
3000	12000	1	RMS	11844	-61.07	-25	Pass	9002
12000	26000	1	RMS	25989	-45.54	-25	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.87	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.45	-25	Pass	2986
30	1000	0.1	RMS	845.7	-63.8	-25	Pass	9701
1000	2490	1	RMS	2483	-44.32	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.64	60	Pass	401
2580	3000	1	RMS	2951	-48.91	-25	Pass	421
3000	12000	1	RMS	11848	-61.15	-25	Pass	9002
12000	26000	1	RMS	25997	-45.53	-25	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-25	Pass	2986
30	1000	0.1	RMS	851.001	-63.79	-25	Pass	9701
1000	2490	1	RMS	2483	-45.02	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.92	60	Pass	401
2580	3000	1	RMS	2956	-48.9	-25	Pass	421
3000	12000	1	RMS	11854	-61.09	-25	Pass	9002
12000	26000	1	RMS	25997	-45.56	-25	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.21	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.32	-25	Pass	2986
30	1000	0.1	RMS	861.408	-63.84	-25	Pass	9701
1000	2490	1	RMS	2490	-48.79	-25	Pass	1491
2490	2580	1	RMS	2526	23.23	60	Pass	401
2580	3000	1	RMS	2956	-48.91	-25	Pass	421
3000	12000	1	RMS	11843	-61.12	-25	Pass	9002
12000	26000	1	RMS	25998	-45.6	-25	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.15	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-25	Pass	2986
30	1000	0.1	RMS	842.9	-63.86	-25	Pass	9701
1000	2490	1	RMS	2490	-49.57	-25	Pass	1491
2490	2580	1	RMS	2526	22.4	60	Pass	401
2580	3000	1	RMS	2952	-48.89	-25	Pass	421
3000	12000	1	RMS	11854	-61.09	-25	Pass	9002
12000	26000	1	RMS	25992	-45.67	-25	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-25	Pass	2986
30	1000	0.1	RMS	590.4	-61.32	-25	Pass	9701
1000	2490	1	RMS	2489	-50.59	-25	Pass	1491
2490	2580	1	RMS	2550.975	23.68	60	Pass	401
2580	3000	1	RMS	2586	-39.15	-25	Pass	421
3000	12000	1	RMS	11849	-61.08	-25	Pass	9002
12000	26000	1	RMS	26000	-45.52	-25	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.29	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-25	Pass	2986
30	1000	0.1	RMS	590.4	-61.89	-25	Pass	9701
1000	2490	1	RMS	2484	-50.65	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.85	60	Pass	401
2580	3000	1	RMS	2586	-40.24	-25	Pass	421
3000	12000	1	RMS	11851	-61.09	-25	Pass	9002
12000	26000	1	RMS	25994	-45.56	-25	Pass	14002



5. LTE_Band12


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.21	-13	Pass	6591
689	726	0.1	RMS	699.268	22.1	60	Pass	401
726	1000	0.1	RMS	853.7	-63.67	-13	Pass	2741
1000	3000	1	RMS	1398	-43	-13	Pass	2001
3000	10000	1	RMS	6960	-41.8	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.68	-13	Pass	6591
689	726	0.1	RMS	699.268	21.53	60	Pass	401
726	1000	0.1	RMS	829.8	-63.61	-13	Pass	2741
1000	3000	1	RMS	1398	-43.13	-13	Pass	2001
3000	10000	1	RMS	6960	-41.83	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2986
30	689	0.1	RMS	493.7	-64.69	-13	Pass	6591
689	726	0.1	RMS	707.038	22.21	60	Pass	401
726	1000	0.1	RMS	853.7	-63.41	-13	Pass	2741
1000	3000	1	RMS	1414	-45.84	-13	Pass	2001
3000	10000	1	RMS	6960	-41.76	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.61	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.16	-13	Pass	2986
30	689	0.1	RMS	493	-64.59	-13	Pass	6591
689	726	0.1	RMS	707.038	22.11	60	Pass	401
726	1000	0.1	RMS	856.5	-63.49	-13	Pass	2741
1000	3000	1	RMS	1414	-45.92	-13	Pass	2001
3000	10000	1	RMS	6960	-41.83	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2986
30	689	0.1	RMS	492.1	-64.62	-13	Pass	6591
689	726	0.1	RMS	714.808	21.79	60	Pass	401
726	1000	0.1	RMS	846.1	-63.31	-13	Pass	2741
1000	3000	1	RMS	1429	-41.59	-13	Pass	2001
3000	10000	1	RMS	6963	-41.81	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2986
30	689	0.1	RMS	493.1	-64.41	-13	Pass	6591
689	726	0.1	RMS	714.808	21.21	60	Pass	401
726	1000	0.1	RMS	847.6	-63.59	-13	Pass	2741
1000	3000	1	RMS	1429	-41.8	-13	Pass	2001
3000	10000	1	RMS	6960	-41.77	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	Pass	2986
30	689	0.1	RMS	688.5	-62.38	-13	Pass	6591
689	726	0.1	RMS	699.268	22.17	60	Pass	401
726	1000	0.1	RMS	849.9	-63.48	-13	Pass	2741
1000	3000	1	RMS	1398	-42.62	-13	Pass	2001
3000	10000	1	RMS	6964	-41.8	-13	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.64	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.48	-13	Pass	2986
30	689	0.1	RMS	688.5	-62.88	-13	Pass	6591
689	726	0.1	RMS	699.268	21.12	60	Pass	401
726	1000	0.1	RMS	840.7	-63.63	-13	Pass	2741
1000	3000	1	RMS	1398	-43.53	-13	Pass	2001
3000	10000	1	RMS	6963	-41.85	-13	Pass	7001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.81	-13	Pass	401
0.15	30	0.01	RMS	0.33	-72.33	-13	Pass	2986
30	689	0.1	RMS	486.2	-64.5	-13	Pass	6591
689	726	0.1	RMS	706.205	21.88	60	Pass	401
726	1000	0.1	RMS	868	-63.52	-13	Pass	2741
1000	3000	1	RMS	1412	-45.09	-13	Pass	2001
3000	10000	1	RMS	6959	-41.84	-13	Pass	7001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.37	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.57	-13	Pass	2986
30	689	0.1	RMS	490.1	-64.52	-13	Pass	6591
689	726	0.1	RMS	706.205	21.47	60	Pass	401
726	1000	0.1	RMS	846.9	-63.66	-13	Pass	2741
1000	3000	1	RMS	1412	-45.29	-13	Pass	2001
3000	10000	1	RMS	6961	-41.83	-13	Pass	7001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.69	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.24	-13	Pass	2986
30	689	0.1	RMS	495.4	-64.57	-13	Pass	6591
689	726	0.1	RMS	713.235	22.36	60	Pass	401
726	1000	0.1	RMS	860.6	-63.66	-13	Pass	2741
1000	3000	1	RMS	1426	-40.36	-13	Pass	2001
3000	10000	1	RMS	6961	-41.85	-13	Pass	7001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.63	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.58	-13	Pass	2986
30	689	0.1	RMS	493.8	-64.55	-13	Pass	6591
689	726	0.1	RMS	713.235	21.55	60	Pass	401
726	1000	0.1	RMS	841.3	-63.67	-13	Pass	2741
1000	3000	1	RMS	1426	-41	-13	Pass	2001
3000	10000	1	RMS	6958	-41.8	-13	Pass	7001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.32	-13	Pass	6591
689	726	0.1	RMS	699.36	21.88	60	Pass	401
726	1000	0.1	RMS	861.8	-63.52	-13	Pass	2741
1000	3000	1	RMS	1398	-43.17	-13	Pass	2001
3000	10000	1	RMS	6960	-41.76	-13	Pass	7001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.85	-13	Pass	6591
689	726	0.1	RMS	699.36	21.23	60	Pass	401
726	1000	0.1	RMS	849	-63.28	-13	Pass	2741
1000	3000	1	RMS	1398	-43.9	-13	Pass	2001
3000	10000	1	RMS	6962	-41.8	-13	Pass	7001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.64	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.36	-13	Pass	2986
30	689	0.1	RMS	590.3	-64.6	-13	Pass	6591
689	726	0.1	RMS	705.373	21.61	60	Pass	401
726	1000	0.1	RMS	856.9	-63.55	-13	Pass	2741
1000	3000	1	RMS	1410	-45.95	-13	Pass	2001
3000	10000	1	RMS	6960	-41.77	-13	Pass	7001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.05	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.86	-13	Pass	2986
30	689	0.1	RMS	492.6	-64.42	-13	Pass	6591
689	726	0.1	RMS	705.373	21.76	60	Pass	401
726	1000	0.1	RMS	860.3	-63.62	-13	Pass	2741
1000	3000	1	RMS	1410	-45.38	-13	Pass	2001
3000	10000	1	RMS	6960	-41.81	-13	Pass	7001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.44	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.28	-13	Pass	2986
30	689	0.1	RMS	494.3	-64.53	-13	Pass	6591
689	726	0.1	RMS	711.293	21.41	60	Pass	401
726	1000	0.1	RMS	851.3	-63.58	-13	Pass	2741
1000	3000	1	RMS	1422	-41.17	-13	Pass	2001
3000	10000	1	RMS	6960	-41.84	-13	Pass	7001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	689	0.1	RMS	485.9	-64.52	-13	Pass	6591
689	726	0.1	RMS	711.385	20.72	60	Pass	401
726	1000	0.1	RMS	859.4	-63.57	-13	Pass	2741
1000	3000	1	RMS	1422	-41.83	-13	Pass	2001
3000	10000	1	RMS	6960	-41.82	-13	Pass	7001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	Pass	2986
30	689	0.1	RMS	688.9	-61.57	-13	Pass	6591
689	726	0.1	RMS	699.545	21.75	60	Pass	401
726	1000	0.1	RMS	841.7	-63.62	-13	Pass	2741
1000	3000	1	RMS	1399	-43.39	-13	Pass	2001
3000	10000	1	RMS	6960	-41.8	-13	Pass	7001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2986
30	689	0.1	RMS	688.9	-61.91	-13	Pass	6591
689	726	0.1	RMS	699.638	20.81	60	Pass	401
726	1000	0.1	RMS	856.3	-63.62	-13	Pass	2741
1000	3000	1	RMS	1399	-44.23	-13	Pass	2001
3000	10000	1	RMS	6961	-41.75	-13	Pass	7001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.09	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.46	-13	Pass	2986
30	689	0.1	RMS	488.8	-64.63	-13	Pass	6591
689	726	0.1	RMS	703.06	21.99	60	Pass	401
726	1000	0.1	RMS	878.6	-63.63	-13	Pass	2741
1000	3000	1	RMS	1406	-45.63	-13	Pass	2001
3000	10000	1	RMS	6960	-41.81	-13	Pass	7001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2986
30	689	0.1	RMS	663.4	-64.6	-13	Pass	6591
689	726	0.1	RMS	703.06	21.76	60	Pass	401
726	1000	0.1	RMS	847.2	-63.6	-13	Pass	2741
1000	3000	1	RMS	1406	-44.93	-13	Pass	2001
3000	10000	1	RMS	6960	-41.79	-13	Pass	7001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	689	0.1	RMS	485.3	-64.61	-13	Pass	6591
689	726	0.1	RMS	706.575	22.32	60	Pass	401
726	1000	0.1	RMS	849.9	-63.66	-13	Pass	2741
1000	3000	1	RMS	1413	-45.84	-13	Pass	2001
3000	10000	1	RMS	6962	-41.81	-13	Pass	7001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2986
30	689	0.1	RMS	508.7	-64.61	-13	Pass	6591
689	726	0.1	RMS	706.575	21.53	60	Pass	401
726	1000	0.1	RMS	833.1	-63.63	-13	Pass	2741
1000	3000	1	RMS	1413	-46.39	-13	Pass	2001
3000	10000	1	RMS	6961	-41.83	-13	Pass	7001



6. LTE_Band13


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2986
30	767	0.1	RMS	766.6	-62.25	-13	Pass	7371
767	797	0.1	RMS	777.35	21.72	60	Pass	401
797	1000	0.1	RMS	866.3	-63.8	-13	Pass	2031
1000	3000	1	RMS	1554	-46.49	-13	Pass	2001
3000	10000	1	RMS	6961	-41.76	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2986
30	767	0.1	RMS	766.6	-62.97	-13	Pass	7371
767	797	0.1	RMS	777.35	21.12	60	Pass	401
797	1000	0.1	RMS	855.4	-63.83	-13	Pass	2031
1000	3000	1	RMS	1554	-47.36	-13	Pass	2001
3000	10000	1	RMS	6960	-41.81	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	767	0.1	RMS	748.3	-64.24	-13	Pass	7371
767	797	0.1	RMS	779.825	21.69	60	Pass	401
797	1000	0.1	RMS	859.4	-63.78	-13	Pass	2031
1000	3000	1	RMS	1559	-46.09	-13	Pass	2001
3000	10000	1	RMS	6960	-41.85	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2986
30	767	0.1	RMS	766.8	-64.39	-13	Pass	7371
767	797	0.1	RMS	779.825	20.62	60	Pass	401
797	1000	0.1	RMS	851.3	-63.7	-13	Pass	2031
1000	3000	1	RMS	1559	-47.38	-13	Pass	2001
3000	10000	1	RMS	6963	-41.84	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	767	0.1	RMS	758.2	-64.34	-13	Pass	7371
767	797	0.1	RMS	782.375	21.44	60	Pass	401
797	1000	0.1	RMS	875.2	-63.75	-13	Pass	2031
1000	3000	1	RMS	1564	-46.93	-13	Pass	2001
3000	10000	1	RMS	6960	-41.84	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2986
30	767	0.1	RMS	752.1	-64.16	-13	Pass	7371
767	797	0.1	RMS	782.375	21.01	60	Pass	401
797	1000	0.1	RMS	858.3	-63.77	-13	Pass	2031
1000	3000	1	RMS	1564	-47.31	-13	Pass	2001
3000	10000	1	RMS	6960	-41.74	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	767	0.1	RMS	766.9	-61.7	-13	Pass	7371
767	797	0.1	RMS	777.575	21.76	60	Pass	401
797	1000	0.1	RMS	852.4	-63.68	-13	Pass	2031
1000	3000	1	RMS	1555	-46.43	-13	Pass	2001
3000	10000	1	RMS	6960	-41.78	-13	Pass	7001



6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	767	0.1	RMS	766.9	-62.18	-13	Pass	7371
767	797	0.1	RMS	777.575	21	60	Pass	401
797	1000	0.1	RMS	849	-63.61	-13	Pass	2031
1000	3000	1	RMS	1555	-47.26	-13	Pass	2001
3000	10000	1	RMS	6962	-41.79	-13	Pass	7001



7. LTE_Band17


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.58	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.79	-13	Pass	2986
30	694	0.1	RMS	693.6	-62.38	-13	Pass	6641
694	726	0.1	RMS	704.32	21.77	60	Pass	401
726	1000	0.1	RMS	834.8	-63.62	-13	Pass	2741
1000	3000	1	RMS	1408	-46.27	-13	Pass	2001
3000	10000	1	RMS	6961	-41.77	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.38	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.4	-13	Pass	2986
30	694	0.1	RMS	693.6	-62.99	-13	Pass	6641
694	726	0.1	RMS	704.32	21.02	60	Pass	401
726	1000	0.1	RMS	823.9	-63.6	-13	Pass	2741
1000	3000	1	RMS	1408	-47.39	-13	Pass	2001
3000	10000	1	RMS	6961	-41.71	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2986
30	694	0.1	RMS	506.1	-64.51	-13	Pass	6641
694	726	0.1	RMS	707.84	21.73	60	Pass	401
726	1000	0.1	RMS	859.6	-63.66	-13	Pass	2741
1000	3000	1	RMS	1415	-44.49	-13	Pass	2001
3000	10000	1	RMS	6961	-41.82	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.37	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.8	-13	Pass	2986
30	694	0.1	RMS	500	-64.49	-13	Pass	6641
694	726	0.1	RMS	707.84	21.01	60	Pass	401
726	1000	0.1	RMS	850.2	-63.62	-13	Pass	2741
1000	3000	1	RMS	1415	-45.04	-13	Pass	2001
3000	10000	1	RMS	6961	-41.79	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-13	Pass	2986
30	694	0.1	RMS	500.3	-64.51	-13	Pass	6641
694	726	0.1	RMS	711.36	21.6	60	Pass	401
726	1000	0.1	RMS	826.9	-63.6	-13	Pass	2741
1000	3000	1	RMS	1422	-41.64	-13	Pass	2001
3000	10000	1	RMS	6961	-41.79	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	694	0.1	RMS	489.3	-64.56	-13	Pass	6641
694	726	0.1	RMS	711.36	21.2	60	Pass	401
726	1000	0.1	RMS	832.4	-63.58	-13	Pass	2741
1000	3000	1	RMS	1422	-42.06	-13	Pass	2001
3000	10000	1	RMS	6960	-41.7	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2986
30	694	0.1	RMS	693.9	-61.19	-13	Pass	6641
694	726	0.1	RMS	704.56	22.05	60	Pass	401
726	1000	0.1	RMS	848.9	-63.74	-13	Pass	2741
1000	3000	1	RMS	1409	-45.72	-13	Pass	2001
3000	10000	1	RMS	6962	-41.77	-13	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.34	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.11	-13	Pass	2986
30	694	0.1	RMS	693.9	-61.68	-13	Pass	6641
694	726	0.1	RMS	704.56	21.2	60	Pass	401
726	1000	0.1	RMS	830.6	-63.74	-13	Pass	2741
1000	3000	1	RMS	1409	-46.65	-13	Pass	2001
3000	10000	1	RMS	6960	-41.76	-13	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2986
30	694	0.1	RMS	496.4	-64.56	-13	Pass	6641
694	726	0.1	RMS	705.6	21.94	60	Pass	401
726	1000	0.1	RMS	845.2	-63.58	-13	Pass	2741
1000	3000	1	RMS	1411	-46.53	-13	Pass	2001
3000	10000	1	RMS	6961	-41.76	-13	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	694	0.1	RMS	496.7	-64.65	-13	Pass	6641
694	726	0.1	RMS	705.6	21.84	60	Pass	401
726	1000	0.1	RMS	849.8	-63.53	-13	Pass	2741
1000	3000	1	RMS	1411	-46.08	-13	Pass	2001
3000	10000	1	RMS	6962	-41.84	-13	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2986
30	694	0.1	RMS	500.8	-64.63	-13	Pass	6641
694	726	0.1	RMS	706.56	21.9	60	Pass	401
726	1000	0.1	RMS	847.3	-63.79	-13	Pass	2741
1000	3000	1	RMS	1413	-46.05	-13	Pass	2001
3000	10000	1	RMS	6960	-41.83	-13	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.83	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.15	-13	Pass	2986
30	694	0.1	RMS	693.3	-64.53	-13	Pass	6641
694	726	0.1	RMS	706.56	20.99	60	Pass	401
726	1000	0.1	RMS	855.1	-63.49	-13	Pass	2741
1000	3000	1	RMS	1413	-46.55	-13	Pass	2001
3000	10000	1	RMS	6963	-41.83	-13	Pass	7001



8. LTE_Band18(part22)


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.57	-13	Pass	7841
814	841	0.1	RMS	824.328	22.42	60	Pass	401
841	1000	0.1	RMS	841.6	-63.49	-13	Pass	1591
1000	3000	1	RMS	1648	-45.72	-13	Pass	2001
3000	10000	1	RMS	6959	-41.77	-13	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.2	-13	Pass	7841
814	841	0.1	RMS	824.328	21.91	60	Pass	401
841	1000	0.1	RMS	841.6	-63.23	-13	Pass	1591
1000	3000	1	RMS	1648	-45.87	-13	Pass	2001
3000	10000	1	RMS	6961	-41.74	-13	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23970, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	Pass	2986
30	814	0.1	RMS	811.7	-63.86	-13	Pass	7841
814	841	0.1	RMS	824.868	21.81	60	Pass	401
841	1000	0.1	RMS	844	-63.38	-13	Pass	1591
1000	3000	1	RMS	1649	-46.1	-13	Pass	2001
3000	10000	1	RMS	6961	-41.73	-13	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23970, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	814	0.1	RMS	813.7	-63.92	-13	Pass	7841
814	841	0.1	RMS	824.868	21.32	60	Pass	401
841	1000	0.1	RMS	844.1	-63.5	-13	Pass	1591
1000	3000	1	RMS	1649	-46.77	-13	Pass	2001
3000	10000	1	RMS	6962	-41.81	-13	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	814	0.1	RMS	811.3	-63.88	-13	Pass	7841
814	841	0.1	RMS	825.34	22.11	60	Pass	401
841	1000	0.1	RMS	844.6	-63.21	-13	Pass	1591
1000	3000	1	RMS	1650	-45.88	-13	Pass	2001
3000	10000	1	RMS	6964	-41.77	-13	Pass	7001



8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	Pass	2986
30	814	0.1	RMS	813.4	-63.63	-13	Pass	7841
814	841	0.1	RMS	825.34	22.27	60	Pass	401
841	1000	0.1	RMS	844.6	-63.34	-13	Pass	1591
1000	3000	1	RMS	1650	-45.49	-13	Pass	2001
3000	10000	1	RMS	6960	-41.76	-13	Pass	7001



1. LTE_Band18(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.45	-13	Pass	2986
30	810	0.1	Peak	809.9	-51.14	-13	Pass	7801
810	829	0.1	Peak	815.273	27.02	60	Pass	401
829	1000	0.1	Peak	894.9	-52.61	-13	Pass	1711
1000	3000	1	Peak	1631	-34.85	-13	Pass	2001
3000	10000	1	Peak	7217	-30.77	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-64.52	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.98	-13	Pass	2986
30	810	0.1	Peak	809.9	-51.95	-13	Pass	7801
810	829	0.1	Peak	815.273	27.4	60	Pass	401
829	1000	0.1	Peak	977.5	-52.62	-13	Pass	1711
1000	3000	1	Peak	1631	-34.99	-13	Pass	2001
3000	10000	1	Peak	7198	-30.65	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:23895, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-64.97	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.52	-13	Pass	2986
30	810	0.1	Peak	806.6	-52.85	-13	Pass	7801
810	829	0.1	Peak	817.363	27.08	60	Pass	401
829	1000	0.1	Peak	931.8	-52.61	-13	Pass	1711
1000	3000	1	Peak	1634	-35.26	-13	Pass	2001
3000	10000	1	Peak	6958	-30.62	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:23895, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-63.63	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.2	-13	Pass	2986
30	810	0.1	Peak	507.7	-53.27	-13	Pass	7801
810	829	0.1	Peak	817.315	27.45	60	Pass	401
829	1000	0.1	Peak	874.1	-52.81	-13	Pass	1711
1000	3000	1	Peak	1635	-36.39	-13	Pass	2001
3000	10000	1	Peak	7241	-30.79	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.39	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.23	-13	Pass	2986
30	810	0.1	Peak	808.7	-52.73	-13	Pass	7801
810	829	0.1	Peak	819.358	27.25	60	Pass	401
829	1000	0.1	Peak	845.6	-52.98	-13	Pass	1711
1000	3000	1	Peak	1639	-37.08	-13	Pass	2001
3000	10000	1	Peak	6965	-29.48	-13	Pass	7001



1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-64.7	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.64	-13	Pass	2986
30	810	0.1	Peak	808.6	-52.48	-13	Pass	7801
810	829	0.1	Peak	819.31	27.84	60	Pass	401
829	1000	0.1	Peak	866.2	-52.6	-13	Pass	1711
1000	3000	1	Peak	1639	-36.56	-13	Pass	2001
3000	10000	1	Peak	6954	-30.52	-13	Pass	7001



9. LTE_Band19


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	820	0.1	RMS	819.6	-61.82	-13	Pass	7901
820	856	0.1	RMS	830.35	21.78	60	Pass	401
856	1000	0.1	RMS	858.1	-63.74	-13	Pass	1441
1000	3000	1	RMS	1660	-44.97	-13	Pass	2001
3000	10000	1	RMS	6960	-41.75	-13	Pass	7001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2986
30	820	0.1	RMS	819.7	-62.45	-13	Pass	7901
820	856	0.1	RMS	830.35	21.15	60	Pass	401
856	1000	0.1	RMS	856.6	-63.97	-13	Pass	1441
1000	3000	1	RMS	1660	-45.96	-13	Pass	2001
3000	10000	1	RMS	6959	-41.84	-13	Pass	7001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:24075, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-13	Pass	2986
30	820	0.1	RMS	816.1	-63.74	-13	Pass	7901
820	856	0.1	RMS	835.3	21.68	60	Pass	401
856	1000	0.1	RMS	857.1	-63.99	-13	Pass	1441
1000	3000	1	RMS	1670	-45.25	-13	Pass	2001
3000	10000	1	RMS	6960	-41.81	-13	Pass	7001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:24075, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.2	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.43	-13	Pass	2986
30	820	0.1	RMS	816.1	-63.75	-13	Pass	7901
820	856	0.1	RMS	835.39	20.68	60	Pass	401
856	1000	0.1	RMS	857.8	-63.96	-13	Pass	1441
1000	3000	1	RMS	1670	-46.44	-13	Pass	2001
3000	10000	1	RMS	6960	-41.8	-13	Pass	7001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	Pass	2986
30	820	0.1	RMS	816.7	-63.83	-13	Pass	7901
820	856	0.1	RMS	840.34	22.02	60	Pass	401
856	1000	0.1	RMS	859.7	-63.78	-13	Pass	1441
1000	3000	1	RMS	1680	-46.69	-13	Pass	2001
3000	10000	1	RMS	6960	-41.84	-13	Pass	7001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.63	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.67	-13	Pass	2986
30	820	0.1	RMS	814.4	-64.01	-13	Pass	7901
820	856	0.1	RMS	840.34	21.45	60	Pass	401
856	1000	0.1	RMS	860.1	-63.9	-13	Pass	1441
1000	3000	1	RMS	1680	-47.2	-13	Pass	2001
3000	10000	1	RMS	6961	-41.83	-13	Pass	7001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.15	-13	Pass	2986
30	820	0.1	RMS	813	-58.09	-13	Pass	7901
820	856	0.1	RMS	830.62	21.53	60	Pass	401
856	1000	0.1	RMS	865.8	-63.93	-13	Pass	1441
1000	3000	1	RMS	1661	-45.69	-13	Pass	2001
3000	10000	1	RMS	6959	-41.8	-13	Pass	7001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2986
30	820	0.1	RMS	812.9	-59.35	-13	Pass	7901
820	856	0.1	RMS	830.62	20.79	60	Pass	401
856	1000	0.1	RMS	877.3	-63.86	-13	Pass	1441
1000	3000	1	RMS	1661	-46.43	-13	Pass	2001
3000	10000	1	RMS	6961	-41.81	-13	Pass	7001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:24075, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	Pass	2986
30	820	0.1	RMS	815.5	-59.48	-13	Pass	7901
820	856	0.1	RMS	833.05	21.76	60	Pass	401
856	1000	0.1	RMS	857	-63.87	-13	Pass	1441
1000	3000	1	RMS	1666	-45.24	-13	Pass	2001
3000	10000	1	RMS	6960	-41.8	-13	Pass	7001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:24075, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	Pass	2986
30	820	0.1	RMS	815.5	-60.68	-13	Pass	7901
820	856	0.1	RMS	833.05	20.89	60	Pass	401
856	1000	0.1	RMS	863.1	-63.93	-13	Pass	1441
1000	3000	1	RMS	1666	-46.23	-13	Pass	2001
3000	10000	1	RMS	6960	-41.83	-13	Pass	7001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2986
30	820	0.1	RMS	818	-60.86	-13	Pass	7901
820	856	0.1	RMS	835.57	22.24	60	Pass	401
856	1000	0.1	RMS	887.6	-63.93	-13	Pass	1441
1000	3000	1	RMS	1671	-45.34	-13	Pass	2001
3000	10000	1	RMS	6960	-41.87	-13	Pass	7001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2986
30	820	0.1	RMS	817.9	-60.71	-13	Pass	7901
820	856	0.1	RMS	835.57	21.83	60	Pass	401
856	1000	0.1	RMS	866.2	-63.85	-13	Pass	1441
1000	3000	1	RMS	1671	-45.89	-13	Pass	2001
3000	10000	1	RMS	6961	-41.86	-13	Pass	7001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:24075, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2986
30	820	0.1	RMS	817.5	-55.19	-13	Pass	7901
820	856	0.1	RMS	830.8	21.01	60	Pass	401
856	1000	0.1	RMS	865.6	-63.94	-13	Pass	1441
1000	3000	1	RMS	1661	-45.66	-13	Pass	2001
3000	10000	1	RMS	6958	-41.83	-13	Pass	7001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	820	0.1	RMS	817.5	-55.49	-13	Pass	7901
820	856	0.1	RMS	830.8	20.33	60	Pass	401
856	1000	0.1	RMS	860.6	-63.94	-13	Pass	1441
1000	3000	1	RMS	1661	-46.32	-13	Pass	2001
3000	10000	1	RMS	6959	-41.81	-13	Pass	7001



10. LTE_Band26(part22)


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.37	-13	Pass	7841
814	860	0.1	RMS	824.3	21.81	60	Pass	461
860	1000	0.1	RMS	865.5	-64.05	-13	Pass	1401
1000	3000	1	RMS	1648	-45.33	-13	Pass	2001
3000	10000	1	RMS	6961	-41.82	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.94	-13	Pass	7841
814	860	0.1	RMS	824.2	21.3	60	Pass	461
860	1000	0.1	RMS	867.8	-64.08	-13	Pass	1401
1000	3000	1	RMS	1648	-45.89	-13	Pass	2001
3000	10000	1	RMS	6960	-41.88	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	Pass	2986
30	814	0.1	RMS	809.6	-64.09	-13	Pass	7841
814	860	0.1	RMS	836.1	21.49	60	Pass	461
860	1000	0.1	RMS	861.9	-64.1	-13	Pass	1401
1000	3000	1	RMS	1672	-46.29	-13	Pass	2001
3000	10000	1	RMS	6960	-41.85	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2986
30	814	0.1	RMS	813.4	-64.17	-13	Pass	7841
814	860	0.1	RMS	836.1	21.43	60	Pass	461
860	1000	0.1	RMS	860.9	-64.02	-13	Pass	1401
1000	3000	1	RMS	1672	-45.89	-13	Pass	2001
3000	10000	1	RMS	6959	-41.72	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2986
30	814	0.1	RMS	811.8	-64.32	-13	Pass	7841
814	860	0.1	RMS	847.9	21.49	60	Pass	461
860	1000	0.1	RMS	860.6	-64.12	-13	Pass	1401
1000	3000	1	RMS	1695	-47.15	-13	Pass	2001
3000	10000	1	RMS	6960	-41.7	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	814	0.1	RMS	810	-64.11	-13	Pass	7841
814	860	0.1	RMS	847.8	20.84	60	Pass	461
860	1000	0.1	RMS	861.2	-63.97	-13	Pass	1401
1000	3000	1	RMS	1695	-47.62	-13	Pass	2001
3000	10000	1	RMS	6964	-41.86	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2986
30	814	0.1	RMS	813.5	-60.99	-13	Pass	7841
814	860	0.1	RMS	824.2	22.24	60	Pass	461
860	1000	0.1	RMS	861.5	-64.15	-13	Pass	1401
1000	3000	1	RMS	1648	-45.47	-13	Pass	2001
3000	10000	1	RMS	6960	-41.88	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.71	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.88	-13	Pass	7841
814	860	0.1	RMS	824.2	21.2	60	Pass	461
860	1000	0.1	RMS	863.8	-63.97	-13	Pass	1401
1000	3000	1	RMS	1648	-46.02	-13	Pass	2001
3000	10000	1	RMS	6959	-41.83	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2986
30	814	0.1	RMS	811.1	-64.15	-13	Pass	7841
814	860	0.1	RMS	835.2	21.79	60	Pass	461
860	1000	0.1	RMS	861.8	-64	-13	Pass	1401
1000	3000	1	RMS	1670	-44.88	-13	Pass	2001
3000	10000	1	RMS	6963	-41.82	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.73	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.47	-13	Pass	2986
30	814	0.1	RMS	812.7	-64.07	-13	Pass	7841
814	860	0.1	RMS	835.2	21.73	60	Pass	461
860	1000	0.1	RMS	990.6	-64.03	-13	Pass	1401
1000	3000	1	RMS	1670	-44.56	-13	Pass	2001
3000	10000	1	RMS	6960	-41.79	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2986
30	814	0.1	RMS	811.9	-64.19	-13	Pass	7841
814	860	0.1	RMS	846.2	21.87	60	Pass	461
860	1000	0.1	RMS	866.8	-63.97	-13	Pass	1401
1000	3000	1	RMS	1692	-44.23	-13	Pass	2001
3000	10000	1	RMS	6964	-41.83	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2986
30	814	0.1	RMS	810.9	-64.13	-13	Pass	7841
814	860	0.1	RMS	846.2	21.35	60	Pass	461
860	1000	0.1	RMS	860.9	-64.1	-13	Pass	1401
1000	3000	1	RMS	1692	-44.57	-13	Pass	2001
3000	10000	1	RMS	6962	-41.75	-13	Pass	7001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.5	-13	Pass	7841
814	860	0.1	RMS	824.3	21.88	60	Pass	461
860	1000	0.1	RMS	885.7	-64.03	-13	Pass	1401
1000	3000	1	RMS	1648	-45.9	-13	Pass	2001
3000	10000	1	RMS	6961	-41.81	-13	Pass	7001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.06	-13	Pass	7841
814	860	0.1	RMS	824.3	21.08	60	Pass	461
860	1000	0.1	RMS	862.1	-64.06	-13	Pass	1401
1000	3000	1	RMS	1648	-46.67	-13	Pass	2001
3000	10000	1	RMS	6960	-41.84	-13	Pass	7001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2986
30	814	0.1	RMS	812.5	-64.02	-13	Pass	7841
814	860	0.1	RMS	834.3	21.52	60	Pass	461
860	1000	0.1	RMS	880.8	-63.99	-13	Pass	1401
1000	3000	1	RMS	1668	-45.53	-13	Pass	2001
3000	10000	1	RMS	6963	-41.89	-13	Pass	7001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2986
30	814	0.1	RMS	812.3	-64.05	-13	Pass	7841
814	860	0.1	RMS	834.3	21.14	60	Pass	461
860	1000	0.1	RMS	861	-64.14	-13	Pass	1401
1000	3000	1	RMS	1668	-45.77	-13	Pass	2001
3000	10000	1	RMS	6961	-41.82	-13	Pass	7001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	Pass	2986
30	814	0.1	RMS	813.3	-64.18	-13	Pass	7841
814	860	0.1	RMS	844.3	21.4	60	Pass	461
860	1000	0.1	RMS	866.5	-64.02	-13	Pass	1401
1000	3000	1	RMS	1688	-45.55	-13	Pass	2001
3000	10000	1	RMS	6961	-41.85	-13	Pass	7001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2986
30	814	0.1	RMS	813.1	-64.33	-13	Pass	7841
814	860	0.1	RMS	844.3	20.75	60	Pass	461
860	1000	0.1	RMS	860.8	-64.05	-13	Pass	1401
1000	3000	1	RMS	1688	-46.31	-13	Pass	2001
3000	10000	1	RMS	6962	-41.84	-13	Pass	7001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.67	-13	Pass	7841
814	860	0.1	RMS	824.6	22.51	60	Pass	461
860	1000	0.1	RMS	873.6	-63.92	-13	Pass	1401
1000	3000	1	RMS	1649	-46.08	-13	Pass	2001
3000	10000	1	RMS	6960	-41.8	-13	Pass	7001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.89	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.8	-13	Pass	7841
814	860	0.1	RMS	824.6	21.88	60	Pass	461
860	1000	0.1	RMS	873.4	-63.87	-13	Pass	1401
1000	3000	1	RMS	1649	-46.73	-13	Pass	2001
3000	10000	1	RMS	6962	-41.83	-13	Pass	7001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	Pass	2986
30	814	0.1	RMS	814	-63.46	-13	Pass	7841
814	860	0.1	RMS	832.1	22.4	60	Pass	461
860	1000	0.1	RMS	877.5	-64.04	-13	Pass	1401
1000	3000	1	RMS	1664	-44.71	-13	Pass	2001
3000	10000	1	RMS	6959	-41.91	-13	Pass	7001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	814	0.1	RMS	814	-63.66	-13	Pass	7841
814	860	0.1	RMS	832.1	21.62	60	Pass	461
860	1000	0.1	RMS	866.4	-63.96	-13	Pass	1401
1000	3000	1	RMS	1664	-45.69	-13	Pass	2001
3000	10000	1	RMS	6960	-41.82	-13	Pass	7001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	814	0.1	RMS	813.9	-64.1	-13	Pass	7841
814	860	0.1	RMS	839.6	22.34	60	Pass	461
860	1000	0.1	RMS	872.4	-64.08	-13	Pass	1401
1000	3000	1	RMS	1679	-46.49	-13	Pass	2001
3000	10000	1	RMS	6962	-41.82	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.89	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.83	-13	Pass	2986
30	814	0.1	RMS	812.8	-63.99	-13	Pass	7841
814	860	0.1	RMS	839.6	21.42	60	Pass	461
860	1000	0.1	RMS	968.5	-63.99	-13	Pass	1401
1000	3000	1	RMS	1679	-47.37	-13	Pass	2001
3000	10000	1	RMS	6960	-41.81	-13	Pass	7001



10.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2986
30	814	0.1	RMS	811.6	-57.01	-13	Pass	7841
814	860	0.1	RMS	824.8	21.85	60	Pass	461
860	1000	0.1	RMS	877.7	-63.85	-13	Pass	1401
1000	3000	1	RMS	1649	-45.75	-13	Pass	2001
3000	10000	1	RMS	6961	-41.82	-13	Pass	7001



10.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2986
30	814	0.1	RMS	811.6	-56.12	-13	Pass	7841
814	860	0.1	RMS	824.8	21.3	60	Pass	461
860	1000	0.1	RMS	867.2	-64.02	-13	Pass	1401
1000	3000	1	RMS	1649	-46.21	-13	Pass	2001
3000	10000	1	RMS	6960	-41.84	-13	Pass	7001



10.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.51	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.09	-13	Pass	2986
30	814	0.1	RMS	809.9	-62.79	-13	Pass	7841
814	860	0.1	RMS	829.8	21.34	60	Pass	461
860	1000	0.1	RMS	876.5	-64.03	-13	Pass	1401
1000	3000	1	RMS	1659	-45.17	-13	Pass	2001
3000	10000	1	RMS	6960	-41.83	-13	Pass	7001



10.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	814	0.1	RMS	809.9	-63.35	-13	Pass	7841
814	860	0.1	RMS	829.8	20.6	60	Pass	461
860	1000	0.1	RMS	875.1	-63.98	-13	Pass	1401
1000	3000	1	RMS	1659	-46.18	-13	Pass	2001
3000	10000	1	RMS	6959	-41.77	-13	Pass	7001



10.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.29	-13	Pass	2986
30	814	0.1	RMS	808.2	-58.6	-13	Pass	7841
814	860	0.1	RMS	834.8	21.45	60	Pass	461
860	1000	0.1	RMS	885.1	-64.1	-13	Pass	1401
1000	3000	1	RMS	1669	-45.6	-13	Pass	2001
3000	10000	1	RMS	6960	-41.82	-13	Pass	7001



10.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	814	0.1	RMS	808.2	-59.1	-13	Pass	7841
814	860	0.1	RMS	834.8	20.91	60	Pass	461
860	1000	0.1	RMS	860.5	-64.03	-13	Pass	1401
1000	3000	1	RMS	1669	-45.93	-13	Pass	2001
3000	10000	1	RMS	6960	-41.82	-13	Pass	7001



2. LTE_Band26(part90)


2.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-64.98	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.83	-13	Pass	2986
30	809	0.1	Peak	809	-51.58	-13	Pass	7791
809	829	0.1	Peak	814.2	27.52	60	Pass	401
829	1000	0.1	Peak	943.5	-52.63	-13	Pass	1711
1000	3000	1	Peak	1629	-34.31	-13	Pass	2001
3000	10000	1	Peak	7219	-30.39	-13	Pass	7001



2.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.63	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.32	-13	Pass	2986
30	809	0.1	Peak	808.9	-52.86	-13	Pass	7791
809	829	0.1	Peak	814.3	28.03	60	Pass	401
829	1000	0.1	Peak	852.3	-52.72	-13	Pass	1711
1000	3000	1	Peak	1629	-34.37	-13	Pass	2001
3000	10000	1	Peak	6983	-30.5	-13	Pass	7001



2.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.46	-13	Pass	2986
30	809	0.1	Peak	807.9	-52.28	-13	Pass	7791
809	829	0.1	Peak	818.55	27.37	60	Pass	401
829	1000	0.1	Peak	835.4	-52.67	-13	Pass	1711
1000	3000	1	Peak	1637	-36.46	-13	Pass	2001
3000	10000	1	Peak	7553	-30.51	-13	Pass	7001

