

BAND EDGE COMPLIANCE BAND 66a



XMIT 2019.09.05

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Analyzer - Spectrum Analyzer	Keysight	N9010A	AFM	19-Mar-19	19-Mar-20
Generator - Signal	Keysight	N5171B-506	TEW	2-May-18	2-May-21

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The spurious RF conducted emissions at the edges of the authorized bands were measured with the EUT set to low and high transmit frequencies in the available band. The channels closest to the band edges were selected. The EUT was transmitting at the data rate(s) listed in the datasheet.

The spectrum was scanned below the lower band edge and above the higher band edge.

All limits were adjusted by a factor of $[-10 \cdot \log(4)]$ dB to account for the device operation as a 4 port MIMO transmitter, as per FCC KDB 622911.

Per section 27.53(h)(1) and RSS-139 6.6, the power of any emission outside of the authorized operating frequency range cannot exceed -13 dBm. The limit is adjusted to -19 dBm $[-13 \text{ dBm} - 10 \log(4)]$ per FCC KDB 662911D01 v02r01 because the BTS may operate as a 4 port MIMO transmitter.

Per 27.53(h)(3) and RSS-139 6.6, emissions seen up to 1 MHz outside of authorized operating frequency range band edges shall be measured with a RBW of 1% of the measured emission bandwidth. Any emission seen to be > 1 MHz further outside the band edges shall be measured with a RBW of 1 MHz. However, a narrower RBW of at least 1% of the emission bandwidth is still allowed provided that the measured power is integrated over the full reference bandwidth of 1 MHz (not from part 27 but from TCB Meeting/TCB Correspondence on other testing).

BAND EDGE COMPLIANCE BAND 66a



XMM 2019.09.05

EUT: AHFIA		Work Order: NOKI0008	
Serial Number: K9174623559		Date: 18-Feb-20	
Customer: Nokia of America Corporation		Temperature: 22.4 °C	
Attendees: Mitch Hill, John Rattanavong		Humidity: 45.5% RH	
Project: None		Barometric Pres.: 1018 mbar	
Tested by: Brandon Hobbs		Job Site: TX09	
Power: 54VDC			
TEST SPECIFICATIONS		Test Method	
FCC 27:2020		ANSI C63.26:2015	
RSS-139:2015		RSS-139:2015	
COMMENTS			
All measurement path losses were accounted for in the reference level offset including any attenuators, filters and DC blocks. All measurement path losses were accounted for in the reference level offset including any attenuators, filters and DC blocks. The data was taken while using the highest output power port which was found in the original client provided test report.			
DEVIATIONS FROM TEST STANDARD			
None			
Configuration #	2	Signature 	
		Value (dBm)	Limit (dBm) Result
5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4			
5 MHz Bandwidth			
QPSK Modulation			
Low Channel 2112.5 MHz			
Frequency Range 1		-20.40	-19 Pass
Frequency Range 2		-20.19	-19 Pass
Frequency Range 3		-20.54	-19 Pass
High Channel 2177.5 MHz			
Frequency Range 1		-20.75	-19 Pass
Frequency Range 2		-21.89	-19 Pass
Frequency Range 3		-22.79	-19 Pass
16-QAM Modulation			
Low Channel 2112.5 MHz			
Frequency Range 1		-22.10	-19 Pass
Frequency Range 2		-19.85	-19 Pass
Frequency Range 3		-20.20	-19 Pass
High Channel 2177.5 MHz			
Frequency Range 1		-20.59	-19 Pass
Frequency Range 2		-22.21	-19 Pass
Frequency Range 3		-22.78	-19 Pass
64-QAM Modulation			
Low Channel 2112.5 MHz			
Frequency Range 1		-20.23	-19 Pass
Frequency Range 2		-20.68	-19 Pass
Frequency Range 3		-20.72	-19 Pass
High Channel 2177.5 MHz			
Frequency Range 1		-21.42	-19 Pass
Frequency Range 2		-22.38	-19 Pass
Frequency Range 3		-22.78	-19 Pass
256-QAM Modulation			
Low Channel 2112.5 MHz			
Frequency Range 1		-20.81	-19 Pass
Frequency Range 2		-20.26	-19 Pass
Frequency Range 3		-20.79	-19 Pass
High Channel 2177.5 MHz			
Frequency Range 1		-21.19	-19 Pass
Frequency Range 2		-22.85	-19 Pass
Frequency Range 3		-22.70	-19 Pass
10 MHz Bandwidth			
QPSK Modulation			
Low Channel 2115 MHz			
Frequency Range 1		-24.23	-19 Pass
Frequency Range 2		-32.22	-19 Pass
Frequency Range 3		-23.05	-19 Pass
High Channel 2175 MHz			
Frequency Range 1		-25.61	-19 Pass
Frequency Range 2		-23.96	-19 Pass
Frequency Range 3		-23.88	-19 Pass
16-QAM Modulation			
Low Channel 2115 MHz			
Frequency Range 1		-25.68	-19 Pass
Frequency Range 2		-23.10	-19 Pass
Frequency Range 3		-23.55	-19 Pass
High Channel 2175 MHz			
Frequency Range 1		-26.48	-19 Pass
Frequency Range 2		-23.90	-19 Pass
Frequency Range 3		-23.78	-19 Pass
64-QAM Modulation			
Low Channel 2115 MHz			
Frequency Range 1		-24.59	-19 Pass
Frequency Range 2		-23.55	-19 Pass
Frequency Range 3		-23.61	-19 Pass
High Channel 2175 MHz			
Frequency Range 1		-25.57	-19 Pass
Frequency Range 2		-23.27	-19 Pass
Frequency Range 3		-23.73	-19 Pass
256-QAM Modulation			
Low Channel 2115 MHz			
Frequency Range 1		-23.67	-19 Pass
Frequency Range 2		-23.91	-19 Pass
Frequency Range 3		-23.45	-19 Pass
High Channel 2175 MHz			
Frequency Range 1		-24.95	-19 Pass
Frequency Range 2		-23.48	-19 Pass
Frequency Range 3		-23.52	-19 Pass
15 MHz Bandwidth			

QPSK Modulation				
Low Channel 2117.5 MHz				
Frequency Range 1	-24.71	-19	Pass	
Frequency Range 2	-24.04	-19	Pass	
Frequency Range 3	-24.32	-19	Pass	
High Channel 2172.5 MHz				
Frequency Range 1	-26.08	-19	Pass	
Frequency Range 2	-24.19	-19	Pass	
Frequency Range 3	-24.41	-19	Pass	
16-QAM Modulation				
Low Channel 2117.5 MHz				
Frequency Range 1	-25.82	-19	Pass	
Frequency Range 2	-24.67	-19	Pass	
Frequency Range 3	-24.55	-19	Pass	
High Channel 2172.5 MHz				
Frequency Range 1	-25.14	-19	Pass	
Frequency Range 2	-24.16	-19	Pass	
Frequency Range 3	-24.30	-19	Pass	
64-QAM Modulation				
Low Channel 2117.5 MHz				
Frequency Range 1	-24.37	-19	Pass	
Frequency Range 2	-24.30	-19	Pass	
Frequency Range 3	-24.50	-19	Pass	
High Channel 2172.5 MHz				
Frequency Range 1	-25.39	-19	Pass	
Frequency Range 2	-24.04	-19	Pass	
Frequency Range 3	-24.17	-19	Pass	
256-QAM Modulation				
Low Channel 2117.5 MHz				
Frequency Range 1	-24.72	-19	Pass	
Frequency Range 2	-24.49	-19	Pass	
Frequency Range 3	-24.29	-19	Pass	
High Channel 2172.5 MHz				
Frequency Range 1	-25.30	-19	Pass	
Frequency Range 2	-23.90	-19	Pass	
Frequency Range 3	-24.04	-19	Pass	
20 MHz Bandwidth				
QPSK Modulation				
Low Channel 2120 MHz				
Frequency Range 1	-22.61	-19	Pass	
Frequency Range 2	-25.09	-19	Pass	
Frequency Range 3	-24.75	-19	Pass	
High Channel 2170 MHz				
Frequency Range 1	-22.81	-19	Pass	
Frequency Range 2	-24.48	-19	Pass	
Frequency Range 3	-24.20	-19	Pass	
16-QAM Modulation				
Low Channel 2120 MHz				
Frequency Range 1	-23.24	-19	Pass	
Frequency Range 2	-25.08	-19	Pass	
Frequency Range 3	-24.85	-19	Pass	
High Channel 2170 MHz				
Frequency Range 1	-22.91	-19	Pass	
Frequency Range 2	-24.62	-19	Pass	
Frequency Range 3	-24.22	-19	Pass	
64-QAM Modulation				
Low Channel 2120 MHz				
Frequency Range 1	-22.77	-19	Pass	
Frequency Range 2	-25.17	-19	Pass	
Frequency Range 3	-24.87	-19	Pass	
High Channel 2170 MHz				
Frequency Range 1	-22.07	-19	Pass	
Frequency Range 2	-24.40	-19	Pass	
Frequency Range 3	-24.30	-19	Pass	
256-QAM Modulation				
Low Channel 2120 MHz				
Frequency Range 1	-22.93	-19	Pass	
Frequency Range 2	-25.04	-19	Pass	
Frequency Range 3	-24.83	-19	Pass	
High Channel 2170 MHz				
Frequency Range 1	-23.27	-19	Pass	
Frequency Range 2	-24.47	-19	Pass	
Frequency Range 3	-24.36	-19	Pass	


BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth , QPSK Modulation, Low Channel 2112.5 MHz, Frequency Range 1

				Value (dBm)	Limit (dBm)	Result
				-20.397	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth , QPSK Modulation, Low Channel 2112.5 MHz, Frequency Range 2

				Value (dBm)	Limit (dBm)	Result
				-20.19	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth , QPSK Modulation, Low Channel 2112.5 MHz, Frequency Range 3

				Value (dBm)	Limit (dBm)	Result
				-20.539	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth , QPSK Modulation, High Channel 2177.5 MHz, Frequency Range 1

				Value (dBm)	Limit (dBm)	Result
				-20.754	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, QPSK Modulation, High Channel 2177.5 MHz, Frequency Range 2

	Value (dBm)	Limit (dBm)	Result
	-21.89	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, QPSK Modulation, High Channel 2177.5 MHz, Frequency Range 3

	Value (dBm)	Limit (dBm)	Result
	-22.785	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 16-QAM Modulation, Low Channel 2112.5 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-22.098	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 16-QAM Modulation, Low Channel 2112.5 MHz, Frequency Range 2

	Value (dBm)	Limit (dBm)	Result
	-19.85	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 16-QAM Modulation, Low Channel 2112.5 MHz, Frequency Range 3

	Value (dBm)	Limit (dBm)	Result
	-20.204	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 16-QAM Modulation, High Channel 2177.5 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-20.587	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 16-QAM Modulation, High Channel 2177.5 MHz, Frequency Range 2

	Value (dBm)	Limit (dBm)	Result
	-22.21	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 16-QAM Modulation, High Channel 2177.5 MHz, Frequency Range 3

	Value (dBm)	Limit (dBm)	Result
	-22.783	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 64-QAM Modulation, Low Channel 2112.5 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-20.228	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 64-QAM Modulation, Low Channel 2112.5 MHz, Frequency Range 2

	Value (dBm)	Limit (dBm)	Result
	-20.68	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 64-QAM Modulation, Low Channel 2112.5 MHz, Frequency Range 3

	Value (dBm)	Limit (dBm)	Result
	-20.72	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 64-QAM Modulation, High Channel 2177.5 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-21.416	-19	Pass




BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth , 64-QAM Modulation, High Channel 2177.5 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-22.38	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth , 64-QAM Modulation, High Channel 2177.5 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-22.778	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 256-QAM Modulation, Low Channel 2112.5 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-20.806	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 256-QAM Modulation, Low Channel 2112.5 MHz, Frequency Range 2

	Value (dBm)	Limit (dBm)	Result
	-20.26	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 256-QAM Modulation, Low Channel 2112.5 MHz, Frequency Range 3

	Value (dBm)	Limit (dBm)	Result
	-20.792	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth, 256-QAM Modulation, High Channel 2177.5 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-21.185	-19	Pass




BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth , 256-QAM Modulation, High Channel 2177.5 MHz, Frequency Range 2						
	Value (dBm)	Limit (dBm)	Result			
	-22.85	-19	Pass			



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 5 MHz Bandwidth , 256-QAM Modulation, High Channel 2177.5 MHz, Frequency Range 3						
	Value (dBm)	Limit (dBm)	Result			
	-22.701	-19	Pass			




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, QPSK Modulation, Low Channel 2115 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-24.225	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, QPSK Modulation, Low Channel 2115 MHz, Frequency Range 2

	Value (dBm)	Limit (dBm)	Result
	-32.22	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, QPSK Modulation, Low Channel 2115 MHz, Frequency Range 3

	Value (dBm)	Limit (dBm)	Result
	-23.046	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, QPSK Modulation, High Channel 2175 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-25.612	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, QPSK Modulation, High Channel 2175 MHz, Frequency Range 2

	Value (dBm)	Limit (dBm)	Result
	-23.96	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, QPSK Modulation, High Channel 2175 MHz, Frequency Range 3

	Value (dBm)	Limit (dBm)	Result
	-23.88	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth , 16-QAM Modulation, Low Channel 2115 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-25.684	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth , 16-QAM Modulation, Low Channel 2115 MHz, Frequency Range 2

	Value (dBm)	Limit (dBm)	Result
	-23.1	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel 2115 MHz, Frequency Range 3

	Value (dBm)	Limit (dBm)	Result
	-23.552	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, 16-QAM Modulation, High Channel 2175 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-26.477	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, 16-QAM Modulation, High Channel 2175 MHz, Frequency Range 2

	Value (dBm)	Limit (dBm)	Result
	-23.9	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, 16-QAM Modulation, High Channel 2175 MHz, Frequency Range 3

	Value (dBm)	Limit (dBm)	Result
	-23.778	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth , 64-QAM Modulation, Low Channel 2115 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-24.587	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth , 64-QAM Modulation, Low Channel 2115 MHz, Frequency Range 2

	Value (dBm)	Limit (dBm)	Result
	-23.55	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel 2115 MHz, Frequency Range 3

	Value (dBm)	Limit (dBm)	Result
	-23.605	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, 64-QAM Modulation, High Channel 2175 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-25.574	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth , 64-QAM Modulation, High Channel 2175 MHz, Frequency Range 2

				Value (dBm)	Limit (dBm)	Result
				-23.27	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth , 64-QAM Modulation, High Channel 2175 MHz, Frequency Range 3

				Value (dBm)	Limit (dBm)	Result
				-23.731	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMM 2019.09.05


5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, 256-QAM Modulation, Low Channel 2115 MHz, Frequency Range 1

	Value (dBm)	Limit (dBm)	Result
	-23.669	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, 256-QAM Modulation, Low Channel 2115 MHz, Frequency Range 2

	Value (dBm)	Limit (dBm)	Result
	-23.91	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, 256-QAM Modulation, Low Channel 2115 MHz, Frequency Range 3

				Value (dBm)	Limit (dBm)	Result
				-23.45	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth, 256-QAM Modulation, High Channel 2175 MHz, Frequency Range 1

				Value (dBm)	Limit (dBm)	Result
				-24.945	-19	Pass




BAND EDGE COMPLIANCE BAND 66a




XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth , 256-QAM Modulation, High Channel 2175 MHz, Frequency Range 2						
				Value (dBm)	Limit (dBm)	Result
				-23.48	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 10 MHz Bandwidth , 256-QAM Modulation, High Channel 2175 MHz, Frequency Range 3						
				Value (dBm)	Limit (dBm)	Result
				-23.522	-19	Pass




BAND EDGE COMPLIANCE BAND 66a



XMI 2019.09.05

5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, QPSK Modulation, Low Channel 2117.5 MHz, Frequency Range 1

				Value (dBm)	Limit (dBm)	Result
				-24.71	-19	Pass



5G Band 66a, 2110 MHz - 2180 MHz, (Single Carrier) Port 4, 15 MHz Bandwidth, QPSK Modulation, Low Channel 2117.5 MHz, Frequency Range 2

				Value (dBm)	Limit (dBm)	Result
				-24.04	-19	Pass

