



**Conducted Spurs Average, 5260 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5260 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5260 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5260 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5260 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

Ref Offset 13.82 dB
Ref 0.00 dBm

Center Freq 9.015000000 GHz
Avg Type: Log-Pwr

TRACED 15750
TYPE: Continuous
RES: 100.000 kHz

Mkr3 15.780 GHz
-71.10 dBm

Start 30 MHz
#Res BW 1.0 MHz
#VBW 1.0 kHz
Stop 18,000 GHz
Sweep 14.0 s (1001 pts)

MARK	MODE	FREQ	CLL	dB	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	6.260 GHz	-70.23 dBm		
2	N	1	f	10.520 GHz	-71.68 dBm		
3	N	1	f	15.780 GHz	-71.10 dBm		
4	N	1	f	5.816 GHz	-63.78 dBm		

Agilent Spectrum Analyzer - Swept 100 MHz

Center Freq 9.015000000 GHz

PRB: Fast Trig: Free Run

W/Gain: 0 dB Att: 4 dB

Auto Tune

Center Freq 9.015000000 GHz

Start Freq 30.000000 MHz

Stop Freq 18.000000000 GHz

CF Step 1.797000000 GHz

Auto Man

Freq Offset 0 Hz

Start 30 MHz

Res BW 1.0 MHz

VBW 1.0 kHz

Sweep 18.000 GHz

14.0 s (1001 pts)

Mkr4 5.563 GHz -63.86 dBm

Ref Offset 13.82 dB

Ref 0.00 dBm

MkR	MODE	FREQ	SCL	dB	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	5.560 GHz	-70.73 dBm			
2	N	1	f	10.520 GHz	-71.29 dBm			
3	N	1	f	16.780 GHz	-70.94 dBm			
4	N	1	f	5.563 GHz	-63.86 dBm			

The screenshot shows a Spectrum Analyzer interface. At the top, the title bar reads "Agilent Spectrum Analyzer - Sweep 54". The main display area shows a frequency spectrum with a prominent peak at 15.780 GHz. The peak is labeled "Mkr3 15.780 GHz -71.13 dBm". The x-axis represents frequency, and the y-axis represents power in dBm. The interface includes various control panels and a data table at the bottom.

Top Panel:

- Center Freq: 9.015000000 GHz
- Span: 30.00000000 GHz
- Ref Offset: 13.82 dB
- Ref: 0.00 dBm
- Trig: Free Run
- Attenu: 4 dB
- Avr Type: Log-Pwr
- Frequency: 11:14:04 PM May 18, 2014

Left Panel:

- 10 dB/div
- 10.0
- 20.0
- 30.0
- 40.0
- 50.0
- 60.0
- 70.0
- 80.0
- 90.0

Right Panel:

- Auto Tune
- Center Freq: 9.015000000 GHz
- Start Freq: 30.000000 MHz
- Stop Freq: 18.000000000 GHz
- CF Step: 1.797000000 GHz
- Auto
- Man
- Freq Offset: 0 Hz

Bottom Panel:

- Start 30 MHz
- Res BW 1.0 MHz
- #VBW 1.0 kHz
- Sweep 18.000 GHz
- 14.0 s (1001 pts)

Data Table:

MNR	MODE	FREQ	SCL	dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	5.800 GHz	-70.51 dBm		
2	N	1	f	10.520 GHz	-71.59 dBm		
3	N	1	f	15.780 GHz	-71.13 dBm		
4	N	1	f	5.816 GHz	-63.42 dBm		
5	N	1	f				
6	N	1	f				
7	N	1	f				
8	N	1	f				
9	N	1	f				
10	N	1	f				
11	N	1	f				
12	N	1	f				

Status Bar:

- MSG
- STATUS

Agilent Spectrum Analyzer - Sweep 5A

RF1: 100.000000 GHz 0.000000 dBm 100.000000 GHz 0.000000 dBm

Center Freq 9.015000000 GHz

Auto Type: Log-Pwr

Trace 1: 1 4 0
Type: Spectrum
Ref: 10.000000 dBm

Frequency

Auto Tune

Center Freq
9.015000000 GHz

Start Freq
30.000000 MHz

Stop Freq
18.000000000 GHz

CF Step
1.797000000 GHz

Autz

Man

Freq Offset
0 Hz

10 dB/div

Ref Offset 13.82 dB

Ref 0.00 dBm

Mkr4 5.601 GHz

-83.33 dBm

Start 30 MHz

#Res BW 1.0 MHz

#VBW 1.0 kHz

Sweep 18.000 GHz

14.0 s (1001 pts)

MNR	MODE	TRC	SL	F	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	5.600 GHz	-70.30 dBm			
2	N	1	f	10.520 GHz	-71.49 dBm			
3	N	1	f	15.780 GHz	-71.10 dBm			
4	N	1	f	5.601 GHz	-83.33 dBm			
5								
6								
7								
8								
9								
10								
11								
12								


MNR0


STATUS

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version.
Cisco Systems, Inc. Company Confidential

**Conducted Spurs Average, 5260 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**


**Conducted Spurs Average, 5260 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Average, 5260 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**


**Conducted Spurs Average, 5260 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5260 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**


**Conducted Spurs Average, 5260 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5260 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Spurs Average, 5260 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Spurs Average, 5260 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**



**Conducted Spurs Average, 5260 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5260 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5270 MHz, Non HT/VHT40, 6 to 54 Mbps**Antenna A**

Conducted Spurs Average, 5270 MHz, Non HT/VHT40, 6 to 54 Mbps**Antenna A****Antenna B**


Conducted Spurs Average, 5270 MHz, Non HT/VHT40, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C**


**Conducted Spurs Average, 5270 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5270 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1**Antenna A**

**Conducted Spurs Average, 5270 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**



**Conducted Spurs Average, 5270 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**




**Conducted Spurs Average, 5270 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**



**Conducted Spurs Average, 5270 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5270 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5270 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5270 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Spurs Average, 5270 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5270 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5270 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Average, 5270 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5270 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5270 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5270 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

Agilent Spectrum Analyzer - Smp154

Center Freq 9.015000000 GHz

Ref Offset 13.82 dB

Ref 0.00 dBm

Mkr3 15.780 GHz -71.20 dBm

Start 30 MHz

Stop 18.000 GHz

Res BW 1.0 MHz

#VBW 1.0 kHz

Sweep 14.0 s (1001 pts)

MARK	MODE	TRC	SL	F	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	6.210 GHz	-71.42 dBm		
2	N	1	f	10.520 GHz	-71.89 dBm		
3	N	1	f	15.780 GHz	-71.20 dBm		
4	N	1	f	8.762 GHz	-64.13 dBm		

Agilent Spectrum Analyzer

Center Freq 9.015000000 GHz Avg Type: Log-Pwr

Ref Offset 13.82 dB Ref 0.00 dBm

Mkr3 15.780 GHz -71.08 dBm

Start 30 MHz #Res BW 1.0 MHz #VBW 1.0 kHz Sweep 18.000 GHz Stop 18.000 GHz

PKR	MODE	FREQ	SCL	DB	V	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	5.270 GHz	-71.65 dBm			
2	N	1	f	10.520 GHz	-71.60 dBm			
3	N	1	f	15.780 GHz	-71.08 dBm			
4	N	1	f	5.780 GHz	-63.76 dBm			

Agilent Spectrum Analyzer - Sweep 54

Center Freq 9.015000000 GHz

Ref Offset 13.82 dB

Ref 0.00 dBm

Mkr3 15.780 GHz

-71.04 dBm

Start 30 MHz

Res BW 1.0 MHz

#VBW 1.0 kHz

Sweep 18.000 GHz

Sweep 14.0 s (1001 pts)

MNR	MODE	TRC	SCL	F	F	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	5.270 GHz	-71.53 dBm			
2	N	1	f	10.520 GHz	-71.63 dBm			
3	N	1	f	15.780 GHz	-71.04 dBm			
4	N	1	f	5.780 GHz	-63.58 dBm			

Agilent Spectrum Analyzer - Sweep SA

Center Freq 9.015000000 GHz

Ref Offset 13.82 dB
Ref 0.00 dBm

Mkr3 15.780 GHz
-71.06 dBm

Start 30 MHz
#Res BW 1.0 MHz

#VBW 1.0 kHz

Sweep 18.000 GHz
14.0 s (1001 pts)



MNR	MODE	TRC	SL	F	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	6.570 GHz	-71.20 dBm		
2	N	1	f	10.520 GHz	-71.56 dBm		
3	N	1	f	15.780 GHz	-71.06 dBm		
4	N	1	f	5.728 GHz	-63.56 dBm		
5							
6							
7							
8							
9							
10							
11							
12							

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version.
Cisco Systems, Inc. Company Confidential

**Conducted Spurs Average, 5270 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5270 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**


**Conducted Spurs Average, 5270 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5270 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5290 MHz, Non HT/VHT80, 6 to 54 Mbps**Antenna A**


**Conducted Spurs Average, 5290 MHz, Non HT/VHT80, 6 to 54 Mbps****Antenna A****Antenna B**

**Conducted Spurs Average, 5290 MHz, Non HT/VHT80, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5290 MHz, Non HT/VHT80, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1**Antenna A**



**Conducted Spurs Average, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**


**Conducted Spurs Average, 5290 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Average, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5290 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5290 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5290 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5290 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5290 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**


**Conducted Spurs Average, 5290 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Average, 5290 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5290 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5290 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5290 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Spurs Average, 5290 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Spurs Average, 5290 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5290 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5290 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5290 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5280 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A**


**Conducted Spurs Average, 5280 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B**

**Conducted Spurs Average, 5280 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**


**Conducted Spurs Average, 5280 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**


Conducted Spurs Average, 5280 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps**Antenna A****Antenna B**


**Conducted Spurs Average, 5280 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**


**Conducted Spurs Average, 5280 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Spurs Average, 5280 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A**


**Conducted Spurs Average, 5280 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**


**Conducted Spurs Average, 5280 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Average, 5280 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5280 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5280 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5280 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5280 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Spurs Average, 5280 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5280 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**


**Conducted Spurs Average, 5280 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Average, 5280 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5280 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**


**Conducted Spurs Average, 5280 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**


**Conducted Spurs Average, 5280 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5280 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5280 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5280 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5280 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5280 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5310 MHz, Non HT/VHT40, 6 to 54 Mbps**Antenna A**

**Conducted Spurs Average, 5310 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B**


**Conducted Spurs Average, 5310 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5310 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A**

**Conducted Spurs Average, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5310 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Average, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**