

Report No.: SEWM2207000119RG01

Rev.: 01 Page: 1 of 28

Appendix B.8

LTE Cat-M1 Band25



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgc.om/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgc.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this comment contained between the contained the contained of the company. Any unauthorized alteration, forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

or email: CN.Doccheck@sgs.com

I South of No. 6 Plant. No. 1. Rursheng Road. Suzhou Industrial Park. Suzhou Area. China (Jianosu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 2 of 28

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
Band25	1.4M	QPSK	L	1RB0	20.32	23.32	33	PASS
Band25	1.4M	QPSK	L	1RB5	20.12	23.12	33	PASS
Band25	1.4M	QPSK	L	6RB0	18.03	21.03	33	PASS
Band25	1.4M	QPSK	М	1RB0	20.41	23.41	33	PASS
Band25	1.4M	QPSK	М	1RB5	20.12	23.12	33	PASS
Band25	1.4M	QPSK	М	6RB0	18.42	21.42	33	PASS
Band25	1.4M	QPSK	Н	1RB0	20.44	23.44	33	PASS
Band25	1.4M	QPSK	Н	1RB5	20.25	23.25	33	PASS
Band25	1.4M	QPSK	Н	6RB0	18.32	21.32	33	PASS
Band25	3M	QPSK	L	1RB0	20.21	23.21	33	PASS
Band25	3M	QPSK	L	1RB5	20.34	23.34	33	PASS
Band25	3M	QPSK	L	6RB0	18.32	21.32	33	PASS
Band25	3M	QPSK	М	1RB0	20.41	23.41	33	PASS
Band25	3M	QPSK	М	1RB5	20.32	23.32	33	PASS
Band25	3M	QPSK	М	6RB0	18.42	21.42	33	PASS
Band25	3M	QPSK	Н	1RB0	20.11	23.11	33	PASS
Band25	3M	QPSK	Н	1RB5	20.36	23.36	33	PASS
Band25	3M	QPSK	Н	6RB0	20.33	23.33	33	PASS
Band25	5M	QPSK	L	1RB0	20.26	23.26	33	PASS
Band25	5M	QPSK	L	1RB5	20.32	23.32	33	PASS
Band25	5M	QPSK	L	6RB0	19.15	22.15	33	PASS
Band25	5M	QPSK	М	1RB0	20.41	23.41	33	PASS
Band25	5M	QPSK	М	1RB5	20.36	23.36	33	PASS
Band25	5M	QPSK	М	6RB0	19.33	22.33	33	PASS
Band25	5M	QPSK	Н	1RB0	20.36	23.36	33	PASS
Band25	5M	QPSK	Н	1RB5	20.12	23.12	33	PASS
Band25	5M	QPSK	Н	6RB0	19.26	22.26	33	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Indushial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 3 of 28

Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band25	5MHz	QPSK	26065	6RB#0	11.16	13	PASS
Band25	5MHz	QPSK	26365	6RB#0	11.30	13	PASS
Band25	5MHz	QPSK	26665	6RB#0	11.40	13	PASS






Report No.: SEWM2207000119RG01

Rev.: 01 Page: 4 of 28

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD Doccheck@ass.com"

South of No. 6 Plent, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou-Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 5 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).

or email: <u>LNL, Doccheck (283, Com</u> | South of Nb. 6 Pixth, Nb. 1, Bursheng Road, Suzbou Industrial Park, Suzbou Area, China (Jangsu) Pitot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的4号厂房南部 邮编: 215000



Report No.: SEWM2207000119RG01


Rev.: 01 Page: 6 of 28

Modulation Characteristics

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result	Verdict
Band25	5MHz	QPSK	26365	6RB#0	PASS	PASS

Test Graphs







Report No.: SEWM2207000119RG01

Rev.: 01 Page: 7 of 28

26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1.060	1.14	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.092	1.27	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.096	1.29	PASS
Band25	3MHz	QPSK	26055	6RB#0	1.097	1.24	PASS
Band25	3MHz	QPSK	26365	6RB#0	1.105	1.31	PASS
Band25	3MHz	QPSK	26675	6RB#0	1.108	1.32	PASS
Band25	5MHz	QPSK	26065	6RB#0	1.093	1.27	PASS
Band25	5MHz	QPSK	26365	6RB#0	1.096	1.25	PASS
Band25	5MHz	QPSK	26665	6RB#0	1.126	1.42	PASS






Report No.: SEWM2207000119RG01

Rev.: 01 Page: 8 of 28

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co

or email: CN_Doccheck@egs.com Sound r/M.6 Files M.0. (Runshery Read, Subou Industrial Park, Suzhou Area, Chira (Jangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は強区苏州上区苏州工业园区园胜路(号約6号厂房南部 郷第: 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 9 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co


or email: CN_Doccheck@sgs_com | 20th d1Na.8Fixth, th. Runsheng Road, 20thou Indastell Park, Suthou Area, China (Liangsi) Plat Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭線: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 10 of 28






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 11 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co


or email: CN. <u>Doccheck@sgs.com</u> | Soundriko Fibruk, N. Farsheng Pools, Johno Indastriel Park, Suchou Area, China (Jiangsi) Pikt Free Trade Zone 215000 | 中国・苏州・中国(江苏)自由原易试验区苏州上区苏州工业国区海胜路1号的6号厂房南部 - 鄭塢: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 12 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

or email: CN_Doccheck@egs.com Sound r/M.6 Files M.0. (Runshery Read, Subou Industrial Park, Suzhou Area, Chira (Jangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は強区苏州上区苏州工业园区园胜路(号約6号厂房南部 郷第: 215000




Report No.: SEWM2207000119RG01

Rev.: 01

Page: 13 of 28

Band Edge

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com




Report No.: SEWM2207000119RG01

Rev.: 01

Page: 14 of 28

Band25-1.4MHz-QPSK-26683-1RB#5 **MultiView** | Spectrum** **Ref Level 25 00 den of thest 4.0 de Node Sivere **County 78/7/20 | County 78/7/






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 15 of 28






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co


or email: CN_Doccheck@egs.com Sound r/M.6 Files M.0. (Runshery Read, Subou Industrial Park, Suzhou Area, Chira (Jangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は強区苏州上区苏州工业园区园胜路(号約6号厂房南部 郷第: 215000




Report No.: SEWM2207000119RG01

Rev.: 01












Report No.: SEWM2207000119RG01

Rev.: 01

Page: 17 of 28






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co



Report No.: SEWM2207000119RG01

Rev.:

Page: 18 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWM2207000119RG01

Rev.: 01

Page: 19 of 28

Conducted Spurious Emission

Test Graphs








Report No.: SEWM2207000119RG01

Rev.: 01 Page: 20 o





11:05:05 26.07.2022


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co

or email: CN_Doccheck@sgs_com | Such who, 8-Pixth, h. Runsheng Road, Suchou Indastel Park, Suchou Area, Chine (Jángsu) Pital Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的5号 房南部 鄭錦 215000



Report No.: SEWM2207000119RG01

Rev.: 01






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co

or email: CN_Doccheck@sgs_com | 20th d1Na.8Fixth, th. Runsheng Road, 20thou Indastell Park, Suthou Area, China (Liangsi) Plat Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭線: 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 22 of





11:05:25 26.07.2022



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 23 of 28






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co




Report No.: SEWM2207000119RG01

Rev.: 01





Band25-5MHz-QPSK-26665-1RB#0-Range4:1000~20000MHz







Report No.: SEWM2207000119RG01

Rev.: 01 Page: 25 of 28

Field Strength of Spurious Radiation

Test Band = CAT M1 Band 25_ TM1
Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702.1800	82.21	-45.51	29.98	-28.58	-13.00	15.58	163	239	Horizontal
2	5553.2700	48.84	-45.15	32.97	-58.60	-13.00	45.60	215	164	Horizontal
3	7404.3600	48.69	-43.40	36.49	-53.48	-13.00	40.48	149	0	Horizontal
4	9255.4500	44.79	-40.23	38.38	-52.32	-13.00	39.32	221	119	Horizontal
5	11106.5400	40.32	-37.93	39.09	-53.78	-13.00	40.78	181	0	Horizontal
6	12957.6300	40.05	-37.24	39.79	-52.66	-13.00	39.66	217	209	Horizontal

Final	Final Data List											
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3702.1800	61.23	-45.51	29.98	-49.56	-13.00	36.56	218	286	Vertical		
2	5553.2700	49.53	-45.15	32.97	-57.91	-13.00	44.91	226	0	Vertical		
3	7404.3600	48.26	-43.40	36.49	-53.91	-13.00	40.91	167	46	Vertical		
4	9255.4500	44.26	-40.23	38.38	-52.85	-13.00	39.85	189	0	Vertical		
5	11106.5400	41.51	-37.93	39.09	-52.59	-13.00	39.59	235	331	Vertical		
6	12957.6300	39.89	-37.24	39.79	-52.82	-13.00	39.82	224	211	Vertical		





Report No.: SEWM2207000119RG01

Rev.: 01 Page: 26 of 28

Test Band = CAT M1 Band 25_ TM1 Test Channel = Mid

Final	Final Data List											
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Polarity		
NO.	[MHz]	[dBµV]	[dB]	Arlub/IIIJ	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily		
1	3742.1800	73.96	-45.68	30.12	-36.86	-13.00	23.86	157	256	Horizontal		
2	5613.2700	48.31	-45.04	33.07	-58.92	-13.00	45.92	214	315	Horizontal		
3	7484.3600	46.42	-43.18	36.45	-55.57	-13.00	42.57	236	344	Horizontal		
4	9355.4500	43.69	-40.00	38.46	-53.12	-13.00	40.12	186	270	Horizontal		
5	11226.5400	41.44	-37.40	39.11	-52.11	-13.00	39.11	191	330	Horizontal		
6	13097.6300	39.45	-37.01	39.87	-52.94	-13.00	39.94	237	104	Horizontal		

Final	Data List									
NO.	Frequency	Reading	Factor	↑ F[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	58.70	-45.68	30.12	-52.12	-13.00	39.12	268	76	Vertical
2	5613.2700	49.55	-45.04	33.07	-57.68	-13.00	44.68	271	213	Vertical
3	7484.3600	46.88	-43.18	36.45	-55.11	-13.00	42.11	229	0	Vertical
4	9355.4500	43.65	-40.00	38.46	-53.16	-13.00	40.16	254	17	Vertical
5	11226.5400	41.99	-37.40	39.11	-51.56	-13.00	38.56	186	357	Vertical
6	13097.6300	40.11	-37.01	39.87	-52.28	-13.00	39.28	179	273	Vertical





Report No.: SEWM2207000119RG01

Rev.: 01 Page: 27 of 28

Test Band = CAT M1 Band 25_ TM1 Test Channel = High

Final	Final Data List												
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Polarity			
NO.	[MHz]	[dBµV]	[dB]	Arlub/IIIJ	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily			
1	3792.1800	69.10	-45.89	30.30	-41.75	-13.00	28.75	161	270	Horizontal			
2	5688.2700	51.23	-44.87	33.34	-55.56	-13.00	42.56	213	254	Horizontal			
3	7584.3600	48.44	-42.96	36.40	-53.38	-13.00	40.38	158	104	Horizontal			
4	9480.4500	42.45	-40.15	38.47	-54.49	-13.00	41.49	179	226	Horizontal			
5	11376.5400	40.34	-37.38	39.11	-53.19	-13.00	40.19	218	16	Horizontal			
6	13272.6300	38.50	-36.97	40.00	-53.72	-13.00	40.72	149	195	Horizontal			

Final	Final Data List											
NO	Frequency	Reading	Factor	↑ F[dD/m]	Level	Limit	Margin	Height	Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3792.1800	55.93	-45.89	30.30	-54.92	-13.00	41.92	217	315	Vertical		
2	5688.2700	48.99	-44.87	33.34	-57.80	-13.00	44.80	226	0	Vertical		
3	7584.3600	46.75	-42.96	36.40	-55.07	-13.00	42.07	251	148	Vertical		
4	9480.4500	43.90	-40.15	38.47	-53.04	-13.00	40.04	238	120	Vertical		
5	11376.5400	40.05	-37.38	39.11	-53.48	-13.00	40.48	251	46	Vertical		
6	13272.6300	39.92	-36.97	40.00	-52.30	-13.00	39.30	184	226	Vertical		

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading Level + AF(dB/m) + Factor(dB)

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain (dB)

Margin = Limit(dBm) - Level(dBm)

 $dBm = dB\mu V - 95.26$





Report No.: SEWM2207000119RG01

Rev.: 01

Page: 28 of 28

Frequency Stability

Test Result

Band	Bandwidth	Modulation	Channel	RB Configure	Voltag e [Vdc]	Temperatur e (°ℂ)	Deviation (Hz)	Deviation (ppm)	Verdict
Band25	5MHz	QPSK	26365	6RB#0	VL	NT	6.00	0.003187	PASS
Band25	5MHz	QPSK	26365	6RB#0	VN	NT	-9.80	-0.005206	PASS
Band25	5MHz	QPSK	26365	6RB#0	VH	NT	3.60	0.001912	PASS

Band	Bandwidth	Modulation	Channel	RB Configure	Voltag e [Vdc]	Temperatur e (°ℂ)	Deviation (Hz)	Deviation (ppm)	Verdict
Band25	5MHz	QPSK	26365	6RB#0	NV	-30	4.40	0.002337	PASS
Band25	5MHz	QPSK	26365	6RB#0	NV	-20	0.50	0.000266	PASS
Band25	5MHz	QPSK	26365	6RB#0	NV	-10	-0.60	-0.000319	PASS
Band25	5MHz	QPSK	26365	6RB#0	NV	0	-11.00	-0.005843	PASS
Band25	5MHz	QPSK	26365	6RB#0	NV	10	-5.30	-0.002815	PASS
Band25	5MHz	QPSK	26365	6RB#0	NV	20	5.40	0.002869	PASS
Band25	5MHz	QPSK	26365	6RB#0	NV	30	-3.40	-0.001806	PASS
Band25	5MHz	QPSK	26365	6RB#0	NV	40	-3.70	-0.001965	PASS
Band25	5MHz	QPSK	26365	6RB#0	NV	50	-8.10	-0.004303	PASS

---End of Attachment---

