


|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/04/07          | Test Site | SR10-H |


| IEEE 802.11ac_20M (ANT 0) |                |                     |              |        |
|---------------------------|----------------|---------------------|--------------|--------|
| Channel No.               | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 100                       | 5500           | -8.41               | $\leq -0.27$ | Pass   |
| 116                       | 5580           | -8.84               | $\leq -0.27$ | Pass   |
| 140                       | 5700           | -5.41               | $\leq -0.27$ | Pass   |


| Peak Power Output (dBm) |                 |           |        |        |        |        |        |        |        |                |
|-------------------------|-----------------|-----------|--------|--------|--------|--------|--------|--------|--------|----------------|
| MCS Index               |                 | Data Rate |        |        |        |        |        |        |        | Required Limit |
| Channel No              | Frequency (MHz) |           |        |        |        |        |        |        |        |                |
| 100                     | 5500            | -8.410    | --     | --     | --     | --     | --     | --     | --     | $\leq -0.27$   |
| 116                     | 5580            | -8.840    | -8.870 | -8.900 | -8.920 | -8.940 | -8.970 | -9.010 | -9.030 |                |
| 140                     | 5700            | -5.410    | --     | --     | --     | --     | --     | --     | --     |                |

Required Limit=23.98dBm-(30.25dBi-6dBi)=-0.27dBm

**Peak transmit Power - Channel 100**

Peak transmit Power - Channel 116



**Peak transmit Power - Channel 140**


|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/04/07          | Test Site | SR10-H |

| IEEE 802.11ac_20M (ANT 1) |                |                     |              |        |
|---------------------------|----------------|---------------------|--------------|--------|
| Channel No.               | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 100                       | 5500           | -5.94               | $\leq -0.27$ | Pass   |
| 116                       | 5580           | -6.35               | $\leq -0.27$ | Pass   |
| 140                       | 5700           | -5.19               | $\leq -0.27$ | Pass   |


| Peak Power Output (dBm) |                 |           |        |        |        |        |        |        |        |                        |
|-------------------------|-----------------|-----------|--------|--------|--------|--------|--------|--------|--------|------------------------|
| MCS Index               |                 | Data Rate |        |        |        |        |        |        |        | Required Limit         |
| Channel No              | Frequency (MHz) |           |        |        |        |        |        |        |        |                        |
| 100                     | 5500            | -5.940    | --     | --     | --     | --     | --     | --     | --     | $\leq -0.27\text{dBm}$ |
| 116                     | 5580            | -6.350    | -6.390 | -6.410 | -6.440 | -6.470 | -6.520 | -6.540 | -6.580 |                        |
| 140                     | 5700            | -5.190    | --     | --     | --     | --     | --     | --     | --     |                        |

Required Limit=23.98dBm-(30.25dBi-6dBi)=-0.27dBm


Peak transmit Power - Channel 100



Peak transmit Power - Channel 116



Peak transmit Power - Channel 140





|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/04/07          | Test Site | SR10-H |

| IEEE 802.11ac_20M (ANT 0+1) |                |                     |              |        |
|-----------------------------|----------------|---------------------|--------------|--------|
| Channel No.                 | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 100                         | 5500           | -3.99               | $\leq -0.27$ | Pass   |
| 116                         | 5580           | -4.41               | $\leq -0.27$ | Pass   |
| 140                         | 5700           | -2.29               | $\leq -0.27$ | Pass   |

Required Limit=23.98dBm-(30.25dBi-6dBi)=-0.27dBm


|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/04/07          | Test Site | SR10-H |


| IEEE 802.11ac_40M (ANT 0) |                |                     |              |        |
|---------------------------|----------------|---------------------|--------------|--------|
| Channel No.               | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 102                       | 5510           | -8.48               | $\leq -0.27$ | Pass   |
| 110                       | 5550           | -8.60               | $\leq -0.27$ | Pass   |
| 134                       | 5670           | -9.24               | $\leq -0.27$ | Pass   |

| Peak Power Output (dBm) |                 |           |        |        |        |        |        |        |        |                        |
|-------------------------|-----------------|-----------|--------|--------|--------|--------|--------|--------|--------|------------------------|
| MCS Index               |                 | Data Rate |        |        |        |        |        |        |        | Required Limit         |
| Channel No              | Frequency (MHz) |           |        |        |        |        |        |        |        |                        |
| 102                     | 5510            | -8.480    | --     | --     | --     | --     | --     | --     | --     | $\leq -0.27\text{dBm}$ |
| 110                     | 5550            | -8.600    | -8.630 | -8.680 | -8.720 | -8.750 | -8.810 | -8.860 | -8.890 |                        |
| 134                     | 5670            | -9.240    | --     | --     | --     | --     | --     | --     | --     |                        |


Required Limit=23.98dBm-(30.25dBi-6dBi)=-0.27dBm

Peak transmit Power - Channel 102



**Peak transmit Power - Channel 110**

Peak transmit Power - Channel 134




|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/04/07          | Test Site | SR10-H |


| IEEE 802.11ac_40M (ANT 1) |                |                     |              |        |
|---------------------------|----------------|---------------------|--------------|--------|
| Channel No.               | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 102                       | 5510           | -6.02               | $\leq -0.27$ | Pass   |
| 110                       | 5550           | -6.38               | $\leq -0.27$ | Pass   |
| 134                       | 5670           | -5.10               | $\leq -0.27$ | Pass   |

| Peak Power Output (dBm) |                 |           |        |        |        |        |        |       |        |                        |
|-------------------------|-----------------|-----------|--------|--------|--------|--------|--------|-------|--------|------------------------|
| MCS Index               |                 | Data Rate |        |        |        |        |        |       |        | Required Limit         |
| Channel No              | Frequency (MHz) |           |        |        |        |        |        |       |        |                        |
| 102                     | 5510            | -6.020    | --     | --     | --     | --     | --     | --    | --     | $\leq -0.27\text{dBm}$ |
| 110                     | 5550            | -6.380    | -6.420 | -6.440 | -6.470 | -6.530 | -6.560 | -6.60 | -6.640 |                        |
| 134                     | 5670            | -5.100    | --     | --     | --     | --     | --     | --    | --     |                        |

Required Limit=23.98dBm-(30.25dBi-6dBi)=-0.27dBm


Peak transmit Power - Channel 102



**Peak transmit Power - Channel 110**



Peak transmit Power - Channel 134



|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/04/07          | Test Site | SR10-H |

| IEEE 802.11ac_40M (ANT 0+1) |                 |                     |              |        |
|-----------------------------|-----------------|---------------------|--------------|--------|
| Channel No.                 | Frequency (MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 102                         | 5510            | -4.07               | $\leq -0.27$ | Pass   |
| 110                         | 5550            | -4.34               | $\leq -0.27$ | Pass   |
| 134                         | 5670            | -3.68               | $\leq -0.27$ | Pass   |

Required Limit=23.98dBm-(30.25dBi-6dBi)=-0.27dBm


|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/04/07          | Test Site | SR10-H |

| IEEE 802.11ac_80M (ANT 0) |                 |                    |              |        |
|---------------------------|-----------------|--------------------|--------------|--------|
| Channel No.               | Frequency (MHz) | Measure Level(dBm) | Limit (dBm)  | Result |
| 106                       | 5530            | -8.74              | $\leq -0.27$ | Pass   |

| Peak Power Output (dBm) |                 |           |        |        |        |        |        |        |        |        |        |                |
|-------------------------|-----------------|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------------|
| MCS Index               |                 | Data Rate |        |        |        |        |        |        |        |        |        | Required Limit |
| Channel No              | Frequency (MHz) | 0         | 1      | 2      | 3      | 4      | 5      | 6      | 7      | 8      | 9      |                |
| 106                     | 5530            | -8.740    | -8.780 | -8.830 | -8.870 | -8.920 | -8.960 | -9.010 | -9.050 | -9.090 | -9.120 | $\leq -0.27$   |

Required Limit=23.98dBm-(30.25dBi-6dBi)=-0.27dBm

### Peak transmit Power - Channel 106



|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/04/07          | Test Site | SR10-H |


## IEEE 802.11ac\_80M (ANT 1)

| Channel No. | Frequency (MHz) | Measure Level(dBm) | Limit (dBm)  | Result |
|-------------|-----------------|--------------------|--------------|--------|
| 106         | 5530            | -5.88              | $\leq -0.27$ | Pass   |

| Peak Power Output (dBm) |                 |           |        |        |        |        |        |        |        |        |        |                |
|-------------------------|-----------------|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------------|
| MCS Index               |                 | Data Rate |        |        |        |        |        |        |        |        |        | Required Limit |
| Channel No              | Frequency (MHz) |           |        |        |        |        |        |        |        |        |        |                |
|                         |                 | 0         | 1      | 2      | 3      | 4      | 5      | 6      | 7      | 8      | 9      | ≤-0.27         |
| 106                     | 5530            | -5.880    | -5.910 | -5.940 | -5.970 | -6.020 | -6.060 | -6.100 | -6.130 | -6.160 | -6.170 |                |

Required Limit=23.98dBm-(30.25dBi-6dBi)=-0.27dBm

## Peak transmit Power - Channel 106



|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/04/07          | Test Site | SR10-H |

|                             |                 |                    |              |        |
|-----------------------------|-----------------|--------------------|--------------|--------|
| IEEE 802.11ac_80M (ANT 0+1) |                 |                    |              |        |
| Channel No.                 | Frequency (MHz) | Measure Level(dBm) | Limit (dBm)  | Result |
| 106                         | 5530            | -4.07              | $\leq -0.27$ | Pass   |

Required Limit=23.98dBm-(30.25dBi-6dBi)=-0.27dBm

|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/02/24          | Test Site | SR10-H |


| IEEE 802.11ac (20M) (ANT 0) |                 |                     |             |
|-----------------------------|-----------------|---------------------|-------------|
| Channel No.                 | Frequency (MHz) | Measure Level (dBm) | Limit (dBm) |
| 149                         | 5745            | 2.57                | $\leq 5.75$ |
| 157                         | 5785            | 2.37                | $\leq 5.75$ |
| 165                         | 5825            | 2.51                | $\leq 5.75$ |

| Peak Power Output (dBm) |                 |      |      |      |      |      |      |      |      |      |               |
|-------------------------|-----------------|------|------|------|------|------|------|------|------|------|---------------|
| MCS Index               |                 | 0    | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | Require Limit |
| Channel No              | Frequency (MHz) |      |      |      |      |      |      |      |      |      |               |
| 149                     | 5745            | 2.57 | --   | --   | --   | --   | --   | --   | --   | --   | $\leq 5.75$   |
| 157                     | 5785            | 2.37 | 2.15 | 2.05 | 1.95 | 1.71 | 1.59 | 1.44 | 1.20 | 0.96 | $\leq 5.75$   |
| 165                     | 5825            | 2.51 | --   | --   | --   | --   | --   | --   | --   | --   | $\leq 5.75$   |


Note:

Required Limit=30dBm-(30.25dBi-6dBi)=5.75dBm

Channel 149 (5745MHz)




Channel 157 (5785MHz)





## Channel 165 (5825MHz)



|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/02/24          | Test Site | SR10-H |


| IEEE 802.11AC (20M) (ANT 1) |                 |                     |             |
|-----------------------------|-----------------|---------------------|-------------|
| Channel No.                 | Frequency (MHz) | Measure Level (dBm) | Limit (dBm) |
| 149                         | 5745            | 2.43                | $\leq 5.75$ |
| 157                         | 5785            | 2.51                | $\leq 5.75$ |
| 165                         | 5825            | 2.46                | $\leq 5.75$ |

| Peak Power Output (dBm) |                 |      |      |      |      |      |      |      |      |      |               |
|-------------------------|-----------------|------|------|------|------|------|------|------|------|------|---------------|
| MCS Index               |                 | 0    | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | Require Limit |
| Channel No              | Frequency (MHz) |      |      |      |      |      |      |      |      |      |               |
| 149                     | 5745            | 2.43 | --   | --   | --   | --   | --   | --   | --   | --   | $\leq 5.75$   |
| 157                     | 5785            | 2.51 | 2.31 | 2.07 | 1.97 | 1.77 | 1.64 | 1.40 | 1.16 | 0.92 | $\leq 5.75$   |
| 165                     | 5825            | 2.46 | --   | --   | --   | --   | --   | --   | --   | --   | $\leq 5.75$   |


Note:

Required Limit=30dBm-(30.25dBi-6dBi)=5.75dBm


## Channel 149 (5745MHz)



Channel 157 (5785MHz)



Channel 165 (5825MHz)



|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/02/24          | Test Site | SR10-H |

| IEEE 802.11ac (20M) (ANT0+ 1) |                    |                        |                |
|-------------------------------|--------------------|------------------------|----------------|
| Channel No.                   | Frequency<br>(MHz) | Measure Level<br>(dBm) | Limit<br>(dBm) |
| 149                           | 5745               | 5.51                   | $\leq 5.75$    |
| 157                           | 5785               | 5.45                   | $\leq 5.75$    |
| 165                           | 5825               | 5.50                   | $\leq 5.75$    |

Note:

Required Limit=30dBm-(30.25dBi-6dBi)=5.75dBm

|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/02/24          | Test Site | SR10-H |


| IEEE 802.11ac 40M (ANT 0) |                 |                     |             |
|---------------------------|-----------------|---------------------|-------------|
| Channel No.               | Frequency (MHz) | Measure Level (dBm) | Limit (dBm) |
| 151                       | 5755            | 2.30                | $\leq 5.75$ |
| 159                       | 5795            | 2.58                | $\leq 5.75$ |

| Peak Power Output (dBm) |                 |      |      |      |      |      |      |      |      |      |      |               |
|-------------------------|-----------------|------|------|------|------|------|------|------|------|------|------|---------------|
| MCS Index               |                 | 0    | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | Require Limit |
| Channel No              | Frequency (MHz) |      |      |      |      |      |      |      |      |      |      |               |
| 151                     | 5755            | 2.30 | --   | --   | --   | --   | --   | --   | --   | --   | --   | $\leq 5.75$   |
| 159                     | 5795            | 2.58 | 2.36 | 2.16 | 1.96 | 1.84 | 1.60 | 1.30 | 1.18 | 2.58 | 2.36 | $\leq 5.75$   |

Note:


Required Limit=30dBm-(30.25dBi-6dBi)=5.75dBm

Channel 151 (5755MHz)





Channel 159 (5795MHz)



|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/02/24          | Test Site | SR10-H |


| IEEE 802.11ac 40M (ANT 1) |                 |                     |             |
|---------------------------|-----------------|---------------------|-------------|
| Channel No.               | Frequency (MHz) | Measure Level (dBm) | Limit (dBm) |
| 151                       | 5755            | 2.44                | $\leq 5.75$ |
| 159                       | 5795            | 2.44                | $\leq 5.75$ |

| Peak Power Output (dBm) |                 |      |      |      |      |      |      |      |      |      |      |               |
|-------------------------|-----------------|------|------|------|------|------|------|------|------|------|------|---------------|
| MCS Index               |                 | 0    | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | Require Limit |
| Channel No              | Frequency (MHz) |      |      |      |      |      |      |      |      |      |      |               |
| 151                     | 5755            | 2.44 | --   | --   | --   | --   | --   | --   | --   | --   | --   | $\leq 5.75$   |
| 159                     | 5795            | 2.44 | 2.34 | 2.22 | 2.02 | 1.82 | 1.69 | 1.57 | 1.45 | 1.33 | 2.44 | $\leq 5.75$   |


Note:

Required Limit=30dBm-(30.25dBi-6dBi)=5.75dBm

Channel 151 (5755MHz)



## Channel 159 (5795MHz)



|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/02/24          | Test Site | SR10-H |

| IEEE 802.11ac40 (ANT 0+1) |                    |                        |                |
|---------------------------|--------------------|------------------------|----------------|
| Channel No.               | Frequency<br>(MHz) | Measure Level<br>(dBm) | Limit<br>(dBm) |
| 151                       | 5755               | 5.38                   | $\leq 5.75$    |
| 159                       | 5795               | 5.52                   | $\leq 5.75$    |

Note:

Required Limit=30dBm-(30.25dBi-6dBi)=5.75dBm

|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/02/24          | Test Site | SR10-H |


| IEEE 802.11ac 80M (ANT 0) |                 |                     |             |
|---------------------------|-----------------|---------------------|-------------|
| Channel No.               | Frequency (MHz) | Measure Level (dBm) | Limit (dBm) |
| 155                       | 5775            | 2.38                | $\leq 5.75$ |

| Peak Power Output (dBm) |                 |      |      |      |      |      |      |      |      |      |      |               |
|-------------------------|-----------------|------|------|------|------|------|------|------|------|------|------|---------------|
| MCS Index               |                 | 0    | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | Require Limit |
| Channel No              | Frequency (MHz) |      |      |      |      |      |      |      |      |      |      | $\leq 5.75$   |
| 155                     | 5775            | 2.38 | 2.28 | 2.18 | 2.08 | 1.88 | 1.68 | 1.44 | 1.20 | 1.08 | 0.96 |               |

Note:

Required Limit=30dBm-(30.25dBi-6dBi)=5.75dBm

Channel 155 (5775MHz)



|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/02/24          | Test Site | SR10-H |


| IEEE 802.11ac 80M (ANT 1) |                 |                     |             |
|---------------------------|-----------------|---------------------|-------------|
| Channel No.               | Frequency (MHz) | Measure Level (dBm) | Limit (dBm) |
| 155                       | 5775            | 2.28                | $\leq 5.75$ |

| Peak Power Output (dBm) |                 |      |      |      |      |      |      |      |      |      |      |               |
|-------------------------|-----------------|------|------|------|------|------|------|------|------|------|------|---------------|
| MCS Index               |                 | 0    | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | Require Limit |
| Channel No              | Frequency (MHz) |      |      |      |      |      |      |      |      |      |      | $\leq 5.75$   |
| 155                     | 5775            | 2.28 | 2.18 | 2.08 | 1.88 | 1.68 | 1.48 | 1.36 | 1.12 | 1.00 | 0.88 |               |

Note:

Required Limit=30dBm-(30.25dBi-6dBi)=5.75dBm

Channel 155 (5775MHz)



|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/02/24          | Test Site | SR10-H |

|                             |                    |                        |                |
|-----------------------------|--------------------|------------------------|----------------|
| IEEE 802.11ac 80M (ANT 0+1) |                    |                        |                |
| Channel No.                 | Frequency<br>(MHz) | Measure Level<br>(dBm) | Limit<br>(dBm) |
| 155                         | 5775               | 5.34                   | $\leq 5.75$    |

Note:

Required Limit=30dBm-(30.25dBi-6dBi)=5.75dBm




|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/02/24            | Test Site | SR10-H |


| IEEE 802.11ac (20M) (ANT 0) |                 |                     |             |
|-----------------------------|-----------------|---------------------|-------------|
| Channel No.                 | Frequency (MHz) | Measure Level (dBm) | Limit (dBm) |
| 36                          | 5180            | 18.20               | $\leq 30$   |
| 44                          | 5220            | 21.98               | $\leq 30$   |
| 48                          | 5240            | 22.03               | $\leq 30$   |

| Peak Power Output (dBm) |                 |       |       |       |       |       |       |       |       |       |               |
|-------------------------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------|
| MCS Index               |                 | 0     | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | Require Limit |
| Channel No              | Frequency (MHz) |       |       |       |       |       |       |       |       |       |               |
| 36                      | 5180            | 18.20 | --    | --    | --    | --    | --    | --    | --    | --    | $\leq 30$     |
| 44                      | 5220            | 21.98 | 21.88 | 21.78 | 21.58 | 21.48 | 21.36 | 21.12 | 20.80 | 20.05 | $\leq 30$     |
| 48                      | 5240            | 22.03 | --    | --    | --    | --    | --    | --    | --    | --    | $\leq 30$     |


Channel 36 (5180MHz)



Channel 44 (5220MHz)



Channel 48 (5240MHz)




|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/02/24            | Test Site | SR10-H |


| IEEE 802.11AC (20M) (ANT 1) |                 |                     |             |
|-----------------------------|-----------------|---------------------|-------------|
| Channel No.                 | Frequency (MHz) | Measure Level (dBm) | Limit (dBm) |
| 36                          | 5180            | 18.63               | $\leq 30$   |
| 44                          | 5220            | 22.47               | $\leq 30$   |
| 48                          | 5240            | 22.32               | $\leq 30$   |

| Peak Power Output (dBm) |                 |       |       |       |       |       |       |       |       |       |               |
|-------------------------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------|
| MCS Index               |                 | 0     | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | Require Limit |
| Channel No              | Frequency (MHz) |       |       |       |       |       |       |       |       |       |               |
| 36                      | 5180            | 18.63 | --    | --    | --    | --    | --    | --    | --    | --    | $\leq 30$     |
| 44                      | 5220            | 22.47 | 22.27 | 22.17 | 22.07 | 21.97 | 21.85 | 21.61 | 21.07 | 20.54 | $\leq 30$     |
| 48                      | 5240            | 22.32 | --    | --    | --    | --    | --    | --    | --    | --    | $\leq 30$     |


Channel 36 (5180MHz)



Channel 44 (5220MHz)



Channel 48 (5240MHz)





|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/02/24            | Test Site | SR10-H |


| IEEE 802.11ac (20M) (ANT0+ 1) |                    |                        |                |
|-------------------------------|--------------------|------------------------|----------------|
| Channel No.                   | Frequency<br>(MHz) | Measure Level<br>(dBm) | Limit<br>(dBm) |
| 36                            | 5180               | 21.43                  | $\leq 30$      |
| 44                            | 5220               | 25.24                  | $\leq 30$      |
| 48                            | 5240               | 25.19                  | $\leq 30$      |

|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/02/24            | Test Site | SR10-H |


| IEEE 802.11ac 40M (ANT 0) |                 |                     |             |
|---------------------------|-----------------|---------------------|-------------|
| Channel No.               | Frequency (MHz) | Measure Level (dBm) | Limit (dBm) |
| 38                        | 5190            | 15.83               | $\leq 30$   |
| 46                        | 5230            | 21.73               | $\leq 30$   |

| Peak Power Output (dBm) |                 |       |       |       |       |       |       |       |       |       |       |               |
|-------------------------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------|
| MCS Index               |                 | 0     | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | Require Limit |
| Channel No              | Frequency (MHz) |       |       |       |       |       |       |       |       |       |       |               |
| 38                      | 5190            | 15.83 | --    | --    | --    | --    | --    | --    | --    | --    | --    | $\leq 30$     |
| 46                      | 5230            | 21.73 | 21.63 | 21.43 | 21.23 | 21.13 | 20.89 | 20.65 | 20.41 | 20.03 | 19.82 | $\leq 30$     |

Channel 38 (5190MHz)



## Channel 46 (5230MHz)




|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/02/24            | Test Site | SR10-H |


| IEEE 802.11ac 40M (ANT 1) |                    |                        |                |
|---------------------------|--------------------|------------------------|----------------|
| Channel No.               | Frequency<br>(MHz) | Measure Level<br>(dBm) | Limit<br>(dBm) |
| 38                        | 5190               | 16.06                  | $\leq 30$      |
| 46                        | 5230               | 22.08                  | $\leq 30$      |

| Peak Power Output (dBm) |                 |       |       |       |       |       |       |       |       |       |       |               |
|-------------------------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------|
| MCS Index               |                 | 0     | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | Require Limit |
| Channel No              | Frequency (MHz) |       |       |       |       |       |       |       |       |       |       |               |
| 38                      | 5190            | 16.06 | --    | --    | --    | --    | --    | --    | --    | --    | --    | $\leq 30$     |
| 46                      | 5230            | 22.08 | 21.88 | 21.78 | 21.68 | 21.48 | 21.24 | 21.12 | 20.88 | 20.11 | 19.85 | $\leq 30$     |

## Channel 38 (5190MHz)



Channel 46 (5230MHz)



|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/02/24            | Test Site | SR10-H |

|                           |                    |                        |                |
|---------------------------|--------------------|------------------------|----------------|
| IEEE 802.11ac40 (ANT 0+1) |                    |                        |                |
| Channel No.               | Frequency<br>(MHz) | Measure Level<br>(dBm) | Limit<br>(dBm) |
| 38                        | 5190               | 18.96                  | $\leq 30$      |
| 46                        | 5230               | 24.92                  | $\leq 30$      |




|              |                       |           |     |
|--------------|-----------------------|-----------|-----|
| Product      | Mimosa C5c            |           |     |
| Test Item    | Peak Transmit power   |           |     |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |     |
| Date of Test | 2017/02/24            | Test Site | SR7 |

| IEEE 802.11ac 80M (ANT 0) |                 |                     |             |
|---------------------------|-----------------|---------------------|-------------|
| Channel No.               | Frequency (MHz) | Measure Level (dBm) | Limit (dBm) |
| 42                        | 5210            | 14.74               | $\leq 30$   |

| Peak Power Output (dBm) |                 |       |       |       |       |       |       |       |       |       |       |               |
|-------------------------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------|
| MCS Index               |                 | 0     | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | Require Limit |
| Channel No              | Frequency (MHz) |       |       |       |       |       |       |       |       |       |       |               |
| 42                      | 5210            | 14.74 | 14.54 | 14.34 | 14.14 | 13.94 | 13.74 | 13.50 | 13.26 | 13.14 | 12.90 | $\leq 30$     |

Channel 42 (5210MHz)




|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/02/24            | Test Site | SR10-H |

| IEEE 802.11ac 80M (ANT 1) |                 |                     |             |
|---------------------------|-----------------|---------------------|-------------|
| Channel No.               | Frequency (MHz) | Measure Level (dBm) | Limit (dBm) |
| 42                        | 5210            | 15.41               | $\leq 30$   |

| Peak Power Output (dBm) |                 |       |       |       |       |       |       |       |       |       |       |               |
|-------------------------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------|
| MCS Index               |                 | 0     | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | Require Limit |
| Channel No              | Frequency (MHz) |       |       |       |       |       |       |       |       |       |       |               |
| 42                      | 5210            | 15.41 | 15.31 | 15.21 | 15.01 | 14.81 | 14.61 | 14.49 | 14.25 | 14.01 | 13.77 | $\leq 30$     |

Channel 42 (5210MHz)



|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/02/24            | Test Site | SR10-H |


|                             |                    |                        |                |
|-----------------------------|--------------------|------------------------|----------------|
| IEEE 802.11ac 80M (ANT 0+1) |                    |                        |                |
| Channel No.                 | Frequency<br>(MHz) | Measure Level<br>(dBm) | Limit<br>(dBm) |
| 42                          | 5210               | 18.10                  | $\leq 30$      |

|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/04/07            | Test Site | SR10-H |


| IEEE 802.11ac_20M (ANT 0) |                |                     |              |        |
|---------------------------|----------------|---------------------|--------------|--------|
| Channel No.               | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 52                        | 5260           | 18.830              | $\leq 23.98$ | Pass   |
| 60                        | 5300           | 18.900              | $\leq 23.98$ | Pass   |
| 64                        | 5320           | 18.860              | $\leq 23.98$ | Pass   |

| Peak Power Output (dBm) |                 |           |        |        |        |        |        |        |        |                  |
|-------------------------|-----------------|-----------|--------|--------|--------|--------|--------|--------|--------|------------------|
| MCS Index               |                 | Data Rate |        |        |        |        |        |        |        | Required Limit   |
| Channel No              | Frequency (MHz) |           |        |        |        |        |        |        |        |                  |
| 52                      | 5260            | 18.830    | --     | --     | --     | --     | --     | --     | --     | $\leq 23.98$ dBm |
| 60                      | 5300            | 18.900    | 18.800 | 18.750 | 18.720 | 18.680 | 18.650 | 18.600 | 18.540 |                  |
| 64                      | 5320            | 18.860    | --     | --     | --     | --     | --     | --     | --     |                  |


Peak transmit Power - Channel 52



Peak transmit Power - Channel 60



## Peak transmit Power - Channel 64




|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/04/07            | Test Site | SR10-H |


| IEEE 802.11ac_20M (ANT 1) |                |                     |              |        |
|---------------------------|----------------|---------------------|--------------|--------|
| Channel No.               | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 52                        | 5260           | 18.530              | $\leq 23.98$ | Pass   |
| 60                        | 5300           | 18.780              | $\leq 23.98$ | Pass   |
| 64                        | 5320           | 18.920              | $\leq 23.98$ | Pass   |

| Peak Power Output (dBm) |                 |           |        |        |        |        |        |        |        |                  |
|-------------------------|-----------------|-----------|--------|--------|--------|--------|--------|--------|--------|------------------|
| MCS Index               |                 | Data Rate |        |        |        |        |        |        |        | Required Limit   |
| Channel No              | Frequency (MHz) |           |        |        |        |        |        |        |        |                  |
|                         |                 | 0         | 1      | 2      | 3      | 4      | 5      | 6      | 7      |                  |
| 52                      | 5260            | 18.530    | --     | --     | --     | --     | --     | --     | --     | $\leq 23.98$ dBm |
| 60                      | 5300            | 18.780    | 18.700 | 18.660 | 18.620 | 18.590 | 18.550 | 18.520 | 18.470 |                  |
| 64                      | 5320            | 18.920    | --     | --     | --     | --     | --     | --     | --     |                  |




**Peak transmit Power - Channel 52**

Peak transmit Power - Channel 60



Peak transmit Power - Channel 64




|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/04/07            | Test Site | SR10-H |

| IEEE 802.11ac (20M) (ANT0+1) |                    |                        |                |
|------------------------------|--------------------|------------------------|----------------|
| Channel No.                  | Frequency<br>(MHz) | Measure Level<br>(dBm) | Limit<br>(dBm) |
| 52                           | 5260               | 21.693                 | $\leq 23.98$   |
| 60                           | 5300               | 21.851                 | $\leq 23.98$   |
| 64                           | 5320               | 21.900                 | $\leq 23.98$   |


|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/04/07            | Test Site | SR10-H |

| IEEE 802.11ac_40M (ANT 0) |                |                     |              |        |
|---------------------------|----------------|---------------------|--------------|--------|
| Channel No.               | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 54                        | 5270           | 20.050              | $\leq 23.98$ | Pass   |
| 62                        | 5310           | 18.400              | $\leq 23.99$ | Pass   |

| Peak Power Output (dBm) |                 |           |        |        |        |        |        |        |        |                  |
|-------------------------|-----------------|-----------|--------|--------|--------|--------|--------|--------|--------|------------------|
| MCS Index               |                 | Data Rate |        |        |        |        |        |        |        | Required Limit   |
| Channel No              | Frequency (MHz) |           |        |        |        |        |        |        |        |                  |
|                         |                 | 0         | 1      | 2      | 3      | 4      | 5      | 6      | 7      |                  |
| 54                      | 5270            | 20.050    | --     | --     | --     | --     | --     | --     | --     | $\leq 23.98$ dBm |
| 62                      | 5310            | 18.400    | 18.210 | 12.110 | 12.040 | 11.930 | 11.880 | 11.750 | 11.640 |                  |

**Peak transmit Power - Channel 54**

Peak transmit Power - Channel 62




|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/04/07            | Test Site | SR10-H |

| IEEE 802.11ac_40M (ANT 1) |                |                     |              |        |
|---------------------------|----------------|---------------------|--------------|--------|
| Channel No.               | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 54                        | 5270           | 20.360              | $\leq 23.98$ | Pass   |
| 62                        | 5310           | 18.520              | $\leq 23.98$ | Pass   |


| Peak Power Output (dBm) |                 |           |        |        |        |        |        |        |        |                  |
|-------------------------|-----------------|-----------|--------|--------|--------|--------|--------|--------|--------|------------------|
| MCS Index               |                 | Data Rate |        |        |        |        |        |        |        | Required Limit   |
| Channel No              | Frequency (MHz) |           |        |        |        |        |        |        |        |                  |
|                         |                 | 0         | 1      | 2      | 3      | 4      | 5      | 6      | 7      |                  |
| 54                      | 5270            | 20.360    | --     | --     | --     | --     | --     | --     | --     | $\leq 23.98$ dBm |
| 62                      | 5310            | 18.520    | 18.440 | 18.370 | 18.300 | 18.220 | 18.180 | 18.110 | 18.080 |                  |



Peak transmit Power - Channel 54



Peak transmit Power - Channel 62



|              |                     |           |        |
|--------------|---------------------|-----------|--------|
| Product      | Mimosa C5c          |           |        |
| Test Item    | Peak Transmit power |           |        |
| Test Mode    | Mode 1: Tx-Dish ANT |           |        |
| Date of Test | 2017/04/07          | Test Site | SR10-H |

| IEEE 802.11ac (40M) (ANT0+1) |                    |                        |                |
|------------------------------|--------------------|------------------------|----------------|
| Channel No.                  | Frequency<br>(MHz) | Measure Level<br>(dBm) | Limit<br>(dBm) |
| 54                           | 5270               | 23.218                 | $\leq 23.98$   |
| 62                           | 5310               | 21.471                 | $\leq 23.98$   |

Note:


Required Limit=30dBm-(30.25dBi-23dBi)=22.75dBm

|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/04/07            | Test Site | SR10-H |

| IEEE 802.11ac_80M (ANT 0) |                |                     |              |        |
|---------------------------|----------------|---------------------|--------------|--------|
| Channel No.               | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 58                        | 5290           | 17.02               | $\leq 23.98$ | Pass   |

| Peak Power Output (dBm) |                 |           |        |        |        |        |        |        |        |        |        |                |
|-------------------------|-----------------|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------------|
| MCS Index               |                 | Data Rate |        |        |        |        |        |        |        |        |        | Required Limit |
| Channel No              | Frequency (MHz) |           |        |        |        |        |        |        |        |        |        |                |
| 58                      | 5290            | 0         | 1      | 2      | 3      | 4      | 5      | 6      | 7      | 8      | 9      | ≤ 23.98        |
|                         |                 | 17.020    | 16.920 | 16.840 | 16.780 | 16.610 | 16.420 | 16.320 | 16.250 | 16.010 | 15.880 |                |


Peak transmit Power - Channel 54



|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/04/07            | Test Site | SR10-H |

| IEEE 802.11ac_80M (ANT 1) |                |                     |              |        |
|---------------------------|----------------|---------------------|--------------|--------|
| Channel No.               | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 58                        | 5290           | 17.51               | $\leq 23.98$ | Pass   |

| Peak Power Output (dBm) |                 |           |        |        |        |        |        |        |        |        |        |                |
|-------------------------|-----------------|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------------|
| MCS Index               |                 | Data Rate |        |        |        |        |        |        |        |        |        | Required Limit |
| Channel No              | Frequency (MHz) |           |        |        |        |        |        |        |        |        |        |                |
| 58                      | 5290            | 17.510    | 17.420 | 17.250 | 17.140 | 17.020 | 16.880 | 16.710 | 16.550 | 16.340 | 16.220 | $\leq 23.98$   |

**Peak transmit Power - Channel 54**

|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/04/07            | Test Site | SR10-H |

| IEEE 802.11ac (80M) (ANT0+1) |                    |                        |                |
|------------------------------|--------------------|------------------------|----------------|
| Channel No.                  | Frequency<br>(MHz) | Measure Level<br>(dBm) | Limit<br>(dBm) |
| 58                           | 5290               | 20.282                 | $\leq 23.98$   |

Note:

Required Limit=30dBm-(30.25dBi-23dBi)=22.75dBm




|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/04/07            | Test Site | SR10-H |


| IEEE 802.11ac_20M (ANT 0) |                |                     |              |        |
|---------------------------|----------------|---------------------|--------------|--------|
| Channel No.               | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 100                       | 5500           | 17.68               | $\leq 23.98$ | Pass   |
| 116                       | 5580           | 17.69               | $\leq 23.98$ | Pass   |
| 140                       | 5700           | 17.63               | $\leq 23.98$ | Pass   |


| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                        |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|------------------------|
| MCS Index               |                 | Data Rate |       |       |       |       |       |       |       | Required Limit         |
| Channel No              | Frequency (MHz) |           |       |       |       |       |       |       |       |                        |
| 100                     | 5500            | 17.680    | --    | --    | --    | --    | --    | --    | --    | $\leq 23.98\text{dBm}$ |
| 116                     | 5580            | 17.690    | 8.600 | 8.510 | 8.450 | 8.420 | 8.370 | 8.310 | 8.270 |                        |
| 140                     | 5700            | 17.630    | --    | --    | --    | --    | --    | --    | --    |                        |

Peak transmit Power - Channel 100



Peak transmit Power - Channel 116




**Peak transmit Power - Channel 140**

|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/04/07            | Test Site | SR10-H |


| IEEE 802.11ac_20M (ANT 1) |                |                     |              |        |
|---------------------------|----------------|---------------------|--------------|--------|
| Channel No.               | Frequency(MHz) | Measure Level (dBm) | Limit (dBm)  | Result |
| 100                       | 5500           | 18.06               | $\leq 23.98$ | Pass   |
| 116                       | 5580           | 17.70               | $\leq 23.98$ | Pass   |
| 140                       | 5700           | 17.92               | $\leq 23.98$ | Pass   |

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                        |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|------------------------|
| MCS Index               |                 | Data Rate |       |       |       |       |       |       |       | Required Limit         |
| Channel No              | Frequency (MHz) | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     |                        |
| 100                     | 5500            | 18.060    | --    | --    | --    | --    | --    | --    | --    | $\leq 23.98\text{dBm}$ |
| 116                     | 5580            | 17.700    | 8.700 | 8.640 | 8.570 | 8.500 | 8.410 | 8.340 | 8.200 |                        |
| 140                     | 5700            | 17.920    | --    | --    | --    | --    | --    | --    | --    |                        |


Peak transmit Power - Channel 100



Peak transmit Power - Channel 116



Peak transmit Power - Channel 140





|              |                       |           |        |
|--------------|-----------------------|-----------|--------|
| Product      | Mimosa C5c            |           |        |
| Test Item    | Peak Transmit power   |           |        |
| Test Mode    | Mode 2: Tx-Dipole ANT |           |        |
| Date of Test | 2017/04/07            | Test Site | SR10-H |

| IEEE 802.11ac_20M (ANT 0+1) |                |                        |                |        |
|-----------------------------|----------------|------------------------|----------------|--------|
| Channel No.                 | Frequency(MHz) | Measure Level<br>(dBm) | Limit<br>(dBm) | Result |
| 100                         | 5500           | 20.88                  | $\leq 23.98$   | Pass   |
| 116                         | 5580           | 20.71                  | $\leq 23.98$   | Pass   |
| 140                         | 5700           | 20.79                  | $\leq 23.98$   | Pass   |