


802.11a_Nss1,(6Mbps)_4TX

PSD

5785MHz

08/02/2021




802.11a_Nss1,(6Mbps)_4TX

PSD

5825MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5180MHz

16/07/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5200MHz

16/07/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz

PSD

16/07/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz

PSD

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz

PSD

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz

PSD

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.725-5.85GHz

PSD

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz

PSD

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5785MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5825MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5190MHz

16/07/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5230MHz

16/07/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.725-5.85GHz

PSD

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz

PSD

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5795MHz

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5210MHz

16/07/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.725-5.85GHz

PSD

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz

PSD

16/03/2021



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	1.00	7.52
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-0.22	6.30
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-0.78	5.74
5.25-5.35GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	9.75	16.27
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	6.66	13.18
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	6.51	13.03
5.47-5.725GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	9.79	16.31
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	6.55	13.07
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	6.52	13.04
5.725-5.85GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	13.65	20.17
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	10.38	16.90
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	9.79	16.31

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.52	-4.81	-4.78	-4.26	-4.59	0.86	16.48	7.38	23.00
5200MHz	Pass	6.52	-5.30	-4.75	-3.74	-4.78	0.84	16.48	7.36	23.00
5240MHz	Pass	6.52	-5.40	-4.97	-3.02	-4.82	1.00	16.48	7.52	23.00
5260MHz	Pass	6.52	3.24	4.12	5.03	5.28	9.75	10.48	16.27	17.00
5300MHz	Pass	6.52	2.83	3.57	3.82	5.35	9.44	10.48	15.96	17.00
5320MHz	Pass	6.52	3.19	3.50	4.65	4.60	9.46	10.48	15.98	17.00
5500MHz	Pass	6.52	2.42	3.37	4.75	5.39	8.71	10.48	15.23	17.00
5580MHz	Pass	6.52	1.39	3.57	3.63	5.08	8.93	10.48	15.45	17.00
5700MHz	Pass	6.52	3.62	3.51	3.55	5.96	9.30	10.48	15.82	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	6.52	4.98	4.98	4.59	3.77	9.79	10.48	16.31	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.52	2.98	3.36	2.35	2.39	8.46	29.48	14.98	36.00
5745MHz	Pass	6.52	8.04	8.66	7.52	9.76	13.26	29.48	19.78	36.00
5785MHz	Pass	6.52	3.41	4.73	0.12	8.01	9.77	29.48	16.29	36.00
5825MHz	Pass	6.52	8.55	9.06	7.73	9.24	13.65	29.48	20.17	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.52	-6.74	-6.08	-6.10	-6.11	-0.71	16.48	5.81	23.00
5230MHz	Pass	6.52	-6.79	-5.98	-4.68	-5.83	-0.22	16.48	6.30	23.00
5270MHz	Pass	6.52	1.44	1.81	1.62	1.37	6.66	10.48	13.18	17.00
5310MHz	Pass	6.52	0.84	0.80	0.84	1.46	6.52	10.48	13.04	17.00
5510MHz	Pass	6.52	-1.23	-0.90	0.32	1.51	4.59	10.48	11.11	17.00
5550MHz	Pass	6.52	-0.73	1.71	1.66	2.43	6.22	10.48	12.74	17.00
5670MHz	Pass	6.52	0.94	1.45	1.20	1.97	6.55	10.48	13.07	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	6.52	1.30	1.68	1.05	1.93	6.47	10.48	12.99	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.52	-2.28	-1.58	-1.97	-0.67	4.14	29.48	10.66	36.00
5755MHz	Pass	6.52	3.01	3.25	2.41	5.32	8.86	29.48	15.38	36.00
5795MHz	Pass	6.52	6.00	4.39	5.02	5.62	10.38	29.48	16.90	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	6.52	-7.08	-6.19	-5.09	-6.07	-0.78	16.48	5.74	23.00
5290MHz	Pass	6.52	0.62	2.44	2.00	1.92	6.51	10.48	13.03	17.00
5530MHz	Pass	6.52	-3.58	-5.48	-5.66	-2.86	0.93	10.48	7.45	17.00
5610MHz	Pass	6.52	0.57	1.86	1.40	2.25	6.52	10.48	13.04	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	6.52	-1.85	-1.49	-1.50	-1.11	3.49	10.48	10.01	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.52	-5.54	-2.86	-6.16	-2.91	1.83	29.48	8.35	36.00
5775MHz	Pass	6.52	6.04	4.70	5.27	4.95	9.79	29.48	16.31	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz

PSD

16/07/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz

PSD

16/07/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5240MHz

16/07/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5260MHz

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5300MHz

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5320MHz

18/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5500MHz

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5580MHz

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz

PSD

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz

PSD

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.725-5.85GHz

PSD

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz

PSD

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5785MHz

19/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5825MHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5190MHz

16/07/2021



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5230MHz

16/07/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5270MHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5310MHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5510MHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5550MHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5670MHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.725-5.85GHz

PSD

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz

PSD

19/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz

PSD

19/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz

PSD

16/07/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5290MHz

19/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5530MHz

19/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5610MHz

19/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

19/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.725-5.85GHz

PSD

19/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz

PSD

19/03/2021





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	QP	61.84M	39.30	40.00	-0.70	3	Vertical	295	1.02	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	161.92M	35.32	43.50	-8.18	3	Vertical	360	1.00	-
5775MHz	Pass	PK	425.76M	37.46	46.00	-8.54	3	Vertical	360	1.00	-
5775MHz	Pass	PK	602.3M	42.36	46.00	-3.64	3	Vertical	360	1.00	-
5775MHz	Pass	PK	776.9M	39.81	46.00	-6.19	3	Vertical	360	1.00	-
5775MHz	Pass	QP	41.05M	37.34	40.00	-2.66	3	Vertical	262	1.00	-
5775MHz	Pass	QP	61.84M	39.30	40.00	-0.70	3	Vertical	295	1.02	-
5775MHz	Pass	PK	776.9M	37.06	46.00	-8.94	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	953.44M	35.15	46.00	-10.85	3	Horizontal	0	3.00	-
5775MHz	Pass	QP	71.9M	39.19	40.00	-0.81	3	Horizontal	240	2.32	-
5775MHz	Pass	QP	82.4M	35.96	40.00	-4.04	3	Horizontal	228	2.36	-
5775MHz	Pass	QP	183M	40.73	43.50	-2.77	3	Horizontal	273	1.18	-
5775MHz	Pass	QP	598.42M	43.21	46.00	-2.79	3	Horizontal	284	1.19	-

802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	161.92M	35.32	43.50	-8.18	-19.50	3	Vertical	360	1.00	-	54.82	15.65	1.23	36.38
PK	425.76M	37.46	46.00	-8.54	-12.47	3	Vertical	360	1.00	-	49.93	22.12	2.01	36.60
PK	602.3M	42.36	46.00	-3.64	-9.93	3	Vertical	360	1.00	-	52.29	24.72	2.48	37.13
PK	776.9M	39.81	46.00	-6.19	-7.41	3	Vertical	360	1.00	-	47.22	27.36	2.77	37.54
QP	41.05M	37.34	40.00	-2.66	-18.34	3	Vertical	262	1.00	-	55.68	17.99	0.75	37.08
QP	61.84M	39.30	40.00	-0.70	-25.38	3	Vertical	295	1.02	-	64.68	10.85	0.82	37.05

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	776.9M	37.06	46.00	-8.94	-7.41	3	Horizontal	0	1.00	-	44.47	27.36	2.77	37.54
PK	953.44M	35.15	46.00	-10.85	-4.32	3	Horizontal	0	3.00	-	39.47	30.12	3.10	37.54
QP	71.9M	39.19	40.00	-0.81	-24.66	3	Horizontal	240	2.32	-	63.85	11.45	0.85	36.96
QP	82.4M	35.96	40.00	-4.04	-23.09	3	Horizontal	228	2.36	-	59.05	12.84	0.90	36.83
QP	183M	40.73	43.50	-2.77	-21.10	3	Horizontal	273	1.18	-	61.83	14.02	1.29	36.41
QP	598.42M	43.21	46.00	-2.79	-9.92	3	Horizontal	284	1.19	-	53.13	24.73	2.47	37.12

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1496G	53.56	54.00	-0.44	3	Vertical	37	2.30	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.80	54.00	-0.20	3	Vertical	32	2.30	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.88	54.00	-0.12	3	Vertical	39	2.47	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.149G	53.74	54.00	-0.26	3	Vertical	41	2.46	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	53.57	54.00	-0.43	3	Vertical	223	2.54	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.42	54.00	-0.58	3	Vertical	225	2.56	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.3508G	53.93	54.00	-0.07	3	Vertical	212	2.86	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.352G	53.70	54.00	-0.30	3	Vertical	213	2.71	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.7254G	67.69	68.20	-0.51	3	Vertical	0	2.07	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	67.91	68.20	-0.29	3	Vertical	4	1.87	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.7256G	68.10	68.20	-0.10	3	Vertical	360	1.00	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.468G	67.86	68.20	-0.34	3	Vertical	4	1.00	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	11.64544G	43.07	54.00	-10.93	3	Vertical	282	1.50	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.6086G	56.16	68.20	-12.04	3	Horizontal	83	1.86	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.6542G	64.17	71.31	-7.14	3	Vertical	360	1.71	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.9262G	62.36	68.20	-5.84	3	Vertical	359	1.95	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	53.56	54.00	-0.44	3	Vertical	37	2.30	-
5180MHz	Pass	AV	5.187G	101.52	Inf	-Inf	3	Vertical	37	2.30	-
5180MHz	Pass	PK	5.1486G	67.13	74.00	-6.87	3	Vertical	37	2.30	-
5180MHz	Pass	PK	5.1808G	110.23	Inf	-Inf	3	Vertical	37	2.30	-
5180MHz	Pass	AV	5.1496G	50.29	54.00	-3.71	3	Horizontal	159	2.36	-
5180MHz	Pass	AV	5.1848G	96.97	Inf	-Inf	3	Horizontal	159	2.36	-
5180MHz	Pass	PK	5.15G	64.60	74.00	-9.40	3	Horizontal	159	2.36	-
5180MHz	Pass	PK	5.1764G	106.03	Inf	-Inf	3	Horizontal	159	2.36	-
5180MHz	Pass	PK	10.3581G	53.98	68.20	-14.22	3	Vertical	226	1.41	-
5180MHz	Pass	PK	10.35542G	53.61	68.20	-14.59	3	Horizontal	97	2.01	-
5200MHz	Pass	AV	5.1492G	46.46	54.00	-7.54	3	Vertical	33	2.27	-
5200MHz	Pass	AV	5.1936G	102.03	Inf	-Inf	3	Vertical	33	2.27	-
5200MHz	Pass	PK	5.1464G	59.90	74.00	-14.10	3	Vertical	33	2.27	-
5200MHz	Pass	PK	5.1952G	110.80	Inf	-Inf	3	Vertical	33	2.27	-
5200MHz	Pass	AV	5.1496G	44.22	54.00	-9.78	3	Horizontal	157	1.04	-
5200MHz	Pass	AV	5.1984G	96.10	Inf	-Inf	3	Horizontal	157	1.04	-
5200MHz	Pass	PK	5.1344G	55.05	74.00	-18.95	3	Horizontal	157	1.04	-
5200MHz	Pass	PK	5.2028G	104.77	Inf	-Inf	3	Horizontal	157	1.04	-
5200MHz	Pass	PK	10.39878G	54.30	68.20	-13.90	3	Vertical	94	1.50	-
5200MHz	Pass	PK	10.39542G	54.48	68.20	-13.72	3	Horizontal	254	1.50	-
5240MHz	Pass	AV	5.12G	45.86	54.00	-8.14	3	Vertical	216	2.58	-
5240MHz	Pass	AV	5.2478G	104.75	Inf	-Inf	3	Vertical	216	2.58	-
5240MHz	Pass	AV	5.36G	47.97	54.00	-6.03	3	Vertical	216	2.58	-
5240MHz	Pass	PK	5.1116G	55.69	74.00	-18.31	3	Vertical	216	2.58	-
5240MHz	Pass	PK	5.2334G	112.94	Inf	-Inf	3	Vertical	216	2.58	-
5240MHz	Pass	PK	5.36G	56.24	74.00	-17.76	3	Vertical	216	2.58	-
5240MHz	Pass	AV	5.1224G	44.16	54.00	-9.84	3	Horizontal	156	1.46	-
5240MHz	Pass	AV	5.2352G	95.59	Inf	-Inf	3	Horizontal	156	1.46	-
5240MHz	Pass	AV	5.36G	42.97	54.00	-11.03	3	Horizontal	156	1.46	-
5240MHz	Pass	PK	5.1428G	55.14	74.00	-18.86	3	Horizontal	156	1.46	-
5240MHz	Pass	PK	5.2334G	103.77	Inf	-Inf	3	Horizontal	156	1.46	-
5240MHz	Pass	PK	5.363G	54.75	74.00	-19.25	3	Horizontal	156	1.46	-
5240MHz	Pass	PK	10.47894G	54.00	68.20	-14.20	3	Vertical	240	1.99	-
5240MHz	Pass	PK	10.48258G	54.82	68.20	-13.38	3	Horizontal	165	1.50	-
5260MHz	Pass	AV	5.1208G	44.68	54.00	-9.32	3	Vertical	37	2.21	-
5260MHz	Pass	AV	5.2534G	100.26	Inf	-Inf	3	Vertical	37	2.21	-
5260MHz	Pass	AV	5.353G	42.79	54.00	-11.21	3	Vertical	37	2.21	-
5260MHz	Pass	PK	5.122G	55.10	74.00	-18.90	3	Vertical	37	2.21	-
5260MHz	Pass	PK	5.2582G	109.16	Inf	-Inf	3	Vertical	37	2.21	-
5260MHz	Pass	PK	5.3794G	54.13	74.00	-19.87	3	Vertical	37	2.21	-
5260MHz	Pass	AV	5.1106G	43.96	54.00	-10.04	3	Horizontal	159	1.26	-
5260MHz	Pass	AV	5.254G	93.53	Inf	-Inf	3	Horizontal	159	1.26	-
5260MHz	Pass	AV	5.3866G	42.57	54.00	-11.43	3	Horizontal	159	1.26	-
5260MHz	Pass	PK	5.137G	54.91	74.00	-19.09	3	Horizontal	159	1.26	-
5260MHz	Pass	PK	5.2582G	102.27	Inf	-Inf	3	Horizontal	159	1.26	-
5260MHz	Pass	PK	5.3902G	53.79	74.00	-20.21	3	Horizontal	159	1.26	-
5260MHz	Pass	PK	10.5206G	55.07	68.20	-13.13	3	Vertical	348	1.50	-
5260MHz	Pass	PK	10.52212G	56.14	68.20	-12.06	3	Horizontal	360	2.60	-
5300MHz	Pass	AV	5.3072G	104.76	Inf	-Inf	3	Vertical	216	2.52	-
5300MHz	Pass	AV	5.35G	46.17	54.00	-7.83	3	Vertical	216	2.52	-
5300MHz	Pass	PK	5.3068G	113.62	Inf	-Inf	3	Vertical	216	2.52	-
5300MHz	Pass	PK	5.3524G	64.59	74.00	-9.41	3	Vertical	216	2.52	-
5300MHz	Pass	AV	5.2956G	94.88	Inf	-Inf	3	Horizontal	157	1.06	-
5300MHz	Pass	AV	5.3536G	42.66	54.00	-11.34	3	Horizontal	157	1.06	-
5300MHz	Pass	PK	5.2932G	103.78	Inf	-Inf	3	Horizontal	157	1.06	-
5300MHz	Pass	PK	5.3524G	56.35	74.00	-17.65	3	Horizontal	157	1.06	-
5300MHz	Pass	PK	10.59998G	54.77	68.20	-13.43	3	Vertical	155	1.50	-
5300MHz	Pass	PK	10.60084G	55.02	74.00	-18.98	3	Horizontal	176	3.00	-
5320MHz	Pass	AV	5.3128G	103.21	Inf	-Inf	3	Vertical	223	2.54	-
5320MHz	Pass	AV	5.35G	53.57	54.00	-0.43	3	Vertical	223	2.54	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	5.3178G	111.46	Inf	-Inf	3	Vertical	223	2.54	-
5320MHz	Pass	PK	5.3516G	67.48	74.00	-6.52	3	Vertical	223	2.54	-
5320MHz	Pass	AV	5.3128G	92.82	Inf	-Inf	3	Horizontal	159	1.00	-
5320MHz	Pass	AV	5.35G	45.25	54.00	-8.75	3	Horizontal	159	1.00	-
5320MHz	Pass	PK	5.3162G	101.34	Inf	-Inf	3	Horizontal	159	1.00	-
5320MHz	Pass	PK	5.3556G	58.14	74.00	-15.86	3	Horizontal	159	1.00	-
5320MHz	Pass	AV	10.64007G	42.50	54.00	-11.50	3	Vertical	214	1.50	-
5320MHz	Pass	PK	10.63826G	54.19	74.00	-19.81	3	Vertical	214	1.50	-
5320MHz	Pass	AV	10.63961G	42.31	54.00	-11.69	3	Horizontal	77	1.50	-
5320MHz	Pass	PK	10.6385G	54.40	74.00	-19.60	3	Horizontal	77	1.50	-
5500MHz	Pass	AV	5.4588G	44.03	54.00	-9.97	3	Vertical	0	1.28	-
5500MHz	Pass	AV	5.5042G	97.20	Inf	-Inf	3	Vertical	0	1.28	-
5500MHz	Pass	PK	5.47G	67.26	68.20	-0.94	3	Vertical	0	1.28	-
5500MHz	Pass	PK	5.5014G	105.72	Inf	-Inf	3	Vertical	0	1.28	-
5500MHz	Pass	AV	5.4526G	43.84	54.00	-10.16	3	Horizontal	158	2.19	-
5500MHz	Pass	AV	5.4936G	95.61	Inf	-Inf	3	Horizontal	158	2.19	-
5500MHz	Pass	PK	5.47G	65.45	68.20	-2.75	3	Horizontal	158	2.19	-
5500MHz	Pass	PK	5.498G	104.05	Inf	-Inf	3	Horizontal	158	2.19	-
5500MHz	Pass	AV	11.00199G	43.19	54.00	-10.81	3	Vertical	58	1.50	-
5500MHz	Pass	PK	10.99797G	55.53	74.00	-18.47	3	Vertical	58	1.50	-
5500MHz	Pass	AV	10.99998G	43.25	54.00	-10.75	3	Horizontal	360	1.50	-
5500MHz	Pass	PK	11.00182G	55.58	74.00	-18.42	3	Horizontal	360	1.50	-
5580MHz	Pass	AV	5.4552G	43.29	54.00	-10.71	3	Vertical	93	3.00	-
5580MHz	Pass	AV	5.5842G	98.95	Inf	-Inf	3	Vertical	93	3.00	-
5580MHz	Pass	PK	5.4636G	54.37	68.20	-13.83	3	Vertical	93	3.00	-
5580MHz	Pass	PK	5.5848G	107.82	Inf	-Inf	3	Vertical	93	3.00	-
5580MHz	Pass	PK	5.727G	55.54	68.20	-12.66	3	Vertical	93	3.00	-
5580MHz	Pass	AV	5.439G	42.63	54.00	-11.37	3	Horizontal	8	1.50	-
5580MHz	Pass	AV	5.5872G	95.57	Inf	-Inf	3	Horizontal	8	1.50	-
5580MHz	Pass	PK	5.4636G	53.94	68.20	-14.26	3	Horizontal	8	1.50	-
5580MHz	Pass	PK	5.5848G	104.46	Inf	-Inf	3	Horizontal	8	1.50	-
5580MHz	Pass	PK	5.7288G	53.71	68.20	-14.49	3	Horizontal	8	1.50	-
5580MHz	Pass	AV	11.16226G	42.94	54.00	-11.06	3	Vertical	225	1.50	-
5580MHz	Pass	PK	11.16128G	54.84	74.00	-19.16	3	Vertical	225	1.50	-
5580MHz	Pass	AV	11.15819G	42.82	54.00	-11.18	3	Horizontal	279	1.50	-
5580MHz	Pass	PK	11.15801G	54.62	74.00	-19.38	3	Horizontal	279	1.50	-
5700MHz	Pass	AV	5.7074G	95.85	Inf	-Inf	3	Vertical	0	2.07	-
5700MHz	Pass	PK	5.7074G	104.12	Inf	-Inf	3	Vertical	0	2.07	-
5700MHz	Pass	PK	5.7254G	67.69	68.20	-0.51	3	Vertical	0	2.07	-
5700MHz	Pass	AV	5.7038G	92.29	Inf	-Inf	3	Horizontal	10	1.40	-
5700MHz	Pass	PK	5.7036G	100.86	Inf	-Inf	3	Horizontal	10	1.40	-
5700MHz	Pass	PK	5.7254G	62.52	68.20	-5.68	3	Horizontal	10	1.40	-
5700MHz	Pass	AV	11.40166G	42.85	54.00	-11.15	3	Vertical	315	1.50	-
5700MHz	Pass	PK	11.40144G	54.60	74.00	-19.40	3	Vertical	315	1.50	-
5700MHz	Pass	AV	11.39943G	42.63	54.00	-11.37	3	Horizontal	208	1.51	-
5700MHz	Pass	PK	11.39796G	55.30	74.00	-18.70	3	Horizontal	208	1.51	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.725G	98.04	Inf	-Inf	3	Vertical	359	2.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.719G	106.34	Inf	-Inf	3	Vertical	359	2.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.874G	55.64	68.20	-12.56	3	Vertical	359	2.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.725G	94.09	Inf	-Inf	3	Horizontal	9	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	102.27	Inf	-Inf	3	Horizontal	9	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.857G	55.68	68.20	-12.52	3	Horizontal	9	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44364G	42.63	54.00	-11.37	3	Vertical	246	1.93	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43526G	54.82	74.00	-19.18	3	Vertical	246	1.93	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44156G	42.39	54.00	-11.61	3	Horizontal	87	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43772G	55.62	74.00	-18.38	3	Horizontal	87	1.50	-
5745MHz	Pass	AV	5.751G	97.71	Inf	-Inf	3	Vertical	0	2.00	-
5745MHz	Pass	PK	5.5626G	54.23	68.20	-13.97	3	Vertical	0	2.00	-
5745MHz	Pass	PK	5.7522G	105.75	Inf	-Inf	3	Vertical	0	2.00	-
5745MHz	Pass	PK	6.0078G	54.88	68.20	-13.32	3	Vertical	0	2.00	-
5745MHz	Pass	AV	5.7486G	93.36	Inf	-Inf	3	Horizontal	80	1.83	-
5745MHz	Pass	PK	5.5446G	55.39	68.20	-12.81	3	Horizontal	80	1.83	-



RSE TX above 1GHz_Non-Beamforming_WiFi A

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.7498G	101.76	Inf	-Inf	3	Horizontal	80	1.83	-
5745MHz	Pass	PK	5.949G	54.95	68.20	-13.25	3	Horizontal	80	1.83	-
5745MHz	Pass	AV	11.492G	43.00	54.00	-11.00	3	Vertical	168	2.95	-
5745MHz	Pass	PK	11.48896G	55.16	74.00	-18.84	3	Vertical	168	2.95	-
5745MHz	Pass	AV	11.4851G	42.56	54.00	-11.44	3	Horizontal	278	2.38	-
5745MHz	Pass	PK	11.49174G	54.61	74.00	-19.39	3	Horizontal	278	2.38	-
5785MHz	Pass	AV	5.791G	96.55	Inf	-Inf	3	Vertical	0	1.90	-
5785MHz	Pass	PK	5.5282G	54.89	68.20	-13.31	3	Vertical	0	1.90	-
5785MHz	Pass	PK	5.7922G	104.68	Inf	-Inf	3	Vertical	0	1.90	-
5785MHz	Pass	PK	5.9878G	55.17	68.20	-13.03	3	Vertical	0	1.90	-
5785MHz	Pass	AV	5.791G	93.49	Inf	-Inf	3	Horizontal	11	1.78	-
5785MHz	Pass	PK	5.5966G	55.11	68.20	-13.09	3	Horizontal	11	1.78	-
5785MHz	Pass	PK	5.7898G	101.93	Inf	-Inf	3	Horizontal	11	1.78	-
5785MHz	Pass	PK	5.9626G	55.36	68.20	-12.84	3	Horizontal	11	1.78	-
5785MHz	Pass	AV	11.57366G	42.57	54.00	-11.43	3	Vertical	163	1.50	-
5785MHz	Pass	PK	11.5682G	54.20	74.00	-19.80	3	Vertical	163	1.50	-
5785MHz	Pass	AV	11.56778G	42.61	54.00	-11.39	3	Horizontal	34	1.50	-
5785MHz	Pass	PK	11.5742G	55.00	74.00	-19.00	3	Horizontal	34	1.50	-
5825MHz	Pass	AV	5.8298G	97.31	Inf	-Inf	3	Vertical	0	2.07	-
5825MHz	Pass	PK	5.6258G	54.30	68.20	-13.90	3	Vertical	0	2.07	-
5825MHz	Pass	PK	5.8202G	105.41	Inf	-Inf	3	Vertical	0	2.07	-
5825MHz	Pass	PK	5.9402G	54.98	68.20	-13.22	3	Vertical	0	2.07	-
5825MHz	Pass	AV	5.8298G	93.22	Inf	-Inf	3	Horizontal	9	1.16	-
5825MHz	Pass	PK	5.6078G	54.96	68.20	-13.24	3	Horizontal	9	1.16	-
5825MHz	Pass	PK	5.819G	101.79	Inf	-Inf	3	Horizontal	9	1.16	-
5825MHz	Pass	PK	5.987G	56.42	68.20	-11.78	3	Horizontal	9	1.16	-
5825MHz	Pass	AV	11.64544G	43.07	54.00	-10.93	3	Vertical	282	1.50	-
5825MHz	Pass	PK	11.64748G	54.14	74.00	-19.86	3	Vertical	282	1.50	-
5825MHz	Pass	AV	11.65128G	42.48	54.00	-11.52	3	Horizontal	295	1.49	-
5825MHz	Pass	PK	11.64526G	55.13	74.00	-18.87	3	Horizontal	295	1.49	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.80	54.00	-0.20	3	Vertical	32	2.30	-
5180MHz	Pass	AV	5.172G	100.03	Inf	-Inf	3	Vertical	32	2.30	-
5180MHz	Pass	PK	5.1492G	71.17	74.00	-2.83	3	Vertical	32	2.30	-
5180MHz	Pass	PK	5.1776G	111.55	Inf	-Inf	3	Vertical	32	2.30	-
5180MHz	Pass	AV	5.15G	48.80	54.00	-5.20	3	Horizontal	160	2.35	-
5180MHz	Pass	AV	5.1818G	94.76	Inf	-Inf	3	Horizontal	160	2.35	-
5180MHz	Pass	PK	5.1486G	65.13	74.00	-8.87	3	Horizontal	160	2.35	-
5180MHz	Pass	PK	5.1884G	106.61	Inf	-Inf	3	Horizontal	160	2.35	-
5180MHz	Pass	PK	10.3628G	53.97	68.20	-14.23	3	Vertical	178	1.50	-
5180MHz	Pass	PK	10.35872G	55.30	68.20	-12.90	3	Horizontal	36	1.50	-
5200MHz	Pass	AV	5.15G	48.26	54.00	-5.74	3	Vertical	33	2.26	-
5200MHz	Pass	AV	5.1936G	100.95	Inf	-Inf	3	Vertical	33	2.26	-
5200MHz	Pass	PK	5.1484G	63.48	74.00	-10.52	3	Vertical	33	2.26	-
5200MHz	Pass	PK	5.1916G	113.92	Inf	-Inf	3	Vertical	33	2.26	-
5200MHz	Pass	AV	5.15G	45.40	54.00	-8.60	3	Horizontal	156	1.04	-
5200MHz	Pass	AV	5.206G	97.19	Inf	-Inf	3	Horizontal	156	1.04	-
5200MHz	Pass	PK	5.1496G	59.55	74.00	-14.45	3	Horizontal	156	1.04	-
5200MHz	Pass	PK	5.1976G	109.18	Inf	-Inf	3	Horizontal	156	1.04	-
5200MHz	Pass	PK	10.3981G	54.37	68.20	-13.83	3	Vertical	293	1.50	-
5200MHz	Pass	PK	10.40256G	54.88	68.20	-13.32	3	Horizontal	353	2.05	-
5240MHz	Pass	AV	5.12G	44.89	54.00	-9.11	3	Vertical	219	2.87	-
5240MHz	Pass	AV	5.2334G	102.98	Inf	-Inf	3	Vertical	219	2.87	-
5240MHz	Pass	AV	5.36G	46.41	54.00	-7.59	3	Vertical	219	2.87	-
5240MHz	Pass	PK	5.1326G	55.99	74.00	-18.01	3	Vertical	219	2.87	-
5240MHz	Pass	PK	5.2328G	114.79	Inf	-Inf	3	Vertical	219	2.87	-
5240MHz	Pass	PK	5.36G	55.59	74.00	-18.41	3	Vertical	219	2.87	-
5240MHz	Pass	AV	5.12G	43.00	54.00	-11.00	3	Horizontal	158	1.00	-
5240MHz	Pass	AV	5.2328G	95.62	Inf	-Inf	3	Horizontal	158	1.00	-
5240MHz	Pass	AV	5.36G	42.12	54.00	-11.88	3	Horizontal	158	1.00	-
5240MHz	Pass	PK	5.1296G	55.48	74.00	-18.52	3	Horizontal	158	1.00	-
5240MHz	Pass	PK	5.2346G	107.14	Inf	-Inf	3	Horizontal	158	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.3636G	53.89	74.00	-20.11	3	Horizontal	158	1.00	-
5240MHz	Pass	PK	10.47948G	54.02	68.20	-14.18	3	Vertical	360	1.48	-
5240MHz	Pass	PK	10.48156G	54.48	68.20	-13.72	3	Horizontal	327	2.38	-
5260MHz	Pass	AV	5.1196G	43.29	54.00	-10.71	3	Vertical	39	2.32	-
5260MHz	Pass	AV	5.2678G	100.12	Inf	-Inf	3	Vertical	39	2.32	-
5260MHz	Pass	AV	5.41G	41.79	54.00	-12.21	3	Vertical	39	2.32	-
5260MHz	Pass	PK	5.1136G	55.38	74.00	-18.62	3	Vertical	39	2.32	-
5260MHz	Pass	PK	5.2648G	110.63	Inf	-Inf	3	Vertical	39	2.32	-
5260MHz	Pass	PK	5.3566G	54.22	74.00	-19.78	3	Vertical	39	2.32	-
5260MHz	Pass	AV	5.1178G	42.68	54.00	-11.32	3	Horizontal	157	1.05	-
5260MHz	Pass	AV	5.2534G	95.92	Inf	-Inf	3	Horizontal	157	1.05	-
5260MHz	Pass	AV	5.4076G	41.38	54.00	-12.62	3	Horizontal	157	1.05	-
5260MHz	Pass	PK	5.1172G	55.30	74.00	-18.70	3	Horizontal	157	1.05	-
5260MHz	Pass	PK	5.2528G	107.22	Inf	-Inf	3	Horizontal	157	1.05	-
5260MHz	Pass	PK	5.3758G	54.47	74.00	-19.53	3	Horizontal	157	1.05	-
5260MHz	Pass	PK	10.51016G	54.24	68.20	-13.96	3	Vertical	11	2.70	-
5260MHz	Pass	PK	10.51256G	53.87	68.20	-14.33	3	Horizontal	76	1.50	-
5300MHz	Pass	AV	5.2932G	103.83	Inf	-Inf	3	Vertical	216	2.56	-
5300MHz	Pass	AV	5.35G	49.50	54.00	-4.50	3	Vertical	216	2.56	-
5300MHz	Pass	PK	5.2916G	115.43	Inf	-Inf	3	Vertical	216	2.56	-
5300MHz	Pass	PK	5.3504G	65.60	74.00	-8.40	3	Vertical	216	2.56	-
5300MHz	Pass	AV	5.292G	94.41	Inf	-Inf	3	Horizontal	157	1.50	-
5300MHz	Pass	AV	5.3504G	43.03	54.00	-10.97	3	Horizontal	157	1.50	-
5300MHz	Pass	PK	5.292G	106.15	Inf	-Inf	3	Horizontal	157	1.50	-
5300MHz	Pass	PK	5.3528G	57.11	74.00	-16.89	3	Horizontal	157	1.50	-
5300MHz	Pass	AV	10.60002G	41.35	54.00	-12.65	3	Vertical	154	1.45	-
5300MHz	Pass	PK	10.60101G	54.10	74.00	-19.90	3	Vertical	154	1.45	-
5300MHz	Pass	AV	10.60588G	40.93	54.00	-13.07	3	Horizontal	199	1.50	-
5300MHz	Pass	PK	10.60042G	54.50	74.00	-19.50	3	Horizontal	199	1.50	-
5320MHz	Pass	AV	5.3278G	100.80	Inf	-Inf	3	Vertical	225	2.56	-
5320MHz	Pass	AV	5.35G	53.42	54.00	-0.58	3	Vertical	225	2.56	-
5320MHz	Pass	PK	5.3272G	112.87	Inf	-Inf	3	Vertical	225	2.56	-
5320MHz	Pass	PK	5.3518G	68.35	74.00	-5.65	3	Vertical	225	2.56	-
5320MHz	Pass	AV	5.328G	93.50	Inf	-Inf	3	Horizontal	157	1.00	-
5320MHz	Pass	AV	5.35G	46.58	54.00	-7.42	3	Horizontal	157	1.00	-
5320MHz	Pass	PK	5.326G	105.37	Inf	-Inf	3	Horizontal	157	1.00	-
5320MHz	Pass	PK	5.3538G	60.98	74.00	-13.02	3	Horizontal	157	1.00	-
5320MHz	Pass	AV	10.6369G	40.69	54.00	-13.31	3	Vertical	68	1.50	-
5320MHz	Pass	PK	10.63746G	54.65	74.00	-19.35	3	Vertical	68	1.50	-
5320MHz	Pass	AV	10.63548G	40.77	54.00	-13.23	3	Horizontal	199	1.50	-
5320MHz	Pass	PK	10.64312G	54.50	74.00	-19.50	3	Horizontal	199	1.50	-
5500MHz	Pass	AV	5.46G	45.50	54.00	-8.50	3	Vertical	0	1.28	-
5500MHz	Pass	AV	5.5074G	96.29	Inf	-Inf	3	Vertical	0	1.28	-
5500MHz	Pass	PK	5.47G	67.25	68.20	-0.95	3	Vertical	0	1.28	-
5500MHz	Pass	PK	5.5066G	109.06	Inf	-Inf	3	Vertical	0	1.28	-
5500MHz	Pass	AV	5.46G	45.68	54.00	-8.32	3	Horizontal	159	2.20	-
5500MHz	Pass	AV	5.4928G	95.71	Inf	-Inf	3	Horizontal	159	2.20	-
5500MHz	Pass	PK	5.47G	66.38	68.20	-1.82	3	Horizontal	159	2.20	-
5500MHz	Pass	PK	5.507G	107.60	Inf	-Inf	3	Horizontal	159	2.20	-
5500MHz	Pass	AV	11.00118G	41.53	54.00	-12.47	3	Vertical	283	1.05	-
5500MHz	Pass	PK	10.99844G	55.07	74.00	-18.93	3	Vertical	283	1.05	-
5500MHz	Pass	AV	11.00426G	41.54	54.00	-12.46	3	Horizontal	215	1.50	-
5500MHz	Pass	PK	10.99852G	54.32	74.00	-19.68	3	Horizontal	215	1.50	-
5580MHz	Pass	AV	5.4576G	41.83	54.00	-12.17	3	Vertical	93	1.00	-
5580MHz	Pass	AV	5.5866G	97.60	Inf	-Inf	3	Vertical	93	1.00	-
5580MHz	Pass	PK	5.469G	53.79	68.20	-14.41	3	Vertical	93	1.00	-
5580MHz	Pass	PK	5.5848G	109.70	Inf	-Inf	3	Vertical	93	1.00	-
5580MHz	Pass	PK	5.73G	54.53	68.20	-13.67	3	Vertical	93	1.00	-
5580MHz	Pass	AV	5.4462G	41.52	54.00	-12.48	3	Horizontal	9	1.50	-
5580MHz	Pass	AV	5.5878G	95.14	Inf	-Inf	3	Horizontal	9	1.50	-
5580MHz	Pass	PK	5.4612G	54.22	68.20	-13.98	3	Horizontal	9	1.50	-
5580MHz	Pass	PK	5.5818G	107.22	Inf	-Inf	3	Horizontal	9	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	5.7288G	54.23	68.20	-13.97	3	Horizontal	9	1.50	-
5580MHz	Pass	AV	11.15728G	41.01	54.00	-12.99	3	Vertical	279	1.31	-
5580MHz	Pass	PK	11.15544G	54.47	74.00	-19.53	3	Vertical	279	1.31	-
5580MHz	Pass	AV	11.15778G	41.08	54.00	-12.92	3	Horizontal	78	2.92	-
5580MHz	Pass	PK	11.16374G	53.84	74.00	-20.16	3	Horizontal	78	2.92	-
5700MHz	Pass	AV	5.708G	94.52	Inf	-Inf	3	Vertical	4	1.87	-
5700MHz	Pass	PK	5.6944G	107.26	Inf	-Inf	3	Vertical	4	1.87	-
5700MHz	Pass	PK	5.7252G	67.91	68.20	-0.29	3	Vertical	4	1.87	-
5700MHz	Pass	AV	5.6912G	88.64	Inf	-Inf	3	Horizontal	185	1.43	-
5700MHz	Pass	PK	5.6924G	100.97	Inf	-Inf	3	Horizontal	185	1.43	-
5700MHz	Pass	PK	5.7252G	65.04	68.20	-3.16	3	Horizontal	185	1.43	-
5700MHz	Pass	AV	11.40102G	40.74	54.00	-13.26	3	Vertical	0	2.88	-
5700MHz	Pass	PK	11.3988G	53.96	74.00	-20.04	3	Vertical	0	2.88	-
5700MHz	Pass	AV	11.40464G	40.73	54.00	-13.27	3	Horizontal	207	1.09	-
5700MHz	Pass	PK	11.40422G	54.01	74.00	-19.99	3	Horizontal	207	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	41.42	54.00	-12.58	3	Vertical	3	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	98.14	Inf	-Inf	3	Vertical	3	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	53.40	68.20	-14.80	3	Vertical	3	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	110.85	Inf	-Inf	3	Vertical	3	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	56.18	68.20	-12.02	3	Vertical	3	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	41.30	54.00	-12.70	3	Horizontal	185	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	92.80	Inf	-Inf	3	Horizontal	185	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	54.69	68.20	-13.51	3	Horizontal	185	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	105.69	Inf	-Inf	3	Horizontal	185	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	55.56	68.20	-12.64	3	Horizontal	185	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43622G	40.88	54.00	-13.12	3	Vertical	26	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43934G	54.75	74.00	-19.25	3	Vertical	26	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43504G	40.97	54.00	-13.03	3	Horizontal	253	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44024G	53.77	74.00	-20.23	3	Horizontal	253	1.50	-
5745MHz	Pass	AV	5.751G	98.48	Inf	-Inf	3	Vertical	360	1.53	-
5745MHz	Pass	PK	5.649G	55.76	68.20	-12.44	3	Vertical	360	1.53	-
5745MHz	Pass	PK	5.7534G	110.41	Inf	-Inf	3	Vertical	360	1.53	-
5745MHz	Pass	PK	5.9478G	55.59	68.20	-12.61	3	Vertical	360	1.53	-
5745MHz	Pass	AV	5.7522G	94.62	Inf	-Inf	3	Horizontal	82	1.82	-
5745MHz	Pass	PK	5.6406G	55.19	68.20	-13.01	3	Horizontal	82	1.82	-
5745MHz	Pass	PK	5.7534G	106.79	Inf	-Inf	3	Horizontal	82	1.82	-
5745MHz	Pass	PK	6.0222G	54.97	68.20	-13.23	3	Horizontal	82	1.82	-
5745MHz	Pass	AV	11.49332G	40.86	54.00	-13.14	3	Vertical	226	1.50	-
5745MHz	Pass	PK	11.4852G	54.04	74.00	-19.96	3	Vertical	226	1.50	-
5745MHz	Pass	AV	11.49286G	40.86	54.00	-13.14	3	Horizontal	182	1.50	-
5745MHz	Pass	PK	11.48942G	54.29	74.00	-19.71	3	Horizontal	182	1.50	-
5785MHz	Pass	AV	5.7934G	99.23	Inf	-Inf	3	Vertical	358	1.80	-
5785MHz	Pass	PK	5.5918G	55.60	68.20	-12.60	3	Vertical	358	1.80	-
5785MHz	Pass	PK	5.7922G	111.13	Inf	-Inf	3	Vertical	358	1.80	-
5785MHz	Pass	PK	5.9266G	55.76	68.20	-12.44	3	Vertical	358	1.80	-
5785MHz	Pass	AV	5.7922G	94.85	Inf	-Inf	3	Horizontal	83	1.86	-
5785MHz	Pass	PK	5.6086G	56.16	68.20	-12.04	3	Horizontal	83	1.86	-
5785MHz	Pass	PK	5.791G	106.79	Inf	-Inf	3	Horizontal	83	1.86	-
5785MHz	Pass	PK	6.0598G	55.93	68.20	-12.27	3	Horizontal	83	1.86	-
5785MHz	Pass	AV	11.57308G	40.84	54.00	-13.16	3	Vertical	299	1.50	-
5785MHz	Pass	PK	11.56524G	54.32	74.00	-19.68	3	Vertical	299	1.50	-
5785MHz	Pass	AV	11.57237G	41.03	54.00	-12.97	3	Horizontal	129	1.50	-
5785MHz	Pass	PK	11.5719G	54.39	74.00	-19.61	3	Horizontal	129	1.50	-
5825MHz	Pass	AV	5.8262G	99.22	Inf	-Inf	3	Vertical	359	1.36	-
5825MHz	Pass	PK	5.6342G	54.96	68.20	-13.24	3	Vertical	359	1.36	-
5825MHz	Pass	PK	5.8226G	111.48	Inf	-Inf	3	Vertical	359	1.36	-
5825MHz	Pass	PK	5.927G	55.71	68.20	-12.49	3	Vertical	359	1.36	-
5825MHz	Pass	AV	5.8322G	92.19	Inf	-Inf	3	Horizontal	187	1.50	-
5825MHz	Pass	PK	5.5322G	55.05	68.20	-13.15	3	Horizontal	187	1.50	-
5825MHz	Pass	PK	5.8226G	104.98	Inf	-Inf	3	Horizontal	187	1.50	-
5825MHz	Pass	PK	5.9894G	54.90	68.20	-13.30	3	Horizontal	187	1.50	-
5825MHz	Pass	AV	11.65193G	40.94	54.00	-13.06	3	Vertical	190	1.50	-



RSE TX above 1GHz_Non-Beamforming_WiFi A

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	11.64937G	54.10	74.00	-19.90	3	Vertical	190	1.50	-
5825MHz	Pass	AV	11.65129G	41.01	54.00	-12.99	3	Horizontal	72	2.69	-
5825MHz	Pass	PK	11.65109G	53.98	74.00	-20.02	3	Horizontal	72	2.69	-
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.88	54.00	-0.12	3	Vertical	39	2.47	-
5190MHz	Pass	AV	5.1736G	95.49	Inf	-Inf	3	Vertical	39	2.47	-
5190MHz	Pass	PK	5.1496G	72.85	74.00	-1.15	3	Vertical	39	2.47	-
5190MHz	Pass	PK	5.1724G	107.77	Inf	-Inf	3	Vertical	39	2.47	-
5190MHz	Pass	AV	5.15G	47.83	54.00	-6.17	3	Horizontal	184	1.96	-
5190MHz	Pass	AV	5.2068G	89.24	Inf	-Inf	3	Horizontal	184	1.96	-
5190MHz	Pass	PK	5.1496G	65.75	74.00	-8.25	3	Horizontal	184	1.96	-
5190MHz	Pass	PK	5.2024G	100.86	Inf	-Inf	3	Horizontal	184	1.96	-
5190MHz	Pass	PK	10.38199G	53.93	68.20	-14.27	3	Vertical	191.1	1.78	-
5190MHz	Pass	PK	10.38G	54.32	68.20	-13.88	3	Horizontal	138	2.50	-
5230MHz	Pass	AV	5.1492G	53.60	54.00	-0.40	3	Vertical	42	2.39	-
5230MHz	Pass	AV	5.2136G	99.49	Inf	-Inf	3	Vertical	42	2.39	-
5230MHz	Pass	PK	5.1496G	70.54	74.00	-3.46	3	Vertical	42	2.39	-
5230MHz	Pass	PK	5.2228G	111.62	Inf	-Inf	3	Vertical	42	2.39	-
5230MHz	Pass	AV	5.1492G	47.86	54.00	-6.14	3	Horizontal	185	1.96	-
5230MHz	Pass	AV	5.246G	93.67	Inf	-Inf	3	Horizontal	185	1.96	-
5230MHz	Pass	PK	5.1488G	63.67	74.00	-10.33	3	Horizontal	185	1.96	-
5230MHz	Pass	PK	5.226G	105.64	Inf	-Inf	3	Horizontal	185	1.96	-
5230MHz	Pass	PK	10.45938G	54.41	68.20	-13.79	3	Vertical	0	1.32	-
5230MHz	Pass	PK	10.47146G	54.68	68.20	-13.52	3	Horizontal	356	1.50	-
5270MHz	Pass	AV	5.254G	101.43	Inf	-Inf	3	Vertical	212	2.86	-
5270MHz	Pass	AV	5.3508G	53.93	54.00	-0.07	3	Vertical	212	2.86	-
5270MHz	Pass	PK	5.2732G	113.11	Inf	-Inf	3	Vertical	212	2.86	-
5270MHz	Pass	PK	5.352G	66.94	74.00	-7.06	3	Vertical	212	2.86	-
5270MHz	Pass	AV	5.272G	93.51	Inf	-Inf	3	Horizontal	186	1.63	-
5270MHz	Pass	AV	5.3504G	47.05	54.00	-6.95	3	Horizontal	186	1.63	-
5270MHz	Pass	PK	5.2804G	106.17	Inf	-Inf	3	Horizontal	186	1.63	-
5270MHz	Pass	PK	5.35G	60.19	74.00	-13.81	3	Horizontal	186	1.63	-
5270MHz	Pass	PK	10.54792G	55.21	68.20	-12.99	3	Vertical	129	1.50	-
5270MHz	Pass	PK	10.53778G	54.20	68.20	-14.00	3	Horizontal	338	1.32	-
5310MHz	Pass	AV	5.294G	95.36	Inf	-Inf	3	Vertical	40	2.44	-
5310MHz	Pass	AV	5.35G	53.91	54.00	-0.09	3	Vertical	40	2.44	-
5310MHz	Pass	PK	5.3084G	107.30	Inf	-Inf	3	Vertical	40	2.44	-
5310MHz	Pass	PK	5.35G	72.30	74.00	-1.70	3	Vertical	40	2.44	-
5310MHz	Pass	AV	5.294G	89.26	Inf	-Inf	3	Horizontal	186	1.08	-
5310MHz	Pass	AV	5.3504G	47.48	54.00	-6.52	3	Horizontal	186	1.08	-
5310MHz	Pass	PK	5.294G	100.62	Inf	-Inf	3	Horizontal	186	1.08	-
5310MHz	Pass	PK	5.35G	64.70	74.00	-9.30	3	Horizontal	186	1.08	-
5310MHz	Pass	AV	10.6053G	41.31	54.00	-12.69	3	Vertical	2	2.95	-
5310MHz	Pass	PK	10.63488G	54.19	74.00	-19.81	3	Vertical	2	2.95	-
5310MHz	Pass	AV	10.62864G	41.43	54.00	-12.57	3	Horizontal	148	1.50	-
5310MHz	Pass	PK	10.61706G	54.26	74.00	-19.74	3	Horizontal	148	1.50	-
5510MHz	Pass	AV	5.46G	46.71	54.00	-7.29	3	Vertical	227	2.93	-
5510MHz	Pass	AV	5.5248G	93.16	Inf	-Inf	3	Vertical	227	2.93	-
5510MHz	Pass	PK	5.4696G	68.01	68.20	-0.19	3	Vertical	227	2.93	-
5510MHz	Pass	PK	5.5136G	105.09	Inf	-Inf	3	Vertical	227	2.93	-
5510MHz	Pass	AV	5.4592G	42.93	54.00	-11.07	3	Horizontal	183	1.92	-
5510MHz	Pass	AV	5.5248G	88.24	Inf	-Inf	3	Horizontal	183	1.92	-
5510MHz	Pass	PK	5.4696G	62.06	68.20	-6.14	3	Horizontal	183	1.92	-
5510MHz	Pass	PK	5.4984G	100.14	Inf	-Inf	3	Horizontal	183	1.92	-
5510MHz	Pass	AV	11.02354G	42.15	54.00	-11.85	3	Vertical	0	2.58	-
5510MHz	Pass	PK	11.03386G	54.55	74.00	-19.45	3	Vertical	0	2.58	-
5510MHz	Pass	AV	11.02304G	42.11	54.00	-11.89	3	Horizontal	333	2.59	-
5510MHz	Pass	PK	11.01736G	54.14	74.00	-19.86	3	Horizontal	333	2.59	-
5550MHz	Pass	AV	5.46G	47.02	54.00	-6.98	3	Vertical	2	1.13	-
5550MHz	Pass	AV	5.5664G	97.37	Inf	-Inf	3	Vertical	2	1.13	-
5550MHz	Pass	PK	5.47G	61.87	68.20	-6.33	3	Vertical	2	1.13	-
5550MHz	Pass	PK	5.5668G	109.50	Inf	-Inf	3	Vertical	2	1.13	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	AV	5.46G	46.11	54.00	-7.89	3	Horizontal	183	1.75	-
5550MHz	Pass	AV	5.5324G	94.41	Inf	-Inf	3	Horizontal	183	1.75	-
5550MHz	Pass	PK	5.4676G	60.18	68.20	-8.02	3	Horizontal	183	1.75	-
5550MHz	Pass	PK	5.5368G	105.58	Inf	-Inf	3	Horizontal	183	1.75	-
5550MHz	Pass	AV	11.09638G	42.09	54.00	-11.91	3	Vertical	98	1.50	-
5550MHz	Pass	PK	11.10374G	54.79	74.00	-19.21	3	Vertical	98	1.50	-
5550MHz	Pass	AV	11.09866G	42.26	54.00	-11.74	3	Horizontal	265	1.50	-
5550MHz	Pass	PK	11.1007G	54.82	74.00	-19.18	3	Horizontal	265	1.50	-
5670MHz	Pass	AV	5.6528G	94.58	Inf	-Inf	3	Vertical	360	1.00	-
5670MHz	Pass	PK	5.6576G	106.43	Inf	-Inf	3	Vertical	360	1.00	-
5670MHz	Pass	PK	5.7256G	68.10	68.20	-0.10	3	Vertical	360	1.00	-
5670MHz	Pass	AV	5.6864G	88.66	Inf	-Inf	3	Horizontal	1	1.73	-
5670MHz	Pass	PK	5.674G	100.05	Inf	-Inf	3	Horizontal	1	1.73	-
5670MHz	Pass	PK	5.7264G	63.18	68.20	-5.02	3	Horizontal	1	1.73	-
5670MHz	Pass	AV	11.33833G	41.53	54.00	-12.47	3	Vertical	184	1.50	-
5670MHz	Pass	PK	11.33938G	55.04	74.00	-18.96	3	Vertical	184	1.50	-
5670MHz	Pass	AV	11.34248G	41.23	54.00	-12.77	3	Horizontal	50	1.50	-
5670MHz	Pass	PK	11.33642G	54.02	74.00	-19.98	3	Horizontal	50	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4532G	42.32	54.00	-11.68	3	Vertical	358	1.13	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7256G	97.93	Inf	-Inf	3	Vertical	358	1.13	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	54.46	68.20	-13.74	3	Vertical	358	1.13	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	109.22	Inf	-Inf	3	Vertical	358	1.13	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8636G	60.34	68.20	-7.86	3	Vertical	358	1.13	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4508G	42.14	54.00	-11.86	3	Horizontal	81	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	91.56	Inf	-Inf	3	Horizontal	81	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	53.35	68.20	-14.85	3	Horizontal	81	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	103.42	Inf	-Inf	3	Horizontal	81	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8564G	56.35	68.20	-11.85	3	Horizontal	81	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42001G	41.79	54.00	-12.21	3	Vertical	325	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41896G	54.65	74.00	-19.35	3	Vertical	325	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42173G	41.78	54.00	-12.22	3	Horizontal	236	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41879G	54.50	74.00	-19.50	3	Horizontal	236	1.54	-
5755MHz	Pass	AV	5.7706G	97.75	Inf	-Inf	3	Vertical	360	1.71	-
5755MHz	Pass	PK	5.6542G	64.17	71.31	-7.14	3	Vertical	360	1.71	-
5755MHz	Pass	PK	5.7706G	109.42	Inf	-Inf	3	Vertical	360	1.71	-
5755MHz	Pass	PK	5.9338G	56.44	68.20	-11.76	3	Vertical	360	1.71	-
5755MHz	Pass	AV	5.7394G	93.34	Inf	-Inf	3	Horizontal	81	2.80	-
5755MHz	Pass	PK	5.647G	58.99	68.20	-9.21	3	Horizontal	81	2.80	-
5755MHz	Pass	PK	5.7634G	104.63	Inf	-Inf	3	Horizontal	81	2.80	-
5755MHz	Pass	PK	6.0046G	55.32	68.20	-12.88	3	Horizontal	81	2.80	-
5755MHz	Pass	AV	11.51096G	41.84	54.00	-12.16	3	Vertical	59	2.81	-
5755MHz	Pass	PK	11.51036G	55.36	74.00	-18.64	3	Vertical	59	2.81	-
5755MHz	Pass	AV	11.51248G	42.12	54.00	-11.88	3	Horizontal	276	1.50	-
5755MHz	Pass	PK	11.51094G	54.62	74.00	-19.38	3	Horizontal	276	1.50	-
5795MHz	Pass	AV	5.7794G	94.22	Inf	-Inf	3	Vertical	80	1.87	-
5795MHz	Pass	PK	5.6498G	55.33	68.20	-12.87	3	Vertical	80	1.87	-
5795MHz	Pass	PK	5.8118G	106.46	Inf	-Inf	3	Vertical	80	1.87	-
5795MHz	Pass	PK	5.951G	56.41	68.20	-11.79	3	Vertical	80	1.87	-
5795MHz	Pass	AV	5.7902G	93.77	Inf	-Inf	3	Horizontal	82	2.01	-
5795MHz	Pass	PK	5.5838G	56.97	68.20	-11.23	3	Horizontal	82	2.01	-
5795MHz	Pass	PK	5.8118G	106.36	Inf	-Inf	3	Horizontal	82	2.01	-
5795MHz	Pass	PK	5.9282G	57.56	68.20	-10.64	3	Horizontal	82	2.01	-
5795MHz	Pass	AV	11.58528G	41.65	54.00	-12.35	3	Vertical	205	1.75	-
5795MHz	Pass	PK	11.59472G	54.29	74.00	-19.71	3	Vertical	205	1.75	-
5795MHz	Pass	AV	11.58578G	41.62	54.00	-12.38	3	Horizontal	153	1.31	-
5795MHz	Pass	PK	11.59264G	54.65	74.00	-19.35	3	Horizontal	153	1.31	-
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	53.74	54.00	-0.26	3	Vertical	41	2.46	-
5210MHz	Pass	AV	5.173G	92.49	Inf	-Inf	3	Vertical	41	2.46	-
5210MHz	Pass	AV	5.35G	43.85	54.00	-10.15	3	Vertical	41	2.46	-
5210MHz	Pass	PK	5.135G	71.51	74.00	-2.49	3	Vertical	41	2.46	-
5210MHz	Pass	PK	5.186G	104.74	Inf	-Inf	3	Vertical	41	2.46	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.352G	57.56	74.00	-16.44	3	Vertical	41	2.46	-
5210MHz	Pass	AV	5.15G	46.72	54.00	-7.28	3	Horizontal	185	1.73	-
5210MHz	Pass	AV	5.247G	85.54	Inf	-Inf	3	Horizontal	185	1.73	-
5210MHz	Pass	AV	5.456G	42.26	54.00	-11.74	3	Horizontal	185	1.73	-
5210MHz	Pass	PK	5.135G	62.58	74.00	-11.42	3	Horizontal	185	1.73	-
5210MHz	Pass	PK	5.243G	96.90	Inf	-Inf	3	Horizontal	185	1.73	-
5210MHz	Pass	PK	5.401G	54.47	74.00	-19.53	3	Horizontal	185	1.73	-
5210MHz	Pass	PK	10.41606G	54.47	68.20	-13.73	3	Vertical	3	1.73	-
5210MHz	Pass	PK	10.41512G	54.80	68.20	-13.40	3	Horizontal	145	1.10	-
5290MHz	Pass	AV	5.15G	44.94	54.00	-9.06	3	Vertical	213	2.71	-
5290MHz	Pass	AV	5.253G	93.63	Inf	-Inf	3	Vertical	213	2.71	-
5290MHz	Pass	AV	5.352G	53.70	54.00	-0.30	3	Vertical	213	2.71	-
5290MHz	Pass	PK	5.135G	58.42	74.00	-15.58	3	Vertical	213	2.71	-
5290MHz	Pass	PK	5.275G	106.00	Inf	-Inf	3	Vertical	213	2.71	-
5290MHz	Pass	PK	5.381G	71.93	74.00	-2.07	3	Vertical	213	2.71	-
5290MHz	Pass	AV	5.128G	43.36	54.00	-10.64	3	Horizontal	186	1.98	-
5290MHz	Pass	AV	5.253G	85.83	Inf	-Inf	3	Horizontal	186	1.98	-
5290MHz	Pass	AV	5.351G	46.83	54.00	-7.17	3	Horizontal	186	1.98	-
5290MHz	Pass	PK	5.131G	55.26	74.00	-18.74	3	Horizontal	186	1.98	-
5290MHz	Pass	PK	5.263G	98.06	Inf	-Inf	3	Horizontal	186	1.98	-
5290MHz	Pass	PK	5.358G	64.17	74.00	-9.83	3	Horizontal	186	1.98	-
5290MHz	Pass	PK	10.5819G	54.22	68.20	-13.98	3	Vertical	150	1.15	-
5290MHz	Pass	PK	10.57882G	53.89	68.20	-14.31	3	Horizontal	2	1.29	-
5530MHz	Pass	AV	5.46G	49.23	54.00	-4.77	3	Vertical	4	1.00	-
5530MHz	Pass	AV	5.567G	90.42	Inf	-Inf	3	Vertical	4	1.00	-
5530MHz	Pass	PK	5.468G	67.86	68.20	-0.34	3	Vertical	4	1.00	-
5530MHz	Pass	PK	5.565G	102.11	Inf	-Inf	3	Vertical	4	1.00	-
5530MHz	Pass	PK	5.73G	56.83	68.20	-11.37	3	Vertical	4	1.00	-
5530MHz	Pass	AV	5.46G	49.01	54.00	-4.99	3	Horizontal	185	1.50	-
5530MHz	Pass	AV	5.514G	86.30	Inf	-Inf	3	Horizontal	185	1.50	-
5530MHz	Pass	PK	5.47G	65.62	68.20	-2.58	3	Horizontal	185	1.50	-
5530MHz	Pass	PK	5.52G	98.46	Inf	-Inf	3	Horizontal	185	1.50	-
5530MHz	Pass	PK	5.735G	55.36	68.20	-12.84	3	Horizontal	185	1.50	-
5530MHz	Pass	AV	11.05882G	42.29	54.00	-11.71	3	Vertical	180	1.62	-
5530MHz	Pass	PK	11.06218G	54.55	74.00	-19.45	3	Vertical	180	1.62	-
5530MHz	Pass	AV	11.05752G	42.18	54.00	-11.82	3	Horizontal	239	1.57	-
5530MHz	Pass	PK	11.05544G	54.92	74.00	-19.08	3	Horizontal	239	1.57	-
5610MHz	Pass	AV	5.458G	44.37	54.00	-9.63	3	Vertical	3	1.03	-
5610MHz	Pass	AV	5.647G	93.55	Inf	-Inf	3	Vertical	3	1.03	-
5610MHz	Pass	PK	5.47G	58.50	68.20	-9.70	3	Vertical	3	1.03	-
5610MHz	Pass	PK	5.615G	105.13	Inf	-Inf	3	Vertical	3	1.03	-
5610MHz	Pass	PK	5.727G	67.30	68.20	-0.90	3	Vertical	3	1.03	-
5610MHz	Pass	AV	5.459G	43.98	54.00	-10.02	3	Horizontal	183	1.89	-
5610MHz	Pass	AV	5.573G	88.50	Inf	-Inf	3	Horizontal	183	1.89	-
5610MHz	Pass	PK	5.469G	56.88	68.20	-11.32	3	Horizontal	183	1.89	-
5610MHz	Pass	PK	5.575G	99.80	Inf	-Inf	3	Horizontal	183	1.89	-
5610MHz	Pass	PK	5.727G	59.52	68.20	-8.68	3	Horizontal	183	1.89	-
5610MHz	Pass	AV	11.2166G	41.20	54.00	-12.80	3	Vertical	274	2.24	-
5610MHz	Pass	PK	11.22354G	53.87	74.00	-20.13	3	Vertical	274	2.24	-
5610MHz	Pass	AV	11.2188G	41.40	54.00	-12.60	3	Horizontal	198	1.46	-
5610MHz	Pass	PK	11.22302G	53.97	74.00	-20.03	3	Horizontal	198	1.46	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	42.44	54.00	-11.56	3	Vertical	360	1.13	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	93.29	Inf	-Inf	3	Vertical	360	1.13	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	54.05	68.20	-14.15	3	Vertical	360	1.13	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	104.84	Inf	-Inf	3	Vertical	360	1.13	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	62.56	68.20	-5.64	3	Vertical	360	1.13	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	42.44	54.00	-11.56	3	Horizontal	80	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	88.82	Inf	-Inf	3	Horizontal	80	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	53.94	68.20	-14.26	3	Horizontal	80	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	100.21	Inf	-Inf	3	Horizontal	80	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	59.52	68.20	-8.68	3	Horizontal	80	1.81	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38082G	41.27	54.00	-12.73	3	Vertical	332	2.23	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37942G	53.85	74.00	-20.15	3	Vertical	332	2.23	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38402G	41.16	54.00	-12.84	3	Horizontal	24	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37762G	53.36	74.00	-20.64	3	Horizontal	24	2.19	-
5775MHz	Pass	AV	5.8122G	93.85	Inf	-Inf	3	Vertical	359	1.95	-
5775MHz	Pass	PK	5.6466G	61.92	68.20	-6.28	3	Vertical	359	1.95	-
5775MHz	Pass	PK	5.781G	104.61	Inf	-Inf	3	Vertical	359	1.95	-
5775MHz	Pass	PK	5.9262G	62.36	68.20	-5.84	3	Vertical	359	1.95	-
5775MHz	Pass	AV	5.8122G	89.17	Inf	-Inf	3	Horizontal	72	2.84	-
5775MHz	Pass	PK	5.6466G	61.11	68.20	-7.09	3	Horizontal	72	2.84	-
5775MHz	Pass	PK	5.8086G	99.51	Inf	-Inf	3	Horizontal	72	2.84	-
5775MHz	Pass	PK	5.9238G	59.72	69.09	-9.37	3	Horizontal	72	2.84	-
5775MHz	Pass	AV	11.55396G	41.64	54.00	-12.36	3	Vertical	106	1.63	-
5775MHz	Pass	PK	11.54796G	53.85	74.00	-20.15	3	Vertical	106	1.63	-
5775MHz	Pass	AV	11.55154G	41.68	54.00	-12.32	3	Horizontal	268	1.15	-
5775MHz	Pass	PK	11.55348G	54.82	74.00	-19.18	3	Horizontal	268	1.15	-

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.56	54.00	-0.44	2.45	3	Vertical	37	2.30	-	51.11	31.90	5.47	34.92
AV	5.187G	101.52	Inf	-Inf	2.33	3	Vertical	37	2.30	-	99.19	31.75	5.49	34.91
PK	5.1486G	67.13	74.00	-6.87	2.45	3	Vertical	37	2.30	-	64.68	31.90	5.47	34.92
PK	5.1808G	110.23	Inf	-Inf	2.36	3	Vertical	37	2.30	-	107.87	31.78	5.49	34.91

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.29	54.00	-3.71	2.45	3	Horizontal	159	2.36	-	47.84	31.90	5.47	34.92
AV	5.1848G	96.97	Inf	-Inf	2.34	3	Horizontal	159	2.36	-	94.63	31.76	5.49	34.91
PK	5.15G	64.60	74.00	-9.40	2.45	3	Horizontal	159	2.36	-	62.15	31.90	5.47	34.92
PK	5.1764G	106.03	Inf	-Inf	2.37	3	Horizontal	159	2.36	-	103.66	31.79	5.49	34.91

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.3581G	53.98	68.20	-14.22	12.26	3	Vertical	226	1.41	-	41.72	39.57	7.93	35.24

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35542G	53.61	68.20	-14.59	12.25	3	Horizontal	97	2.01	-	41.36	39.57	7.92	35.24

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	46.46	54.00	-7.54	2.45	3	Vertical	33	2.27	-	44.01	31.90	5.47	34.92
AV	5.1936G	102.03	Inf	-Inf	2.32	3	Vertical	33	2.27	-	99.71	31.73	5.50	34.91
PK	5.1464G	59.90	74.00	-14.10	2.45	3	Vertical	33	2.27	-	57.45	31.90	5.47	34.92
PK	5.1952G	110.80	Inf	-Inf	2.31	3	Vertical	33	2.27	-	108.49	31.72	5.50	34.91

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	44.22	54.00	-9.78	2.45	3	Horizontal	157	1.04	-	41.77	31.90	5.47	34.92
AV	5.1984G	96.10	Inf	-Inf	2.30	3	Horizontal	157	1.04	-	93.80	31.71	5.50	34.91
PK	5.1344G	55.05	74.00	-18.95	2.45	3	Horizontal	157	1.04	-	52.60	31.90	5.47	34.92
PK	5.2028G	104.77	Inf	-Inf	2.28	3	Horizontal	157	1.04	-	102.49	31.69	5.50	34.91

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39878G	54.30	68.20	-13.90	12.45	3	Vertical	94	1.50	-	41.85	39.70	7.94	35.19

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39542G	54.48	68.20	-13.72	12.43	3	Horizontal	254	1.50	-	42.05	39.69	7.94	35.20

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.12G	45.86	54.00	-8.14	2.44	3	Vertical	216	2.58	-	43.42	31.90	5.46	34.92
AV	5.2478G	104.75	Inf	-Inf	2.16	3	Vertical	216	2.58	-	102.59	31.51	5.55	34.90
AV	5.36G	47.97	54.00	-6.03	2.02	3	Vertical	216	2.58	-	45.95	31.24	5.66	34.88
PK	5.1116G	55.69	74.00	-18.31	2.44	3	Vertical	216	2.58	-	53.25	31.90	5.46	34.92
PK	5.2334G	112.94	Inf	-Inf	2.20	3	Vertical	216	2.58	-	110.74	31.57	5.53	34.90
PK	5.36G	56.24	74.00	-17.76	2.02	3	Vertical	216	2.58	-	54.22	31.24	5.66	34.88

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1224G	44.16	54.00	-9.84	2.44	3	Horizontal	156	1.46	-	41.72	31.90	5.46	34.92
AV	5.2352G	95.59	Inf	-Inf	2.20	3	Horizontal	156	1.46	-	93.39	31.56	5.54	34.90
AV	5.36G	42.97	54.00	-11.03	2.02	3	Horizontal	156	1.46	-	40.95	31.24	5.66	34.88
PK	5.1428G	55.14	74.00	-18.86	2.45	3	Horizontal	156	1.46	-	52.69	31.90	5.47	34.92
PK	5.2334G	103.77	Inf	-Inf	2.20	3	Horizontal	156	1.46	-	101.57	31.57	5.53	34.90
PK	5.363G	54.75	74.00	-19.25	2.03	3	Horizontal	156	1.46	-	52.72	31.25	5.66	34.88

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.47894G	54.00	68.20	-14.20	12.81	3	Vertical	240	1.99	-	41.19	39.94	7.97	35.10

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48258G	54.82	68.20	-13.38	12.83	3	Horizontal	165	1.50	-	41.99	39.95	7.97	35.09

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1208G	44.68	54.00	-9.32	2.44	3	Vertical	37	2.21	-	42.24	31.90	5.46	34.92
AV	5.2534G	100.26	Inf	-Inf	2.14	3	Vertical	37	2.21	-	98.12	31.49	5.55	34.90
AV	5.353G	42.79	54.00	-11.21	1.98	3	Vertical	37	2.21	-	40.81	31.21	5.65	34.88
PK	5.122G	55.10	74.00	-18.90	2.44	3	Vertical	37	2.21	-	52.66	31.90	5.46	34.92
PK	5.2582G	109.16	Inf	-Inf	2.14	3	Vertical	37	2.21	-	107.02	31.48	5.56	34.90
PK	5.3794G	54.13	74.00	-19.87	2.12	3	Vertical	37	2.21	-	52.01	31.32	5.68	34.88

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1106G	43.96	54.00	-10.04	2.44	3	Horizontal	159	1.26	-	41.52	31.90	5.46	34.92
AV	5.254G	93.53	Inf	-Inf	2.14	3	Horizontal	159	1.26	-	91.39	31.49	5.55	34.90
AV	5.3866G	42.57	54.00	-11.43	2.16	3	Horizontal	159	1.26	-	40.41	31.35	5.69	34.88
PK	5.137G	54.91	74.00	-19.09	2.45	3	Horizontal	159	1.26	-	52.46	31.90	5.47	34.92
PK	5.2582G	102.27	Inf	-Inf	2.14	3	Horizontal	159	1.26	-	100.13	31.48	5.56	34.90
PK	5.3902G	53.79	74.00	-20.21	2.17	3	Horizontal	159	1.26	-	51.62	31.36	5.69	34.88

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5206G	55.07	68.20	-13.13	12.89	3	Vertical	348	1.50	-	42.18	39.98	7.98	35.07

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52212G	56.14	68.20	-12.06	12.89	3	Horizontal	360	2.60	-	43.25	39.98	7.98	35.07

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3072G	104.76	Inf	-Inf	2.09	3	Vertical	216	2.52	-	102.67	31.37	5.61	34.89
AV	5.35G	46.17	54.00	-7.83	1.97	3	Vertical	216	2.52	-	44.20	31.20	5.65	34.88
PK	5.3068G	113.62	Inf	-Inf	2.09	3	Vertical	216	2.52	-	111.53	31.37	5.61	34.89
PK	5.3524G	64.59	74.00	-9.41	1.98	3	Vertical	216	2.52	-	62.61	31.21	5.65	34.88

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2956G	94.88	Inf	-Inf	2.12	3	Horizontal	157	1.06	-	92.76	31.41	5.60	34.89
AV	5.3536G	42.66	54.00	-11.34	1.98	3	Horizontal	157	1.06	-	40.68	31.21	5.65	34.88
PK	5.2932G	103.78	Inf	-Inf	2.11	3	Horizontal	157	1.06	-	101.67	31.41	5.59	34.89
PK	5.3524G	56.35	74.00	-17.65	1.98	3	Horizontal	157	1.06	-	54.37	31.21	5.65	34.88

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.59998G	54.77	68.20	-13.43	12.85	3	Vertical	155	1.50	-	41.92	39.90	8.01	35.06

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.60084G	55.02	74.00	-18.98	12.85	3	Horizontal	176	3.00	-	42.17	39.90	8.01	35.06

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	103.21	Inf	-Inf	2.07	3	Vertical	223	2.54	-	101.14	31.35	5.61	34.89
AV	5.35G	53.57	54.00	-0.43	1.97	3	Vertical	223	2.54	-	51.60	31.20	5.65	34.88
PK	5.3178G	111.46	Inf	-Inf	2.06	3	Vertical	223	2.54	-	109.40	31.33	5.62	34.89
PK	5.3516G	67.48	74.00	-6.52	1.98	3	Vertical	223	2.54	-	65.50	31.21	5.65	34.88

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	92.82	Inf	-Inf	2.07	3	Horizontal	159	1.00	-	90.75	31.35	5.61	34.89
AV	5.35G	45.25	54.00	-8.75	1.97	3	Horizontal	159	1.00	-	43.28	31.20	5.65	34.88
PK	5.3162G	101.34	Inf	-Inf	2.07	3	Horizontal	159	1.00	-	99.27	31.34	5.62	34.89
PK	5.3556G	58.14	74.00	-15.86	2.00	3	Horizontal	159	1.00	-	56.14	31.22	5.66	34.88

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64007G	42.50	54.00	-11.50	12.91	3	Vertical	214	1.50	-	29.59	39.94	8.02	35.05
PK	10.63826G	54.19	74.00	-19.81	12.91	3	Vertical	214	1.50	-	41.28	39.94	8.02	35.05

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63961G	42.31	54.00	-11.69	12.91	3	Horizontal	77	1.50	-	29.40	39.94	8.02	35.05
PK	10.6385G	54.40	74.00	-19.60	12.91	3	Horizontal	77	1.50	-	41.49	39.94	8.02	35.05

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	44.03	54.00	-9.97	2.48	3	Vertical	0	1.28	-	41.55	31.62	5.73	34.87
AV	5.5042G	97.20	Inf	-Inf	2.59	3	Vertical	0	1.28	-	94.61	31.70	5.75	34.86
PK	5.47G	67.26	68.20	-0.94	2.52	3	Vertical	0	1.28	-	64.74	31.64	5.74	34.86
PK	5.5014G	105.72	Inf	-Inf	2.59	3	Vertical	0	1.28	-	103.13	31.70	5.75	34.86

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4526G	43.84	54.00	-10.16	2.47	3	Horizontal	158	2.19	-	41.37	31.61	5.73	34.87
AV	5.4936G	95.61	Inf	-Inf	2.58	3	Horizontal	158	2.19	-	93.03	31.69	5.75	34.86
PK	5.47G	65.45	68.20	-2.75	2.52	3	Horizontal	158	2.19	-	62.93	31.64	5.74	34.86
PK	5.498G	104.05	Inf	-Inf	2.59	3	Horizontal	158	2.19	-	101.46	31.70	5.75	34.86

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00199G	43.19	54.00	-10.81	13.35	3	Vertical	58	1.50	-	29.84	40.20	8.15	35.00
PK	10.99797G	55.53	74.00	-18.47	13.35	3	Vertical	58	1.50	-	42.18	40.20	8.15	35.00

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99998G	43.25	54.00	-10.75	13.35	3	Horizontal	360	1.50	-	29.90	40.20	8.15	35.00
PK	11.00182G	55.58	74.00	-18.42	13.35	3	Horizontal	360	1.50	-	42.23	40.20	8.15	35.00

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	43.29	54.00	-10.71	2.47	3	Vertical	93	3.00	-	40.82	31.61	5.73	34.87
AV	5.5842G	98.95	Inf	-Inf	2.60	3	Vertical	93	3.00	-	96.35	31.70	5.79	34.89
PK	5.4636G	54.37	68.20	-13.83	2.49	3	Vertical	93	3.00	-	51.88	31.63	5.73	34.87
PK	5.5848G	107.82	Inf	-Inf	2.60	3	Vertical	93	3.00	-	105.22	31.70	5.79	34.89
PK	5.727G	55.54	68.20	-12.66	2.78	3	Vertical	93	3.00	-	52.76	31.91	5.80	34.93

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.439G	42.63	54.00	-11.37	2.41	3	Horizontal	8	1.50	-	40.22	31.56	5.72	34.87
AV	5.5872G	95.57	Inf	-Inf	2.60	3	Horizontal	8	1.50	-	92.97	31.70	5.79	34.89
PK	5.4636G	53.94	68.20	-14.26	2.49	3	Horizontal	8	1.50	-	51.45	31.63	5.73	34.87
PK	5.5848G	104.46	Inf	-Inf	2.60	3	Horizontal	8	1.50	-	101.86	31.70	5.79	34.89
PK	5.7288G	53.71	68.20	-14.49	2.79	3	Horizontal	8	1.50	-	50.92	31.92	5.80	34.93

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16226G	42.94	54.00	-11.06	13.04	3	Vertical	225	1.50	-	29.90	39.75	8.21	34.92
PK	11.16128G	54.84	74.00	-19.16	13.04	3	Vertical	225	1.50	-	41.80	39.75	8.21	34.92

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15819G	42.82	54.00	-11.18	13.06	3	Horizontal	279	1.50	-	29.76	39.77	8.21	34.92
PK	11.15801G	54.62	74.00	-19.38	13.06	3	Horizontal	279	1.50	-	41.56	39.77	8.21	34.92

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7074G	95.85	Inf	-Inf	2.71	3	Vertical	0	2.07	-	93.14	31.83	5.80	34.92
PK	5.7074G	104.12	Inf	-Inf	2.71	3	Vertical	0	2.07	-	101.41	31.83	5.80	34.92
PK	5.7254G	67.69	68.20	-0.51	2.77	3	Vertical	0	2.07	-	64.92	31.90	5.80	34.93

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7038G	92.29	Inf	-Inf	2.70	3	Horizontal	10	1.40	-	89.59	31.82	5.80	34.92
PK	5.7036G	100.86	Inf	-Inf	2.69	3	Horizontal	10	1.40	-	98.17	31.81	5.80	34.92
PK	5.7254G	62.52	68.20	-5.68	2.77	3	Horizontal	10	1.40	-	59.75	31.90	5.80	34.93

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40166G	42.85	54.00	-11.15	13.40	3	Vertical	315	1.50	-	29.45	39.90	8.29	34.79
PK	11.40144G	54.60	74.00	-19.40	13.40	3	Vertical	315	1.50	-	41.20	39.90	8.29	34.79

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39943G	42.63	54.00	-11.37	13.40	3	Horizontal	208	1.51	-	29.23	39.90	8.29	34.79
PK	11.39796G	55.30	74.00	-18.70	13.39	3	Horizontal	208	1.51	-	41.91	39.89	8.29	34.79

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.725G	98.04	Inf	-Inf	2.77	3	Vertical	359	2.07	-	95.27	31.90	5.80	34.93
PK	5.719G	106.34	Inf	-Inf	2.75	3	Vertical	359	2.07	-	103.59	31.88	5.80	34.93
PK	5.874G	55.64	68.20	-12.56	3.12	3	Vertical	359	2.07	-	52.52	32.25	5.84	34.97

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.725G	94.09	Inf	-Inf	2.77	3	Horizontal	9	1.08	-	91.32	31.90	5.80	34.93
PK	5.714G	102.27	Inf	-Inf	2.74	3	Horizontal	9	1.08	-	99.53	31.86	5.80	34.92
PK	5.857G	55.68	68.20	-12.52	3.07	3	Horizontal	9	1.08	-	52.61	32.21	5.83	34.97

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44364G	42.63	54.00	-11.37	13.44	3	Vertical	246	1.93	-	29.19	39.90	8.31	34.77
PK	11.43526G	54.82	74.00	-19.18	13.43	3	Vertical	246	1.93	-	41.39	39.90	8.30	34.77

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44156G	42.39	54.00	-11.61	13.43	3	Horizontal	87	1.50	-	28.96	39.90	8.30	34.77
PK	11.43772G	55.62	74.00	-18.38	13.43	3	Horizontal	87	1.50	-	42.19	39.90	8.30	34.77

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.751G	97.71	Inf	-Inf	2.86	3	Vertical	0	2.00	-	94.85	32.00	5.80	34.94
PK	5.5626G	54.23	68.20	-13.97	2.60	3	Vertical	0	2.00	-	51.63	31.70	5.78	34.88
PK	5.7522G	105.75	Inf	-Inf	2.86	3	Vertical	0	2.00	-	102.89	32.00	5.80	34.94
PK	6.0078G	54.88	68.20	-13.32	3.29	3	Vertical	0	2.00	-	51.59	32.40	5.90	35.01

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7486G	93.36	Inf	-Inf	2.86	3	Horizontal	80	1.83	-	90.50	31.99	5.80	34.93
PK	5.5446G	55.39	68.20	-12.81	2.60	3	Horizontal	80	1.83	-	52.79	31.70	5.77	34.87
PK	5.7498G	101.76	Inf	-Inf	2.87	3	Horizontal	80	1.83	-	98.89	32.00	5.80	34.93
PK	5.949G	54.95	68.20	-13.25	3.28	3	Horizontal	80	1.83	-	51.67	32.40	5.87	34.99

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.492G	43.00	54.00	-11.00	13.48	3	Vertical	168	2.95	-	29.52	39.90	8.32	34.74
PK	11.48896G	55.16	74.00	-18.84	13.47	3	Vertical	168	2.95	-	41.69	39.90	8.32	34.75

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4851G	42.56	54.00	-11.44	13.47	3	Horizontal	278	2.38	-	29.09	39.90	8.32	34.75
PK	11.49174G	54.61	74.00	-19.39	13.48	3	Horizontal	278	2.38	-	41.13	39.90	8.32	34.74

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	96.55	Inf	-Inf	2.93	3	Vertical	0	1.90	-	93.62	32.08	5.80	34.95
PK	5.5282G	54.89	68.20	-13.31	2.59	3	Vertical	0	1.90	-	52.30	31.70	5.76	34.87
PK	5.7922G	104.68	Inf	-Inf	2.93	3	Vertical	0	1.90	-	101.75	32.08	5.80	34.95
PK	5.9878G	55.17	68.20	-13.03	3.28	3	Vertical	0	1.90	-	51.89	32.40	5.89	35.01

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	93.49	Inf	-Inf	2.93	3	Horizontal	11	1.78	-	90.56	32.08	5.80	34.95
PK	5.5966G	55.11	68.20	-13.09	2.61	3	Horizontal	11	1.78	-	52.50	31.70	5.80	34.89
PK	5.7898G	101.93	Inf	-Inf	2.93	3	Horizontal	11	1.78	-	99.00	32.08	5.80	34.95
PK	5.9626G	55.36	68.20	-12.84	3.28	3	Horizontal	11	1.78	-	52.08	32.40	5.88	35.00

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57366G	42.57	54.00	-11.43	13.49	3	Vertical	163	1.50	-	29.08	39.90	8.35	34.76
PK	11.5682G	54.20	74.00	-19.80	13.49	3	Vertical	163	1.50	-	40.71	39.90	8.35	34.76

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56778G	42.61	54.00	-11.39	13.49	3	Horizontal	34	1.50	-	29.12	39.90	8.35	34.76
PK	11.5742G	55.00	74.00	-19.00	13.49	3	Horizontal	34	1.50	-	41.51	39.90	8.35	34.76

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	97.31	Inf	-Inf	3.01	3	Vertical	0	2.07	-	94.30	32.16	5.81	34.96
PK	5.6258G	54.30	68.20	-13.90	2.60	3	Vertical	0	2.07	-	51.70	31.70	5.80	34.90
PK	5.8202G	105.41	Inf	-Inf	2.99	3	Vertical	0	2.07	-	102.42	32.14	5.81	34.96
PK	5.9402G	54.98	68.20	-13.22	3.26	3	Vertical	0	2.07	-	51.72	32.38	5.87	34.99

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	93.22	Inf	-Inf	3.01	3	Horizontal	9	1.16	-	90.21	32.16	5.81	34.96
PK	5.6078G	54.96	68.20	-13.24	2.61	3	Horizontal	9	1.16	-	52.35	31.70	5.80	34.89
PK	5.819G	101.79	Inf	-Inf	2.99	3	Horizontal	9	1.16	-	98.80	32.14	5.81	34.96
PK	5.987G	56.42	68.20	-11.78	3.28	3	Horizontal	9	1.16	-	53.14	32.40	5.89	35.01

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64544G	43.07	54.00	-10.93	13.24	3	Vertical	282	1.50	-	29.83	39.63	8.38	34.77
PK	11.64748G	54.14	74.00	-19.86	13.22	3	Vertical	282	1.50	-	40.92	39.62	8.38	34.78

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65128G	42.48	54.00	-11.52	13.19	3	Horizontal	295	1.49	-	29.29	39.59	8.38	34.78
PK	11.64526G	55.13	74.00	-18.87	13.24	3	Horizontal	295	1.49	-	41.89	39.63	8.38	34.77

802.11ax HEW20_Nss1,(MCS0)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.80	54.00	-0.20	2.45	3	Vertical	32	2.30	-	51.35	31.90	5.47	34.92
AV	5.172G	100.03	Inf	-Inf	2.39	3	Vertical	32	2.30	-	97.64	31.81	5.49	34.91
PK	5.1492G	71.17	74.00	-2.83	2.45	3	Vertical	32	2.30	-	68.72	31.90	5.47	34.92
PK	5.1776G	111.55	Inf	-Inf	2.37	3	Vertical	32	2.30	-	109.18	31.79	5.49	34.91

802.11ax HEW20_Nss1,(MCS0)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.80	54.00	-5.20	2.45	3	Horizontal	160	2.35	-	46.35	31.90	5.47	34.92
AV	5.1818G	94.76	Inf	-Inf	2.35	3	Horizontal	160	2.35	-	92.41	31.77	5.49	34.91
PK	5.1486G	65.13	74.00	-8.87	2.45	3	Horizontal	160	2.35	-	62.68	31.90	5.47	34.92
PK	5.1884G	106.61	Inf	-Inf	2.33	3	Horizontal	160	2.35	-	104.28	31.75	5.49	34.91

802.11ax HEW20_Nss1,(MCS0)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3628G	53.97	68.20	-14.23	12.29	3	Vertical	178	1.50	-	41.68	39.59	7.93	35.23

802.11ax HEW20_Nss1,(MCS0)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35872G	55.30	68.20	-12.90	12.27	3	Horizontal	36	1.50	-	43.03	39.58	7.93	35.24

802.11ax HEW20_Nss1,(MCS0)_1TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.26	54.00	-5.74	2.45	3	Vertical	33	2.26	-	45.81	31.90	5.47	34.92
AV	5.1936G	100.95	Inf	-Inf	2.32	3	Vertical	33	2.26	-	98.63	31.73	5.50	34.91
PK	5.1484G	63.48	74.00	-10.52	2.45	3	Vertical	33	2.26	-	61.03	31.90	5.47	34.92
PK	5.1916G	113.92	Inf	-Inf	2.32	3	Vertical	33	2.26	-	111.60	31.73	5.50	34.91

802.11ax HEW20_Nss1,(MCS0)_1TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.40	54.00	-8.60	2.45	3	Horizontal	156	1.04	-	42.95	31.90	5.47	34.92
AV	5.206G	97.19	Inf	-Inf	2.28	3	Horizontal	156	1.04	-	94.91	31.68	5.51	34.91
PK	5.1496G	59.55	74.00	-14.45	2.45	3	Horizontal	156	1.04	-	57.10	31.90	5.47	34.92
PK	5.1976G	109.18	Inf	-Inf	2.30	3	Horizontal	156	1.04	-	106.88	31.71	5.50	34.91

802.11ax HEW20_Nss1,(MCS0)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3981G	54.37	68.20	-13.83	12.44	3	Vertical	293	1.50	-	41.93	39.69	7.94	35.19

802.11ax HEW20_Nss1,(MCS0)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40256G	54.88	68.20	-13.32	12.46	3	Horizontal	353	2.05	-	42.42	39.71	7.94	35.19

802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	44.89	54.00	-9.11	2.44	3	Vertical	219	2.87	-	42.45	31.90	5.46	34.92
AV	5.2334G	102.98	Inf	-Inf	2.20	3	Vertical	219	2.87	-	100.78	31.57	5.53	34.90
AV	5.36G	46.41	54.00	-7.59	2.02	3	Vertical	219	2.87	-	44.39	31.24	5.66	34.88
PK	5.1326G	55.99	74.00	-18.01	2.45	3	Vertical	219	2.87	-	53.54	31.90	5.47	34.92
PK	5.2328G	114.79	Inf	-Inf	2.20	3	Vertical	219	2.87	-	112.59	31.57	5.53	34.90
PK	5.36G	55.59	74.00	-18.41	2.02	3	Vertical	219	2.87	-	53.57	31.24	5.66	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.12G	43.00	54.00	-11.00	2.44	3	Horizontal	158	1.00	-	40.56	31.90	5.46	34.92
AV	5.2328G	95.62	Inf	-Inf	2.20	3	Horizontal	158	1.00	-	93.42	31.57	5.53	34.90
AV	5.36G	42.12	54.00	-11.88	2.02	3	Horizontal	158	1.00	-	40.10	31.24	5.66	34.88
PK	5.1296G	55.48	74.00	-18.52	2.44	3	Horizontal	158	1.00	-	53.04	31.90	5.46	34.92
PK	5.2346G	107.14	Inf	-Inf	2.19	3	Horizontal	158	1.00	-	104.95	31.56	5.53	34.90
PK	5.3636G	53.89	74.00	-20.11	2.03	3	Horizontal	158	1.00	-	51.86	31.25	5.66	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47948G	54.02	68.20	-14.18	12.82	3	Vertical	360	1.48	-	41.20	39.94	7.97	35.09

802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.48156G	54.48	68.20	-13.72	12.82	3	Horizontal	327	2.38	-	41.66	39.94	7.97	35.09

802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1196G	43.29	54.00	-10.71	2.44	3	Vertical	39	2.32	-	40.85	31.90	5.46	34.92
AV	5.2678G	100.12	Inf	-Inf	2.13	3	Vertical	39	2.32	-	97.99	31.46	5.57	34.90
AV	5.41G	41.79	54.00	-12.21	2.28	3	Vertical	39	2.32	-	39.51	31.44	5.71	34.87
PK	5.1136G	55.38	74.00	-18.62	2.44	3	Vertical	39	2.32	-	52.94	31.90	5.46	34.92
PK	5.2648G	110.63	Inf	-Inf	2.13	3	Vertical	39	2.32	-	108.50	31.47	5.56	34.90
PK	5.3566G	54.22	74.00	-19.78	2.01	3	Vertical	39	2.32	-	52.21	31.23	5.66	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1178G	42.68	54.00	-11.32	2.44	3	Horizontal	157	1.05	-	40.24	31.90	5.46	34.92
AV	5.2534G	95.92	Inf	-Inf	2.14	3	Horizontal	157	1.05	-	93.78	31.49	5.55	34.90
AV	5.4076G	41.38	54.00	-12.62	2.26	3	Horizontal	157	1.05	-	39.12	31.43	5.70	34.87
PK	5.1172G	55.30	74.00	-18.70	2.44	3	Horizontal	157	1.05	-	52.86	31.90	5.46	34.92
PK	5.2528G	107.22	Inf	-Inf	2.14	3	Horizontal	157	1.05	-	105.08	31.49	5.55	34.90
PK	5.3758G	54.47	74.00	-19.53	2.10	3	Horizontal	157	1.05	-	52.37	31.30	5.68	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51016G	54.24	68.20	-13.96	12.90	3	Vertical	11	2.70	-	41.34	39.99	7.98	35.07

802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51256G	53.87	68.20	-14.33	12.90	3	Horizontal	76	1.50	-	40.97	39.99	7.98	35.07

802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2932G	103.83	Inf	-Inf	2.11	3	Vertical	216	2.56	-	101.72	31.41	5.59	34.89
AV	5.35G	49.50	54.00	-4.50	1.97	3	Vertical	216	2.56	-	47.53	31.20	5.65	34.88
PK	5.2916G	115.43	Inf	-Inf	2.12	3	Vertical	216	2.56	-	113.31	31.42	5.59	34.89
PK	5.3504G	65.60	74.00	-8.40	1.97	3	Vertical	216	2.56	-	63.63	31.20	5.65	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.292G	94.41	Inf	-Inf	2.12	3	Horizontal	157	1.50	-	92.29	31.42	5.59	34.89
AV	5.3504G	43.03	54.00	-10.97	1.97	3	Horizontal	157	1.50	-	41.06	31.20	5.65	34.88
PK	5.292G	106.15	Inf	-Inf	2.12	3	Horizontal	157	1.50	-	104.03	31.42	5.59	34.89
PK	5.3528G	57.11	74.00	-16.89	1.98	3	Horizontal	157	1.50	-	55.13	31.21	5.65	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60002G	41.35	54.00	-12.65	12.85	3	Vertical	154	1.45	-	28.50	39.90	8.01	35.06
PK	10.60101G	54.10	74.00	-19.90	12.85	3	Vertical	154	1.45	-	41.25	39.90	8.01	35.06

802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60588G	40.93	54.00	-13.07	12.86	3	Horizontal	199	1.50	-	28.07	39.91	8.01	35.06
PK	10.60042G	54.50	74.00	-19.50	12.85	3	Horizontal	199	1.50	-	41.65	39.90	8.01	35.06

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3278G	100.80	Inf	-Inf	2.03	3	Vertical	225	2.56	-	98.77	31.29	5.63	34.89
AV	5.35G	53.42	54.00	-0.58	1.97	3	Vertical	225	2.56	-	51.45	31.20	5.65	34.88
PK	5.3272G	112.87	Inf	-Inf	2.03	3	Vertical	225	2.56	-	110.84	31.29	5.63	34.89
PK	5.3518G	68.35	74.00	-5.65	1.98	3	Vertical	225	2.56	-	66.37	31.21	5.65	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.328G	93.50	Inf	-Inf	2.03	3	Horizontal	157	1.00	-	91.47	31.29	5.63	34.89
AV	5.35G	46.58	54.00	-7.42	1.97	3	Horizontal	157	1.00	-	44.61	31.20	5.65	34.88
PK	5.326G	105.37	Inf	-Inf	2.04	3	Horizontal	157	1.00	-	103.33	31.30	5.63	34.89
PK	5.3538G	60.98	74.00	-13.02	1.99	3	Horizontal	157	1.00	-	58.99	31.22	5.65	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6369G	40.69	54.00	-13.31	12.91	3	Vertical	68	1.50	-	27.78	39.94	8.02	35.05
PK	10.63746G	54.65	74.00	-19.35	12.91	3	Vertical	68	1.50	-	41.74	39.94	8.02	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63548G	40.77	54.00	-13.23	12.91	3	Horizontal	199	1.50	-	27.86	39.94	8.02	35.05
PK	10.64312G	54.50	74.00	-19.50	12.92	3	Horizontal	199	1.50	-	41.58	39.94	8.03	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	45.50	54.00	-8.50	2.48	3	Vertical	0	1.28	-	43.02	31.62	5.73	34.87
AV	5.5074G	96.29	Inf	-Inf	2.59	3	Vertical	0	1.28	-	93.70	31.70	5.75	34.86
PK	5.47G	67.25	68.20	-0.95	2.52	3	Vertical	0	1.28	-	64.73	31.64	5.74	34.86
PK	5.5066G	109.06	Inf	-Inf	2.59	3	Vertical	0	1.28	-	106.47	31.70	5.75	34.86

802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	45.68	54.00	-8.32	2.48	3	Horizontal	159	2.20	-	43.20	31.62	5.73	34.87
AV	5.4928G	95.71	Inf	-Inf	2.58	3	Horizontal	159	2.20	-	93.13	31.69	5.75	34.86
PK	5.47G	66.38	68.20	-1.82	2.52	3	Horizontal	159	2.20	-	63.86	31.64	5.74	34.86
PK	5.507G	107.60	Inf	-Inf	2.59	3	Horizontal	159	2.20	-	105.01	31.70	5.75	34.86

802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00118G	41.53	54.00	-12.47	13.35	3	Vertical	283	1.05	-	28.18	40.20	8.15	35.00
PK	10.99844G	55.07	74.00	-18.93	13.35	3	Vertical	283	1.05	-	41.72	40.20	8.15	35.00

802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00426G	41.54	54.00	-12.46	13.34	3	Horizontal	215	1.50	-	28.20	40.19	8.15	35.00
PK	10.99852G	54.32	74.00	-19.68	13.35	3	Horizontal	215	1.50	-	40.97	40.20	8.15	35.00

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	41.83	54.00	-12.17	2.48	3	Vertical	93	1.00	-	39.35	31.62	5.73	34.87
AV	5.5866G	97.60	Inf	-Inf	2.60	3	Vertical	93	1.00	-	95.00	31.70	5.79	34.89
PK	5.469G	53.79	68.20	-14.41	2.51	3	Vertical	93	1.00	-	51.28	31.64	5.73	34.86
PK	5.5848G	109.70	Inf	-Inf	2.60	3	Vertical	93	1.00	-	107.10	31.70	5.79	34.89
PK	5.73G	54.53	68.20	-13.67	2.79	3	Vertical	93	1.00	-	51.74	31.92	5.80	34.93

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	41.52	54.00	-12.48	2.43	3	Horizontal	9	1.50	-	39.09	31.58	5.72	34.87
AV	5.5878G	95.14	Inf	-Inf	2.60	3	Horizontal	9	1.50	-	92.54	31.70	5.79	34.89
PK	5.4612G	54.22	68.20	-13.98	2.48	3	Horizontal	9	1.50	-	51.74	31.62	5.73	34.87
PK	5.5818G	107.22	Inf	-Inf	2.61	3	Horizontal	9	1.50	-	104.61	31.70	5.79	34.88
PK	5.7288G	54.23	68.20	-13.97	2.79	3	Horizontal	9	1.50	-	51.44	31.92	5.80	34.93

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15728G	41.01	54.00	-12.99	13.06	3	Vertical	279	1.31	-	27.95	39.77	8.21	34.92
PK	11.15544G	54.47	74.00	-19.53	13.06	3	Vertical	279	1.31	-	41.41	39.78	8.20	34.92

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15778G	41.08	54.00	-12.92	13.06	3	Horizontal	78	2.92	-	28.02	39.77	8.21	34.92
PK	11.16374G	53.84	74.00	-20.16	13.05	3	Horizontal	78	2.92	-	40.79	39.75	8.21	34.91

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	94.52	Inf	-Inf	2.71	3	Vertical	4	1.87	-	91.81	31.83	5.80	34.92
PK	5.6944G	107.26	Inf	-Inf	2.67	3	Vertical	4	1.87	-	104.59	31.79	5.80	34.92
PK	5.7252G	67.91	68.20	-0.29	2.77	3	Vertical	4	1.87	-	65.14	31.90	5.80	34.93

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6912G	88.64	Inf	-Inf	2.66	3	Horizontal	185	1.43	-	85.98	31.78	5.80	34.92
PK	5.6924G	100.97	Inf	-Inf	2.66	3	Horizontal	185	1.43	-	98.31	31.78	5.80	34.92
PK	5.7252G	65.04	68.20	-3.16	2.77	3	Horizontal	185	1.43	-	62.27	31.90	5.80	34.93

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40102G	40.74	54.00	-13.26	13.40	3	Vertical	0	2.88	-	27.34	39.90	8.29	34.79
PK	11.3988G	53.96	74.00	-20.04	13.40	3	Vertical	0	2.88	-	40.56	39.90	8.29	34.79

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40464G	40.73	54.00	-13.27	13.40	3	Horizontal	207	1.09	-	27.33	39.90	8.29	34.79
PK	11.40422G	54.01	74.00	-19.99	13.40	3	Horizontal	207	1.09	-	40.61	39.90	8.29	34.79

802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	41.42	54.00	-12.58	2.48	3	Vertical	3	1.50	-	38.94	31.62	5.73	34.87
AV	5.7272G	98.14	Inf	-Inf	2.78	3	Vertical	3	1.50	-	95.36	31.91	5.80	34.93
PK	5.4644G	53.40	68.20	-14.80	2.49	3	Vertical	3	1.50	-	50.91	31.63	5.73	34.87
PK	5.7164G	110.85	Inf	-Inf	2.75	3	Vertical	3	1.50	-	108.10	31.87	5.80	34.92
PK	5.8592G	56.18	68.20	-12.02	3.08	3	Vertical	3	1.50	-	53.10	32.22	5.83	34.97

802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	41.30	54.00	-12.70	2.46	3	Horizontal	185	1.50	-	38.84	31.60	5.73	34.87
AV	5.7128G	92.80	Inf	-Inf	2.73	3	Horizontal	185	1.50	-	90.07	31.85	5.80	34.92
PK	5.4608G	54.69	68.20	-13.51	2.48	3	Horizontal	185	1.50	-	52.21	31.62	5.73	34.87
PK	5.7176G	105.69	Inf	-Inf	2.74	3	Horizontal	185	1.50	-	102.95	31.87	5.80	34.93
PK	5.852G	55.56	68.20	-12.64	3.06	3	Horizontal	185	1.50	-	52.50	32.20	5.83	34.97

802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43622G	40.88	54.00	-13.12	13.43	3	Vertical	26	1.50	-	27.45	39.90	8.30	34.77
PK	11.43934G	54.75	74.00	-19.25	13.43	3	Vertical	26	1.50	-	41.32	39.90	8.30	34.77

802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43504G	40.97	54.00	-13.03	13.43	3	Horizontal	253	1.50	-	27.54	39.90	8.30	34.77
PK	11.44024G	53.77	74.00	-20.23	13.43	3	Horizontal	253	1.50	-	40.34	39.90	8.30	34.77

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	98.48	Inf	-Inf	2.86	3	Vertical	360	1.53	-	95.62	32.00	5.80	34.94
PK	5.649G	55.76	68.20	-12.44	2.60	3	Vertical	360	1.53	-	53.16	31.70	5.80	34.90
PK	5.7534G	110.41	Inf	-Inf	2.87	3	Vertical	360	1.53	-	107.54	32.01	5.80	34.94
PK	5.9478G	55.59	68.20	-12.61	3.28	3	Vertical	360	1.53	-	52.31	32.40	5.87	34.99

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7522G	94.62	Inf	-Inf	2.86	3	Horizontal	82	1.82	-	91.76	32.00	5.80	34.94
PK	5.6406G	55.19	68.20	-13.01	2.60	3	Horizontal	82	1.82	-	52.59	31.70	5.80	34.90
PK	5.7534G	106.79	Inf	-Inf	2.87	3	Horizontal	82	1.82	-	103.92	32.01	5.80	34.94
PK	6.0222G	54.97	68.20	-13.23	3.30	3	Horizontal	82	1.82	-	51.67	32.40	5.91	35.01

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49332G	40.86	54.00	-13.14	13.48	3	Vertical	226	1.50	-	27.38	39.90	8.32	34.74
PK	11.4852G	54.04	74.00	-19.96	13.47	3	Vertical	226	1.50	-	40.57	39.90	8.32	34.75

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49286G	40.86	54.00	-13.14	13.48	3	Horizontal	182	1.50	-	27.38	39.90	8.32	34.74
PK	11.48942G	54.29	74.00	-19.71	13.47	3	Horizontal	182	1.50	-	40.82	39.90	8.32	34.75

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7934G	99.23	Inf	-Inf	2.94	3	Vertical	358	1.80	-	96.29	32.09	5.80	34.95
PK	5.5918G	55.60	68.20	-12.60	2.61	3	Vertical	358	1.80	-	52.99	31.70	5.80	34.89
PK	5.7922G	111.13	Inf	-Inf	2.93	3	Vertical	358	1.80	-	108.20	32.08	5.80	34.95
PK	5.9266G	55.76	68.20	-12.44	3.22	3	Vertical	358	1.80	-	52.54	32.35	5.86	34.99

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	94.85	Inf	-Inf	2.93	3	Horizontal	83	1.86	-	91.92	32.08	5.80	34.95
PK	5.6086G	56.16	68.20	-12.04	2.61	3	Horizontal	83	1.86	-	53.55	31.70	5.80	34.89
PK	5.791G	106.79	Inf	-Inf	2.93	3	Horizontal	83	1.86	-	103.86	32.08	5.80	34.95
PK	6.0598G	55.93	68.20	-12.27	3.35	3	Horizontal	83	1.86	-	52.58	32.42	5.93	35.00

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57308G	40.84	54.00	-13.16	13.49	3	Vertical	299	1.50	-	27.35	39.90	8.35	34.76
PK	11.56524G	54.32	74.00	-19.68	13.49	3	Vertical	299	1.50	-	40.83	39.90	8.35	34.76

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57237G	41.03	54.00	-12.97	13.49	3	Horizontal	129	1.50	-	27.54	39.90	8.35	34.76
PK	11.5719G	54.39	74.00	-19.61	13.49	3	Horizontal	129	1.50	-	40.90	39.90	8.35	34.76

802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8262G	99.22	Inf	-Inf	3.00	3	Vertical	359	1.36	-	96.22	32.15	5.81	34.96
PK	5.6342G	54.96	68.20	-13.24	2.60	3	Vertical	359	1.36	-	52.36	31.70	5.80	34.90
PK	5.8226G	111.48	Inf	-Inf	3.00	3	Vertical	359	1.36	-	108.48	32.15	5.81	34.96
PK	5.927G	55.71	68.20	-12.49	3.22	3	Vertical	359	1.36	-	52.49	32.35	5.86	34.99

802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	92.19	Inf	-Inf	3.02	3	Horizontal	187	1.50	-	89.17	32.16	5.82	34.96
PK	5.5322G	55.05	68.20	-13.15	2.60	3	Horizontal	187	1.50	-	52.45	31.70	5.77	34.87
PK	5.8226G	104.98	Inf	-Inf	3.00	3	Horizontal	187	1.50	-	101.98	32.15	5.81	34.96
PK	5.9894G	54.90	68.20	-13.30	3.28	3	Horizontal	187	1.50	-	51.62	32.40	5.89	35.01

802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65193G	40.94	54.00	-13.06	13.19	3	Vertical	190	1.50	-	27.75	39.59	8.38	34.78
PK	11.64937G	54.10	74.00	-19.90	13.20	3	Vertical	190	1.50	-	40.90	39.60	8.38	34.78

802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65129G	41.01	54.00	-12.99	13.19	3	Horizontal	72	2.69	-	27.82	39.59	8.38	34.78
PK	11.65109G	53.98	74.00	-20.02	13.19	3	Horizontal	72	2.69	-	40.79	39.59	8.38	34.78

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.88	54.00	-0.12	2.45	3	Vertical	39	2.47	-	51.43	31.90	5.47	34.92
AV	5.1736G	95.49	Inf	-Inf	2.39	3	Vertical	39	2.47	-	93.10	31.81	5.49	34.91
PK	5.1496G	72.85	74.00	-1.15	2.45	3	Vertical	39	2.47	-	70.40	31.90	5.47	34.92
PK	5.1724G	107.77	Inf	-Inf	2.39	3	Vertical	39	2.47	-	105.38	31.81	5.49	34.91

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	47.83	54.00	-6.17	2.45	3	Horizontal	184	1.96	-	45.38	31.90	5.47	34.92
AV	5.2068G	89.24	Inf	-Inf	2.27	3	Horizontal	184	1.96	-	86.97	31.67	5.51	34.91
PK	5.1496G	65.75	74.00	-8.25	2.45	3	Horizontal	184	1.96	-	63.30	31.90	5.47	34.92
PK	5.2024G	100.86	Inf	-Inf	2.28	3	Horizontal	184	1.96	-	98.58	31.69	5.50	34.91

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38199G	53.93	68.20	-14.27	12.37	3	Vertical	191.1	1.78	-	41.56	39.65	7.93	35.21

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38G	54.32	68.20	-13.88	12.36	3	Horizontal	138	2.50	-	41.96	39.64	7.93	35.21

802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.60	54.00	-0.40	2.45	3	Vertical	42	2.39	-	51.15	31.90	5.47	34.92
AV	5.2136G	99.49	Inf	-Inf	2.25	3	Vertical	42	2.39	-	97.24	31.65	5.51	34.91
PK	5.1496G	70.54	74.00	-3.46	2.45	3	Vertical	42	2.39	-	68.09	31.90	5.47	34.92
PK	5.2228G	111.62	Inf	-Inf	2.23	3	Vertical	42	2.39	-	109.39	31.61	5.52	34.90

802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	47.86	54.00	-6.14	2.45	3	Horizontal	185	1.96	-	45.41	31.90	5.47	34.92
AV	5.246G	93.67	Inf	-Inf	2.17	3	Horizontal	185	1.96	-	91.50	31.52	5.55	34.90
PK	5.1488G	63.67	74.00	-10.33	2.45	3	Horizontal	185	1.96	-	61.22	31.90	5.47	34.92
PK	5.226G	105.64	Inf	-Inf	2.23	3	Horizontal	185	1.96	-	103.41	31.60	5.53	34.90

802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45938G	54.41	68.20	-13.79	12.72	3	Vertical	0	1.32	-	41.69	39.88	7.96	35.12

802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47146G	54.68	68.20	-13.52	12.78	3	Horizontal	356	1.50	-	41.90	39.91	7.97	35.10

802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.254G	101.43	Inf	-Inf	2.14	3	Vertical	212	2.86	-	99.29	31.49	5.55	34.90
AV	5.3508G	53.93	54.00	-0.07	1.97	3	Vertical	212	2.86	-	51.96	31.20	5.65	34.88
PK	5.2732G	113.11	Inf	-Inf	2.12	3	Vertical	212	2.86	-	110.99	31.45	5.57	34.90
PK	5.352G	66.94	74.00	-7.06	1.98	3	Vertical	212	2.86	-	64.96	31.21	5.65	34.88

802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.272G	93.51	Inf	-Inf	2.13	3	Horizontal	186	1.63	-	91.38	31.46	5.57	34.90
AV	5.3504G	47.05	54.00	-6.95	1.97	3	Horizontal	186	1.63	-	45.08	31.20	5.65	34.88
PK	5.2804G	106.17	Inf	-Inf	2.12	3	Horizontal	186	1.63	-	104.05	31.44	5.58	34.90
PK	5.35G	60.19	74.00	-13.81	1.97	3	Horizontal	186	1.63	-	58.22	31.20	5.65	34.88

802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54792G	55.21	68.20	-12.99	12.88	3	Vertical	129	1.50	-	42.33	39.95	7.99	35.06

802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53778G	54.20	68.20	-14.00	12.89	3	Horizontal	338	1.32	-	41.31	39.96	7.99	35.06

802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.294G	95.36	Inf	-Inf	2.11	3	Vertical	40	2.44	-	93.25	31.41	5.59	34.89
AV	5.35G	53.91	54.00	-0.09	1.97	3	Vertical	40	2.44	-	51.94	31.20	5.65	34.88
PK	5.3084G	107.30	Inf	-Inf	2.09	3	Vertical	40	2.44	-	105.21	31.37	5.61	34.89
PK	5.35G	72.30	74.00	-1.70	1.97	3	Vertical	40	2.44	-	70.33	31.20	5.65	34.88

802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.294G	89.26	Inf	-Inf	2.11	3	Horizontal	186	1.08	-	87.15	31.41	5.59	34.89
AV	5.3504G	47.48	54.00	-6.52	1.97	3	Horizontal	186	1.08	-	45.51	31.20	5.65	34.88
PK	5.294G	100.62	Inf	-Inf	2.11	3	Horizontal	186	1.08	-	98.51	31.41	5.59	34.89
PK	5.35G	64.70	74.00	-9.30	1.97	3	Horizontal	186	1.08	-	62.73	31.20	5.65	34.88

802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6053G	41.31	54.00	-12.69	12.86	3	Vertical	2	2.95	-	28.45	39.91	8.01	35.06
PK	10.63488G	54.19	74.00	-19.81	12.90	3	Vertical	2	2.95	-	41.29	39.93	8.02	35.05

802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.62864G	41.43	54.00	-12.57	12.90	3	Horizontal	148	1.50	-	28.53	39.93	8.02	35.05
PK	10.61706G	54.26	74.00	-19.74	12.89	3	Horizontal	148	1.50	-	41.37	39.92	8.02	35.05

802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	46.71	54.00	-7.29	2.48	3	Vertical	227	2.93	-	44.23	31.62	5.73	34.87
AV	5.5248G	93.16	Inf	-Inf	2.59	3	Vertical	227	2.93	-	90.57	31.70	5.76	34.87
PK	5.4696G	68.01	68.20	-0.19	2.51	3	Vertical	227	2.93	-	65.50	31.64	5.73	34.86
PK	5.5136G	105.09	Inf	-Inf	2.60	3	Vertical	227	2.93	-	102.49	31.70	5.76	34.86

802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	42.93	54.00	-11.07	2.48	3	Horizontal	183	1.92	-	40.45	31.62	5.73	34.87
AV	5.5248G	88.24	Inf	-Inf	2.59	3	Horizontal	183	1.92	-	85.65	31.70	5.76	34.87
PK	5.4696G	62.06	68.20	-6.14	2.51	3	Horizontal	183	1.92	-	59.55	31.64	5.73	34.86
PK	5.4984G	100.14	Inf	-Inf	2.59	3	Horizontal	183	1.92	-	97.55	31.70	5.75	34.86

802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02354G	42.15	54.00	-11.85	13.32	3	Vertical	0	2.58	-	28.83	40.15	8.16	34.99
PK	11.03386G	54.55	74.00	-19.45	13.31	3	Vertical	0	2.58	-	41.24	40.13	8.16	34.98

802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02304G	42.11	54.00	-11.89	13.32	3	Horizontal	333	2.59	-	28.79	40.15	8.16	34.99
PK	11.01736G	54.14	74.00	-19.86	13.34	3	Horizontal	333	2.59	-	40.80	40.17	8.16	34.99

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	47.02	54.00	-6.98	2.48	3	Vertical	2	1.13	-	44.54	31.62	5.73	34.87
AV	5.5664G	97.37	Inf	-Inf	2.60	3	Vertical	2	1.13	-	94.77	31.70	5.78	34.88
PK	5.47G	61.87	68.20	-6.33	2.52	3	Vertical	2	1.13	-	59.35	31.64	5.74	34.86
PK	5.5668G	109.50	Inf	-Inf	2.60	3	Vertical	2	1.13	-	106.90	31.70	5.78	34.88

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.11	54.00	-7.89	2.48	3	Horizontal	183	1.75	-	43.63	31.62	5.73	34.87
AV	5.5324G	94.41	Inf	-Inf	2.60	3	Horizontal	183	1.75	-	91.81	31.70	5.77	34.87
PK	5.4676G	60.18	68.20	-8.02	2.50	3	Horizontal	183	1.75	-	57.68	31.64	5.73	34.87
PK	5.5368G	105.58	Inf	-Inf	2.60	3	Horizontal	183	1.75	-	102.98	31.70	5.77	34.87

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.09638G	42.09	54.00	-11.91	13.24	3	Vertical	98	1.50	-	28.85	40.01	8.18	34.95
PK	11.10374G	54.79	74.00	-19.21	13.23	3	Vertical	98	1.50	-	41.56	39.99	8.19	34.95

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.09866G	42.26	54.00	-11.74	13.23	3	Horizontal	265	1.50	-	29.03	40.00	8.18	34.95
PK	11.1007G	54.82	74.00	-19.18	13.24	3	Horizontal	265	1.50	-	41.58	40.00	8.19	34.95

802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6528G	94.58	Inf	-Inf	2.60	3	Vertical	360	1.00	-	91.98	31.71	5.80	34.91
PK	5.6576G	106.43	Inf	-Inf	2.61	3	Vertical	360	1.00	-	103.82	31.72	5.80	34.91
PK	5.7256G	68.10	68.20	-0.10	2.77	3	Vertical	360	1.00	-	65.33	31.90	5.80	34.93

802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6864G	88.66	Inf	-Inf	2.65	3	Horizontal	1	1.73	-	86.01	31.77	5.80	34.92
PK	5.674G	100.05	Inf	-Inf	2.64	3	Horizontal	1	1.73	-	97.41	31.75	5.80	34.91
PK	5.7264G	63.18	68.20	-5.02	2.78	3	Horizontal	1	1.73	-	60.40	31.91	5.80	34.93

802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.33833G	41.53	54.00	-12.47	13.16	3	Vertical	184	1.50	-	28.37	39.71	8.27	34.82
PK	11.33938G	55.04	74.00	-18.96	13.17	3	Vertical	184	1.50	-	41.87	39.72	8.27	34.82

802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.34248G	41.23	54.00	-12.77	13.18	3	Horizontal	50	1.50	-	28.05	39.73	8.27	34.82
PK	11.33642G	54.02	74.00	-19.98	13.15	3	Horizontal	50	1.50	-	40.87	39.71	8.27	34.83

802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	42.32	54.00	-11.68	2.47	3	Vertical	358	1.13	-	39.85	31.61	5.73	34.87
AV	5.7256G	97.93	Inf	-Inf	2.77	3	Vertical	358	1.13	-	95.16	31.90	5.80	34.93
PK	5.4688G	54.46	68.20	-13.74	2.51	3	Vertical	358	1.13	-	51.95	31.64	5.73	34.86
PK	5.7076G	109.22	Inf	-Inf	2.71	3	Vertical	358	1.13	-	106.51	31.83	5.80	34.92
PK	5.8636G	60.34	68.20	-7.86	3.09	3	Vertical	358	1.13	-	57.25	32.23	5.83	34.97

802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	42.14	54.00	-11.86	2.46	3	Horizontal	81	1.66	-	39.68	31.60	5.73	34.87
AV	5.7064G	91.56	Inf	-Inf	2.71	3	Horizontal	81	1.66	-	88.85	31.83	5.80	34.92
PK	5.4604G	53.35	68.20	-14.85	2.48	3	Horizontal	81	1.66	-	50.87	31.62	5.73	34.87
PK	5.7088G	103.42	Inf	-Inf	2.72	3	Horizontal	81	1.66	-	100.70	31.84	5.80	34.92
PK	5.8564G	56.35	68.20	-11.85	3.07	3	Horizontal	81	1.66	-	53.28	32.21	5.83	34.97

802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.42001G	41.79	54.00	-12.21	13.42	3	Vertical	325	1.50	-	28.37	39.90	8.30	34.78
PK	11.41896G	54.65	74.00	-19.35	13.42	3	Vertical	325	1.50	-	41.23	39.90	8.30	34.78

802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.42173G	41.78	54.00	-12.22	13.42	3	Horizontal	236	1.54	-	28.36	39.90	8.30	34.78
PK	11.41879G	54.50	74.00	-19.50	13.42	3	Horizontal	236	1.54	-	41.08	39.90	8.30	34.78

802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7706G	97.75	Inf	-Inf	2.90	3	Vertical	360	1.71	-	94.85	32.04	5.80	34.94
PK	5.6542G	64.17	71.31	-7.14	2.60	3	Vertical	360	1.71	-	61.57	31.71	5.80	34.91
PK	5.7706G	109.42	Inf	-Inf	2.90	3	Vertical	360	1.71	-	106.52	32.04	5.80	34.94
PK	5.9338G	56.44	68.20	-11.76	3.25	3	Vertical	360	1.71	-	53.19	32.37	5.87	34.99

802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7394G	93.34	Inf	-Inf	2.83	3	Horizontal	81	2.80	-	90.51	31.96	5.80	34.93
PK	5.647G	58.99	68.20	-9.21	2.60	3	Horizontal	81	2.80	-	56.39	31.70	5.80	34.90
PK	5.7634G	104.63	Inf	-Inf	2.89	3	Horizontal	81	2.80	-	101.74	32.03	5.80	34.94
PK	6.0046G	55.32	68.20	-12.88	3.29	3	Horizontal	81	2.80	-	52.03	32.40	5.90	35.01

802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51096G	41.84	54.00	-12.16	13.49	3	Vertical	59	2.81	-	28.35	39.90	8.33	34.74
PK	11.51036G	55.36	74.00	-18.64	13.49	3	Vertical	59	2.81	-	41.87	39.90	8.33	34.74

802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51248G	42.12	54.00	-11.88	13.49	3	Horizontal	276	1.50	-	28.63	39.90	8.33	34.74
PK	11.51094G	54.62	74.00	-19.38	13.49	3	Horizontal	276	1.50	-	41.13	39.90	8.33	34.74

802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7794G	94.22	Inf	-Inf	2.92	3	Vertical	80	1.87	-	91.30	32.06	5.80	34.94
PK	5.6498G	55.33	68.20	-12.87	2.60	3	Vertical	80	1.87	-	52.73	31.70	5.80	34.90
PK	5.8118G	106.46	Inf	-Inf	2.98	3	Vertical	80	1.87	-	103.48	32.12	5.81	34.95
PK	5.951G	56.41	68.20	-11.79	3.28	3	Vertical	80	1.87	-	53.13	32.40	5.88	35.00

802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	93.77	Inf	-Inf	2.93	3	Horizontal	82	2.01	-	90.84	32.08	5.80	34.95
PK	5.5838G	56.97	68.20	-11.23	2.60	3	Horizontal	82	2.01	-	54.37	31.70	5.79	34.89
PK	5.8118G	106.36	Inf	-Inf	2.98	3	Horizontal	82	2.01	-	103.38	32.12	5.81	34.95
PK	5.9282G	57.56	68.20	-10.64	3.23	3	Horizontal	82	2.01	-	54.33	32.36	5.86	34.99

802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58528G	41.65	54.00	-12.35	13.49	3	Vertical	205	1.75	-	28.16	39.90	8.35	34.76
PK	11.59472G	54.29	74.00	-19.71	13.50	3	Vertical	205	1.75	-	40.79	39.90	8.36	34.76

802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58578G	41.62	54.00	-12.38	13.50	3	Horizontal	153	1.31	-	28.12	39.90	8.36	34.76
PK	11.59264G	54.65	74.00	-19.35	13.50	3	Horizontal	153	1.31	-	41.15	39.90	8.36	34.76

802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.74	54.00	-0.26	2.45	3	Vertical	41	2.46	-	51.29	31.90	5.47	34.92
AV	5.173G	92.49	Inf	-Inf	2.39	3	Vertical	41	2.46	-	90.10	31.81	5.49	34.91
AV	5.35G	43.85	54.00	-10.15	1.97	3	Vertical	41	2.46	-	41.88	31.20	5.65	34.88
PK	5.135G	71.51	74.00	-2.49	2.45	3	Vertical	41	2.46	-	69.06	31.90	5.47	34.92
PK	5.186G	104.74	Inf	-Inf	2.34	3	Vertical	41	2.46	-	102.40	31.76	5.49	34.91
PK	5.352G	57.56	74.00	-16.44	1.98	3	Vertical	41	2.46	-	55.58	31.21	5.65	34.88

802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	46.72	54.00	-7.28	2.45	3	Horizontal	185	1.73	-	44.27	31.90	5.47	34.92
AV	5.247G	85.54	Inf	-Inf	2.16	3	Horizontal	185	1.73	-	83.38	31.51	5.55	34.90
AV	5.456G	42.26	54.00	-11.74	2.47	3	Horizontal	185	1.73	-	39.79	31.61	5.73	34.87
PK	5.135G	62.58	74.00	-11.42	2.45	3	Horizontal	185	1.73	-	60.13	31.90	5.47	34.92
PK	5.243G	96.90	Inf	-Inf	2.17	3	Horizontal	185	1.73	-	94.73	31.53	5.54	34.90
PK	5.401G	54.47	74.00	-19.53	2.22	3	Horizontal	185	1.73	-	52.25	31.40	5.70	34.88

802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41606G	54.47	68.20	-13.73	12.53	3	Vertical	3	1.73	-	41.94	39.75	7.95	35.17

802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41512G	54.80	68.20	-13.40	12.53	3	Horizontal	145	1.10	-	42.27	39.75	7.95	35.17

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	44.94	54.00	-9.06	2.45	3	Vertical	213	2.71	-	42.49	31.90	5.47	34.92
AV	5.253G	93.63	Inf	-Inf	2.14	3	Vertical	213	2.71	-	91.49	31.49	5.55	34.90
AV	5.352G	53.70	54.00	-0.30	1.98	3	Vertical	213	2.71	-	51.72	31.21	5.65	34.88
PK	5.135G	58.42	74.00	-15.58	2.45	3	Vertical	213	2.71	-	55.97	31.90	5.47	34.92
PK	5.275G	106.00	Inf	-Inf	2.13	3	Vertical	213	2.71	-	103.87	31.45	5.58	34.90
PK	5.381G	71.93	74.00	-2.07	2.12	3	Vertical	213	2.71	-	69.81	31.32	5.68	34.88

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.128G	43.36	54.00	-10.64	2.44	3	Horizontal	186	1.98	-	40.92	31.90	5.46	34.92
AV	5.253G	85.83	Inf	-Inf	2.14	3	Horizontal	186	1.98	-	83.69	31.49	5.55	34.90
AV	5.351G	46.83	54.00	-7.17	1.97	3	Horizontal	186	1.98	-	44.86	31.20	5.65	34.88
PK	5.131G	55.26	74.00	-18.74	2.45	3	Horizontal	186	1.98	-	52.81	31.90	5.47	34.92
PK	5.263G	98.06	Inf	-Inf	2.13	3	Horizontal	186	1.98	-	95.93	31.47	5.56	34.90
PK	5.358G	64.17	74.00	-9.83	2.01	3	Horizontal	186	1.98	-	62.16	31.23	5.66	34.88

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5819G	54.22	68.20	-13.98	12.86	3	Vertical	150	1.15	-	41.36	39.92	8.00	35.06

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.57882G	53.89	68.20	-14.31	12.86	3	Horizontal	2	1.29	-	41.03	39.92	8.00	35.06

802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.23	54.00	-4.77	2.48	3	Vertical	4	1.00	-	46.75	31.62	5.73	34.87
AV	5.567G	90.42	Inf	-Inf	2.60	3	Vertical	4	1.00	-	87.82	31.70	5.78	34.88
PK	5.468G	67.86	68.20	-0.34	2.50	3	Vertical	4	1.00	-	65.36	31.64	5.73	34.87
PK	5.565G	102.11	Inf	-Inf	2.60	3	Vertical	4	1.00	-	99.51	31.70	5.78	34.88
PK	5.73G	56.83	68.20	-11.37	2.79	3	Vertical	4	1.00	-	54.04	31.92	5.80	34.93

802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.01	54.00	-4.99	2.48	3	Horizontal	185	1.50	-	46.53	31.62	5.73	34.87
AV	5.514G	86.30	Inf	-Inf	2.60	3	Horizontal	185	1.50	-	83.70	31.70	5.76	34.86
PK	5.47G	65.62	68.20	-2.58	2.52	3	Horizontal	185	1.50	-	63.10	31.64	5.74	34.86
PK	5.52G	98.46	Inf	-Inf	2.59	3	Horizontal	185	1.50	-	95.87	31.70	5.76	34.87
PK	5.735G	55.36	68.20	-12.84	2.81	3	Horizontal	185	1.50	-	52.55	31.94	5.80	34.93

802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.05882G	42.29	54.00	-11.71	13.28	3	Vertical	180	1.62	-	29.01	40.08	8.17	34.97
PK	11.06218G	54.55	74.00	-19.45	13.28	3	Vertical	180	1.62	-	41.27	40.08	8.17	34.97

802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.05752G	42.18	54.00	-11.82	13.28	3	Horizontal	239	1.57	-	28.90	40.08	8.17	34.97
PK	11.05544G	54.92	74.00	-19.08	13.29	3	Horizontal	239	1.57	-	41.63	40.09	8.17	34.97

802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	44.37	54.00	-9.63	2.48	3	Vertical	3	1.03	-	41.89	31.62	5.73	34.87
AV	5.647G	93.55	Inf	-Inf	2.60	3	Vertical	3	1.03	-	90.95	31.70	5.80	34.90
PK	5.47G	58.50	68.20	-9.70	2.52	3	Vertical	3	1.03	-	55.98	31.64	5.74	34.86
PK	5.615G	105.13	Inf	-Inf	2.61	3	Vertical	3	1.03	-	102.52	31.70	5.80	34.89
PK	5.727G	67.30	68.20	-0.90	2.78	3	Vertical	3	1.03	-	64.52	31.91	5.80	34.93

802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.459G	43.98	54.00	-10.02	2.48	3	Horizontal	183	1.89	-	41.50	31.62	5.73	34.87
AV	5.573G	88.50	Inf	-Inf	2.61	3	Horizontal	183	1.89	-	85.89	31.70	5.79	34.88
PK	5.469G	56.88	68.20	-11.32	2.51	3	Horizontal	183	1.89	-	54.37	31.64	5.73	34.86
PK	5.575G	99.80	Inf	-Inf	2.61	3	Horizontal	183	1.89	-	97.19	31.70	5.79	34.88
PK	5.727G	59.52	68.20	-8.68	2.78	3	Horizontal	183	1.89	-	56.74	31.91	5.80	34.93

802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.2166G	41.20	54.00	-12.80	12.94	3	Vertical	274	2.24	-	28.26	39.60	8.23	34.89
PK	11.22354G	53.87	74.00	-20.13	12.95	3	Vertical	274	2.24	-	40.92	39.60	8.23	34.88

802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.2188G	41.40	54.00	-12.60	12.94	3	Horizontal	198	1.46	-	28.46	39.60	8.23	34.89
PK	11.22302G	53.97	74.00	-20.03	12.95	3	Horizontal	198	1.46	-	41.02	39.60	8.23	34.88

802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	42.44	54.00	-11.56	2.47	3	Vertical	360	1.13	-	39.97	31.61	5.73	34.87
AV	5.7272G	93.29	Inf	-Inf	2.78	3	Vertical	360	1.13	-	90.51	31.91	5.80	34.93
PK	5.4632G	54.05	68.20	-14.15	2.49	3	Vertical	360	1.13	-	51.56	31.63	5.73	34.87
PK	5.7272G	104.84	Inf	-Inf	2.78	3	Vertical	360	1.13	-	102.06	31.91	5.80	34.93
PK	5.8532G	62.56	68.20	-5.64	3.07	3	Vertical	360	1.13	-	59.49	32.21	5.83	34.97

802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	42.44	54.00	-11.56	2.47	3	Horizontal	80	1.81	-	39.97	31.61	5.73	34.87
AV	5.7272G	88.82	Inf	-Inf	2.78	3	Horizontal	80	1.81	-	86.04	31.91	5.80	34.93
PK	5.4632G	53.94	68.20	-14.26	2.49	3	Horizontal	80	1.81	-	51.45	31.63	5.73	34.87
PK	5.7272G	100.21	Inf	-Inf	2.78	3	Horizontal	80	1.81	-	97.43	31.91	5.80	34.93
PK	5.852G	59.52	68.20	-8.68	3.06	3	Horizontal	80	1.81	-	56.46	32.20	5.83	34.97

802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.38082G	41.27	54.00	-12.73	13.32	3	Vertical	332	2.23	-	27.95	39.84	8.28	34.80
PK	11.37942G	53.85	74.00	-20.15	13.32	3	Vertical	332	2.23	-	40.53	39.84	8.28	34.80

802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.38402G	41.16	54.00	-12.84	13.33	3	Horizontal	24	2.19	-	27.83	39.85	8.28	34.80
PK	11.37762G	53.36	74.00	-20.64	13.31	3	Horizontal	24	2.19	-	40.05	39.83	8.28	34.80

802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8122G	93.85	Inf	-Inf	2.98	3	Vertical	359	1.95	-	90.87	32.12	5.81	34.95
PK	5.6466G	61.92	68.20	-6.28	2.60	3	Vertical	359	1.95	-	59.32	31.70	5.80	34.90
PK	5.781G	104.61	Inf	-Inf	2.92	3	Vertical	359	1.95	-	101.69	32.06	5.80	34.94
PK	5.9262G	62.36	68.20	-5.84	3.22	3	Vertical	359	1.95	-	59.14	32.35	5.86	34.99

802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8122G	89.17	Inf	-Inf	2.98	3	Horizontal	72	2.84	-	86.19	32.12	5.81	34.95
PK	5.6466G	61.11	68.20	-7.09	2.60	3	Horizontal	72	2.84	-	58.51	31.70	5.80	34.90
PK	5.8086G	99.51	Inf	-Inf	2.97	3	Horizontal	72	2.84	-	96.54	32.12	5.80	34.95
PK	5.9238G	59.72	69.09	-9.37	3.22	3	Horizontal	72	2.84	-	56.50	32.35	5.86	34.99

802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55396G	41.64	54.00	-12.36	13.49	3	Vertical	106	1.63	-	28.15	39.90	8.34	34.75
PK	11.54796G	53.85	74.00	-20.15	13.49	3	Vertical	106	1.63	-	40.36	39.90	8.34	34.75

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.55154G	41.68	54.00	-12.32	13.49	3	Horizontal	268	1.15	-	28.19	39.90	8.34	34.75
PK	11.55348G	54.82	74.00	-19.18	13.49	3	Horizontal	268	1.15	-	41.33	39.90	8.34	34.75



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	QP	71.32M	39.74	40.00	-0.26	3	Vertical	84	1.23	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	113.42M	37.23	43.50	-6.27	3	Vertical	0	1.00	-
5775MHz	Pass	PK	394.72M	38.26	46.00	-7.74	3	Vertical	0	1.00	-
5775MHz	Pass	PK	776.9M	38.34	46.00	-7.66	3	Vertical	0	1.00	-
5775MHz	Pass	PK	957.32M	36.88	46.00	-9.12	3	Vertical	0	1.00	-
5775MHz	Pass	QP	43.51M	38.90	40.00	-1.10	3	Vertical	179	1.00	-
5775MHz	Pass	QP	71.32M	39.74	40.00	-0.26	3	Vertical	84	1.23	-
5775MHz	Pass	PK	130.88M	39.08	43.50	-4.42	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	423.82M	37.71	46.00	-8.29	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	561.56M	40.25	46.00	-5.75	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	901.06M	40.76	46.00	-5.24	3	Horizontal	360	1.00	-
5775MHz	Pass	QP	78.67M	39.70	40.00	-0.30	3	Horizontal	195	2.28	-
5775MHz	Pass	QP	744.92M	38.00	46.00	-8.00	3	Horizontal	99	1.18	-

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	113.42M	37.23	43.50	-6.27	-19.21	3	Vertical	0	1.00	-	56.44	16.41	1.04	36.66
PK	394.72M	38.26	46.00	-7.74	-13.78	3	Vertical	0	1.00	-	52.04	20.89	1.90	36.57
PK	776.9M	38.34	46.00	-7.66	-7.41	3	Vertical	0	1.00	-	45.75	27.36	2.77	37.54
PK	957.32M	36.88	46.00	-9.12	-4.19	3	Vertical	0	1.00	-	41.07	30.20	3.11	37.50
QP	43.51M	38.90	40.00	-1.10	-19.72	3	Vertical	179	1.00	-	58.62	16.58	0.77	37.07
QP	71.32M	39.74	40.00	-0.26	-24.68	3	Vertical	84	1.23	-	64.42	11.44	0.85	36.97

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	130.88M	39.08	43.50	-4.42	-18.55	3	Horizontal	360	1.00	-	57.63	16.85	1.13	36.53
PK	423.82M	37.71	46.00	-8.29	-12.50	3	Horizontal	360	1.00	-	50.21	22.09	2.00	36.59
PK	561.56M	40.25	46.00	-5.75	-9.30	3	Horizontal	360	1.00	-	49.55	25.39	2.40	37.09
PK	901.06M	40.76	46.00	-5.24	-6.33	3	Horizontal	360	1.00	-	47.09	28.21	3.00	37.54
QP	78.67M	39.70	40.00	-0.30	-23.76	3	Horizontal	195	2.28	-	63.46	12.24	0.88	36.88
QP	744.92M	38.00	46.00	-8.00	-7.59	3	Horizontal	99	1.18	-	45.59	27.21	2.78	37.58

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.1466G	53.34	54.00	-0.66	3	Horizontal	56	1.05	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.72	54.00	-0.28	3	Horizontal	56	1.00	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	58	1.16	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.14	54.00	-0.86	3	Horizontal	56	1.18	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.35G	53.31	54.00	-0.69	3	Horizontal	56	1.03	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.50	54.00	-0.50	3	Horizontal	61	1.08	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.72	54.00	-0.28	3	Horizontal	60	1.00	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.42	54.00	-0.58	3	Horizontal	58	1.00	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7264G	67.60	68.20	-0.60	3	Horizontal	52	1.08	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.4696G	67.85	68.20	-0.35	3	Horizontal	65	1.00	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.7264G	68.05	68.20	-0.15	3	Horizontal	60	2.72	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.73G	67.77	68.20	-0.43	3	Vertical	322	2.69	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	17.47653G	60.53	68.20	-7.67	3	Vertical	302	1.62	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	17.47535G	60.64	68.20	-7.56	3	Vertical	334	2.23	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.6434G	67.90	68.20	-0.30	3	Horizontal	305	2.46	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.6442G	67.68	68.20	-0.52	3	Horizontal	60	3.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1416G	49.37	54.00	-4.63	3	Vertical	23	2.19	-
5180MHz	Pass	AV	5.1806G	102.50	Inf	-Inf	3	Vertical	23	2.19	-
5180MHz	Pass	PK	5.1402G	63.56	74.00	-10.44	3	Vertical	23	2.19	-
5180MHz	Pass	PK	5.1812G	111.53	Inf	-Inf	3	Vertical	23	2.19	-
5180MHz	Pass	AV	5.1466G	53.34	54.00	-0.66	3	Horizontal	56	1.05	-
5180MHz	Pass	AV	5.1854G	105.59	Inf	-Inf	3	Horizontal	56	1.05	-
5180MHz	Pass	PK	5.1446G	70.82	74.00	-3.18	3	Horizontal	56	1.05	-
5180MHz	Pass	PK	5.186G	115.39	Inf	-Inf	3	Horizontal	56	1.05	-
5180MHz	Pass	AV	15.54203G	43.32	54.00	-10.68	3	Vertical	134	1.50	-
5180MHz	Pass	PK	10.35991G	56.24	68.20	-11.96	3	Vertical	344	2.31	-
5180MHz	Pass	PK	15.54233G	55.10	74.00	-18.90	3	Vertical	134	1.50	-
5180MHz	Pass	AV	15.54069G	43.52	54.00	-10.48	3	Horizontal	300	1.50	-
5180MHz	Pass	PK	10.36018G	54.86	68.20	-13.34	3	Horizontal	296	1.88	-
5180MHz	Pass	PK	15.54017G	55.84	74.00	-18.16	3	Horizontal	300	1.50	-
5200MHz	Pass	AV	5.148G	48.53	54.00	-5.47	3	Vertical	24	2.07	-
5200MHz	Pass	AV	5.2012G	104.33	Inf	-Inf	3	Vertical	24	2.07	-
5200MHz	Pass	PK	5.1396G	64.84	74.00	-9.16	3	Vertical	24	2.07	-
5200MHz	Pass	PK	5.2008G	113.01	Inf	-Inf	3	Vertical	24	2.07	-
5200MHz	Pass	AV	5.1456G	52.22	54.00	-1.78	3	Horizontal	308	2.16	-
5200MHz	Pass	AV	5.2056G	110.31	Inf	-Inf	3	Horizontal	308	2.16	-
5200MHz	Pass	PK	5.1456G	69.12	74.00	-4.88	3	Horizontal	308	2.16	-
5200MHz	Pass	PK	5.2044G	119.31	Inf	-Inf	3	Horizontal	308	2.16	-
5200MHz	Pass	AV	15.59969G	43.62	54.00	-10.38	3	Vertical	128	1.50	-
5200MHz	Pass	PK	10.39984G	55.56	68.20	-12.64	3	Vertical	349	2.21	-
5200MHz	Pass	PK	15.60208G	56.07	74.00	-17.93	3	Vertical	128	1.50	-
5200MHz	Pass	AV	15.60227G	43.67	54.00	-10.33	3	Horizontal	308	1.01	-
5200MHz	Pass	PK	10.40009G	55.35	68.20	-12.85	3	Horizontal	298	1.90	-
5200MHz	Pass	PK	15.59994G	55.51	74.00	-18.49	3	Horizontal	308	1.01	-
5240MHz	Pass	AV	5.1074G	44.49	54.00	-9.51	3	Vertical	32	2.24	-
5240MHz	Pass	AV	5.2412G	104.82	Inf	-Inf	3	Vertical	32	2.24	-
5240MHz	Pass	AV	5.3504G	42.62	54.00	-11.38	3	Vertical	32	2.24	-
5240MHz	Pass	PK	5.1044G	56.02	74.00	-17.98	3	Vertical	32	2.24	-
5240MHz	Pass	PK	5.2412G	113.29	Inf	-Inf	3	Vertical	32	2.24	-
5240MHz	Pass	PK	5.3756G	53.84	74.00	-20.16	3	Vertical	32	2.24	-
5240MHz	Pass	AV	5.1164G	45.06	54.00	-8.94	3	Horizontal	57	1.00	-
5240MHz	Pass	AV	5.2454G	109.26	Inf	-Inf	3	Horizontal	57	1.00	-
5240MHz	Pass	AV	5.3702G	43.77	54.00	-10.23	3	Horizontal	57	1.00	-
5240MHz	Pass	PK	5.1404G	56.02	74.00	-17.98	3	Horizontal	57	1.00	-
5240MHz	Pass	PK	5.2454G	118.26	Inf	-Inf	3	Horizontal	57	1.00	-
5240MHz	Pass	PK	5.384G	55.59	74.00	-18.41	3	Horizontal	57	1.00	-
5240MHz	Pass	AV	15.72044G	43.63	54.00	-10.37	3	Vertical	238	1.50	-
5240MHz	Pass	PK	10.47911G	54.47	68.20	-13.73	3	Vertical	296	1.78	-
5240MHz	Pass	PK	15.7194G	56.02	74.00	-17.98	3	Vertical	238	1.50	-
5240MHz	Pass	AV	15.72204G	43.63	54.00	-10.37	3	Horizontal	235	2.66	-
5240MHz	Pass	PK	10.4777G	54.40	68.20	-13.80	3	Horizontal	358	2.24	-
5240MHz	Pass	PK	15.72187G	55.80	74.00	-18.20	3	Horizontal	235	2.66	-
5260MHz	Pass	AV	5.1166G	44.15	54.00	-9.85	3	Vertical	32	2.27	-
5260MHz	Pass	AV	5.2612G	104.10	Inf	-Inf	3	Vertical	32	2.27	-
5260MHz	Pass	AV	5.35G	42.68	54.00	-11.32	3	Vertical	32	2.27	-
5260MHz	Pass	PK	5.1298G	55.89	74.00	-18.11	3	Vertical	32	2.27	-
5260MHz	Pass	PK	5.2618G	112.78	Inf	-Inf	3	Vertical	32	2.27	-
5260MHz	Pass	PK	5.3926G	53.75	74.00	-20.25	3	Vertical	32	2.27	-
5260MHz	Pass	AV	5.1214G	44.67	54.00	-9.33	3	Horizontal	56	1.00	-
5260MHz	Pass	AV	5.2654G	109.43	Inf	-Inf	3	Horizontal	56	1.00	-
5260MHz	Pass	AV	5.3512G	44.16	54.00	-9.84	3	Horizontal	56	1.00	-
5260MHz	Pass	PK	5.1412G	55.97	74.00	-18.03	3	Horizontal	56	1.00	-
5260MHz	Pass	PK	5.2654G	117.61	Inf	-Inf	3	Horizontal	56	1.00	-
5260MHz	Pass	PK	5.3512G	55.64	74.00	-18.36	3	Horizontal	56	1.00	-
5260MHz	Pass	AV	15.78096G	43.00	54.00	-11.00	3	Vertical	340	1.50	-
5260MHz	Pass	PK	10.5207G	54.77	68.20	-13.43	3	Vertical	309	1.88	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	15.78042G	55.14	74.00	-18.86	3	Vertical	340	1.50	-
5260MHz	Pass	AV	15.78032G	43.35	54.00	-10.65	3	Horizontal	60	2.08	-
5260MHz	Pass	PK	10.52025G	54.97	68.20	-13.23	3	Horizontal	359	2.16	-
5260MHz	Pass	PK	15.77767G	54.61	74.00	-19.39	3	Horizontal	60	2.08	-
5300MHz	Pass	AV	5.3048G	101.62	Inf	-Inf	3	Vertical	99	1.50	-
5300MHz	Pass	AV	5.35G	45.10	54.00	-8.90	3	Vertical	99	1.50	-
5300MHz	Pass	PK	5.3044G	110.04	Inf	-Inf	3	Vertical	99	1.50	-
5300MHz	Pass	PK	5.3504G	59.49	74.00	-14.51	3	Vertical	99	1.50	-
5300MHz	Pass	AV	5.2968G	107.60	Inf	-Inf	3	Horizontal	44	1.46	-
5300MHz	Pass	AV	5.35G	47.75	54.00	-6.25	3	Horizontal	44	1.46	-
5300MHz	Pass	PK	5.2968G	116.38	Inf	-Inf	3	Horizontal	44	1.46	-
5300MHz	Pass	PK	5.3516G	62.30	74.00	-11.70	3	Horizontal	44	1.46	-
5300MHz	Pass	AV	15.90173G	42.43	54.00	-11.57	3	Vertical	231	2.69	-
5300MHz	Pass	PK	10.59997G	54.60	68.20	-13.60	3	Vertical	309	1.49	-
5300MHz	Pass	PK	15.89931G	54.28	74.00	-19.72	3	Vertical	231	2.69	-
5300MHz	Pass	AV	15.90178G	42.97	54.00	-11.03	3	Horizontal	359	2.79	-
5300MHz	Pass	PK	10.60037G	54.30	74.00	-19.70	3	Horizontal	155	1.06	-
5300MHz	Pass	PK	15.89831G	54.68	74.00	-19.32	3	Horizontal	359	2.79	-
5320MHz	Pass	AV	5.3238G	100.59	Inf	-Inf	3	Vertical	100	1.49	-
5320MHz	Pass	AV	5.3526G	47.67	54.00	-6.33	3	Vertical	100	1.49	-
5320MHz	Pass	PK	5.3244G	108.77	Inf	-Inf	3	Vertical	100	1.49	-
5320MHz	Pass	PK	5.3536G	61.76	74.00	-12.24	3	Vertical	100	1.49	-
5320MHz	Pass	AV	5.3258G	107.67	Inf	-Inf	3	Horizontal	56	1.03	-
5320MHz	Pass	AV	5.35G	53.31	54.00	-0.69	3	Horizontal	56	1.03	-
5320MHz	Pass	PK	5.3256G	116.52	Inf	-Inf	3	Horizontal	56	1.03	-
5320MHz	Pass	PK	5.35G	67.13	74.00	-6.87	3	Horizontal	56	1.03	-
5320MHz	Pass	AV	10.63983G	44.27	54.00	-9.73	3	Vertical	316	1.16	-
5320MHz	Pass	AV	15.95854G	42.93	54.00	-11.07	3	Vertical	152	1.86	-
5320MHz	Pass	PK	10.63976G	55.38	74.00	-18.62	3	Vertical	316	1.16	-
5320MHz	Pass	PK	15.96103G	54.77	74.00	-19.23	3	Vertical	152	1.86	-
5320MHz	Pass	AV	10.6398G	43.36	54.00	-10.64	3	Horizontal	160	1.35	-
5320MHz	Pass	AV	15.96166G	42.93	54.00	-11.07	3	Horizontal	277	1.50	-
5320MHz	Pass	PK	10.63934G	55.30	74.00	-18.70	3	Horizontal	160	1.35	-
5320MHz	Pass	PK	15.96241G	54.74	74.00	-19.26	3	Horizontal	277	1.50	-
5500MHz	Pass	AV	5.455G	42.98	54.00	-11.02	3	Vertical	64	2.96	-
5500MHz	Pass	AV	5.496G	98.45	Inf	-Inf	3	Vertical	64	2.96	-
5500MHz	Pass	PK	5.465G	56.33	68.20	-11.87	3	Vertical	64	2.96	-
5500MHz	Pass	PK	5.4962G	106.31	Inf	-Inf	3	Vertical	64	2.96	-
5500MHz	Pass	AV	5.4576G	46.09	54.00	-7.91	3	Horizontal	317	2.08	-
5500MHz	Pass	AV	5.5054G	106.19	Inf	-Inf	3	Horizontal	317	2.08	-
5500MHz	Pass	PK	5.4646G	67.42	68.20	-0.78	3	Horizontal	317	2.08	-
5500MHz	Pass	PK	5.5056G	116.12	Inf	-Inf	3	Horizontal	317	2.08	-
5500MHz	Pass	AV	10.9883G	42.67	54.00	-11.33	3	Vertical	145	1.50	-
5500MHz	Pass	PK	11.00294G	54.61	74.00	-19.39	3	Vertical	145	1.50	-
5500MHz	Pass	PK	16.49658G	56.06	68.20	-12.14	3	Vertical	94	1.50	-
5500MHz	Pass	AV	11.00378G	42.86	54.00	-11.14	3	Horizontal	167	1.02	-
5500MHz	Pass	PK	11.01092G	55.17	74.00	-18.83	3	Horizontal	167	1.02	-
5500MHz	Pass	PK	16.51032G	56.94	68.20	-11.26	3	Horizontal	300	2.83	-
5580MHz	Pass	AV	5.454G	43.05	54.00	-10.95	3	Vertical	298	2.50	-
5580MHz	Pass	AV	5.5722G	103.81	Inf	-Inf	3	Vertical	298	2.50	-
5580MHz	Pass	PK	5.4672G	54.80	68.20	-13.40	3	Vertical	298	2.50	-
5580MHz	Pass	PK	5.5728G	112.25	Inf	-Inf	3	Vertical	298	2.50	-
5580MHz	Pass	PK	5.7252G	54.43	68.20	-13.77	3	Vertical	298	2.50	-
5580MHz	Pass	AV	5.4456G	44.11	54.00	-9.89	3	Horizontal	304	2.12	-
5580MHz	Pass	AV	5.5764G	109.61	Inf	-Inf	3	Horizontal	304	2.12	-
5580MHz	Pass	PK	5.4678G	55.19	68.20	-13.01	3	Horizontal	304	2.12	-
5580MHz	Pass	PK	5.5752G	118.32	Inf	-Inf	3	Horizontal	304	2.12	-
5580MHz	Pass	PK	5.7258G	55.02	68.20	-13.18	3	Horizontal	304	2.12	-
5580MHz	Pass	AV	11.1603G	42.38	54.00	-11.62	3	Vertical	162	1.49	-
5580MHz	Pass	PK	11.15814G	54.00	74.00	-20.00	3	Vertical	162	1.49	-
5580MHz	Pass	PK	16.7307G	56.95	68.20	-11.25	3	Vertical	3	1.50	-
5580MHz	Pass	AV	11.1738G	42.29	54.00	-11.71	3	Horizontal	336	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	11.14572G	54.29	74.00	-19.71	3	Horizontal	336	1.50	-
5580MHz	Pass	PK	16.75224G	56.58	68.20	-11.62	3	Horizontal	138	1.50	-
5700MHz	Pass	AV	5.694G	96.91	Inf	-Inf	3	Vertical	24	1.63	-
5700MHz	Pass	PK	5.6944G	105.60	Inf	-Inf	3	Vertical	24	1.63	-
5700MHz	Pass	PK	5.7296G	60.36	68.20	-7.84	3	Vertical	24	1.63	-
5700MHz	Pass	AV	5.7044G	101.72	Inf	-Inf	3	Horizontal	52	1.08	-
5700MHz	Pass	PK	5.7056G	111.20	Inf	-Inf	3	Horizontal	52	1.08	-
5700MHz	Pass	PK	5.7264G	67.60	68.20	-0.60	3	Horizontal	52	1.08	-
5700MHz	Pass	AV	11.40006G	42.70	54.00	-11.30	3	Vertical	304	1.50	-
5700MHz	Pass	PK	11.40486G	54.42	74.00	-19.58	3	Vertical	304	1.50	-
5700MHz	Pass	PK	17.10744G	58.79	68.20	-9.41	3	Vertical	292	2.15	-
5700MHz	Pass	AV	11.4135G	42.57	54.00	-11.43	3	Horizontal	307	1.86	-
5700MHz	Pass	PK	11.41254G	53.59	74.00	-20.41	3	Horizontal	307	1.86	-
5700MHz	Pass	PK	17.09382G	58.28	68.20	-9.92	3	Horizontal	299	1.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	43.05	54.00	-10.95	3	Vertical	24	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	101.90	Inf	-Inf	3	Vertical	24	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	53.10	68.20	-15.10	3	Vertical	24	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	110.47	Inf	-Inf	3	Vertical	24	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8952G	55.37	68.20	-12.83	3	Vertical	24	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4404G	43.45	54.00	-10.55	3	Horizontal	52	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.726G	107.67	Inf	-Inf	3	Horizontal	52	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	54.12	68.20	-14.08	3	Horizontal	52	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	115.69	Inf	-Inf	3	Horizontal	52	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9G	56.00	68.20	-12.20	3	Horizontal	52	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44864G	43.04	54.00	-10.96	3	Vertical	360	1.01	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44726G	54.41	74.00	-19.59	3	Vertical	360	1.01	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15028G	58.44	68.20	-9.76	3	Vertical	230	1.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44642G	42.76	54.00	-11.24	3	Horizontal	130	2.95	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4391G	54.44	74.00	-19.56	3	Horizontal	130	2.95	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16144G	58.52	68.20	-9.68	3	Horizontal	173	1.85	-
5745MHz	Pass	AV	5.7462G	103.05	Inf	-Inf	3	Vertical	34	2.71	-
5745MHz	Pass	PK	5.6022G	54.89	68.20	-13.31	3	Vertical	34	2.71	-
5745MHz	Pass	PK	5.7462G	110.78	Inf	-Inf	3	Vertical	34	2.71	-
5745MHz	Pass	PK	5.9586G	55.16	68.20	-13.04	3	Vertical	34	2.71	-
5745MHz	Pass	AV	5.7426G	107.69	Inf	-Inf	3	Horizontal	305	1.98	-
5745MHz	Pass	PK	5.601G	55.55	68.20	-12.65	3	Horizontal	305	1.98	-
5745MHz	Pass	PK	5.7414G	116.85	Inf	-Inf	3	Horizontal	305	1.98	-
5745MHz	Pass	PK	5.937G	54.85	68.20	-13.35	3	Horizontal	305	1.98	-
5745MHz	Pass	AV	11.49318G	42.89	54.00	-11.11	3	Vertical	350	1.50	-
5745MHz	Pass	PK	11.49018G	54.39	74.00	-19.61	3	Vertical	350	1.50	-
5745MHz	Pass	PK	17.2374G	57.61	68.20	-10.59	3	Vertical	231	1.48	-
5745MHz	Pass	AV	11.48328G	43.02	54.00	-10.98	3	Horizontal	88	1.50	-
5745MHz	Pass	PK	11.48232G	54.09	74.00	-19.91	3	Horizontal	88	1.50	-
5745MHz	Pass	PK	17.23962G	57.74	68.20	-10.46	3	Horizontal	318	2.02	-
5785MHz	Pass	AV	5.779G	104.28	Inf	-Inf	3	Vertical	331	2.46	-
5785MHz	Pass	PK	5.5174G	54.83	68.20	-13.37	3	Vertical	331	2.46	-
5785MHz	Pass	PK	5.779G	112.93	Inf	-Inf	3	Vertical	331	2.46	-
5785MHz	Pass	PK	5.9662G	55.24	68.20	-12.96	3	Vertical	331	2.46	-
5785MHz	Pass	AV	5.7898G	107.17	Inf	-Inf	3	Horizontal	310	2.09	-
5785MHz	Pass	PK	5.6374G	55.92	68.20	-12.28	3	Horizontal	310	2.09	-
5785MHz	Pass	PK	5.7898G	115.76	Inf	-Inf	3	Horizontal	310	2.09	-
5785MHz	Pass	PK	5.9434G	55.10	68.20	-13.10	3	Horizontal	310	2.09	-
5785MHz	Pass	AV	11.57009G	43.54	54.00	-10.46	3	Vertical	360	1.11	-
5785MHz	Pass	PK	11.57002G	55.40	74.00	-18.60	3	Vertical	360	1.11	-
5785MHz	Pass	PK	17.35672G	59.92	68.20	-8.28	3	Vertical	296	1.47	-
5785MHz	Pass	AV	11.57001G	42.84	54.00	-11.16	3	Horizontal	360	1.50	-
5785MHz	Pass	PK	11.57092G	54.43	74.00	-19.57	3	Horizontal	360	1.50	-
5785MHz	Pass	PK	17.35495G	59.22	68.20	-8.98	3	Horizontal	272	1.36	-
5825MHz	Pass	AV	5.8178G	101.31	Inf	-Inf	3	Vertical	350	1.49	-
5825MHz	Pass	PK	5.6138G	54.51	68.20	-13.69	3	Vertical	350	1.49	-
5825MHz	Pass	PK	5.8178G	110.56	Inf	-Inf	3	Vertical	350	1.49	-
5825MHz	Pass	PK	6.0062G	54.90	68.20	-13.30	3	Vertical	350	1.49	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	AV	5.8226G	107.40	Inf	-Inf	3	Horizontal	306	2.10	-
5825MHz	Pass	PK	5.6126G	55.35	68.20	-12.85	3	Horizontal	306	2.10	-
5825MHz	Pass	PK	5.8214G	115.88	Inf	-Inf	3	Horizontal	306	2.10	-
5825MHz	Pass	PK	5.939G	55.26	68.20	-12.94	3	Horizontal	306	2.10	-
5825MHz	Pass	AV	11.64985G	43.22	54.00	-10.78	3	Vertical	317	1.83	-
5825MHz	Pass	PK	11.64977G	54.99	74.00	-19.01	3	Vertical	317	1.83	-
5825MHz	Pass	PK	17.47653G	60.53	68.20	-7.67	3	Vertical	302	1.62	-
5825MHz	Pass	AV	11.65179G	42.65	54.00	-11.35	3	Horizontal	289	1.50	-
5825MHz	Pass	PK	11.65022G	54.54	74.00	-19.46	3	Horizontal	289	1.50	-
5825MHz	Pass	PK	17.47316G	59.79	68.20	-8.41	3	Horizontal	106	1.50	-
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	49.54	54.00	-4.46	3	Vertical	345	1.05	-
5180MHz	Pass	AV	5.1874G	97.18	Inf	-Inf	3	Vertical	345	1.05	-
5180MHz	Pass	PK	5.149G	63.73	74.00	-10.27	3	Vertical	345	1.05	-
5180MHz	Pass	PK	5.1754G	110.16	Inf	-Inf	3	Vertical	345	1.05	-
5180MHz	Pass	AV	5.15G	53.72	54.00	-0.28	3	Horizontal	56	1.00	-
5180MHz	Pass	AV	5.1878G	101.51	Inf	-Inf	3	Horizontal	56	1.00	-
5180MHz	Pass	PK	5.1498G	68.89	74.00	-5.11	3	Horizontal	56	1.00	-
5180MHz	Pass	PK	5.1754G	114.69	Inf	-Inf	3	Horizontal	56	1.00	-
5180MHz	Pass	AV	15.54096G	41.10	54.00	-12.90	3	Vertical	194	1.50	-
5180MHz	Pass	PK	10.36002G	55.74	68.20	-12.46	3	Vertical	351	2.21	-
5180MHz	Pass	PK	15.53982G	54.70	74.00	-19.30	3	Vertical	194	1.50	-
5180MHz	Pass	AV	15.541G	41.03	54.00	-12.97	3	Horizontal	206	2.12	-
5180MHz	Pass	PK	10.36048G	54.94	68.20	-13.26	3	Horizontal	300	1.86	-
5180MHz	Pass	PK	15.53934G	55.15	74.00	-18.85	3	Horizontal	206	2.12	-
5200MHz	Pass	AV	5.15G	51.72	54.00	-2.28	3	Vertical	330	2.27	-
5200MHz	Pass	AV	5.2084G	102.91	Inf	-Inf	3	Vertical	330	2.27	-
5200MHz	Pass	PK	5.1468G	66.02	74.00	-7.98	3	Vertical	330	2.27	-
5200MHz	Pass	PK	5.196G	114.79	Inf	-Inf	3	Vertical	330	2.27	-
5200MHz	Pass	AV	5.15G	53.66	54.00	-0.34	3	Horizontal	56	1.00	-
5200MHz	Pass	AV	5.206G	105.02	Inf	-Inf	3	Horizontal	56	1.00	-
5200MHz	Pass	PK	5.148G	68.26	74.00	-5.74	3	Horizontal	56	1.00	-
5200MHz	Pass	PK	5.2072G	116.84	Inf	-Inf	3	Horizontal	56	1.00	-
5200MHz	Pass	AV	15.60098G	41.49	54.00	-12.51	3	Vertical	232	1.50	-
5200MHz	Pass	PK	10.39983G	56.08	68.20	-12.12	3	Vertical	355	2.19	-
5200MHz	Pass	PK	15.60033G	55.29	74.00	-18.71	3	Vertical	232	1.50	-
5200MHz	Pass	AV	15.601G	41.16	54.00	-12.84	3	Horizontal	220	1.50	-
5200MHz	Pass	PK	10.39994G	54.72	68.20	-13.48	3	Horizontal	299	1.90	-
5200MHz	Pass	PK	15.59997G	54.70	74.00	-19.30	3	Horizontal	220	1.50	-
5240MHz	Pass	AV	5.15G	42.57	54.00	-11.43	3	Vertical	345	1.00	-
5240MHz	Pass	AV	5.2472G	100.87	Inf	-Inf	3	Vertical	345	1.00	-
5240MHz	Pass	AV	5.3834G	41.04	54.00	-12.96	3	Vertical	345	1.00	-
5240MHz	Pass	PK	5.1056G	55.37	74.00	-18.63	3	Vertical	345	1.00	-
5240MHz	Pass	PK	5.2484G	112.06	Inf	-Inf	3	Vertical	345	1.00	-
5240MHz	Pass	PK	5.3558G	53.64	74.00	-20.36	3	Vertical	345	1.00	-
5240MHz	Pass	AV	5.15G	43.64	54.00	-10.36	3	Horizontal	59	1.17	-
5240MHz	Pass	AV	5.2472G	104.27	Inf	-Inf	3	Horizontal	59	1.17	-
5240MHz	Pass	AV	5.35G	41.71	54.00	-12.29	3	Horizontal	59	1.17	-
5240MHz	Pass	PK	5.1362G	55.77	74.00	-18.23	3	Horizontal	59	1.17	-
5240MHz	Pass	PK	5.2466G	115.55	Inf	-Inf	3	Horizontal	59	1.17	-
5240MHz	Pass	PK	5.3522G	54.42	74.00	-19.58	3	Horizontal	59	1.17	-
5240MHz	Pass	AV	15.7211G	41.57	54.00	-12.43	3	Vertical	240	2.27	-
5240MHz	Pass	PK	10.47961G	55.65	68.20	-12.55	3	Vertical	357	2.19	-
5240MHz	Pass	PK	15.72016G	55.43	74.00	-18.57	3	Vertical	240	2.27	-
5240MHz	Pass	AV	15.72137G	41.37	54.00	-12.63	3	Horizontal	304	2.77	-
5240MHz	Pass	PK	10.48058G	53.94	68.20	-14.26	3	Horizontal	165	2.25	-
5240MHz	Pass	PK	15.72056G	55.33	74.00	-18.67	3	Horizontal	304	2.77	-
5260MHz	Pass	AV	5.146G	42.34	54.00	-11.66	3	Vertical	346	1.00	-
5260MHz	Pass	AV	5.2522G	100.97	Inf	-Inf	3	Vertical	346	1.00	-
5260MHz	Pass	AV	5.35G	41.46	54.00	-12.54	3	Vertical	346	1.00	-
5260MHz	Pass	PK	5.1478G	54.90	74.00	-19.10	3	Vertical	346	1.00	-
5260MHz	Pass	PK	5.2534G	113.24	Inf	-Inf	3	Vertical	346	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	5.3686G	54.81	74.00	-19.19	3	Vertical	346	1.00	-
5260MHz	Pass	AV	5.15G	42.87	54.00	-11.13	3	Horizontal	60	1.12	-
5260MHz	Pass	AV	5.2678G	103.99	Inf	-Inf	3	Horizontal	60	1.12	-
5260MHz	Pass	AV	5.3506G	42.46	54.00	-11.54	3	Horizontal	60	1.12	-
5260MHz	Pass	PK	5.1442G	55.85	74.00	-18.15	3	Horizontal	60	1.12	-
5260MHz	Pass	PK	5.2666G	115.67	Inf	-Inf	3	Horizontal	60	1.12	-
5260MHz	Pass	PK	5.353G	57.23	74.00	-16.77	3	Horizontal	60	1.12	-
5260MHz	Pass	AV	15.78088G	40.93	54.00	-13.07	3	Vertical	233	1.04	-
5260MHz	Pass	PK	10.51989G	55.03	68.20	-13.17	3	Vertical	21	1.14	-
5260MHz	Pass	PK	15.78073G	54.20	74.00	-19.80	3	Vertical	233	1.04	-
5260MHz	Pass	AV	15.78127G	40.89	54.00	-13.11	3	Horizontal	300	1.50	-
5260MHz	Pass	PK	10.51949G	54.48	68.20	-13.72	3	Horizontal	1	2.21	-
5260MHz	Pass	PK	15.77989G	54.77	74.00	-19.23	3	Horizontal	300	1.50	-
5300MHz	Pass	AV	5.3064G	99.97	Inf	-Inf	3	Vertical	109.8	1.00	-
5300MHz	Pass	AV	5.35G	47.68	54.00	-6.32	3	Vertical	109.8	1.00	-
5300MHz	Pass	PK	5.2936G	111.76	Inf	-Inf	3	Vertical	109.8	1.00	-
5300MHz	Pass	PK	5.3508G	61.86	74.00	-12.14	3	Vertical	109.8	1.00	-
5300MHz	Pass	AV	5.2928G	104.24	Inf	-Inf	3	Horizontal	60	1.12	-
5300MHz	Pass	AV	5.35G	50.86	54.00	-3.14	3	Horizontal	60	1.12	-
5300MHz	Pass	PK	5.2936G	116.50	Inf	-Inf	3	Horizontal	60	1.12	-
5300MHz	Pass	PK	5.3516G	67.26	74.00	-6.74	3	Horizontal	60	1.12	-
5300MHz	Pass	AV	15.90125G	40.62	54.00	-13.38	3	Vertical	269	1.50	-
5300MHz	Pass	PK	10.59973G	55.58	68.20	-12.62	3	Vertical	315	1.26	-
5300MHz	Pass	PK	15.89923G	55.30	74.00	-18.70	3	Vertical	269	1.50	-
5300MHz	Pass	AV	15.90107G	40.61	54.00	-13.39	3	Horizontal	289	1.50	-
5300MHz	Pass	PK	10.59948G	54.44	68.20	-13.76	3	Horizontal	214	1.30	-
5300MHz	Pass	PK	15.9014G	54.49	74.00	-19.51	3	Horizontal	289	1.50	-
5320MHz	Pass	AV	5.3128G	98.42	Inf	-Inf	3	Vertical	346	1.02	-
5320MHz	Pass	AV	5.35G	51.01	54.00	-2.99	3	Vertical	346	1.02	-
5320MHz	Pass	PK	5.3282G	111.18	Inf	-Inf	3	Vertical	346	1.02	-
5320MHz	Pass	PK	5.351G	68.66	74.00	-5.34	3	Vertical	346	1.02	-
5320MHz	Pass	AV	5.3122G	102.23	Inf	-Inf	3	Horizontal	61	1.08	-
5320MHz	Pass	AV	5.35G	53.50	54.00	-0.50	3	Horizontal	61	1.08	-
5320MHz	Pass	PK	5.3284G	114.47	Inf	-Inf	3	Horizontal	61	1.08	-
5320MHz	Pass	PK	5.35G	70.54	74.00	-3.46	3	Horizontal	61	1.08	-
5320MHz	Pass	AV	10.63988G	41.37	54.00	-12.63	3	Vertical	313	1.99	-
5320MHz	Pass	AV	15.96145G	40.50	54.00	-13.50	3	Vertical	31	1.72	-
5320MHz	Pass	PK	10.63984G	54.33	74.00	-19.67	3	Vertical	313	1.99	-
5320MHz	Pass	PK	15.9605G	54.63	74.00	-19.37	3	Vertical	31	1.72	-
5320MHz	Pass	AV	10.63989G	41.01	54.00	-12.99	3	Horizontal	161	1.47	-
5320MHz	Pass	AV	15.96148G	40.48	54.00	-13.52	3	Horizontal	10	2.42	-
5320MHz	Pass	PK	10.64001G	54.31	74.00	-19.69	3	Horizontal	161	1.47	-
5320MHz	Pass	PK	15.96004G	54.41	74.00	-19.59	3	Horizontal	10	2.42	-
5500MHz	Pass	PK	5.4582G	55.44	74.00	-18.56	3	Vertical	310	1.50	-
5500MHz	Pass	AV	5.46G	41.95	54.00	-12.05	3	Vertical	310	1.50	-
5500MHz	Pass	PK	5.469G	59.17	68.20	-9.03	3	Vertical	310	1.50	-
5500MHz	Pass	PK	5.508G	107.48	Inf	-Inf	3	Vertical	310	1.50	-
5500MHz	Pass	AV	5.5076G	94.33	Inf	-Inf	3	Vertical	310	1.50	-
5500MHz	Pass	AV	5.46G	45.76	54.00	-8.24	3	Horizontal	65	1.00	-
5500MHz	Pass	AV	5.5074G	102.26	Inf	-Inf	3	Horizontal	65	1.00	-
5500MHz	Pass	PK	5.4696G	67.85	68.20	-0.35	3	Horizontal	65	1.00	-
5500MHz	Pass	PK	5.5038G	114.65	Inf	-Inf	3	Horizontal	65	1.00	-
5500MHz	Pass	AV	10.99993G	41.41	54.00	-12.59	3	Vertical	230	1.47	-
5500MHz	Pass	PK	11.00008G	54.82	74.00	-19.18	3	Vertical	230	1.47	-
5500MHz	Pass	PK	16.50141G	57.63	68.20	-10.57	3	Vertical	37	1.50	-
5500MHz	Pass	AV	10.99989G	41.13	54.00	-12.87	3	Horizontal	312	1.21	-
5500MHz	Pass	PK	10.99986G	54.55	74.00	-19.45	3	Horizontal	312	1.21	-
5500MHz	Pass	PK	16.50001G	56.19	68.20	-12.01	3	Horizontal	32	1.50	-
5580MHz	Pass	AV	5.4546G	41.68	54.00	-12.32	3	Vertical	329	2.61	-
5580MHz	Pass	AV	5.5872G	101.15	Inf	-Inf	3	Vertical	329	2.61	-
5580MHz	Pass	PK	5.4678G	53.81	68.20	-14.39	3	Vertical	329	2.61	-
5580MHz	Pass	PK	5.5884G	113.29	Inf	-Inf	3	Vertical	329	2.61	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	5.7288G	54.27	68.20	-13.93	3	Vertical	329	2.61	-
5580MHz	Pass	AV	5.46G	42.42	54.00	-11.58	3	Horizontal	62	2.76	-
5580MHz	Pass	AV	5.5878G	105.41	Inf	-Inf	3	Horizontal	62	2.76	-
5580MHz	Pass	PK	5.4606G	54.92	68.20	-13.28	3	Horizontal	62	2.76	-
5580MHz	Pass	PK	5.5878G	117.43	Inf	-Inf	3	Horizontal	62	2.76	-
5580MHz	Pass	PK	5.7288G	55.46	68.20	-12.74	3	Horizontal	62	2.76	-
5580MHz	Pass	AV	11.15935G	40.53	54.00	-13.47	3	Vertical	351	1.50	-
5580MHz	Pass	PK	11.16024G	54.34	74.00	-19.66	3	Vertical	351	1.50	-
5580MHz	Pass	PK	16.74083G	57.04	68.20	-11.16	3	Vertical	98	3.00	-
5580MHz	Pass	AV	11.16015G	40.56	54.00	-13.44	3	Horizontal	226	1.50	-
5580MHz	Pass	PK	11.16041G	54.70	74.00	-19.30	3	Horizontal	226	1.50	-
5580MHz	Pass	PK	16.73937G	56.56	68.20	-11.64	3	Horizontal	264	1.50	-
5700MHz	Pass	AV	5.7076G	95.35	Inf	-Inf	3	Vertical	303	1.00	-
5700MHz	Pass	PK	5.7072G	107.32	Inf	-Inf	3	Vertical	303	1.00	-
5700MHz	Pass	PK	5.7264G	64.49	68.20	-3.71	3	Vertical	303	1.00	-
5700MHz	Pass	AV	5.7068G	99.23	Inf	-Inf	3	Horizontal	62	2.92	-
5700MHz	Pass	PK	5.7076G	112.08	Inf	-Inf	3	Horizontal	62	2.92	-
5700MHz	Pass	PK	5.7252G	67.66	68.20	-0.54	3	Horizontal	62	2.92	-
5700MHz	Pass	AV	11.40145G	40.63	54.00	-13.37	3	Vertical	167	1.50	-
5700MHz	Pass	PK	11.40108G	54.45	74.00	-19.55	3	Vertical	167	1.50	-
5700MHz	Pass	PK	17.10079G	58.04	68.20	-10.16	3	Vertical	13	1.50	-
5700MHz	Pass	AV	11.4014G	40.60	54.00	-13.40	3	Horizontal	256	1.50	-
5700MHz	Pass	PK	11.39966G	54.48	74.00	-19.52	3	Horizontal	256	1.50	-
5700MHz	Pass	PK	17.09944G	58.00	68.20	-10.20	3	Horizontal	198	1.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	41.27	54.00	-12.73	3	Vertical	312	1.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	98.68	Inf	-Inf	3	Vertical	312	1.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	53.89	68.20	-14.31	3	Vertical	312	1.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	110.54	Inf	-Inf	3	Vertical	312	1.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8904G	55.31	68.20	-12.89	3	Vertical	312	1.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	41.62	54.00	-12.38	3	Horizontal	61	2.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	105.06	Inf	-Inf	3	Horizontal	61	2.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	52.92	68.20	-15.28	3	Horizontal	61	2.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	116.23	Inf	-Inf	3	Horizontal	61	2.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.876G	55.93	68.20	-12.27	3	Horizontal	61	2.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43997G	41.47	54.00	-12.53	3	Vertical	2	2.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43869G	54.92	74.00	-19.08	3	Vertical	2	2.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16026G	58.86	68.20	-9.34	3	Vertical	236	2.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44086G	40.79	54.00	-13.21	3	Horizontal	278	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44106G	54.29	74.00	-19.71	3	Horizontal	278	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15873G	58.95	68.20	-9.25	3	Horizontal	227	2.45	-
5745MHz	Pass	AV	5.7522G	99.75	Inf	-Inf	3	Vertical	311	1.44	-
5745MHz	Pass	PK	5.6046G	55.01	68.20	-13.19	3	Vertical	311	1.44	-
5745MHz	Pass	PK	5.7486G	110.35	Inf	-Inf	3	Vertical	311	1.44	-
5745MHz	Pass	PK	6.0198G	55.11	68.20	-13.09	3	Vertical	311	1.44	-
5745MHz	Pass	AV	5.7534G	105.82	Inf	-Inf	3	Horizontal	62	2.98	-
5745MHz	Pass	PK	5.6382G	55.08	68.20	-13.12	3	Horizontal	62	2.98	-
5745MHz	Pass	PK	5.7402G	117.12	Inf	-Inf	3	Horizontal	62	2.98	-
5745MHz	Pass	PK	5.9358G	55.28	68.20	-12.92	3	Horizontal	62	2.98	-
5745MHz	Pass	AV	11.4898G	41.42	54.00	-12.58	3	Vertical	360	2.86	-
5745MHz	Pass	PK	11.48886G	54.81	74.00	-19.19	3	Vertical	360	2.86	-
5745MHz	Pass	PK	17.23649G	58.37	68.20	-9.83	3	Vertical	194	1.50	-
5745MHz	Pass	AV	11.49096G	41.16	54.00	-12.84	3	Horizontal	223	1.50	-
5745MHz	Pass	PK	11.49092G	54.79	74.00	-19.21	3	Horizontal	223	1.50	-
5745MHz	Pass	PK	17.2335G	58.00	68.20	-10.20	3	Horizontal	250	1.50	-
5785MHz	Pass	AV	5.7778G	100.34	Inf	-Inf	3	Vertical	310	1.58	-
5785MHz	Pass	PK	5.533G	55.00	68.20	-13.20	3	Vertical	310	1.58	-
5785MHz	Pass	PK	5.7766G	111.39	Inf	-Inf	3	Vertical	310	1.58	-
5785MHz	Pass	PK	5.9494G	55.49	68.20	-12.71	3	Vertical	310	1.58	-
5785MHz	Pass	AV	5.7778G	105.83	Inf	-Inf	3	Horizontal	62	2.72	-
5785MHz	Pass	PK	5.605G	55.42	68.20	-12.78	3	Horizontal	62	2.72	-
5785MHz	Pass	PK	5.7886G	116.96	Inf	-Inf	3	Horizontal	62	2.72	-
5785MHz	Pass	PK	6.0106G	55.38	68.20	-12.82	3	Horizontal	62	2.72	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	11.56987G	41.80	54.00	-12.20	3	Vertical	3	2.22	-
5785MHz	Pass	PK	11.56929G	55.20	74.00	-18.80	3	Vertical	3	2.22	-
5785MHz	Pass	PK	17.35514G	59.77	68.20	-8.43	3	Vertical	302	2.98	-
5785MHz	Pass	AV	11.56984G	41.22	54.00	-12.78	3	Horizontal	181	1.35	-
5785MHz	Pass	PK	11.57134G	54.54	74.00	-19.46	3	Horizontal	181	1.35	-
5785MHz	Pass	PK	17.35579G	59.26	68.20	-8.94	3	Horizontal	177	1.72	-
5825MHz	Pass	AV	5.8178G	100.16	Inf	-Inf	3	Vertical	317	1.86	-
5825MHz	Pass	PK	5.5958G	55.00	68.20	-13.20	3	Vertical	317	1.86	-
5825MHz	Pass	PK	5.819G	110.92	Inf	-Inf	3	Vertical	317	1.86	-
5825MHz	Pass	PK	5.9498G	54.89	68.20	-13.31	3	Vertical	317	1.86	-
5825MHz	Pass	AV	5.8322G	104.27	Inf	-Inf	3	Horizontal	307	2.50	-
5825MHz	Pass	PK	5.5838G	55.67	68.20	-12.53	3	Horizontal	307	2.50	-
5825MHz	Pass	PK	5.8238G	115.34	Inf	-Inf	3	Horizontal	307	2.50	-
5825MHz	Pass	PK	5.9378G	55.46	68.20	-12.74	3	Horizontal	307	2.50	-
5825MHz	Pass	AV	11.65002G	41.41	54.00	-12.59	3	Vertical	3	1.96	-
5825MHz	Pass	PK	11.65091G	54.36	74.00	-19.64	3	Vertical	3	1.96	-
5825MHz	Pass	PK	17.47535G	60.64	68.20	-7.56	3	Vertical	334	2.23	-
5825MHz	Pass	AV	11.6501G	40.98	54.00	-13.02	3	Horizontal	323	2.02	-
5825MHz	Pass	PK	11.65013G	54.59	74.00	-19.41	3	Horizontal	323	2.02	-
5825MHz	Pass	PK	17.47585G	59.42	68.20	-8.78	3	Horizontal	44	2.03	-
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	48.79	54.00	-5.21	3	Vertical	331	2.28	-
5190MHz	Pass	AV	5.1912G	94.55	Inf	-Inf	3	Vertical	331	2.28	-
5190MHz	Pass	PK	5.1492G	71.83	74.00	-2.17	3	Vertical	331	2.28	-
5190MHz	Pass	PK	5.1832G	106.54	Inf	-Inf	3	Vertical	331	2.28	-
5190MHz	Pass	AV	5.1496G	50.31	54.00	-3.69	3	Horizontal	59	1.00	-
5190MHz	Pass	AV	5.2064G	96.62	Inf	-Inf	3	Horizontal	59	1.00	-
5190MHz	Pass	PK	5.1492G	73.37	74.00	-0.63	3	Horizontal	59	1.00	-
5190MHz	Pass	PK	5.1744G	108.51	Inf	-Inf	3	Horizontal	59	1.00	-
5190MHz	Pass	AV	15.57116G	41.97	54.00	-12.03	3	Vertical	210	1.52	-
5190MHz	Pass	PK	10.37989G	54.86	68.20	-13.34	3	Vertical	354	2.26	-
5190MHz	Pass	PK	15.5704G	54.37	74.00	-19.63	3	Vertical	210	1.52	-
5190MHz	Pass	AV	15.57068G	42.06	54.00	-11.94	3	Horizontal	163	1.49	-
5190MHz	Pass	PK	10.37944G	54.49	68.20	-13.71	3	Horizontal	11	1.39	-
5190MHz	Pass	PK	15.5714G	55.16	74.00	-18.84	3	Horizontal	163	1.49	-
5230MHz	Pass	AV	5.15G	49.39	54.00	-4.61	3	Vertical	346	1.00	-
5230MHz	Pass	AV	5.246G	98.20	Inf	-Inf	3	Vertical	346	1.00	-
5230MHz	Pass	PK	5.1456G	62.61	74.00	-11.39	3	Vertical	346	1.00	-
5230MHz	Pass	PK	5.2124G	109.10	Inf	-Inf	3	Vertical	346	1.00	-
5230MHz	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	58	1.16	-
5230MHz	Pass	AV	5.2136G	101.66	Inf	-Inf	3	Horizontal	58	1.16	-
5230MHz	Pass	PK	5.1432G	67.06	74.00	-6.94	3	Horizontal	58	1.16	-
5230MHz	Pass	PK	5.2324G	113.62	Inf	-Inf	3	Horizontal	58	1.16	-
5230MHz	Pass	AV	15.68783G	43.13	54.00	-10.87	3	Vertical	296	1.50	-
5230MHz	Pass	PK	10.45755G	54.72	68.20	-13.48	3	Vertical	351	1.50	-
5230MHz	Pass	PK	15.6911G	55.45	74.00	-18.55	3	Vertical	296	1.50	-
5230MHz	Pass	AV	15.68857G	43.07	54.00	-10.93	3	Horizontal	226	1.58	-
5230MHz	Pass	PK	10.46094G	54.55	68.20	-13.65	3	Horizontal	146	1.50	-
5230MHz	Pass	PK	15.69246G	56.24	74.00	-17.76	3	Horizontal	226	1.58	-
5270MHz	Pass	AV	5.2536G	98.89	Inf	-Inf	3	Vertical	346	1.00	-
5270MHz	Pass	AV	5.3508G	50.19	54.00	-3.81	3	Vertical	346	1.00	-
5270MHz	Pass	PK	5.2556G	110.89	Inf	-Inf	3	Vertical	346	1.00	-
5270MHz	Pass	PK	5.3524G	62.23	74.00	-11.77	3	Vertical	346	1.00	-
5270MHz	Pass	AV	5.2544G	102.12	Inf	-Inf	3	Horizontal	60	1.00	-
5270MHz	Pass	AV	5.35G	53.72	54.00	-0.28	3	Horizontal	60	1.00	-
5270MHz	Pass	PK	5.2792G	113.68	Inf	-Inf	3	Horizontal	60	1.00	-
5270MHz	Pass	PK	5.35G	66.92	74.00	-7.08	3	Horizontal	60	1.00	-
5270MHz	Pass	AV	15.81242G	42.30	54.00	-11.70	3	Vertical	14	1.50	-
5270MHz	Pass	PK	10.54033G	54.40	68.20	-13.80	3	Vertical	313	1.61	-
5270MHz	Pass	PK	15.8081G	55.73	74.00	-18.27	3	Vertical	14	1.50	-
5270MHz	Pass	AV	15.80911G	42.37	54.00	-11.63	3	Horizontal	149	1.50	-
5270MHz	Pass	PK	10.53938G	54.47	68.20	-13.73	3	Horizontal	163	1.49	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	15.81115G	54.59	74.00	-19.41	3	Horizontal	149	1.50	-
5310MHz	Pass	AV	5.2936G	94.89	Inf	-Inf	3	Vertical	333	2.21	-
5310MHz	Pass	AV	5.3504G	50.70	54.00	-3.30	3	Vertical	333	2.21	-
5310MHz	Pass	PK	5.3264G	106.75	Inf	-Inf	3	Vertical	333	2.21	-
5310MHz	Pass	PK	5.3508G	70.11	74.00	-3.89	3	Vertical	333	2.21	-
5310MHz	Pass	AV	5.2936G	97.43	Inf	-Inf	3	Horizontal	60	1.15	-
5310MHz	Pass	AV	5.35G	53.61	54.00	-0.39	3	Horizontal	60	1.15	-
5310MHz	Pass	PK	5.3244G	109.71	Inf	-Inf	3	Horizontal	60	1.15	-
5310MHz	Pass	PK	5.35G	72.50	74.00	-1.50	3	Horizontal	60	1.15	-
5310MHz	Pass	AV	10.61995G	43.08	54.00	-10.92	3	Vertical	324	2.95	-
5310MHz	Pass	AV	15.93239G	41.94	54.00	-12.06	3	Vertical	1	1.50	-
5310MHz	Pass	PK	10.61949G	54.85	74.00	-19.15	3	Vertical	324	2.95	-
5310MHz	Pass	PK	15.93199G	54.65	74.00	-19.35	3	Vertical	1	1.50	-
5310MHz	Pass	AV	10.61995G	42.29	54.00	-11.71	3	Horizontal	160	1.50	-
5310MHz	Pass	AV	15.93064G	41.81	54.00	-12.19	3	Horizontal	12	2.42	-
5310MHz	Pass	PK	10.61868G	55.04	74.00	-18.96	3	Horizontal	160	1.50	-
5310MHz	Pass	PK	15.93077G	54.62	74.00	-19.38	3	Horizontal	12	2.42	-
5510MHz	Pass	AV	5.46G	43.04	54.00	-10.96	3	Vertical	310	1.48	-
5510MHz	Pass	AV	5.5264G	90.45	Inf	-Inf	3	Vertical	310	1.48	-
5510MHz	Pass	PK	5.4692G	60.74	68.20	-7.46	3	Vertical	310	1.48	-
5510MHz	Pass	PK	5.524G	102.22	Inf	-Inf	3	Vertical	310	1.48	-
5510MHz	Pass	AV	5.4596G	46.60	54.00	-7.40	3	Horizontal	64	1.00	-
5510MHz	Pass	AV	5.5264G	97.95	Inf	-Inf	3	Horizontal	64	1.00	-
5510MHz	Pass	PK	5.4692G	67.95	68.20	-0.25	3	Horizontal	64	1.00	-
5510MHz	Pass	PK	5.5168G	110.05	Inf	-Inf	3	Horizontal	64	1.00	-
5510MHz	Pass	AV	11.0197G	42.45	54.00	-11.55	3	Vertical	318	1.42	-
5510MHz	Pass	PK	11.01791G	55.54	74.00	-18.46	3	Vertical	318	1.42	-
5510MHz	Pass	PK	16.53087G	56.79	68.20	-11.41	3	Vertical	206	1.55	-
5510MHz	Pass	AV	11.01874G	42.21	54.00	-11.79	3	Horizontal	294	2.43	-
5510MHz	Pass	PK	11.01969G	54.76	74.00	-19.24	3	Horizontal	294	2.43	-
5510MHz	Pass	PK	16.52592G	56.58	68.20	-11.62	3	Horizontal	360	2.54	-
5550MHz	Pass	AV	5.4592G	45.68	54.00	-8.32	3	Vertical	328	2.64	-
5550MHz	Pass	AV	5.5656G	99.38	Inf	-Inf	3	Vertical	328	2.64	-
5550MHz	Pass	PK	5.4696G	61.56	68.20	-6.64	3	Vertical	328	2.64	-
5550MHz	Pass	PK	5.544G	111.76	Inf	-Inf	3	Vertical	328	2.64	-
5550MHz	Pass	AV	5.46G	50.96	54.00	-3.04	3	Horizontal	64	2.66	-
5550MHz	Pass	AV	5.5664G	103.23	Inf	-Inf	3	Horizontal	64	2.66	-
5550MHz	Pass	PK	5.4692G	68.04	68.20	-0.16	3	Horizontal	64	2.66	-
5550MHz	Pass	PK	5.56G	115.15	Inf	-Inf	3	Horizontal	64	2.66	-
5550MHz	Pass	AV	11.10054G	42.34	54.00	-11.66	3	Vertical	253	1.44	-
5550MHz	Pass	PK	11.10756G	54.48	74.00	-19.52	3	Vertical	253	1.44	-
5550MHz	Pass	PK	16.63974G	56.94	68.20	-11.26	3	Vertical	278	2.97	-
5550MHz	Pass	AV	11.0979G	42.10	54.00	-11.90	3	Horizontal	353	1.50	-
5550MHz	Pass	PK	11.11134G	54.44	74.00	-19.56	3	Horizontal	353	1.50	-
5550MHz	Pass	PK	16.65234G	57.30	68.20	-10.90	3	Horizontal	140	1.96	-
5670MHz	Pass	AV	5.6862G	94.03	Inf	-Inf	3	Vertical	323	2.77	-
5670MHz	Pass	PK	5.6778G	105.58	Inf	-Inf	3	Vertical	323	2.77	-
5670MHz	Pass	PK	5.7414G	64.72	68.20	-3.48	3	Vertical	323	2.77	-
5670MHz	Pass	AV	5.6532G	98.86	Inf	-Inf	3	Horizontal	60	2.72	-
5670MHz	Pass	PK	5.6688G	110.72	Inf	-Inf	3	Horizontal	60	2.72	-
5670MHz	Pass	PK	5.7264G	68.05	68.20	-0.15	3	Horizontal	60	2.72	-
5670MHz	Pass	AV	11.3319G	41.31	54.00	-12.69	3	Vertical	4	1.27	-
5670MHz	Pass	PK	11.34294G	54.25	74.00	-19.75	3	Vertical	4	1.27	-
5670MHz	Pass	PK	17.01678G	57.62	68.20	-10.58	3	Vertical	185	1.50	-
5670MHz	Pass	AV	11.32518G	41.50	54.00	-12.50	3	Horizontal	43	1.98	-
5670MHz	Pass	PK	11.33592G	53.87	74.00	-20.13	3	Horizontal	43	1.98	-
5670MHz	Pass	PK	17.01696G	57.36	68.20	-10.84	3	Horizontal	114	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4448G	42.11	54.00	-11.89	3	Vertical	310	1.46	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7172G	97.66	Inf	-Inf	3	Vertical	310	1.46	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	52.68	68.20	-15.52	3	Vertical	310	1.46	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7196G	108.74	Inf	-Inf	3	Vertical	310	1.46	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9236G	55.06	68.20	-13.14	3	Vertical	310	1.46	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	42.35	54.00	-11.65	3	Horizontal	59	2.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7172G	103.77	Inf	-Inf	3	Horizontal	59	2.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	53.18	68.20	-15.02	3	Horizontal	59	2.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	114.97	Inf	-Inf	3	Horizontal	59	2.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8612G	62.40	68.20	-5.80	3	Horizontal	59	2.78	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42014G	42.00	54.00	-12.00	3	Vertical	215	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42042G	54.66	74.00	-19.34	3	Vertical	215	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12496G	58.37	68.20	-9.83	3	Vertical	200	2.11	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41172G	41.90	54.00	-12.10	3	Horizontal	160	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4302G	54.45	74.00	-19.55	3	Horizontal	160	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13474G	59.34	68.20	-8.86	3	Horizontal	25	1.77	-
5755MHz	Pass	AV	5.7718G	99.19	Inf	-Inf	3	Vertical	308	1.24	-
5755MHz	Pass	PK	5.6482G	58.98	68.20	-9.22	3	Vertical	308	1.24	-
5755MHz	Pass	PK	5.749G	110.34	Inf	-Inf	3	Vertical	308	1.24	-
5755MHz	Pass	PK	5.9326G	55.45	68.20	-12.75	3	Vertical	308	1.24	-
5755MHz	Pass	AV	5.7454G	102.70	Inf	-Inf	3	Horizontal	305	2.46	-
5755MHz	Pass	PK	5.6434G	67.90	68.20	-0.30	3	Horizontal	305	2.46	-
5755MHz	Pass	PK	5.7658G	114.35	Inf	-Inf	3	Horizontal	305	2.46	-
5755MHz	Pass	PK	5.9338G	57.54	68.20	-10.66	3	Horizontal	305	2.46	-
5755MHz	Pass	AV	11.51061G	42.28	54.00	-11.72	3	Vertical	16	1.50	-
5755MHz	Pass	PK	11.50968G	54.92	74.00	-19.08	3	Vertical	16	1.50	-
5755MHz	Pass	PK	17.26479G	58.26	68.20	-9.94	3	Vertical	37	1.50	-
5755MHz	Pass	AV	11.50975G	42.24	54.00	-11.76	3	Horizontal	226	1.83	-
5755MHz	Pass	PK	11.51043G	54.85	74.00	-19.15	3	Horizontal	226	1.83	-
5755MHz	Pass	PK	17.26575G	58.39	68.20	-9.81	3	Horizontal	225	1.50	-
5795MHz	Pass	AV	5.7794G	99.67	Inf	-Inf	3	Vertical	309	1.25	-
5795MHz	Pass	PK	5.6426G	56.46	68.20	-11.74	3	Vertical	309	1.25	-
5795MHz	Pass	PK	5.7986G	110.27	Inf	-Inf	3	Vertical	309	1.25	-
5795MHz	Pass	PK	5.9462G	56.80	68.20	-11.40	3	Vertical	309	1.25	-
5795MHz	Pass	AV	5.7794G	102.89	Inf	-Inf	3	Horizontal	312	2.55	-
5795MHz	Pass	PK	5.6438G	61.29	68.20	-6.91	3	Horizontal	312	2.55	-
5795MHz	Pass	PK	5.7806G	114.06	Inf	-Inf	3	Horizontal	312	2.55	-
5795MHz	Pass	PK	5.9246G	60.59	68.50	-7.91	3	Horizontal	312	2.55	-
5795MHz	Pass	AV	11.58971G	42.11	54.00	-11.89	3	Vertical	0	1.50	-
5795MHz	Pass	PK	11.58876G	54.49	74.00	-19.51	3	Vertical	0	1.50	-
5795MHz	Pass	PK	17.38561G	60.52	68.20	-7.68	3	Vertical	302	1.26	-
5795MHz	Pass	AV	11.59019G	42.10	54.00	-11.90	3	Horizontal	328	1.50	-
5795MHz	Pass	PK	11.59026G	54.74	74.00	-19.26	3	Horizontal	328	1.50	-
5795MHz	Pass	PK	17.3835G	59.98	68.20	-8.22	3	Horizontal	290	1.50	-
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	51.76	54.00	-2.24	3	Vertical	331	2.28	-
5210MHz	Pass	AV	5.214G	91.82	Inf	-Inf	3	Vertical	331	2.28	-
5210MHz	Pass	AV	5.35G	42.60	54.00	-11.40	3	Vertical	331	2.28	-
5210MHz	Pass	PK	5.137G	66.18	74.00	-7.82	3	Vertical	331	2.28	-
5210MHz	Pass	PK	5.226G	104.01	Inf	-Inf	3	Vertical	331	2.28	-
5210MHz	Pass	PK	5.35G	55.89	74.00	-18.11	3	Vertical	331	2.28	-
5210MHz	Pass	AV	5.15G	53.14	54.00	-0.86	3	Horizontal	56	1.18	-
5210MHz	Pass	AV	5.229G	93.63	Inf	-Inf	3	Horizontal	56	1.18	-
5210MHz	Pass	AV	5.354G	43.35	54.00	-10.65	3	Horizontal	56	1.18	-
5210MHz	Pass	PK	5.148G	68.53	74.00	-5.47	3	Horizontal	56	1.18	-
5210MHz	Pass	PK	5.246G	105.41	Inf	-Inf	3	Horizontal	56	1.18	-
5210MHz	Pass	PK	5.35G	57.39	74.00	-16.61	3	Horizontal	56	1.18	-
5210MHz	Pass	AV	15.63131G	42.68	54.00	-11.32	3	Vertical	327	2.06	-
5210MHz	Pass	PK	10.41891G	54.24	68.20	-13.96	3	Vertical	357	1.14	-
5210MHz	Pass	PK	15.62957G	55.33	74.00	-18.67	3	Vertical	327	2.06	-
5210MHz	Pass	AV	15.63133G	42.65	54.00	-11.35	3	Horizontal	61	2.46	-
5210MHz	Pass	PK	10.41949G	54.18	68.20	-14.02	3	Horizontal	131	1.49	-
5210MHz	Pass	PK	15.63077G	55.35	74.00	-18.65	3	Horizontal	61	2.46	-
5290MHz	Pass	AV	5.149G	43.57	54.00	-10.43	3	Vertical	347	1.00	-
5290MHz	Pass	AV	5.253G	90.64	Inf	-Inf	3	Vertical	347	1.00	-
5290MHz	Pass	AV	5.35G	50.30	54.00	-3.70	3	Vertical	347	1.00	-
5290MHz	Pass	PK	5.139G	55.55	74.00	-18.45	3	Vertical	347	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	PK	5.266G	101.05	Inf	-Inf	3	Vertical	347	1.00	-
5290MHz	Pass	PK	5.381G	68.51	74.00	-5.49	3	Vertical	347	1.00	-
5290MHz	Pass	AV	5.143G	44.46	54.00	-9.54	3	Horizontal	58	1.00	-
5290MHz	Pass	AV	5.253G	94.11	Inf	-Inf	3	Horizontal	58	1.00	-
5290MHz	Pass	AV	5.35G	53.42	54.00	-0.58	3	Horizontal	58	1.00	-
5290MHz	Pass	PK	5.141G	56.77	74.00	-17.23	3	Horizontal	58	1.00	-
5290MHz	Pass	PK	5.289G	105.25	Inf	-Inf	3	Horizontal	58	1.00	-
5290MHz	Pass	PK	5.361G	73.08	74.00	-0.92	3	Horizontal	58	1.00	-
5290MHz	Pass	AV	15.86863G	42.10	54.00	-11.90	3	Vertical	41	1.68	-
5290MHz	Pass	PK	10.58032G	53.93	68.20	-14.27	3	Vertical	200	1.91	-
5290MHz	Pass	PK	15.86996G	54.50	74.00	-19.50	3	Vertical	41	1.68	-
5290MHz	Pass	AV	15.86986G	41.85	54.00	-12.15	3	Horizontal	26	2.03	-
5290MHz	Pass	PK	10.58106G	53.71	68.20	-14.49	3	Horizontal	196	2.20	-
5290MHz	Pass	PK	15.86864G	54.86	74.00	-19.14	3	Horizontal	26	2.03	-
5530MHz	Pass	AV	5.46G	44.91	54.00	-9.09	3	Vertical	324	2.42	-
5530MHz	Pass	AV	5.567G	90.68	Inf	-Inf	3	Vertical	324	2.42	-
5530MHz	Pass	PK	5.47G	62.51	68.20	-5.69	3	Vertical	324	2.42	-
5530MHz	Pass	PK	5.554G	101.31	Inf	-Inf	3	Vertical	324	2.42	-
5530MHz	Pass	PK	5.744G	54.77	68.20	-13.43	3	Vertical	324	2.42	-
5530MHz	Pass	AV	5.46G	49.18	54.00	-4.82	3	Horizontal	62	1.00	-
5530MHz	Pass	AV	5.547G	95.67	Inf	-Inf	3	Horizontal	62	1.00	-
5530MHz	Pass	PK	5.466G	67.60	68.20	-0.60	3	Horizontal	62	1.00	-
5530MHz	Pass	PK	5.554G	107.28	Inf	-Inf	3	Horizontal	62	1.00	-
5530MHz	Pass	PK	5.767G	56.40	68.20	-11.80	3	Horizontal	62	1.00	-
5530MHz	Pass	AV	11.05907G	42.20	54.00	-11.80	3	Vertical	15	2.27	-
5530MHz	Pass	PK	11.06083G	54.95	74.00	-19.05	3	Vertical	15	2.27	-
5530MHz	Pass	PK	16.58922G	57.10	68.20	-11.10	3	Vertical	262	1.06	-
5530MHz	Pass	AV	11.06063G	42.18	54.00	-11.82	3	Horizontal	238	2.41	-
5530MHz	Pass	PK	11.0611G	55.05	74.00	-18.95	3	Horizontal	238	2.41	-
5530MHz	Pass	PK	16.58983G	57.08	68.20	-11.12	3	Horizontal	30	1.24	-
5610MHz	Pass	AV	5.46G	46.42	54.00	-7.58	3	Vertical	322	2.69	-
5610MHz	Pass	AV	5.633G	94.88	Inf	-Inf	3	Vertical	322	2.69	-
5610MHz	Pass	PK	5.468G	60.28	68.20	-7.92	3	Vertical	322	2.69	-
5610MHz	Pass	PK	5.614G	106.13	Inf	-Inf	3	Vertical	322	2.69	-
5610MHz	Pass	PK	5.73G	67.77	68.20	-0.43	3	Vertical	322	2.69	-
5610MHz	Pass	AV	5.46G	50.29	54.00	-3.71	3	Horizontal	79	1.00	-
5610MHz	Pass	AV	5.612G	99.51	Inf	-Inf	3	Horizontal	79	1.00	-
5610MHz	Pass	PK	5.461G	63.57	68.20	-4.63	3	Horizontal	79	1.00	-
5610MHz	Pass	PK	5.614G	111.33	Inf	-Inf	3	Horizontal	79	1.00	-
5610MHz	Pass	PK	5.731G	67.62	68.20	-0.58	3	Horizontal	79	1.00	-
5610MHz	Pass	AV	11.22019G	41.79	54.00	-12.21	3	Vertical	360	2.26	-
5610MHz	Pass	PK	11.21996G	54.60	74.00	-19.40	3	Vertical	360	2.26	-
5610MHz	Pass	PK	16.82933G	57.45	68.20	-10.75	3	Vertical	28	1.50	-
5610MHz	Pass	AV	11.22038G	41.63	54.00	-12.37	3	Horizontal	232	1.50	-
5610MHz	Pass	PK	11.21974G	54.47	74.00	-19.53	3	Horizontal	232	1.50	-
5610MHz	Pass	PK	16.83098G	58.55	68.20	-9.65	3	Horizontal	26	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	42.82	54.00	-11.18	3	Vertical	323	2.41	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6936G	96.13	Inf	-Inf	3	Vertical	323	2.41	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	54.13	68.20	-14.07	3	Vertical	323	2.41	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6912G	107.22	Inf	-Inf	3	Vertical	323	2.41	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	61.20	68.20	-7.00	3	Vertical	323	2.41	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	43.67	54.00	-10.33	3	Horizontal	60	2.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	99.21	Inf	-Inf	3	Horizontal	60	2.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	55.58	68.20	-12.62	3	Horizontal	60	2.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7068G	110.92	Inf	-Inf	3	Horizontal	60	2.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	64.33	68.20	-3.87	3	Horizontal	60	2.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37924G	41.62	54.00	-12.38	3	Vertical	223	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37903G	54.22	74.00	-19.78	3	Vertical	223	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07064G	58.22	68.20	-9.98	3	Vertical	106	1.64	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38107G	41.67	54.00	-12.33	3	Horizontal	340	2.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37971G	54.35	74.00	-19.65	3	Horizontal	340	2.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06996G	58.05	68.20	-10.15	3	Horizontal	154	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	AV	5.757G	93.81	Inf	-Inf	3	Vertical	313	1.48	-
5775MHz	Pass	PK	5.6466G	59.92	68.20	-8.28	3	Vertical	313	1.48	-
5775MHz	Pass	PK	5.7582G	105.89	Inf	-Inf	3	Vertical	313	1.48	-
5775MHz	Pass	PK	5.9274G	59.61	68.20	-8.59	3	Vertical	313	1.48	-
5775MHz	Pass	AV	5.757G	99.78	Inf	-Inf	3	Horizontal	60	3.00	-
5775MHz	Pass	PK	5.6442G	67.68	68.20	-0.52	3	Horizontal	60	3.00	-
5775MHz	Pass	PK	5.7378G	111.60	Inf	-Inf	3	Horizontal	60	3.00	-
5775MHz	Pass	PK	5.925G	61.44	68.20	-6.76	3	Horizontal	60	3.00	-
5775MHz	Pass	AV	11.54997G	42.69	54.00	-11.31	3	Vertical	360	2.19	-
5775MHz	Pass	PK	11.54996G	55.14	74.00	-18.86	3	Vertical	360	2.19	-
5775MHz	Pass	PK	17.32393G	58.31	68.20	-9.89	3	Vertical	68	1.50	-
5775MHz	Pass	AV	11.5506G	42.22	54.00	-11.78	3	Horizontal	351	1.50	-
5775MHz	Pass	PK	11.54993G	55.26	74.00	-18.74	3	Horizontal	351	1.50	-
5775MHz	Pass	PK	17.32622G	57.98	68.20	-10.22	3	Horizontal	4	1.65	-

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1416G	49.37	54.00	-4.63	2.55	3	Vertical	23	2.19	-	46.82	32.00	5.47	34.92
AV	5.1806G	102.50	Inf	-Inf	2.40	3	Vertical	23	2.19	-	100.10	31.82	5.49	34.91
PK	5.1402G	63.56	74.00	-10.44	2.55	3	Vertical	23	2.19	-	61.01	32.00	5.47	34.92
PK	5.1812G	111.53	Inf	-Inf	2.39	3	Vertical	23	2.19	-	109.14	31.81	5.49	34.91

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	53.34	54.00	-0.66	2.55	3	Horizontal	56	1.05	-	50.79	32.00	5.47	34.92
AV	5.1854G	105.59	Inf	-Inf	2.37	3	Horizontal	56	1.05	-	103.22	31.79	5.49	34.91
PK	5.1446G	70.82	74.00	-3.18	2.55	3	Horizontal	56	1.05	-	68.27	32.00	5.47	34.92
PK	5.186G	115.39	Inf	-Inf	2.36	3	Horizontal	56	1.05	-	113.03	31.78	5.49	34.91

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54203G	43.32	54.00	-10.68	13.17	3	Vertical	134	1.50	-	30.15	38.49	9.79	35.11
PK	10.35991G	56.24	68.20	-11.96	12.17	3	Vertical	344	2.31	-	44.07	39.48	7.93	35.24
PK	15.54233G	55.10	74.00	-18.90	13.17	3	Vertical	134	1.50	-	41.93	38.49	9.79	35.11

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54069G	43.52	54.00	-10.48	13.18	3	Horizontal	300	1.50	-	30.34	38.50	9.79	35.11
PK	10.36018G	54.86	68.20	-13.34	12.17	3	Horizontal	296	1.88	-	42.69	39.48	7.93	35.24
PK	15.54017G	55.84	74.00	-18.16	13.18	3	Horizontal	300	1.50	-	42.66	38.50	9.79	35.11

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.53	54.00	-5.47	2.55	3	Vertical	24	2.07	-	45.98	32.00	5.47	34.92
AV	5.2012G	104.33	Inf	-Inf	2.28	3	Vertical	24	2.07	-	102.05	31.69	5.50	34.91
PK	5.1396G	64.84	74.00	-9.16	2.55	3	Vertical	24	2.07	-	62.29	32.00	5.47	34.92
PK	5.2008G	113.01	Inf	-Inf	2.29	3	Vertical	24	2.07	-	110.72	31.70	5.50	34.91

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1456G	52.22	54.00	-1.78	2.55	3	Horizontal	308	2.16	-	49.67	32.00	5.47	34.92
AV	5.2056G	110.31	Inf	-Inf	2.27	3	Horizontal	308	2.16	-	108.04	31.67	5.51	34.91
PK	5.1456G	69.12	74.00	-4.88	2.55	3	Horizontal	308	2.16	-	66.57	32.00	5.47	34.92
PK	5.2044G	119.31	Inf	-Inf	2.26	3	Horizontal	308	2.16	-	117.05	31.67	5.50	34.91

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59969G	43.62	54.00	-10.38	12.85	3	Vertical	128	1.50	-	30.77	38.20	9.80	35.15
PK	10.39984G	55.56	68.20	-12.64	12.35	3	Vertical	349	2.21	-	43.21	39.60	7.94	35.19
PK	15.60208G	56.07	74.00	-17.93	12.85	3	Vertical	128	1.50	-	43.22	38.20	9.80	35.15

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60227G	43.67	54.00	-10.33	12.85	3	Horizontal	308	1.01	-	30.82	38.20	9.80	35.15
PK	10.40009G	55.35	68.20	-12.85	12.35	3	Horizontal	298	1.90	-	43.00	39.60	7.94	35.19
PK	15.59994G	55.51	74.00	-18.49	12.85	3	Horizontal	308	1.01	-	42.66	38.20	9.80	35.15

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1074G	44.49	54.00	-9.51	2.53	3	Vertical	32	2.24	-	41.96	32.00	5.45	34.92
AV	5.2412G	104.82	Inf	-Inf	2.09	3	Vertical	32	2.24	-	102.73	31.45	5.54	34.90
AV	5.3504G	42.62	54.00	-11.38	2.07	3	Vertical	32	2.24	-	40.55	31.30	5.65	34.88
PK	5.1044G	56.02	74.00	-17.98	2.53	3	Vertical	32	2.24	-	53.49	32.00	5.45	34.92
PK	5.2412G	113.29	Inf	-Inf	2.09	3	Vertical	32	2.24	-	111.20	31.45	5.54	34.90
PK	5.3756G	53.84	74.00	-20.16	2.25	3	Vertical	32	2.24	-	51.59	31.45	5.68	34.88

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1164G	45.06	54.00	-8.94	2.54	3	Horizontal	57	1.00	-	42.52	32.00	5.46	34.92
AV	5.2454G	109.26	Inf	-Inf	2.08	3	Horizontal	57	1.00	-	107.18	31.43	5.55	34.90
AV	5.3702G	43.77	54.00	-10.23	2.21	3	Horizontal	57	1.00	-	41.56	31.42	5.67	34.88
PK	5.1404G	56.02	74.00	-17.98	2.55	3	Horizontal	57	1.00	-	53.47	32.00	5.47	34.92
PK	5.2454G	118.26	Inf	-Inf	2.08	3	Horizontal	57	1.00	-	116.18	31.43	5.55	34.90
PK	5.384G	55.59	74.00	-18.41	2.30	3	Horizontal	57	1.00	-	53.29	31.50	5.68	34.88

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72044G	43.63	54.00	-10.37	12.80	3	Vertical	238	1.50	-	30.83	38.20	9.83	35.23
PK	10.47911G	54.47	68.20	-13.73	12.71	3	Vertical	296	1.78	-	41.76	39.84	7.97	35.10
PK	15.7194G	56.02	74.00	-17.98	12.80	3	Vertical	238	1.50	-	43.22	38.20	9.83	35.23

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72204G	43.63	54.00	-10.37	12.78	3	Horizontal	235	2.66	-	30.85	38.19	9.83	35.24
PK	10.4777G	54.40	68.20	-13.80	12.70	3	Horizontal	358	2.24	-	41.70	39.83	7.97	35.10
PK	15.72187G	55.80	74.00	-18.20	12.78	3	Horizontal	235	2.66	-	43.02	38.19	9.83	35.24

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1166G	44.15	54.00	-9.85	2.54	3	Vertical	32	2.27	-	41.61	32.00	5.46	34.92
AV	5.2612G	104.10	Inf	-Inf	2.04	3	Vertical	32	2.27	-	102.06	31.38	5.56	34.90
AV	5.35G	42.68	54.00	-11.32	2.07	3	Vertical	32	2.27	-	40.61	31.30	5.65	34.88
PK	5.1298G	55.89	74.00	-18.11	2.54	3	Vertical	32	2.27	-	53.35	32.00	5.46	34.92
PK	5.2618G	112.78	Inf	-Inf	2.04	3	Vertical	32	2.27	-	110.74	31.38	5.56	34.90
PK	5.3926G	53.75	74.00	-20.25	2.37	3	Vertical	32	2.27	-	51.38	31.56	5.69	34.88

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1214G	44.67	54.00	-9.33	2.54	3	Horizontal	56	1.00	-	42.13	32.00	5.46	34.92
AV	5.2654G	109.43	Inf	-Inf	2.04	3	Horizontal	56	1.00	-	107.39	31.37	5.57	34.90
AV	5.3512G	44.16	54.00	-9.84	2.08	3	Horizontal	56	1.00	-	42.08	31.31	5.65	34.88
PK	5.1412G	55.97	74.00	-18.03	2.55	3	Horizontal	56	1.00	-	53.42	32.00	5.47	34.92
PK	5.2654G	117.61	Inf	-Inf	2.04	3	Horizontal	56	1.00	-	115.57	31.37	5.57	34.90
PK	5.3512G	55.64	74.00	-18.36	2.08	3	Horizontal	56	1.00	-	53.56	31.31	5.65	34.88

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78096G	43.00	54.00	-11.00	12.47	3	Vertical	340	1.50	-	30.53	37.90	9.85	35.28
PK	10.5207G	54.77	68.20	-13.43	12.81	3	Vertical	309	1.88	-	41.96	39.90	7.98	35.07
PK	15.78042G	55.14	74.00	-18.86	12.47	3	Vertical	340	1.50	-	42.67	37.90	9.85	35.28

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78032G	43.35	54.00	-10.65	12.47	3	Horizontal	60	2.08	-	30.88	37.90	9.85	35.28
PK	10.52025G	54.97	68.20	-13.23	12.81	3	Horizontal	359	2.16	-	42.16	39.90	7.98	35.07
PK	15.77767G	54.61	74.00	-19.39	12.48	3	Horizontal	60	2.08	-	42.13	37.91	9.84	35.27

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3048G	101.62	Inf	-Inf	2.01	3	Vertical	99	1.50	-	99.61	31.30	5.60	34.89
AV	5.35G	45.10	54.00	-8.90	2.07	3	Vertical	99	1.50	-	43.03	31.30	5.65	34.88
PK	5.3044G	110.04	Inf	-Inf	2.01	3	Vertical	99	1.50	-	108.03	31.30	5.60	34.89
PK	5.3504G	59.49	74.00	-14.51	2.07	3	Vertical	99	1.50	-	57.42	31.30	5.65	34.88

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2968G	107.60	Inf	-Inf	2.02	3	Horizontal	44	1.46	-	105.58	31.31	5.60	34.89
AV	5.35G	47.75	54.00	-6.25	2.07	3	Horizontal	44	1.46	-	45.68	31.30	5.65	34.88
PK	5.2968G	116.38	Inf	-Inf	2.02	3	Horizontal	44	1.46	-	114.36	31.31	5.60	34.89
PK	5.3516G	62.30	74.00	-11.70	2.08	3	Horizontal	44	1.46	-	60.22	31.31	5.65	34.88

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90173G	42.43	54.00	-11.57	12.32	3	Vertical	231	2.69	-	30.11	37.80	9.88	35.36
PK	10.59997G	54.60	68.20	-13.60	12.85	3	Vertical	309	1.49	-	41.75	39.90	8.01	35.06
PK	15.89931G	54.28	74.00	-19.72	12.31	3	Vertical	231	2.69	-	41.97	37.80	9.87	35.36

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90178G	42.97	54.00	-11.03	12.32	3	Horizontal	359	2.79	-	30.65	37.80	9.88	35.36
PK	10.60037G	54.30	74.00	-19.70	12.85	3	Horizontal	155	1.06	-	41.45	39.90	8.01	35.06
PK	15.89831G	54.68	74.00	-19.32	12.31	3	Horizontal	359	2.79	-	42.37	37.80	9.87	35.36

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3238G	100.59	Inf	-Inf	2.03	3	Vertical	100	1.49	-	98.56	31.30	5.62	34.89
AV	5.3526G	47.67	54.00	-6.33	2.09	3	Vertical	100	1.49	-	45.58	31.32	5.65	34.88
PK	5.3244G	108.77	Inf	-Inf	2.03	3	Vertical	100	1.49	-	106.74	31.30	5.62	34.89
PK	5.3536G	61.76	74.00	-12.24	2.09	3	Vertical	100	1.49	-	59.67	31.32	5.65	34.88

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3258G	107.67	Inf	-Inf	2.04	3	Horizontal	56	1.03	-	105.63	31.30	5.63	34.89
AV	5.35G	53.31	54.00	-0.69	2.07	3	Horizontal	56	1.03	-	51.24	31.30	5.65	34.88
PK	5.3256G	116.52	Inf	-Inf	2.04	3	Horizontal	56	1.03	-	114.48	31.30	5.63	34.89
PK	5.35G	67.13	74.00	-6.87	2.07	3	Horizontal	56	1.03	-	65.06	31.30	5.65	34.88

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63983G	44.27	54.00	-9.73	12.95	3	Vertical	316	1.16	-	31.32	39.98	8.02	35.05
AV	15.95854G	42.93	54.00	-11.07	12.29	3	Vertical	152	1.86	-	30.64	37.80	9.89	35.40
PK	10.63976G	55.38	74.00	-18.62	12.95	3	Vertical	316	1.16	-	42.43	39.98	8.02	35.05
PK	15.96103G	54.77	74.00	-19.23	12.29	3	Vertical	152	1.86	-	42.48	37.80	9.89	35.40

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6398G	43.36	54.00	-10.64	12.95	3	Horizontal	160	1.35	-	30.41	39.98	8.02	35.05
AV	15.96166G	42.93	54.00	-11.07	12.29	3	Horizontal	277	1.50	-	30.64	37.80	9.89	35.40
PK	10.63934G	55.30	74.00	-18.70	12.95	3	Horizontal	160	1.35	-	42.35	39.98	8.02	35.05
PK	15.96241G	54.74	74.00	-19.26	12.29	3	Horizontal	277	1.50	-	42.45	37.80	9.89	35.40

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	42.98	54.00	-11.02	2.67	3	Vertical	64	2.96	-	40.31	31.81	5.73	34.87
AV	5.496G	98.45	Inf	-Inf	2.78	3	Vertical	64	2.96	-	95.67	31.89	5.75	34.86
PK	5.465G	56.33	68.20	-11.87	2.69	3	Vertical	64	2.96	-	53.64	31.83	5.73	34.87
PK	5.496G	106.31	Inf	-Inf	2.78	3	Vertical	64	2.96	-	103.53	31.89	5.75	34.86

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	46.09	54.00	-7.91	2.68	3	Horizontal	317	2.08	-	43.41	31.82	5.73	34.87
AV	5.5054G	106.19	Inf	-Inf	2.79	3	Horizontal	317	2.08	-	103.40	31.90	5.75	34.86
PK	5.4646G	67.42	68.20	-0.78	2.69	3	Horizontal	317	2.08	-	64.73	31.83	5.73	34.87
PK	5.5056G	116.12	Inf	-Inf	2.79	3	Horizontal	317	2.08	-	113.33	31.90	5.75	34.86

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.9883G	42.67	54.00	-11.33	13.45	3	Vertical	145	1.50	-	29.22	40.30	8.15	35.00
PK	11.00294G	54.61	74.00	-19.39	13.44	3	Vertical	145	1.50	-	41.17	40.29	8.15	35.00
PK	16.49658G	56.06	68.20	-12.14	14.16	3	Vertical	94	1.50	-	41.90	38.99	10.05	34.88

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00378G	42.86	54.00	-11.14	13.43	3	Horizontal	167	1.02	-	29.43	40.28	8.15	35.00
PK	11.01092G	55.17	74.00	-18.83	13.42	3	Horizontal	167	1.02	-	41.75	40.26	8.15	34.99
PK	16.51032G	56.94	68.20	-11.26	14.18	3	Horizontal	300	2.83	-	42.76	39.00	10.05	34.87

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	43.05	54.00	-10.95	2.67	3	Vertical	298	2.50	-	40.38	31.81	5.73	34.87
AV	5.5722G	103.81	Inf	-Inf	2.77	3	Vertical	298	2.50	-	101.04	31.86	5.79	34.88
PK	5.4672G	54.80	68.20	-13.40	2.69	3	Vertical	298	2.50	-	52.11	31.83	5.73	34.87
PK	5.5728G	112.25	Inf	-Inf	2.76	3	Vertical	298	2.50	-	109.49	31.85	5.79	34.88
PK	5.7252G	54.43	68.20	-13.77	2.87	3	Vertical	298	2.50	-	51.56	32.00	5.80	34.93