



Mode	20																																																																																																																						
	Harmonic																																																																																																																						
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2023-06-26 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 HORIZONTAL Mode : 20 IMEI : 358957940009706 Plane : X with Accessories NCS0 Power setting 13						Level (dBuV/m) Date: 2023-06-26 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT(3117)_22 VERTICAL Mode : 20 IMEI : 358957940009706 Plane : X with Accessories NCS0 Power setting 13																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4904.00</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>50.95</td><td>34.86</td><td>11.11</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>46.65</td><td>74.00</td><td>-27.35</td><td>48.37</td><td>36.34</td><td>13.11</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4904.00	45.34	74.00	-28.66	50.95	34.86	11.11	51.58	---	---	Peak	2	7356.00	46.65	74.00	-27.35	48.37	36.34	13.11	51.17	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4904.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>51.18</td><td>34.86</td><td>11.11</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>49.76</td><td>36.34</td><td>13.11</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4904.00	45.57	74.00	-28.43	51.18	34.86	11.11	51.58	---	---	Peak	2	7356.00	48.04	74.00	-25.96	49.76	36.34	13.11	51.17	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	4904.00	45.34	74.00	-28.66	50.95	34.86	11.11	51.58	---	---	Peak																																																																																																												
2	7356.00	46.65	74.00	-27.35	48.37	36.34	13.11	51.17	---	---	Peak																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	4904.00	45.57	74.00	-28.43	51.18	34.86	11.11	51.58	---	---	Peak																																																																																																												
2	7356.00	48.04	74.00	-25.96	49.76	36.34	13.11	51.17	---	---	Peak																																																																																																												



Mode	21																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																
QPI Peak	Level (dBuV/m) Date: 2023-06-28 Site : 03CH01-SZ Condition: FCC CLASS-B 3m LF_ANT_41909_22 HORIZONTAL Project : 340708 Mode : 21 IMEI : 358957940009706 Plane : X with Accessories <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>49.40</td><td>22.02</td><td>40.00</td><td>-17.98</td><td>38.14</td><td>14.85</td><td>0.70</td><td>31.67</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>96.93</td><td>22.34</td><td>43.50</td><td>-21.16</td><td>37.27</td><td>15.75</td><td>1.00</td><td>31.68</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>152.22</td><td>21.61</td><td>43.50</td><td>-21.89</td><td>34.78</td><td>16.97</td><td>1.26</td><td>31.40</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>243.40</td><td>24.03</td><td>46.00</td><td>-21.97</td><td>35.43</td><td>18.19</td><td>1.62</td><td>31.21</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>678.93</td><td>26.27</td><td>46.00</td><td>-19.73</td><td>27.90</td><td>26.58</td><td>2.71</td><td>30.92</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>824.43</td><td>28.27</td><td>46.00</td><td>-17.73</td><td>27.38</td><td>28.85</td><td>2.99</td><td>30.95</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	49.40	22.02	40.00	-17.98	38.14	14.85	0.70	31.67	---	---	---	Peak	2	96.93	22.34	43.50	-21.16	37.27	15.75	1.00	31.68	---	---	---	Peak	3	152.22	21.61	43.50	-21.89	34.78	16.97	1.26	31.40	---	---	---	Peak	4	243.40	24.03	46.00	-21.97	35.43	18.19	1.62	31.21	---	---	---	Peak	5	678.93	26.27	46.00	-19.73	27.90	26.58	2.71	30.92	---	---	---	Peak	6	824.43	28.27	46.00	-17.73	27.38	28.85	2.99	30.95	---	---	---	Peak	Level (dBuV/m) Date: 2023-06-28 Site : 03CH01-SZ Condition: FCC CLASS-B 3m LF_ANT_41909_22 VERTICAL Project : 340708 Mode : 21 IMEI : 358957940009706 Plane : X with Accessories <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>50.37</td><td>35.36</td><td>40.00</td><td>-4.64</td><td>52.11</td><td>14.44</td><td>0.71</td><td>31.90</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>151.25</td><td>25.76</td><td>43.50</td><td>-17.74</td><td>38.88</td><td>17.01</td><td>1.26</td><td>31.39</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>219.15</td><td>25.78</td><td>46.00</td><td>-20.22</td><td>38.82</td><td>16.46</td><td>1.51</td><td>31.01</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>411.21</td><td>21.64</td><td>46.00</td><td>-24.36</td><td>27.60</td><td>22.33</td><td>2.12</td><td>30.41</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>592.60</td><td>26.30</td><td>46.00</td><td>-19.70</td><td>27.94</td><td>26.32</td><td>2.54</td><td>30.50</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>761.38</td><td>29.21</td><td>46.00</td><td>-16.79</td><td>27.89</td><td>28.61</td><td>2.87</td><td>30.16</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	50.37	35.36	40.00	-4.64	52.11	14.44	0.71	31.90	---	---	---	Peak	2	151.25	25.76	43.50	-17.74	38.88	17.01	1.26	31.39	---	---	---	Peak	3	219.15	25.78	46.00	-20.22	38.82	16.46	1.51	31.01	---	---	---	Peak	4	411.21	21.64	46.00	-24.36	27.60	22.33	2.12	30.41	---	---	---	Peak	5	592.60	26.30	46.00	-19.70	27.94	26.32	2.54	30.50	---	---	---	Peak	6	761.38	29.21	46.00	-16.79	27.89	28.61	2.87	30.16	---	---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																							
1	49.40	22.02	40.00	-17.98	38.14	14.85	0.70	31.67	---	---	---	Peak																																																																																																																																																																																																						
2	96.93	22.34	43.50	-21.16	37.27	15.75	1.00	31.68	---	---	---	Peak																																																																																																																																																																																																						
3	152.22	21.61	43.50	-21.89	34.78	16.97	1.26	31.40	---	---	---	Peak																																																																																																																																																																																																						
4	243.40	24.03	46.00	-21.97	35.43	18.19	1.62	31.21	---	---	---	Peak																																																																																																																																																																																																						
5	678.93	26.27	46.00	-19.73	27.90	26.58	2.71	30.92	---	---	---	Peak																																																																																																																																																																																																						
6	824.43	28.27	46.00	-17.73	27.38	28.85	2.99	30.95	---	---	---	Peak																																																																																																																																																																																																						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																								
1	50.37	35.36	40.00	-4.64	52.11	14.44	0.71	31.90	---	---	---	Peak																																																																																																																																																																																																						
2	151.25	25.76	43.50	-17.74	38.88	17.01	1.26	31.39	---	---	---	Peak																																																																																																																																																																																																						
3	219.15	25.78	46.00	-20.22	38.82	16.46	1.51	31.01	---	---	---	Peak																																																																																																																																																																																																						
4	411.21	21.64	46.00	-24.36	27.60	22.33	2.12	30.41	---	---	---	Peak																																																																																																																																																																																																						
5	592.60	26.30	46.00	-19.70	27.94	26.32	2.54	30.50	---	---	---	Peak																																																																																																																																																																																																						
6	761.38	29.21	46.00	-16.79	27.89	28.61	2.87	30.16	---	---	---	Peak																																																																																																																																																																																																						



Mode	22																																																																			
	Band Edge																																																																			
	2400-2483.5_802.11g_CH02_2417MHz																																																																			
Pol.	Horizontal					Fundamental																																																														
Peak	Level (dBuV/m) Date: 2023-06-29 Site : 03CH01-SZ Condition: PEAK_BE_74_3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 24 Setting : 6M power setting 20 Plane : X with Accessories : 358957940009706 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.65</td><td>69.15</td><td>74.00</td><td>-4.85</td><td>62.13</td><td>32.36</td><td>6.41</td><td>31.75</td><td>100</td><td>51 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	2388.65	69.15	74.00	-4.85	62.13	32.36	6.41	31.75	100	51 PEAK	Level (dBuV/m) Date: 2023-06-29 Site : 03CH01-SZ Condition: PEAK_74_3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 24 Setting : 6M power setting 20 Plane : X with Accessories : 358957940009706 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>108.95</td><td>-----</td><td>-----</td><td>101.80</td><td>32.37</td><td>6.46</td><td>31.68</td><td>100</td><td>51 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	2417.00	108.95	-----	-----	101.80	32.37	6.46	31.68	100	51 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																											
1	2388.65	69.15	74.00	-4.85	62.13	32.36	6.41	31.75	100	51 PEAK																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																											
1	2417.00	108.95	-----	-----	101.80	32.37	6.46	31.68	100	51 PEAK																																																										
Avg	Level (dBuV/m) Date: 2023-06-29 Site : 03CH01-SZ Condition: AVG_BE_54_3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 24 Setting : 6M power setting 20 Plane : X with Accessories : 358957940009706 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.93</td><td>51.64</td><td>54.00</td><td>-2.36</td><td>44.62</td><td>32.36</td><td>6.41</td><td>31.75</td><td>100</td><td>51 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	2389.93	51.64	54.00	-2.36	44.62	32.36	6.41	31.75	100	51 AVERAGE	Level (dBuV/m) Date: 2023-06-29 Site : 03CH01-SZ Condition: AVG_54_3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 24 Setting : 6M power setting 20 Plane : X with Accessories : 358957940009706 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>100.39</td><td>-----</td><td>-----</td><td>93.25</td><td>32.37</td><td>6.46</td><td>31.69</td><td>100</td><td>51 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	2417.00	100.39	-----	-----	93.25	32.37	6.46	31.69	100	51 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																											
1	2389.93	51.64	54.00	-2.36	44.62	32.36	6.41	31.75	100	51 AVERAGE																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																											
1	2417.00	100.39	-----	-----	93.25	32.37	6.46	31.69	100	51 AVERAGE																																																										



		22																																																																																									
Mode	Band Edge																																																																																										
	2400-2483.5_802.11g_CH02_2417MHz																																																																																										
Pol.	Vertical										Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2023-06-29 Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 24 Setting : 6M power setting 20 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.50</td><td>66.45</td><td>74.00</td><td>-7.55</td><td>59.43</td><td>32.36</td><td>6.41</td><td>31.75</td><td>289</td><td>110</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.50	66.45	74.00	-7.55	59.43	32.36	6.41	31.75	289	110	PEAK	Level (dBuV/m) Date: 2023-06-29 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 24 Setting : 6M power setting 20 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>105.34</td><td>-----</td><td>-----</td><td>98.21</td><td>32.37</td><td>6.45</td><td>31.69</td><td>289</td><td>110</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2417.00	105.34	-----	-----	98.21	32.37	6.45	31.69	289	110	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2389.50	66.45	74.00	-7.55	59.43	32.36	6.41	31.75	289	110	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2417.00	105.34	-----	-----	98.21	32.37	6.45	31.69	289	110	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2023-06-29 Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 24 Setting : 6M power setting 20 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.93</td><td>49.33</td><td>54.00</td><td>-4.67</td><td>42.31</td><td>32.36</td><td>6.41</td><td>31.75</td><td>289</td><td>110</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.93	49.33	54.00	-4.67	42.31	32.36	6.41	31.75	289	110	AVERAGE	Level (dBuV/m) Date: 2023-06-29 Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 24 Setting : 6M power setting 20 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>96.87</td><td>-----</td><td>-----</td><td>89.74</td><td>32.37</td><td>6.45</td><td>31.69</td><td>289</td><td>110</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2417.00	96.87	-----	-----	89.74	32.37	6.45	31.69	289	110	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2389.93	49.33	54.00	-4.67	42.31	32.36	6.41	31.75	289	110	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2417.00	96.87	-----	-----	89.74	32.37	6.45	31.69	289	110	AVERAGE																																																																																



Mode	23																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2023-06-29 Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 25 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.61</td><td>66.88</td><td>74.00</td><td>-7.12</td><td>59.86</td><td>32.36</td><td>6.41</td><td>31.75</td><td>300</td><td>340</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.61	66.88	74.00	-7.12	59.86	32.36	6.41	31.75	300	340	PEAK	Level (dBuV/m) Date: 2023-06-29 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 25 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>108.43</td><td>-----</td><td>-----</td><td>101.29</td><td>32.37</td><td>6.46</td><td>31.69</td><td>300</td><td>340</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2417.00	108.43	-----	-----	101.29	32.37	6.46	31.69	300	340	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.61	66.88	74.00	-7.12	59.86	32.36	6.41	31.75	300	340	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2417.00	108.43	-----	-----	101.29	32.37	6.46	31.69	300	340	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2023-06-29 Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 25 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.93</td><td>49.98</td><td>54.00</td><td>-4.02</td><td>42.96</td><td>32.36</td><td>6.41</td><td>31.75</td><td>300</td><td>340</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.93	49.98	54.00	-4.02	42.96	32.36	6.41	31.75	300	340	AVERAGE	Level (dBuV/m) Date: 2023-06-29 Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 25 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>99.89</td><td>-----</td><td>-----</td><td>92.75</td><td>32.37</td><td>6.46</td><td>31.69</td><td>300</td><td>340</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2417.00	99.89	-----	-----	92.75	32.37	6.46	31.69	300	340	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.93	49.98	54.00	-4.02	42.96	32.36	6.41	31.75	300	340	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2417.00	99.89	-----	-----	92.75	32.37	6.46	31.69	300	340	AVERAGE																																																																																	



Mode	23																																																																																								
	Band Edge																																																																																								
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																																																								
Pol.	Vertical						Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2023-06-29						Level (dBuV/m) Date: 2023-06-29																																																																																		
	Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 25 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706						Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 25 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706																																																																																		
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>62.90</td><td>74.00</td><td>-11.10</td><td>55.88</td><td>32.36</td><td>6.41</td><td>31.75</td><td>200</td><td>274</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2389.82	62.90	74.00	-11.10	55.88	32.36	6.41	31.75	200	274	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>101.71</td><td>-----</td><td>-----</td><td>94.56</td><td>32.37</td><td>6.46</td><td>31.68</td><td>200</td><td>274</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2417.00	101.71	-----	-----	94.56	32.37	6.46	31.68	200	274	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																	
1	2389.82	62.90	74.00	-11.10	55.88	32.36	6.41	31.75	200	274	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																	
1	2417.00	101.71	-----	-----	94.56	32.37	6.46	31.68	200	274	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2023-06-29						Level (dBuV/m) Date: 2023-06-29																																																																																		
	Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 25 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706						Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 25 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706																																																																																		
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>2389.18</td><td>46.76</td><td>54.00</td><td>-7.24</td><td>39.74</td><td>32.36</td><td>6.41</td><td>31.75</td><td>200</td><td>274</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2389.18	46.76	54.00	-7.24	39.74	32.36	6.41	31.75	200	274	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>92.84</td><td>-----</td><td>-----</td><td>85.70</td><td>32.37</td><td>6.46</td><td>31.69</td><td>200</td><td>274</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2417.00	92.84	-----	-----	85.70	32.37	6.46	31.69	200	274	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																	
1	2389.18	46.76	54.00	-7.24	39.74	32.36	6.41	31.75	200	274	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																	
1	2417.00	92.84	-----	-----	85.70	32.37	6.46	31.69	200	274	AVERAGE																																																																														



Mode	24																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11n HT20_CH10_2457MHz																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2023-06-28 PEAK_BE_74						Level (dBuV/m) Date: 2023-06-28 PEAK_74																																																																																			
	Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 26 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.99</td><td>65.81</td><td>74.00</td><td>-8.19</td><td>58.42</td><td>32.40</td><td>6.53</td><td>31.54</td><td>108</td><td>39</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.99	65.81	74.00	-8.19	58.42	32.40	6.53	31.54	108	39	PEAK	Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 26 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>106.37</td><td>-----</td><td>-----</td><td>99.09</td><td>32.38</td><td>6.50</td><td>31.60</td><td>108</td><td>39</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	106.37	-----	-----	99.09	32.38	6.50	31.60	108	39
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2484.99	65.81	74.00	-8.19	58.42	32.40	6.53	31.54	108	39	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2457.00	106.37	-----	-----	99.09	32.38	6.50	31.60	108	39	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2023-06-28 AVG_BE_54						Level (dBuV/m) Date: 2023-06-28 AVG_54																																																																																			
	Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 26 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>49.40</td><td>54.00</td><td>-4.60</td><td>42.02</td><td>32.39</td><td>6.53</td><td>31.54</td><td>108</td><td>39</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	49.40	54.00	-4.60	42.02	32.39	6.53	31.54	108	39	AVERAGE	Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 26 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>98.13</td><td>-----</td><td>-----</td><td>90.85</td><td>32.38</td><td>6.50</td><td>31.60</td><td>108</td><td>39</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	98.13	-----	-----	90.85	32.38	6.50	31.60	108	39
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.51	49.40	54.00	-4.60	42.02	32.39	6.53	31.54	108	39	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2457.00	98.13	-----	-----	90.85	32.38	6.50	31.60	108	39	AVERAGE																																																																															



Mode	24																																																		
	Band Edge																																																		
	2400-2483.5_802.11n HT20_CH10_2457MHz																																																		
Pol.	Vertical																																																		
Peak	Level (dBuV/m) Date: 2023-06-28 PEAK_BE_74 Site : 03CH01-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 26 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.12</td><td>65.29</td><td>74.00</td><td>-8.71</td><td>57.90</td><td>32.40</td><td>6.53</td><td>31.54</td><td>269</td><td>282</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.12	65.29	74.00	-8.71	57.90	32.40	6.53	31.54	269	282	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2484.12	65.29	74.00	-8.71	57.90	32.40	6.53	31.54	269	282	PEAK																																								
Fundamental	Level (dBuV/m) Date: 2023-06-28 PEAK_74 Site : 03CH01-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 26 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>106.42</td><td>-----</td><td>-----</td><td>99.14</td><td>32.38</td><td>6.50</td><td>31.60</td><td>269</td><td>282</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	106.42	-----	-----	99.14	32.38	6.50	31.60	269	282	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2457.00	106.42	-----	-----	99.14	32.38	6.50	31.60	269	282	PEAK																																								
Avg	Level (dBuV/m) Date: 2023-06-28 AVG_BE_54 Site : 03CH01-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 26 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.70</td><td>48.40</td><td>54.00</td><td>-5.60</td><td>41.01</td><td>32.40</td><td>6.53</td><td>31.54</td><td>269</td><td>282</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.70	48.40	54.00	-5.60	41.01	32.40	6.53	31.54	269	282	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2483.70	48.40	54.00	-5.60	41.01	32.40	6.53	31.54	269	282	AVERAGE																																								
Avg	Level (dBuV/m) Date: 2023-06-28 AVG_54 Site : 03CH01-SZ Condition: AVG_54 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 26 Setting : MCS0 power setting 19 Plane : X with Accessories : 358957940009706 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>97.34</td><td>-----</td><td>-----</td><td>90.06</td><td>32.38</td><td>6.50</td><td>31.60</td><td>269</td><td>282</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	97.34	-----	-----	90.06	32.38	6.50	31.60	269	282	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2457.00	97.34	-----	-----	90.06	32.38	6.50	31.60	269	282	AVERAGE																																								







Co-location

802.11g CH11 TX + LTE Band30 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz+ Band30 Co-location	
	Horizontal	Fundamental
Peak	Site : 03CH01-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Mode : RBW:1000.000kHz VBW:2000.000kHz IMEI : 358957940009706 Plane : X with Accessories GM Power Setting 17 Date: 3 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 2460 2468 2476 2484 2492 2500 Frequency (MHz) PEAK_BE_74 Date: 2023-06-28	Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Mode : RBW:1000.000kHz VBW:2000.000kHz IMEI : 358957940009706 Plane : X with Accessories GM Power Setting 17 Date: 1 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 1000 1400 1800 2200 2600 3000 Frequency (MHz) PEAK_74 Date: 2023-06-28
Avg.	Site : 03CH01-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL Mode : RBW:1000.000kHz VBW:1.000kHz IMEI : 358957940009706 Plane : X with Accessories GM Power Setting 17 Date: 4 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 2460 2468 2476 2484 2492 2500 Frequency (MHz) AVG_BE_54 Date: 2023-06-28	Site : 03CH01-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Mode : RBW:1000.000kHz VBW:1.000kHz IMEI : 358957940009706 Plane : X with Accessories GM Power Setting 17 Date: 2 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 1000 1400 1800 2200 2600 3000 Frequency (MHz) AVG_54 Date: 2023-06-28



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz+ Band30 Co-location	
1	Vertical	Fundamental
Peak	 Site : 03CH01-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Mode : RSW-1000.0000Hz VBW-3000.0000Hz IMEI : 358957940009706 Plane : X with Accessories GM Power Setting 17	 Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Mode : RSW-1000.0000Hz VBW-3000.0000Hz IMEI : 358957940009706 Plane : X with Accessories GM Power Setting 17
	 Site : 03CH01-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Mode : RSW-1000.0000Hz VBW-1.0000Hz IMEI : 358957940009706 Plane : X with Accessories GM Power Setting 17	 Site : 03CH01-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL Mode : RSW-1000.0000Hz VBW-1.0000Hz IMEI : 358957940009706 Plane : X with Accessories GM Power Setting 17

Note: For co-location mode, the highest signals over limit are WLAN & WWAN fundamental signals.




802.11g CH11 2462MHz+ Band30 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	8802.11g CH11 2462MHz+ Band30 Co-location	
1	Horizontal	Vertical
Peak Avg.	Date: 9 Level (dBuV/m) Date: 2023-06-28 Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Mode : 23 IMEI : 358957940009706 Plane : X with Accessories GM Power Setting 17	Date: 10 Level (dBuV/m) Date: 2023-06-28 Site : 03CH01-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Mode : 23 IMEI : 358957940009706 Plane : X with Accessories GM Power Setting 17

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	97.57	1.394	0.717	1KHz
802.11an HT20	97.39	1.299	0.770	1KHz
802.11an HT40	94.92	0.649	1.540	3KHz

802.11b




Date: 23.APR.2023 11:22:57

802.11g




Date: 23.APR.2023 11:22:01

802.11n HT 20



Date: 23.APR.2023 11:24:32

802.11n HT40



Date: 23.APR.2023 11:26:19